

SMITHSONIAN CONTRIBUTIONS TO BOTANY • NUMBER 97



Smithsonian Plant Collections, Guyana 1995–2004, H. David Clarke

Carol L. Kelloff, Sara N. Alexander, V. A. Funk, and H. David Clarke

SERIES PUBLICATIONS OF THE SMITHSONIAN INSTITUTION

Emphasis upon publication as a means of "diffusing knowledge" was expressed by the first Secretary of the Smithsonian. In his formal plan for the Institution, Joseph Henry outlined a program that included the following statement: "It is proposed to publish a series of reports, giving an account of the new discoveries in science, and of the changes made from year to year in all branches of knowledge." This theme of basic research has been adhered to through the years by thousands of titles issued in series publications under the Smithsonian imprint, commencing with Smithsonian Contributions to Knowledge in 1848 and continuing with the following active series:

Smithsonian Contributions to Anthropology Smithsonian Contributions to Botany Smithsonian Contributions to History and Technology Smithsonian Contributions to the Marine Sciences Smithsonian Contributions to Museum Conservation Smithsonian Contributions to Paleobiology Smithsonian Contributions to Zoology

In these series, the Institution publishes small papers and full-scale monographs that report on the research and collections of its various museums and bureaus. The Smithsonian Contributions Series are distributed via mailing lists to libraries, universities, and similar institutions throughout the world.

Manuscripts submitted for series publication are received by the Smithsonian Institution Scholarly Press from authors with direct affiliation with the various Smithsonian museums or bureaus and are subject to peer review and review for compliance with manuscript preparation guidelines. General requirements for manuscript preparation are on the inside back cover of printed volumes. For detailed submissions requirements and to review the "Manuscript Preparation and Style Guide for Authors," visit the Submissions page at www.scholarlypress.si.edu.

Smithsonian Plant Collections, Guyana 1995–2004, H. David Clarke

Carol L. Kelloff, Sara N. Alexander, V. A. Funk, and H. David Clarke





Issued

JAN 1 1 2012

Smithsonian Institution

ABSTRACT

Carol L. Kelloff, Sara N. Alexander, V. A. Funk, and H. David Clarke. Smithsonian Plant Collections, Guyana: 1995–2004, H. David Clarke. *Smithsonian Contributions to Botany*, Number 97: viii + 307 pages, 18 figures, 4 plates, 11 maps, 2011.—Part I provides the collector's notes on trips with maps in chronological order. Part II lists collection localities, with collection number ranges, habitat descriptions, geographic coordinates, and assisting collectors. Part III lists collections in numerical order with identifications and authors. Part IV lists collections ordered by determined name.

Cover image: Central and eastern pinnacles of the Mount Wokomung Massif. Photograph by H. David Clarke.

All photographs by H. David Clarke, except as noted, courtesy of the Smithsonian Institution's Biological Diversity of the Guiana Shield Program.

Published by SMITHSONIAN INSTITUTION SCHOLARLY PRESS

P.O. Box 37012, MRC 957 Washington, D.C. 20013-7012 www.scholarlypress.si.edu

Text and images in this publication may be protected by copyright and other restrictions or owned by individuals and entities other than, and in addition to, the Smithsonian Institution. Fair use of copyrighted material includes the use of protected materials for personal, educational, or noncommercial purposes. Users must cite author and source of content, must not alter or modify content, and must comply with all other terms or restrictions that may be applicable.

Library of Congress Cataloging-in-Publication Data

Smithsonian plant collections, Guyana: 1995–2004, H. David Clarke / Carol L. Kelloff . . . [et al.].

p. cm. — (Smithsonian contributions to botany; no. 97)

Includes bibliographical references.

1. Botany—Catalogs and collections—Guyana. 2. Plants—Guyana—Classification. 3. Plant collecting—Guyana. I. Kelloff, Carol Lynn, 1954—II. Clarke, H. D. III. Smithsonian Institution. Biological Diversity of the Guianas Program. IV. Series: Smithsonian contributions to botany; no. 97.

QK267.S655 2012 581.9881074'753—dc23

20110270691

ISSN: (print) 0081-024X; (online) 1938-2812

The paper used in this publication meets the minimum requirements of the American National Standard for Permanence of Paper for Printed Library Materials Z39.48−1992.

Contents

LIST OF FIGURES	v
LIST OF MAPS	vi
INTRODUCTION by V. A. Funk and C. L. Kelloff	1
The Biological Diversity of the Guiana Shield Program	1
H. David Clarke Biosketch	3
Format of Collection Information	5
References	6
Acknowledgments	7
Contributors of Identifications	7
Collections of Special Interest	11
I. EXPEDITION NARRATIVES AND MAPS	21
Trip 1: Iwokrama Rainforest Reserve	21
Trip 2: Iwokrama Rainforest Reserve	24
Trips 3-4: Mabura Hill; CEIBA Environmental Center	25
Trips 5-6: Paruima and Paramakatoi	25
Trip 7: Iwokrama International Rainforest Reserve	29
Trip 8: Eastern Kanuku Mountains	31
Trip 9: Kuyuwini River	31
Trip 10: Iwokrama International Rainforest Reserve	33
Trip 11: Gunn's Strip, Chodikar, Kamoa, and Upper	
Essequibo Rivers	35
Trip 12: Kwitaro and Upper Rewa Rivers	38
Trip 13: Iwokrama International Rainforest Reserve	41
Trip 14: Kuyuwini and Kassikaityu Rivers	41
Trip 15: Waukauyengtipu and Paruima	44
Trip 16: Kwitaro and Rewa Rivers and eastern Kanuku	
Mountains and Makarapan Mountain	46
Trip 17: Acarai Mountains-Sipu River	47
Trip 18: Wassari Mountains, Upper Takutu-Upper	
Essequibo Region (Region 9)	49

Trip 19: Mount Ayanganna, Potaro-Siparuni Region (Region 8) Trip 20: Mount Wokomung, Potaro-Siparuni Region (Region 8) Trip 21: Central Suriname Nature Reserve Trips 22–23: Mount Maringma, Wayalayeng Village, Georgetown	51 54 57 60
II. COLLECTING LOCALITIES	61
Trip 1: Iwokrama Rainforest Reserve	61
Trip 2: Iwokrama Rainforest Reserve	62
Trips 3-4: Mabura Hill; CEIBA Environmental Center	64
Trips 5–6: Paruima and Paramakatoi	64
Trip 7: Iwokrama Rainforest Reserve	65
Trip 8: Eastern Kanuku Mountains	67
Trip 9: Kuyuwini River	68
Trip 10: Iwokrama	69
Trip 11: Gunn's Strip, Chodikar, Kamoa, and Upper	
Essequibo Rivers	70
Trip 12: Kwitaro and Upper Rewa Rivers	72
Trip 13: Iwokrama	73
Trip 14: Kuyuwini and Kassikaityu Rivers	74
Trip 15: Waukauyengtipu and Paruima	75
Trip 16: Kwitaro and Rewa Rivers and Eastern Kanuku	
Mountains and Makarapan Mountain	77
Trip 17: Acarai Mountains–Sipu River	79
Trip 18: Wassari Mountains, Upper Takutu–Upper Essequibo	
Region (Region 9)	81
Trip 19: Mount Ayanganna, Potaro-Siparuni Region (Region 8)	83
Trip 20: Mount Wokomung, Potaro-Siparuni Region (Region 8)	84
Trip 21: Central Suriname Nature Reserve	86
Trips 22–23: Mount Maringma, Wayalayeng Village, Georgetown	88
Trip 23: Georgetown	90
III. COLLECTIONS BY NUMBER	91
IV. COLLECTIONS BY DETERMINED TAXA	253
PLATES	299
INDEX	303

Figures

Figure A. Dilkea clarkei Feuillet (Passifloraceae).	vii
Figure B. Davilla kunthii A. St. Hill (Dilleniaceae).	viii
1. The Guiana Shield.	2
2. H. David Clarke.	4
3. Brassavola martiana Lindl. (Orchidaceae), Clarke 1366.	30
4. Brassavola sp. (Orchidaceae), Clarke 2760.	35
5. Loading the Wai Wai dugout canoes at Gunn's Strip.	37
6. Marifa Waruwanaru and Wachana Yaymochi making paddles	
at Chodikar River camp.	38
7. Hymenocallis tubiflora Salisb. (Liliaceae), Clarke 3475.	39
8. Mollia glabrescens Benth. (Tiliaceae), Clarke 3572.	40
9. Miles (Wapishana) and Romeo Williams (Arawak), negotiating	
the rapids below the Great Falls of the Rewa River.	40
10. Odontadenia geminata (Hoffmanns. ex Roem. and Schult.)	
Müll. Arg. (Apocynaceae), Clarke 4411.	44
11. Heliamphora nutans Benth. (Sarraceniaceae).	46
12. Umana Yana (meeting house), Gunn's Strip.	49
13. Lorostemon bombaciflorum Ducke (Clusiaceae), Clarke 7160.	49
14. Monstera adansonii Schott (Araceae), Clarke 8425.	51
15. Kaieteur Falls from Johnson's View.	55
16. Stephen Stern, Josh Kelly, Claudius Perry, Diana Gittens,	
Erin Tripp, and David Clarke.	57

Maps

1. Collecting localities, Trips 1–3.	22
2. Collecting localities, Trips 4 and 23.	26
3. Collecting localities, Trips 5 and 15.	27
4. Collecting localities, Trips 6–7.	28
5. Collecting localities, Trips 8–9.	32
6. Collecting localities, Trips 10 and 13.	34
7. Collecting localities, Trips 11–12.	36
8. Collecting localities, Trips 14 and 16.	42
9. Collecting localities, Trips 17–18.	48
10. Collecting localities, Trips 19, 20, and 22.	52
11. Collecting localities, Trip 21.	58




FIGURE A. *Dilkea clarkei* Feuillet (Passifloraceae) from Feuillet, 2010. Illustrations by Alice Tangerini, Department of Botany, National Museum of Natural History, Smithsonian Institution.




FIGURE B. Davilla kunthii A. St. Hill (Dilleniaceae), prepared for the Aymard and Kelloff, manuscript, Dilleniaceae. Flora of the Guianas. Illustrations by Alice Tangerini, Department of Botany, National Museum of Natural History, Smithsonian Institution.

Smithsonian Plant Collections, Guyana: 1995–2004, H. David Clarke

INTRODUCTION

V. A. Funk and C. L. Kelloff

THE BIOLOGICAL DIVERSITY OF THE GUIANA SHIELD PROGRAM

The Biological Diversity of the Guiana Shield (BDG) program is a field-oriented program of the Smithsonian Institution's (SI) National Museum of Natural History. The goal of the BDG is to study, document, and preserve the biological diversity of the Guiana Shield (Figure 1), which includes Guyana, Suriname, French Guiana, the Venezuelan states of Amazonas, Bolívar, and Delta Amaçuro, and parts of southern Colombia and northern Brazil. The BDG program has been operating since 1983. Originally confined to botany, it now covers all aspects of biodiversity. Data gathering and analyses of diversity are focused on the natural unit of the Guiana Shield (Escudo de Guayana in Spanish) rather than on political units.

The Guiana Shield is a biologically diverse area defined by a distinct, ancient geologic formation that is roughly bounded by the Atlantic Ocean to the east, the Orinoco River to the north and west, the Río Negro, a major tributary of the Amazon River, to the southwest, and the Amazon River to the south (Gibbs and Barron, 1993). The Orinoco and Río Negro Rivers are connected by the substantial Rio Casiquiare, making much of this geologic area an island. The Guiana Shield contains many isolated steep-sided mountains of sandstone (tepuis) and granite (inselbergs), which, together with an assortment of habitats that includes tropical savannas, lowland and montane forests, and montane scrub, help to account for the high diversity and endemicity of the flora and fauna (Berry et al., 1995). Unlike many other tropical regions, 60%–70% of the natural habitat of the Guiana Shield remains pristine. In the three Guianas (Guyana, Suriname, and French Guiana) in particular, because national governments own most of the land and the population is concentrated along the coast

Carol L. Kelloff, Sara N. Alexander, and V. A. Funk, Department of Botany, National Museum of Natural History, Smithsonian Institution, P.O. Box 37012, MRC 166, Washington, D.C. 20013-7012, USA; H. David Clarke, Department of Biology, University of North Carolina, 311 Zeis Hall, Asheville, North Carolina 28804 USA. Correspondence: kelloffc@si.edu. Manuscript received and accepted 26 May 2011.




FIGURE 1. The Guiana Shield. Boundaries are adapted from Gibbs and Barron (1993). The dashed boundary includes isolated outliers of similar geologic composition that are sometimes included in the Shield.

and major rivers, destructive development of the interior has been kept to a minimum.

Conservation efforts vary within the region. In parts of Suriname and the Venezuelan Guayana, large tracts of extremely interesting forest and their accompanying biota have already been designated for conservation. In contrast, in Guyana the process of establishing protected areas is in its early stages. Many natural areas in both Guyana and the Venezuelan Guayana are designated as concessions and are therefore seriously threatened by resource extraction activities as practiced by multinational logging and mining companies. Each country has suffered severe degradation in certain areas due to gold miners, both legal and illegal, from inside and outside of the country. It is important that we gain an understanding of the flora and fauna of the Guiana Shield to make informed decisions concerning critical areas that have high priority for conservation and to guide the collection of data from areas that might ultimately become degraded. In addition, because this region has been long neglected by biologists, it is often an area of "insufficient information" for analyses of many biological groups. The BDG program aims to fill these gaps by providing specimens and data to address biodiversity questions about many groups of organisms and to assist a variety of research and conservation projects. This new information is now being used to produce checklists and vegetation maps, and in floristic and faunistic studies. In addition, the BDG program is exploring uses of these data that will lead to a synthesis of information addressing a broader understanding of biodiversity issues (Funk and Richardson, 2002; Kelloff, 2003; Kelloff and Funk, 2004; Funk et al., 2005; Hollowell and Reynolds, 2005; Hollowell, 2009; Vari et al., 2009).

Prior to the BDG's work Guyana was poorly known biologically, with sparse documentation of the composition and distribution of its biota. After 24 years of

collecting the BDG program has produced many works important to understanding Guyana's biological diversity and to assisting Guyana with conservation efforts.

The BDG program has published a vegetation map of Guyana (Huber et al., 1995), as well as plant checklists for the Guianas (Boggan et al., 1997), the Guiana Shield (Hollowell et al., 2001; Funk et al. 2007), the Iwokrama area (Clarke et al., 2001), and Kaieteur National Park (Kelloff and Funk, 1998). The program has also published the *Field Checklist of the Birds of Guyana* (Braun et al., 2000, 2007). Data from the BDG program have been used in many publications. A complete list can be found on the program's website at http://botany.si.edu/bdg/index.htm; most are available as PDFs (Engstrom and Lim, 2001–present; Reynolds et al., 2001–present; Hollowell and Reynolds, 2005; Funk et al., 2007; Vari et al. 2009).

The Checklist of the Terrestrial Vertebrates of the Guiana Shield was published in 2005 (Hollowell and Reynolds, 2005). The checklist contains all known nonfish vertebrates (and their distribution on the Shield) and includes chapters on birds, mammals, amphibians, and reptiles by authors from Canada, Venezuela, Brazil, and the USA. The Checklist of the Fishes of the Guiana Shield (Vari et al., 2009) was published as a companion to the terrestrial vertebrate checklist. These two works represent the most current knowledge of the diversity and distribution of vertebrates of the Guiana Shield. The checklist of fishes known from the freshwater systems of the Guiana Shield includes 1,173 species, representing approximately 23% of the freshwater fish species from the vast expanse between southern South America and the southern border of Mexico (Reis et al., 2003). The checklist also accounts for more than 4% of the 28,400 fish species recently estimated to be present in all marine and freshwater systems worldwide (Nelson, 2006; Funk and Kelloff, 2009).

The Checklist of the Plants of the Guiana Shield (Funk et al., 2007) covers all vascular plants known to occur in the Guiana Shield region of northeastern South America and includes a forward by Dr. Peter H. Raven, President Emeritus at the Missouri Botanical Garden. This checklist, together with the publications on terrestrial vertebrates and freshwater fishes, represents a new research and conservation resource that highlights three critical facets of taxonomic work: expeditions, collections, and research.

The BDG fulfills the mission of the Smithsonian Institution—the increase and diffusion of knowledge—by gathering and distributing new information. The program encourages production of floras and faunas of poorly known areas, participates in training students and professionals from the host countries, supplies data for identification

and preservation of biologically diverse areas, and supports interdisciplinary research. Although the program operates out of the Smithsonian Institution, it depends on the collaboration of specialists worldwide and a steady source of funding to accomplish its goals. Currently, more than 800 scientists and collaborators have produced more than 500 publications (the BDG website lists collaborators and other information: http://botany.si.edu/bdg/index.html).

From 1986 to 2000 the BDG program maintained either a full-time or a part-time resident collector in Guyana. Since 2000 regular expeditions are sent to various places across the Shield. Most of the expeditions collect plants but some have collected butterflies and moths, ants, and birds. Botanical specimens collected through the program are distributed to a network of experts for identification. Specimens from all expeditions are deposited at the Centre for the Study of Biological Diversity (CSBD) at the University of Guyana in Georgetown, as well as at the Smithsonian Institution in Washington and at other museums worldwide. At the time of publication the BDG program has produced approximately 55,000 collection numbers, representing more than 263,000 individual specimens. The CSBD herbarium in Georgetown currently holds over 45,000 mounted plant specimens and the zoological collection has over 10,000 vertebrate specimens and 22,000 insect specimens

H. DAVID CLARKE BIOSKETCH

H. David Clarke was the eighth and last full-time resident plant collector (1995-1997) to participate in the BDG program (Figure 2). After his time in Guyana, Clarke spent three years at the Smithsonian Institution as a postdoctoral fellow, then accepted a position at the University of North Carolina at Asheville (UNCA). As associate professor in the department of biology, Clarke teaches introductory and advanced botany courses in plant systematics, field botany, plant anatomy and morphology, economic botany, tropical biology, and the humanities. Until recently much of Clarke's time, when not at UNCA, was spent in the rainforests of Guyana, where he was often accompanied by one or more students involved in undergraduate research. Between 1994 and 2004 Clarke spent more than 20 months in Guyana in the field and collected nearly 12,300 plant numbers. These specimens were processed first at the CSBD in Georgetown and then by the U.S. National Herbarium at the Smithsonian Institution. At the time of publication, just over 78% of these collections have been identified to species. The determinations show that Clarke collected more than 3,015 taxa in




FIGURE 2. H. David Clarke. Photo by E. Tripp. Used with permission.

1,060 genera. Copies of his field notebooks and mounted vouchers for these collections are now in the Guyana National Herbarium, housed at the CSBD, and at the U.S. National Herbarium in Washington. Partial sets of the collections are housed at several other institutions.

As a resident botanist Clarke played an informal but important role in outreach to the general population in Guyana. The Smithsonian collectors lived in Georgetown neighborhoods and endured the same irregularities in services as their fellow Georgetown residents. Clarke customarily traveled about the city on foot or by bicycle and minibus, shopped in the street markets and bakeries, and commuted to the university in public minivans. After conducting several extended field trips, Clarke presented public talks on plant diversity and expeditions in downtown Georgetown and at the University of Guyana highlighting Guyana's amazing flora and fauna on the tepuis; these talks generally drew large audiences.

The BDG's resident plant collector also provided an active link between the Smithsonian's research efforts and the

programs of other institutions. For example, Clarke maintained friendships and frequently discussed fieldwork with researchers such as John Wurdack, Larry Skog, and other curators from the Smithsonian, Scott Mori of the New York Botanical Garden, and zoologists from the Royal Ontario Museum. The resident botanists thus played a greater role in the Smithsonian mission than merely planning field expeditions and collecting plant specimens. They were active, dedicated, and, not insignificantly, apolitical outreach persons who represented the amiable, pro-conservation and pro-education interests of the United States scientific community. Each resident collector was the key person in the country who kept the collaborative relationship active over the months and years. In addition, many of the BDG's collectors, Clarke included, used their experience in Guyana to gain hands-on knowledge of tropical biology and to build on it to enhance their careers as professional botanists. During Clarke's stay in Guyana, he was accompanied in the field by several Guyanese biology students, foresters, and botanists. From the University of Guyana Herbarium, co-collectors included Tsitsi McPherson, Keith David, Diana Gittens, and Christopher Chin; these individuals also participated in some of the collecting trips with other Smithsonian botanists and zoologists. With this experience they were able to develop their own research interests and went on to pursue graduate studies. Many other Guyanese, including Amerindians (Claudius Perry and Romeo Williams) and other residents of interior towns and settlements, participated in collecting trips with Clarke. The collecting teams normally included two to six local men who served as guides, shared the backpacking of supplies and specimens, and set up camps in remote areas. These hired workers were paid by the day for the extent of the trip, with food provided from the stocks the collector brought from Georgetown. Strong friendships often developed between the resident botanist and the Guyanese members of the team as they shared the challenges of travel and botanical fieldwork under difficult circumstances and in inclement weather. Among the Guyanese members of teams who also assisted Clarke with collecting, as recorded on the specimen labels, were Calvin Bernard and Cynthia Watson from the University of Guyana.

Scientists from several countries sometimes participated in field trips organized by Clarke. For instance, Clarke conducted field expeditions with American botanists, lichenologists, and graduate students, including Scott Mori and Scott Heald (New York Botanical Garden), Pedro Acevedo and Paula DePriest (Smithsonian Institution), Erin Tripp, Josh Kelly, and Stephen Stern (University of North Carolina at Ashville), and international botanists

Ted Ahti (Helsinki), Jeanne Florschütz-de Waard (State University of Utrecht Herbarium, Netherlands), Henricus Sipman (Botanischer Garten und Botanisches Museum Berlin–Dahlem, Germany), and former resident collector Bruce Hoffman (now in the Netherlands).

Clarke's first collecting trip in Guyana was to Iwokrama International Centre for Rainforest Conservation and Development to fulfill a contract between the Smithsonian Institution and the Iwokrama Rainforest Programme to document the plant diversity of the reserve (Clarke et al., 2001). An important practice of the BDG program was to have resident collectors overlap both in the field and in Georgetown. Clarke did not have the advantage of an overlap with previous resident collectors, but the infrastructure was well established and the first expedition into Iwokrama allowed him to become familiar with field work in Guyana, After his term as a collector with BDG, Clarke made yearly expeditions in Guyana, bringing students to collect plants in the higher elevations of the Pakaraima Mountains. These students were Erin Tripp and Josh Kelly to Mount Ayanganna (2001); Erin Tripp, Josh Kelly, Diana Gittens, and Stephen Stern to Mount Wokomung (2003); Jay Rhodes to the Central Suriname Nature Reserve in Suriname (2004); and Erin Tripp, Stephen Stern, and Diana Gittens to Mount Maringma (2004).

In addition to his fieldwork on the Guiana Shield, Clarke's experience included work in Central America, Mexico, and the Caribbean, producing collections from Mexico, Costa Rica, Puerto Rico, and the Dominican Republic. To advance his fieldwork Clarke continues to seek funding and in recent years has received grants from the Smithsonian Institution, Conservation International, the National Geographic Society, and Geo Magazine. Although Clarke still participates in field trips to Guyana, his research interests in biodiversity studies now extend beyond the flora of the Guiana Shield. His latest research project is the classification and evolution of Acacia (Fabaceae: Mimosoideae) and related tropical legumes. He is currently examining the evolution and biogeography of Acacia based on molecular sequence data. Clarke has published in several leading journals, including *Proceedings* of the Academy of Natural Sciences, Systematic Botany, and American Journal of Botany, the popular publication Orchid Digest, and several monographs. His publications include articles about using checklists and collections data to investigate plant diversity (Clarke and Funk, 2000, 2005; Clarke et al., 2001) and the analysis of the plant diversity of the Iwokrama forest, Guyana (Clarke and Funk, 1998), and several articles on Acacia (Ebinger et al., 2000; Clarke et al., 1989, 2000).

FORMAT OF COLLECTION INFORMATION

More than 150 taxonomic specialists and other botanical professionals have participated in identifying plants collected by Clarke. Now that more than 78% of these collections have been identified, this publication makes the results of his fieldwork widely available in print and electronically to the botanical and conservation communities. This publication also serves as a resource for many herbaria that have received duplicates of these collections because, as with such endeavors, specialists may revise the determinations of specimens and data errors are discovered and corrected over time. These data will be periodically updated on the "Expeditions" page on the BDG website (http://botany.si.edu/bdg/index.html). The BDG website also provides information about expeditions conducted by the program, including trip reports, lists of collections, images showing different aspects of field work, and collection localities (using Google Maps as a mapping application).

This publication is divided into four parts. Part I contains narratives prepared by Clarke about the localities, habitats, people, and events of the collecting trips. Maps are included that show each collecting trip, along with some of the place names mentioned in the trip narratives. The maps were produced using ArcMap 8 (ESRI, 2002) with basemap coverages produced through the BDG's collaboration with the CSBD at the University of Guyana. Part II is a detailed account of the localities where Clarke made his collections for the BDG program; these are listed chronologically and grouped by trip. The range of collection numbers for each trip is indicated, as are the dates of the trip. Within each trip, specific localities, as provided by the collector, are listed with their collection number ranges, the date for those collections, latitude and longitude coordinates, elevation ranges in meters, habitat descriptions, and co-collectors. Latitude and longitude are given in degree (°), minute (′), and second (″) format and were taken using a Global Positioning System (GPS).

Part III lists Clarke's collections in numerical order. Each collection number is followed by the determined plant family, the plant name and any infraspecific names that have been provided, and authors of the name. The plant name information may be checked against the synonymy provided in the *Checklist of the Plants of the Guiana Shield* (Funk et al., 2007) available online at http://botany.si.edu/bdg/plants.html. The authors of plant names conform to standard abbreviations (Brummitt and Powell, 1992).

Part IV lists collections by determined name sorted by division, family, genus, and specific epithets, followed by collection numbers for each name. Specimens not determined to genus are the first listed for each family, and specimens not determined to species are the first listed for each genus. This section is provided to facilitate the location of specimens of interest to specialists. In addition, there are color plates located at the end of the book.

The first set of all Clarke collections has been distributed to the Guyana National Herbarium at CSBD and a second sheet has been deposited at Smithsonian's U.S. National Herbarium in Washington. Additional duplicates have been distributed to herbaria in the Americas and Europe as part of ongoing exchange programs. Anyone requiring additional information about these specimens or about the specialists and other individuals who participated in determination of specimens may contact the BDG Program at the U.S. National Herbarium, Botany, MRC 166, P.O. Box 37012, Smithsonian Institution, Washington DC, 20013-7012 USA.

This is the fourth publication by the BDG detailing the collections of the program's resident plant collectors. The first publication covered the collections of John J. Pipoly from 1987 to 1988 (Hollowell et al., 2000), the second covered the collections of Lynn J. Gillespie from 1989 to 1991 (Hollowell et al., 2003), and the third covered the collections of Tim McDowell from 1990–1991 (Hollowell et al., 2004). As identification of specimens collected by other BDG botanists approaches at least 75%–80% completion additional publications will be issued in this series. This is publication number 160 in the Smithsonian's Biological Diversity of the Guiana Shield Program publication series.

References

- Berry, P. E., B. K. Holst, and K. Yatskievych, eds. 1995. Flora of the Venezuelan Guayana. Volume 1: Introduction. J. A. Steyermark, Paul E. Berry, and B. K. Holst, general eds. Missouri Botanical Garden, St. Louis.
- Boggan, J., V. Funk, C. Kelloff, M. Hoff, G. Cremers, and C. Feuillet. 1997. *Checklist of the Plants of the Guianas*, 2nd edition. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C.
- Braun, M. J, D. W. Finch, M. B. Robbins, and B. K. Schmidt. 2000. A Field Checklist of the Birds of Guyana. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C.
- Braun, M. J., D. W. Finch, M. B. Robbins, and B. K. Schmidt. 2007. A Field Checklist of the Birds of Guyana, 2nd edition. Biological Diversity of the Guiana Shield Program, Smithsonian Institution, Washington, D.C.
- Brummitt, R. K., and C. E. Powell, eds. 1992. Authors of Plant Names. Royal Botanic Gardens, Kew, Richmond, Surrey, UK.
- Clarke, H. D. and V. A. Funk. 1998. A Preliminary Analysis of the Plant Diversity of the Iwokrama Forest, Guyana. Bio-

- logical Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C.
- Clarke, H. D. and V. A. Funk. 2000. Analyzing Checklists and Using Collections Data to Investigate Plant Diversity: An Examination of Five Florulas from Northeastern South America. Am. J. Bot. 87: 119.
- Clarke, H. D. and V. A. Funk. 2005. Using Checklists and Collections Data to Investigate Plant Diversity. II. An Analysis of Five Florulas from Northeastern South America. *Proceedings of the Academy of Natural Sciences of Philadelphia* 154: 29–37. doi:10.1635/0097-3157(2004)154[0029:UCA CDT]2.0.CO;2.
- Clarke, H. D., S. R. Downie, and D. S. Seigler. 2000. Implications of Chloroplast DNA Restriction Site Variation for Systematics of *Acacia* (Fabaceae: Mimosoideae). *Syst. Botany* 25: 618–632. doi:10.2307/2666724.
- Clarke, H. D., V. Funk, and T. Hollowell. 2001. Using Checklists and Collections Data to Investigate Plant Diversity. I: A Comparative Checklist of the Plant Diversity of the Iwokrama Forest, Guyana. *Sida Botanical Miscellany* 21, 86 pp.
- Clarke, H. D., D. S. Seigler, and J. E. Ebinger. 1989. *Acacia farnesiana* and Related Species from Mexico, the Southwestern U.S., and the Caribbean. *Syst. Botany* 14: 549–564. doi:10.2307/2419000.
- Ebinger, J. E., D. S. Seigler, and H. D. Clarke. 2000. Taxonomic Revision of South American Species of the Genus Acacia Subgenus Acacia (Fabaceae: Mimosoideae). Syst. Botany 25: 588–617. doi:10.2307/2666723.
- Engstrom, M. and B. Lim. 2001–present. *Checklist of the Mammals of Guyana*. Biological Diversity of the Guiana Shield Program, Smithsonian Institution. http://botany.si.edu/bdg/guyspecies.html.
- ESRI. 2002. ArcMap 8.3. Environmental Systems Research Institute, Redlands, CA.
- Feuillet, C. 2010. Folia Taxonomica, 17. *Dilkea* (Passifloraceae) 2. Conspectus of the species of the Guianas with three new species. *Journal of the Botanical Research Institute of Texas*, 4(1): 55–62 (Figure 1).
- Funk, V., T. Hollowell, P. Berry, C. Kelloff and S. N. Alexander. 2007. Checklist of the Plants of the Guiana Shield (Venezuela: Amazonas, Bolivar, Delta Amacuro; Guyana, Suriname, French Guiana). Contributions from the United States National Herbarium 55: 1–584.
- Funk, V. A., and C. L. Kelloff. 2009. Introduction. In "Checklist of the Freshwater Fishes of the Guiana Shield," ed. R. P. Vari, C. J. Ferraris, Jr., A. Radosavljevic, and V. A. Funk. *Bulletin of the Biological Society of Washington*, no. 17: 1–93. doi:10.2988/0097-0298-17.1.i.
- Funk, V. A. and K. Richardson. 2002. Systematic Data in Biodiversity Studies: Use It or Lose It. *Syst. Biology* 51 (2): 303–316. doi:10.1080/10635150252899789.
- Funk, V. A., K. S. Richardson, and S. Ferrier. 2005. Survey-Gap Analysis in Expeditionary Research: Where Do We Go from Here? *Biological Journal of the Linnean Society* 85: 549–567. doi:10.1111/j.1095-8312.2005.00520.x.
- Gibbs, A. K., and C. N. Barron. 1993. *The Geology of the Guiana Shield*. Oxford University Press, New York.
- Hollowell, T. H. 2009. Plant Community Structure, Fire Disturbance, and Recovery in Mangrove Swamps of the Waini

- Peninsula, Guyana. Contributions to the Study of Biological Diversity 3:1–166.
- Hollowell, T., P. Berry, V. Funk, and C. Kelloff. 2001. Preliminary Checklist of the Plants of the Guiana Shield (Venezuela: Amazonas, Bolívar, Delta Amacuro; Guyana; Suriname; French Guiana). Volume 1: Acanthaceae-Lythraceae. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, DC.
- Hollowell, T., V. A. Funk, C. L. Kelloff, and G. Gharbarran. 2000. *Smithsonian Plant Collections, Guyana:* 1986–1987, *John J. Pipoly III*. Biological Diversity of the Guianas Program, Smithsonian Institution Washington, DC.
- Hollowell, T., L. J. Gillespie, V. A. Funk, and C. L. Kelloff. 2003.
 Smithsonian Plant Collections, Guyana: 1989–1991, Lynn
 J. Gillespie. Contributions from the United States National Herbarium 44: 1–104.
- Hollowell, T., T. McDowell, V. A. Funk, C. L. Kelloff, and D. Gopaul. 2004. Smithsonian Plant Collections, Guyana: 1990–1991, Tim McDowell. Contributions from the United States National Herbarium 50: 1–150.
- Hollowell, T., and R. P. Reynolds, eds. 2005. Checklist of the Terrestrial Vertebrates of the Guiana Shield. *Bulletin of the Biological Society of Washington*, no. 13. doi:10.2988/0097-0298(2005)13[1:I]2.0.CO;2.
- Huber, O., G. Gharbarran, and V. A. Funk. 1995. *Preliminary Vegetation Map of Guyana*. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, DC.
- IUCN. 2001. IUCN Red List Categories and Criteria: Version 3.1. IUCN Species Survival Commission. International Union for Conservation of Nature, Gland, Switzerland and Cambridge, UK.
- Kelloff, C. L. 2003. The Use of Biodiversity Data in Developing Kaieteur National Park, Guyana for Ecotourism and Conservation. Contributions to the Study of Biological Diversity 1: 1–44. University of Guyana.
- Kelloff, C. L. and V. A. Funk. 1998. Preliminary Checklist of the Plants of Kaieteur National Park, Guyana. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, DC.
- Kelloff, C. L. and V. A. Funk. 2004. Phytogeography of the Kaieteur Falls, Potaro Plateau, Guyana: Floral Distributions and Affinities. *J. Biogeogr.* 31: 501–513. doi:10.1046/j.0305-0270.2003.01038.x.
- Mori, S. A., G. Cremers, C. A. Gracie, J.-J. d. Grandville, M. Hoff and J. D. Mitchell. 1997. Guide to the Vascular Plants of Central French Guiana: Part 1. Pteridophytes, Gymnosperms, and Monocotyledons. Memoirs of the New York Botanical Garden 76(1): 1–422.
- Mori, S. A., G. Cremers, C. A. Gracie, J. J. d. Granville, S. V. Heald, M. Hoff and J. D. Mitchell. 2002. Guide to the Vascular Plants of Central French Guiana: Part 2. Dicotyledons. *Memoirs of the New York Botanical Garden* 76(2): 1–776.
- Nelson, J. S. 2006. *Fishes of the World*. 4th Edition. John Wiley and Sons, Hoboken, New Jersey, 624 pp.
- Reis, R. E., S. O. Kullander, and C. J. Ferraris, Jr. (eds). 2003. *Checklist of the Freshwater Fishes of South and Central America*. Edipucrs, Porto Alegre, Brazil, 729 pp.
- Reynolds, R., R. MacCulloch, M. Tamessaar, C. Watson, C. J. Cole, and C. Townsend. 2001–present. *Preliminary Check-*

- list of the Herpetofauna of Guyana. Biological Diversity of the Guiana Shield Program, Smithsonian Institution. http:// botany.si.edu/bdg/guyspecies.html.
- Vari, R. P., C. J. Ferraris, Jr., A. Radosavljevic, and V.A. Funk. 2009. Checklist of the Freshwater Fishes of the Guiana Shield. *Bulletin of the Biological Society of Washington*, no. 17: 1–93. doi:10.2988/0097-0298-17.1.i.

ACKNOWLEDGMENTS

Compilation of this collection summary would not have been possible without the work of many people who have assisted the BDG program over the years, both at the Smithsonian and in Guyana. Among these people are Tom Hollowell, Margaret and Malcolm Chan-A-Sue, Phillip daSilva, Michael Tamessar, and Marilyn Hansel. We also thank Erin Tripp and Karen Redden for suggestions on the manuscript. The multitude of specialists, both past and present, who have helped in the determination of H. David Clarke's specimens from Guyana, are acknowledged below. Expeditions in Guyana are not possible without the assistance of many local counterparts and Amerindians. We thank the many individuals who participated in Clarke's expeditions: S. Adkins, C. Bernard, C. Chin, J. Clarke, K. David, D. Gittens, S. Grose, S. Heald, B. Hoffman, T. Hollowell, K. Hurtubise, J. Kelly, T. McPherson, S. Mori, P. Mutchnick, T. Pennington, C. Perry, J. Rhodes, S. Stern, E. Tripp, C. Watson, R. Williams, and many others (see Part I: Narratives of Expeditions).

CONTRIBUTORS OF IDENTIFICATIONS

Fungi

Lichenized basidiomycete: T. Ahti Polyporaceae: T. W. Henkel Xylariaceae: T. W. Henkel

Bryophytes

Funariaceae: A. Newton

Lichen

Arthoniaceae: T. Ahti

Bacidiaceae: T. Ahti, J. C. Lendemer Cladoniaceae: T. Ahti, J. C. Lendemer

Coccocarpiaceae: T. Ahti

Collemataceae: T. Ahti, J. C. Lendemer Graphidaceae: T. Ahti, J. C. Lendemer Gyalectaceae: T. Ahti, J. C. Lendemer Lobariaceae: T. Ahti, J. C. Lendemer Parmeliaceae: T. Ahti, J. C. Lendemer

Physciaceae: T. Ahti Ramalinaceae: T. Ahti

Lycophytes

Lycopodiaceae: H. D. Clarke, C. L. Kelloff, D. B. Lellinger, G. S. McKee

Selaginellaceae: D. B. Lellinger, G. S. McKee

Pteridophytes

Adiantaceae: M. Boudrie, D. B. Lellinger, G. S. McKee

Aspleniaceae: D. B. Lellinger, G. S. McKee

Blechnaceae: G. S. McKee Cyatheaceae: G. S. McKee

Dennstaedtiaceae: C. L. Kelloff, D. B. Lellinger, G. S. McKee

Dryopteridaceae: D. B. Lellinger, G. S. McKee

Gleicheniaceae: G. S. McKee

Grammitidaceae: C. L. Kelloff, D. B. Lellinger, G. S. McKee

Hymenophyllaceae: H. D. Clarke, D. B. Lellinger, G. S. McKee

Lomariopsidaceae: G. S. McKee

Lygodiaceae: C. L. Kelloff, G. S. McKee

Marattiaceae: D. B. Lellinger, G. S. McKee

Metaxyaceae: H. D. Clarke, B. Leon, G. S. McKee

Oleandraceae: G. S. McKee

Polypodiaceae: H. D. Clarke, D. B. Lellinger, G. S. McKee

Pteridaceae: G. S. McKee

Salviniaceae: D. B. Lellinger

Schizaeaceae: C. L. Kelloff, D. B. Lellinger, G. S. McKee

Tectariaceae: D. B. Lellinger, G. S. McKee

Thelypteridaceae: D. B. Lellinger, G. S. McKee

Vittariaceae: H. D. Clarke, C. L. Kelloff, D. B. Lellinger, G. S. McKee

Woodsiaceae: G. S. McKee

Gymnosperms

Gnetaceae: H. D. Clarke, S. Stern, S. Stuber Podocarpaceae: H. D. Clarke, J. Kelly, E. A. Tripp

Dicots

Acanthaceae: E. A. Tripp, D. Wasshausen

Amaranthaceae: R. DeFilipps

Anacardiaceae: H. D. Clarke, J. D. Mitchell, J. Rhodes Annonaceae: H. L. de Boo, L. W. Chatrou, H. D. Clarke, H. Maas, P. J. M. Maas, C. Orava, H. Rainer,

U. Scharf, M. Sewell, M. van der Zee

Apocynaceae: L. Allorge, H. D. Clarke, T. Hollowell, M. J. Jansen-Jacobs, J. Kelly, J. F. Morales, M. Sewell, J. Rhodes, E. A. Tripp

Aquifoliaceae: H. D. Clarke, J. Kelly, R. L. Liesner, P. A. Loizeau, M. Sewell, E. A. Tripp

Araliaceae: H. D. Clarke, J. Kelly, E. A. Tripp

Aristolochiaceae: C. Feuillet, F. González

Asclepiadaceae: J. C. Lindeman

Balanophoraceae: H. D. Clarke, T. Hollowell, C. L. Kelloff Balsaminaceae: H. D. Clarke

Begoniaceae: H. D. Clarke, S. F. Smith, E. A. Tripp

Bignoniaceae: S. N. Alexander, G. Aymard, H. D. Clarke, M. Goklany, S. O. Grose, M. T. Strong

Bixaceae: G. Aymard, H. D. Clarke, R. L. Liesner, M. Sewell

Bombacaceae: H. D. Clarke, L. J. Dorr, M. Goklany, E. A. Tripp

Bonnetiaceae: H. D. Clarke, M. Sewell, A. L. Weitzman Boraginaceae: H. D. Clarke, C. Feuillet, J. S. Miller, M. Sewell

Burseraceae: D. Daly, T. D. Pennington

Cactaceae: B. Capel, H. D. Clarke, B. Crozier, B. E. Leuenberger, J. Rhodes, R. Testerman

Campanulaceae: H. D. Clarke, C. L. Kelloff

Capparaceae: J. Kelly, J. C. Lindeman, R. DeFilipps

Caprifoliaceae: M. Sewell, R. L. Liesner

Caricaceae: H. D. Clarke

Caryocaraceae: H. D. Clarke, G. T. Prance, J. Rhodes, B. Capel, R. Testerman

Cecropiaceae: C. C. Berg, T. Hollowell

Celastraceae: H. D. Clarke, M. Goklany, J. C. Lindeman, R. L. Liesner, M. Sewell

Chloranthaceae: H. D. Clarke, J. Rhodes, S. Stern, J. Kelly, M. Sewell

Chrysobalanaceae: G. T. Prance, J. C. Lindeman, H. D. Clarke, M. Goklany, J. Kelly, J. Rhodes, B. Capel, R. Testerman, M. Sewell, R. L. Liesner, S. Stern

Clusiaceae: B. K. Holst, C. L. Kelloff, E. A. Tripp, H. D. Clarke, M. Goklany, J. J. Pipoly, M. Sewell, N. Robson

Combretaceae: A. M. W. Mennega, C. A. Stace, H. D. Clarke, M. Goklany, M. Sewell, R. L. Liesner

Compositae: H. Robinson, H. D. Clarke, V. A. Funk, W. C. Holmes

Connaraceae: C. L. Kelloff, E. A. Tripp, J. Rhodes, S. Stern, H. D. Clarke, M. Sewell, R. L. Liesner

- Convolvulaceae: D. F. Austin, P. E. Berry, R. L. Liesner, S. Stuber, T. Hollowell
- Cucurbitaceae: H. D. Clarke, R. Testerman, M. Nee, J. Pruski, R. L. Liesner
- Cunoniaceae: J. Kelly, H. D. Clarke, E. A. Tripp, J. Rhodes, S. Stern, R. DeFilipps
- Cyrillaceae: H. D. Clarke, S. Stern, J. Rhodes, J. Kelly, J. Cislinski-Yesilyurt, M. Sewell
- Dichapetalaceae: E. A. Tripp, H. D. Clarke, G. T. Prance, J. C. Lindeman, M. Sewell
- Dilleniaceae: C. L. Kelloff, G. Aymard, H. D. Clarke

Droseraceae: C. L. Kelloff

Ebenaceae: B. Wallnöfer, P. E. Berry

Elaeocarpaceae: H. D. Clarke, J. Kelly, E. A. Tripp

Ericaceae: H. D. Clarke, J. L. Luteyn, J. Kelly, E. A. Tripp, M. Sewell

- Erythroxylaceae: H. D. Clarke, E. A. Tripp, M. I. B. Loiola, P. E. Berry
- Euphorbiaceae: K. Wurdack, E. A. Tripp, H. D. Clarke,
 G. L. Webster, J. Murillo, M. Goklany, H.-J. Esser,
 L. J. Gillespie, P. E. Berry, M. Sewell, R. L. Liesner,
 S. M. Hayden, W. J. Hayden, W. Punt

Euphroniaceae: M. Sewell

- Flacourtiaceae: E. A. Tripp, H. D. Clarke, L. J. Dorr, M. Sewell, M. H. Alford, M. J. Jansen-Jacobs, R. L. Liesner
- Gentianaceae: C. L. Kelloff, H. Maas, P. J. M. Maas,
 H. D. Clarke, E. A. Tripp, J. Kelly, S. Stern,
 J. Rhodes, J. E. Simonis, J. R. Grant, K. B. Lepis,
 L. Cobb, L. Struwe, M. Sewell, M. J. Jansen-Jacobs,
 R. L. Liesner
- Gesneriaceae: C. M. Taylor, H. D. Clarke, C. Feuillet, L. E. Skog
- Hernandiaceae: J. Rhodes, H. D. Clarke, S. Stern, J. C. Lindeman
- Hippocrateaceae: A. M. W. Mennega, A. R. A. Görts-van Rijn, H. D. Clarke, J. A. Lombardi, M. J. Jansen-Jacobs, P. E. Berry
- Hugoniaceae: A. Jardim, R. L. Liesner
- Humiriaceae: E. A. Tripp, H. D. Clarke, O. Huber, R. L. Liesner, M. Sewell
- Icacinaceae: A. C. de Roon, M. Sewell, R. L. Liesner Ixonanthaceae: M. Sewell

Krameriaceae: A. Jacobs-Brouwer

- Lacistemataceae: C. L. Kelloff, E. A. Tripp, H. D. Clarke, J. Kelly, J. C. Lindeman, R. L. Liesner
- Lamiaceae: H. D. Clarke, M. J. Jansen-Jacobs, R. M. Harley
- Lauraceae: A. Chanderbali, C. L. Kelloff, H. van der Werff, H. D. Clarke, S. Stern, J. Kelly, J. Rhodes, J. Rohwer, M. Sewell

- Lecythidaceae: H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, S. A. Mori, C. L. Kelloff, Y.-Y. Huang
- Leguminosae-Caesalpinioideae: D. Daly, E. A. Tripp, G. P. Lewis, R. C. Barneby, J. Kelly, K. M. Redden, L. Rico, C. L. Kelloff, H. D. Clarke, R. L. Liesner, S. Price
- Leguminosae-Faboideae: A. M. de Carvalho, B. M. Torke, C. L. Kelloff, G. P. Lewis, H. D. Clarke, R. C. Barneby, J. Kelly, K. M. Redden, L. Rico, M. Sewell, O. Poncy
- Leguminosae-Mimosoideae: E. A. Tripp, H. D. Clarke, J. Rhodes, S. Stern, J. Kelly, O. Poncy, R. C. Barneby
- Lentibulariaceae: C. Panfet, E. A. Tripp, H. D. Clarke, P. Taylor

Lissocarpaceae: P. E. Berry

Loganiaceae: C. L. Kelloff, E. A. Tripp, R. L. Liesner, F. J. Fernández Casas, H. D. Clarke, T. Hollowell

Loranthaceae: J. Kuijt, M. Sewell

Lythraceae: A. Lourteig

Magnoliaceae: M. Sewell

- Malpighiaceae: H. D. Clarke, C. Anderson, W. R. Anderson, M. Sewell
- Malvaceae: H. D. Clarke, L. J. Dorr, J. Kelly
- Marcgraviaceae: C. L. Kelloff, S. Stuber, E. A. Tripp, H. D. Clarke, J. Kelly, S. Stern, R. Testerman, T. Hollowell
- Melastomataceae: E. A. Tripp, H. D. Clarke, J. Kelly, C. Martin, F. A. Michelangeli, F. Almeda, D. Penneys, M. Sewell, R. L. Liesner, T. Morley
- Meliaceae: D. Daly, H. D. Clarke, S. Stern, J. D. Mitchell, M. Nee, M. Sewell, R. L. Liesner, T. D. Pennington, P.-M. Forget, O. Poncy, D. Kenfack

Mendonciaceae: D. Wasshausen

Menispermaceae: C. L. Kelloff, J. C. Lindeman, P. Hiepko, R. L. Liesner, T. Hollowell

Molluginaceae: R. DeFilipps

Monimiaceae: J. Kelly, M. Sewell, P. J. M. Maas, S. S. Renner

Monotaceae: M. Sewell

Moraceae: H. D. Clarke, M. Goklany, C. C. Berg, J. Pruski, M. Sewell, T. Hollowell

Myristicaceae: M. Sewell, P. Muriel M.

- Myrsinaceae: H. D. Clarke, E. A. Tripp, J. Kelly, J. J. Pipoly, M. Sewell, S. Stern, J. Rhodes
- Myrtaceae: B. K. Holst, F. F. Mazine, H. D. Clarke, L. R. Landrum, R. L. Liesner
- Nyctaginaceae: C. L. Kelloff, H. D. Clarke, E. A. Tripp, J. Kelly, M. Sewell
- Nymphaeaceae: J. Rhodes, B. Capel, R. Testerman

Ochnaceae: J. Kelly, E. Tripp, H. D. Clarke, C. Sastre, M. Sewell, R. L. Liesner

Olacaceae: A. Goldberg, H. D. Clarke, P. Hiepko, J. Rhodes, B. Capel, R. Testerman, M. Sewell, P. J. M. Maas, R. L. Liesner, S. Stern

Onagraceae: H. D. Clarke, B. Capel, R. Testerman, J. Rhodes, R. L. Liesner, E. Zardini

Oxalidaceae: A. Lourteig

Passifloraceae: H. D. Clarke, C. Feuillet

Phytolaccaceae: C. L. Kelloff, H. D. Clarke, R. DeFilipps, J. C. Lindeman

Picramniaceae: E. A. Tripp, H. D. Clarke, M. Sewell, R. L. Liesner, W. W. Thomas

Piperaceae: A. R. A. Görts-van Rijn, M. J. M. Christenhusz, R. C. Ek, H. D. Clarke, M. A. Jaramillo, G. Mathieu, R. Callejas

Podostemaceae: C. L. Kelloff, H. D. Clarke

Polygalaceae: A. Jacobs-Brouwer, H. D. Clarke, E. A. Tripp, J. Kelly, M. J. Jansen-Jacobs, P. J. M. Maas, S. Stern, J. Rhodes

Polygonaceae: H. D. Clarke, J. Brandbyge, R. L. Liesner

Portulacaceae: R. DeFilipps, M. Sewell

Proteaceae: K. S. Edwards, V. Plana, G. T. Prance, M. Sewell

Quiinaceae: H. D. Clarke, R. B. Carter

Rafflesiaceae: H. D. Clarke

Rhabdodendraceae: J. C. Lindeman, R. L. Liesner

Rhamnaceae: H. D. Clarke, M. Sewell

Rhizophoraceae: B. K. Holst, H. D. Clarke, J. J. Pipoly, T. Hollowell

Rosaceae: H. D. Clarke, M. Sewell

Rubiaceae: A. Vicentini, C. B. Costa, C. M. Taylor,
P. G. Delprete, D. Zappi, H. D. Clarke, J. Rhodes,
B. Capel, R. Testerman, J. H. Kirkbride, J. L. Clark,
M. Sewell, R. Barbosa, R. Cortés, S. A. Khan

Rutaceae: H. D. Clarke, J. Kallunki, P. E. Berry, R. L. Liesner, S. F. Smith

Sabiaceae: M. Sewell

Santalaceae: R. L. Liesner

Sapindaceae: D. Daly, G. V. Somner, H. D. Clarke, J. Rhodes, P. Acevedo-Rdgz., T. D. Pennington

Sapotaceae: E. A. Tripp, H. D. Clarke, J. Kelly, M. Sewell, T. D. Pennington

Sarraceniaceae: H. D. Clarke, M. Sewell

Scrophulariaceae: H. D. Clarke, M. J. Jansen-Jacobs, M. T. Strong, N. H. Holmgren, P. J. M. Maas, S. F. Smith

Simaroubaceae: R. L. Liesner, W. W. Thomas

Siparunaceae: C. L. Kelloff, H. D. Clarke, S. S. Renner, M. Sewell, R. B. Carter

Solanaceae: M. Nee, S. Knapp

Sphenocleaceae: M. Sewell

Sterculiaceae: H. D. Clarke, L. J. Dorr, Y. Saunders

Styracaceae: H. D. Clarke, L. J. Dorr, R. L. Liesner

Ternstroemiaceae: A. Weitzman

Theophrastaceae: H. D. Clarke, J. C. Lindeman

Tiliaceae: H. D. Clarke, S. Stern, L. J. Dorr, M. Goklany

Trigoniaceae: C. L. Kelloff, M. Sewell

Turneraceae: C. Feuillet, H. D. Clarke, J. Rhodes, M. Sewell, R. L. Liesner

Ulmaceae: H. D. Clarke

Urticaceae: H. D. Clarke, E. A. Tripp, J. Kelly

Verbenaceae: C. L. Kelloff, D. Wasshausen, H. van der Werff, H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, M. Sewell, M. J. Jansen-Jacobs, R. L. Liesner, R. M. Harley, S. F. Smith

Violaceae: H. D. Clarke, W. H. A. Hekking, J. Rhodes, B. Capel, H. D. Clarke, M. Sewell, J. Stern, M. J. Jansen-Jacobs, H. E. Ballard, R. L. Liesner, S. F. Smith

Viscaceae: J. Kuijt

Vitaceae: H. D. Clarke, M. Goklany, J. Rhodes, B. Capel, R. Testerman, R. L. Liesner, T. Hollowell

Vochysiaceae: C. L. Kelloff, E. A. Tripp, H. D. Clarke, J. Rhodes, B. Capel, R. Testerman, M. J. Jansen-Jacobs

Winteraceae: M. Sewell

Monocots

Agavaceae: H. D. Clarke

Alismataceae: C. N. Horn, C. L. Kelloff

Araceae: H. D. Clarke, T. B. Croat, D. H. Nicolson

Arecaceae: A. Henderson, B. Capel, H. D. Clarke,

M. Goklany, J. Rhodes, E. A. Tripp, R. Testerman Bromeliaceae: H. D. Clarke, E. J. Gouda, B. K. Holst,

H. E. Luther, J. Rhodes, M. Sewell Burmanniaceae: H. D. Clarke, C. L. Kelloff, H. Maas,

P. J. M. Maas, M. T. Strong

Commelinaceae: H. D. Clarke, R. B. Faden, J. Kelly, E. A. Tripp

Costaceae: H. D. Clarke, R. L. Liesner, H. Maas, P. J. M. Maas, M. Sewell, C. D. Specht

Cyclanthaceae: H. D. Clarke, R. L. Liesner, S. Stern, E. A. Tripp

Cyperaceae: G. C. Tucker, J. E. Simonis, K. Camelbeke, M. T. Strong, M. Alves, P. J. M. Maas

Dioscoreaceae: C. L. Kelloff, E. A. Tripp, H. D. Clarke, J. C. Lindeman

Eriocaulaceae: A. Diaz, C. L. Kelloff, M. Hakki, M. M. Unwin, M. T. Strong

Haemodoraceae: M. Sewell

Heliconiaceae: C. D. Specht, P. J. M. Maas, W. J. Kress Liliaceae: H. D. Clarke, E. A. Tripp, J. Kelly, M. Sewell,

M. T. Strong, R. DeFilipps

Marantaceae: H. Kennedy, H. H. C. Raijmakers,

K. Hoenselaar, P. J. M. Maas

Mayacaceae: H. D. Clarke, M. Goklany

Orchidaceae: E. A. Christenson, G. Carnevali,

G. Gerlach, G. A. Romero, H. D. Clarke, J. Rhodes,

P. Ormerod, W. Forster

Poaceae: C. L. Kelloff, H. D. Clarke, E. J. Judziewicz

Pontederiaceae: C. N. Horn

Rapateaceae: C. L. Kelloff, H. D. Clarke, P. E. Berry Smilacaceae: J. R. Botina-P., R. DeFilipps, R. L. Liesner

Strelitziaceae: H. D. Clarke, C. L. Kelloff

Thurniaceae: P. E. Berry Triuridaceae: C. L. Kelloff

Xyridaceae: H. D. Clarke, C. L. Kelloff, E. A. Tripp,

J. Kelly, R. Kral, M. Sewell, M. T. Strong, P. E. Berry

Zingiberaceae: C. D. Specht, P. J. M. Maas

COLLECTIONS OF SPECIAL INTEREST

331	Sapotaceae	Pradosia ptychandra (Eyma) T. D. Penn.; det. T. D. Pennington, 1998	First record for Guyana
365	Meliaceae	Carapa akuri Poncy, Forget and Kenfack; det. Forget et al, 2009	Specimen examined for new species description
384	Orchidaceae	Caularthron cf. bilamellatum (Rchb. f.) R. E. Schult.; det. E. A. Christenson, 1997	First record for the Guianas
469	Polygonaceae	Coccoloba cf. padiformis Meisn.; det. J. Brandbyge, 1998	First record for the Guianas, if confirmed
519	Aristolochiaceae	Aristolochia cornuta Mast.; det. C. Feuillet, 2000	First record for the Guianas
622	Euphorbiaceae	Plukenetia supraglandulosa L. J. Gillespie; det. L. J. Gillespie, 2004	First record for Guyana
629	Araceae	Philodendron cf. placidum Schott; det. D. H. Nicolson, 1998	First record for Guyana, if confirmed
647b	Lauraceae	Rhodostemonodaphne scandens Madriñán; det. H. van der Werff, 1996	First record for the Guianas
660	Malpighiaceae	Hiraea gracieana W. R. Anderson; det. W. R. Anderson, 1996	First record for Guyana
753	LegCaesalp.	Elizabetha durissima Ducke; det. K. Redden, X 2001	First record for the Guianas
791	Rubiaceae	Palicourea riparia Benth.; det. C. M. Taylor, 1997	First record for the Guianas
815	Apocynaceae	Mandevilla vanheurckii (Müll. Arg.) Markgr.; det. L. Allorge, 1997	First certain record for the Guianas
862	Viscaceae	Phoradendron pellucidulum Eichler; det. J. Kuijt, 2004	First record for Guyana?
923	Cyperaceae	Rhynchospora brachychaeta C. Wright; det. M. T. Strong, 1998	First record for the Guianas
999	Santalaceae	Thesium tepuiense Steyerm.; det. R. Liesner, 1998	First record of this family for the Guianas
1011	Bromeliaceae	Lindmania guianensis (Beer) Mez var. vestita (L. B. Sm.) L. B. Sm.; det. B. K. Holst, 1997	First record for Guyana
1042	Marcgraviaceae	Sarcopera flammifera de Roon and Bedell; det. S. Stuber, VII 2005	First record for the Guianas
1057	Compositae	Baccharis nitida (Ruiz and Pav.) Pers.; det. V. A. Funk, 2000	First record for the Guianas
1066	Ericaceae	Orthaea crinita A. C. Sm.; det. J. Luteyn, 1999	First record for the Guianas

1096 1119 1197	Capparaceae Cucurbitaceae Rubiaceae	Cleome viridiflora Schreb.; det. J. Kelly, XI 2003 Gurania subumbellata (Miq.) Cogn.; det. M. Nee, 1997 Rudgea fissistipula Müll. Arg.; det. C. M. Taylor, 1998	First record for Guyana Rare collection First record for the Guianas
1221	Orchidaceae	Corymborkis sp.; det. E. A. Christenson, 1997	First certain record of this genus for the Guianas
1222	Orchidaceae	Pelexia laxa (Poepp. and Endl.) Lindl.; det. E. A. Christenson, 1997	First record for Guyana, first certain record for the Guianas
1304	Meliaceae	Carapa akuri Poncy, Forget and Kenfack; det. Forget et al, 2009	Specimen examined for new species description
1384	Myrtaceae	Eugenia cf. cribrata McVaugh; det. B. K. Holst, 1997	First record for the Guianas, if confirmed
1386 1533	Rubiaceae LegFaboideae	Chomelia obtusa Cham. and Schltdl.; det. P. Delprete, 2004 Machaerium leiophyllum (DC.) Benth. var. crista-castrense (Mart. ex Benth.) Rudd; det. A. M. Carvalho, 1997	First record for Guyana? First record for the Guianas
1535	Rubiaceae	Palicourea riparia Benth.; det. C. M. Taylor, 1997	Second record for the Guianas
1540	Rutaceae	Zanthoxylum compactum (Huber ex Albuq.) P. G. Waterman; det. J. Kallunki, 1998	First record for the Guianas
1541	Malpighiaceae	Heteropterys velutina W. R. Anderson; det. W. R. Anderson, 1997	TYPE
1848	Passifloraceae	Dilkea clarkei Feuillet; det C. Feuillet, 2010	PARATYPE, new species to science and the Guianas
1855	Aristolochiaceae	Aristolochia kanukuensis Feuillet; det F. González, 2008	PARATYPE, new species to science and the Guianas
1644	Loranthaceae	Struthanthus elegans Mart.; det. J. Kuijt, 1998	First record for the Guianas
1702 1812	LegFaboideae Bignoniaceae	Tephrosia purpurea (L.) Pers.; det. R. C. Barneby, 1997 Tabebuia obscura (Bureau and K. Schum.) Sandwith; det. S. O. Grose, 2005	First record for Guyana First record for the Guianas
1831	Schizaeaceae	Anemia pastinacaria Moritz ex Prantl; det. G. S. McKee, 2000	First record for Guyana
2083	Bignoniaceae	Tabebuia obscura (Bureau and K. Schum.) Sandwith; det. S. O. Grose, 2005	First record for the Guianas
2123a	Loranthaceae	Struthanthus phyllyraeoides (Kunth) Blume; det. J. Kuijt, 1998	First record for the Guianas
2169	Euphorbiaceae	Plukenetia loretensis Ule; det. L. J. Gillespie, 2004	Second record for the Guianas and Guyana
2192	Moraceae	Perebea guianensis Aubl. ssp. guianensis; det. C. C. Berg, 1998	First record for Guyana
2208	LegCaesalp.	Senna pendula (Humb. and Bonpl. ex Willd.) H. S. Irwin and Barneby var. tenuifolia (Benth.) H. S. Irwin and Barneby; det. R. C. Barneby, 1997	First record of this variety for the Guianas
2250	Caryocaraceae	Caryocar pallidum A. C. Sm.; det. G. T. Prance, 1998	First record for Guyana, first certain record for the Guianas

2434	Poaceae	Panicum pyrularium Hitchc. and Chase; det. E. Judziewicz,	First record for Guyana
		1998	,
2438	Cyperaceae	Rhynchospora sanariapensis Steyerm.; det. M. T. Strong, 1997	First record for the Guianas
2529	Cyperaceae	Mapania surinamensis Uittien; det. M. T. Strong, 1997	First record for Guyana
2568	Clusiaceae	Tovomita carinata Eyma; det. J. J. Pipoly, 1999	First record for Guyana?
2639	Orchidaceae	Maxillaria venezuelana (C. Schweinf.) Carnevali; det.	First record for the
		E. A. Christenson, 1997	Guianas
2689	Lauraceae	Rhodostemonodaphne morii Madriñán; det. H. van der Werff, 1997	First record for Guyana
2713	Sapotaceae	Pouteria cf. rigidopsis (Monach.) T. D. Penn.; det.	First record for the
		T. D. Pennington, 1997	Guianas, if confirmed
2805	Piperaceae	Piper liesneri Steyerm.; det. A. R. A. Görts-van Rijn and M. J. M. Christenhusz, 2002	First record for the Guianas?
2858	Melastomataceae	Mouriri collocarpa Ducke; det. F. Almeda and D. Penneys, 2002	First record for Guyana
2862	Melastomataceae	Miconia platypoda Gleason; det. F. Almeda and D. Penneys, 2005	First record for Guyana
2925	Orchidaceae	Platystele sp.; det. E. A. Christenson, 1997	First record for Guyana
2977	Ochnaceae	Elvasia schomburgkii Tiegh.; det. R. L. Liesner, 2003	First record for the
		(ex photo)	Guianas?
2987	Passifloraceae	Dilkea clarkei Feuillet; det. C. Feuillet, 2010	HOLOTYPE
2993	Cyperaceae	Rhynchospora rupicola M. T. Strong; det. M. T. Strong,	PARATYPE, new species
		1999	to science and the
2425	3.6		Guianas
3125	Moraceae	Brosimum melanopotamicum C. C. Berg; det. C. C. Berg, 1998	First record for the Guianas
3128	Lauraceae	Aiouea longipetiolata van der Werff; det. H. van der Werff, 1997	First record for Guyana
3174	Euphorbiaceae	Conceveiba hostmannii Benth.; det. W. Punt, 1998	First record for this
			species
3176	Euphorbiaceae	Hevea guianensis Aubl.; det. W. Punt, 1998	First certain record for Guyana
3183	Dioscoreaceae	Dioscorea aff. quinquefoliolata R. Knuth; det.	Second record of this
		J. C. Lindeman, 1998	species; known only from
			type and this specimen
3222	Clusiaceae	Vismia cf. schultesii N. Robson; det. J. J. Pipoly, 1999	First record for the Guianas, if confirmed
3258	Malpighiaceae	Byrsonima altissima DC.; det. W. R. Anderson, 1998	First record for Guyana
3327	Sapotaceae	Pouteria aff. rostrata (Huber) Baehni; det. T. D. Pennington,	First record for the
		1997	Guianas, if confirmed
3572	Tiliaceae	Mollia glabrescens Benth.; det. L. J. Dorr, 1997	First record since Type,
			and first record with fruit
3605	Myrtaceae	Marlierea umbraticola (Kunth) O. Berg; det. B. K. Holst, 1998	First record for Guyana
3621	Rubiaceae	Psychotria cf. podocephala (Müll. Arg.) Standl.; det.	First record for Guyana,
		C. M. Taylor, 1997	if confirmed

3676	Cyperaceae	Rhynchospora rupicola M. T. Strong; det. M. T. Strong, 1999	PARATYPE, new species to science and the Guianas
3705	Orchidaceae	Zygosepalum lindeniae (Rolfe) Garay and Dunst.; det. E. A. Christenson, 1997	First record for Guyana
3838	LegFaboideae	Swartzia reticulata Ducke; det. R. C. Barneby, 1997	First record for Guyana?
3862	Rubiaceae	Borreria ovalifolia M. Martens and Galeotti; det. C. M. Taylor, 1997	First record for the Guianas
3913	Hippocrateaceae	Cheiloclinium brevipetiolatum Lombardi; det. J. A. Lombardi, 2010	PARATYPE, new species to science and the Guianas
3970	Malpighiaceae	Excentradenia propinqua (W. R. Anderson) W. R. Anderson; det. W. R. Anderson, 1998	First record for the Guianas
4070	Lecythidaceae	Eschweilera boltenii S. A. Mori; det. S. A. Mori, 1998	First record for Guyana
4121	Myrtaceae	Calycorectes bergii Sandwith; det. B. K. Holst, 1998	First record for Guyana
4133	Burseraceae	Protium opacum Swart ssp. opacum; det. D. Daly, 1997	First record of this subspecies for the Guianas
4138	Rubiaceae	Psychotria microbotrys Ruiz ex Standl.; det. C. M. Taylor, 1997	First record for Guyana
4214	Gesneriaceae	Episcia xantha Leeuwenb.; det. C. Feuillet, 1998	First record for Guyana
4216	LegFaboideae	Dioclea megacarpa Rolfe; det. R. C. Barneby, 1997	First record for Guyana
4230	Theophrastaceae	Clavija lancifolia Desf. ssp. lancifolia; det. J. C. Lindeman, 1997	First record for this subspecies for Guyana
4239	Sapindaceae	Paullinia rugosa Benth. ex Radlk.; det. P. Acevedo-Rdgz., 2005	First record for Guyana
4274	Poaceae	<i>Ichnanthus leiocarpus</i> (Spreng.) Kunth; det. E. Judziewicz, 1998	Second record for Guyana
4385	Piperaceae	Piper duckei C. DC.; det. A. R. A. Görts-van Rijn, 2001	First record for Guyana, third collection known to Görts-van Rijn
4391	Piperaceae	Piper hirtilimbum Trel. and Yunck.; det R. Callejas, 2000	Second known collection, fide A. R. A. Görts-van Rijn, 2001
4409	Araceae	Philodendron placidum Schott; det. D. H. Nicolson, 1998	First certain record for Guyana
4467	Marantaceae	Ischnosiphon hirsutus Petersen; det. H. Kennedy, 1999	First record for the Guianas
4592	Siparunaceae	Siparuna reginae (Tul.) A. DC.; det. S. S. Renner, 1997	First record for the Guianas
4594	Meliaceae	Guarea velutina A. Juss.; det. T. D. Pennington, 1998	First record for the Guianas
4633	Annonaceae	Duguetia latifolia R. E. Fr.; det. P. Maas, 1999	First record for the Guianas
4651	Sapindaceae	Serjania clematidifolia Camb.; det. P. Acevedo-Rdgz., 2007	First record for Guyana
4663	Myrtaceae	Eugenia trinervia Vahl; det. B. K. Holst, 1998	First certain record for Guyana
4718	Melastomataceae	Miconia crassinervia Cogn.; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
4730	Burseraceae	Protium polybotryum (Turcz.) Engl. ssp. blackii (Swart) Daly; det. D. Daly, 1998	First record for this subspecies in the Guianas

4762	Sapotaceae	Pouteria plicata T. D. Penn.; det. T. D. Pennington, 1999	First record for the Guianas
4822	Hippocrateaceae	Tontelea mauritioides (A. C. Sm.) A. C. Sm.; det. A. M. W. Mennega, 1999	First record for the Guianas
4837	Dilleniaceae	Doliocarpus sp.; det. C. L. Kelloff, 1999	Possibly first record for the Guianas
4852	Sapindaceae	Paullinia cf. tricornis Radlk.; det. P. Acevedo-Rdgz., 1998	First record for Guyana, if confirmed
4928 4945	Rubiaceae Orchidaceae	Coussarea machadoana Standl.; det. C. M. Taylor, 2004 Kefersteinia sp.; det. E. A. Christenson, 1997	First record for Guyana First record of this genus for Guyana
4957	Rubiaceae	Kutchubaea neblinensis Steyerm.; det. C. M. Taylor, 1998	First record for the Guianas
4967	Orchidaceae	Encyclia fragrans (Sw.) Lemée; det. E. A. Christenson, 1997	First true record for E. fragrans in Guyana
5225	Onagraceae	Ludwigia quadrangularis (Micheli) H. Hara; det. E. Zardini, 1998	First record for the Guianas
5240	Hymenophyllaceae	Hymenophyllum aff. sericeum (Sw.) Sw.; det. G. McKee, 1999	First record for the Guianas, if confirmed
5261	Cladoniaceae	Cladina s.l. rotundata (Ahti) Ahti; det. T. Ahti, 1998	First record for the Guianas?
5262	Cladoniaceae	Cladonia subreticulata Ahti; det. T. Ahti, 1997	First record for the Guianas
5410	Orchidaceae	Epidendrum paruimense G. A. Romero and Carnevali; det. G. A. Romero and G. Carnevali	TYPE
5533	Rubiaceae	Psychotria parvibractea Steyerm.; det. C. M. Taylor, 2003	First record for the Guianas?
5534	Orchidaceae	Dichaea venezuelensis Carnevali and I. Ramírez; det. G. Carnevali, 2004	First record for the Guianas
5537	Melastomataceae	Miconia pseudocapsularis Wurdack; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
5567	Orchidaceae	Epidendrum urichianum Carnevali, Foldats and I. Ramírez; det. G. Carnevali, 2004	First record for the Guianas
5595	Orchidaceae	Epidendrum urichianum Carnevali, Foldats and I. Ramírez; det. E. A. Christenson, 1999	Second record for the Guianas
5599	Piperaceae	Peperomia tenella (Sw.) A. Dietr.; det. R. Callejas, 2000	First record for the Guianas
5615	Rubiaceae	Psychotria ceratantha Standl.; det. C. M. Taylor, 2003	First record for the Guianas
5625	Rubiaceae	Psychotria ceratantha Standl.; det. C. M. Taylor, 2003	Second record for the Guianas
5666	Rubiaceae	Malanea gabrielensis Müll. Arg.; det. C. M. Taylor, 1998	Second record for the Guianas
5676	Orchidaceae	Maxillaria meridensis Lindl.; det. E. A. Christenson, 1999	First record for the Guianas
5711	Rubiaceae	Palicourea wurdackiana J. H. Kirkbr.; det. C. M. Taylor, 2003	First record for the Guianas?
5713	Thelypteridaceae	Thelypteris kunthii (Desv.) C. V. Morton; det. G. McKee, 1999	First record for the Guianas, if confirmed

5727	Grammitidaceae	Enterosora campbellii Baker; det. G. McKee, 1999	First certain record for
3/2/	Grammidaceae	Enterosora campoetta baker, det. G. McKee, 1999	Guyana
5730	Gentianaceae	Chorisepalum carnosum Ewan; det. M. J. Jansen-Jacobs, 1998	First record for the Guianas
5736	Cunoniaceae	Weinmannia aff. balbisiana Kunth; det. J. Kelly, J. Rhodes, and S. Stern, V 2003	First record for the Guianas if confirmed
5758	Orchidaceae	Epidendrum vincentinum Lindl.; det. G. Carnevali, XII 2002	First record for the Guianas
5759	Orchidaceae	Epidendrum pachyphyton Garay; det. G. Carnevali, XII 2002	First record for the Guianas
5776	Viscaceae	Dendrophthora tepuiana (Steyerm.) Kuijt; det. J. Kuijt, 1998	First certain record for Guyana
5777	Rubiaceae	Platycarpum rugosum Steyerm.; det. C. M. Taylor, 2002	First record for the Guianas
5803	Cyatheaceae	Cyathea aff. simplex R. M. Tryon; det. G. S. McKee, VI 2000	First record for the Guianas, if confirmed
5834	Melastomataceae	Tococa bolivarensis Gleason ssp. bolivarensis; det. E. Tripp, H. D. Clarke, and J. Kelly, III 2002	First record for Guyana
5838	Cladoniaceae	Cladonia vareschii Ahti; det. T. Ahti, 1998	First record for the Guianas
5840	Cyperaceae	Everardia glaucifolia Gilly; det. M. T. Strong, 1998	First record for the Guianas
5853	Orchidaceae	Maxillaria alticola C. Schweinf.; det. E. A. Christenson, 1999	First record for the Guianas
5924	Orchidaceae	Maxillaria meridensis Lindl.; det. E. A. Christenson, 1999	First record for the Guianas
6013	Begoniaceae	Begonia glabra Aubl.; det. S. F. Smith, 1998	First record for Guyana
6054	Moraceae	Ficus piresiana Vázq. Avila and C. C. Berg; det. C. C. Berg, 1998	First record for Guyana
6074	Woodsiaceae	Diplazium riedelianum Kunze; det. G. McKee, 2000	First record for the Guianas and northern South America (known from southern Brazil)
6271	Clusiaceae	Garcinia martinii (Maguire) Pipoly ined.; det. J. J. Pipoly, 1999	First record for Guyana
6391	Rubiaceae	Malanea sipapoensis Steyerm.; det. C. M. Taylor, 2002	First record for the Guianas if confirmed
6789	Burseraceae	Protium llanorum Cuatrec.; det. D. Daly, 2000	First record for the Guianas
6938	Rubiaceae	Geophila gracilis (Ruiz and Pav.) DC.; det. C. M. Taylor, 1998	First certain record for the Guianas
6984	Apocynaceae	Mandevilla lasiocarpa (A. DC.) Malme; det. J. F. Morales, IV 2003	First record for the Guianas?
7029	Loranthaceae	Psittacanthus robustus (Mart.) Mart.; det. J. Kuijt, 1998	First record for the Guianas
7099	Euphorbiaceae	Acidoton nicaraguensis (Hemsl.) G. L. Webster; det. W. Punt, XI 2001	First record for the Guianas
7104	Annonaceae	Xylopia calophylla R. E. Fr.; det. P. Maas, 1999	First record for the Guianas

7130	Violaceae	Leonia cymosa Mart.; det. R. Liesner, 2000	First record for the
			Guianas
7151	Melastomataceae	Miconia diaphanea Gleason; det. F. Almeda and D. Penneys, V 2005	First record for Guyana
7163	Melastomataceae	Miconia dolichorrhyncha Naudin; det. F. Almeda and D. Penneys, V 2005	First record for the Guianas
7172	Sabiaceae	Meliosma herbertii Rolfe; det. M. Sewell, 2005	First record for the
7188	Sabiaceae	Meliosma herbertii Rolfe; det. M. Sewell, 2005	Guianas Second record for the Guianas
7196	Melastomataceae	Miconia longispicata Triana; det. F. Almeda and D. Penneys, V 2005	First record for Guyana
7230	Passifloraceae	Passiflora arta Feuillet; det. C. Feuillet, 2007	New species
7242	Lauraceae	Licaria aureosericea van der Werff; det. H. van der Werff, 2000	PARATYPE, new species to science and the Guianas
7489	Rubiaceae	Coussarea micrococca Bremek.; det. C. M. Taylor, 2001	First record for Guyana
7496	Orchidaceae	Habenaria alterosula Snuv. and Westra; det. G. Carnevali, XII 2002	First record for Guyana
7602	Lauraceae	Licaria aureosericea van der Werff; det. H. van der Werff, 2000	PARATYPE, new species to science and the Guianas
7717	Burseraceae	Dacryodes chimantensis Steyerm. and Maguire; det. D. Daly, 1999	First record for the Guianas
7765	Hippocrateaceae	Cheiloclinium brevipetiolatum Lombardi; det. J. A. Lombardi, cited 2010	PARATYPE, new species to science and the
7825	Lauraceae	Licaria aureosericea van der Werff; det. H. van der Werff, 2000	Guianas PARATYPE, new species to science and the Guianas
7915	Melastomataceae	Miconia impetiolaris (Sw.) D. Don ex DC. var. spruceanum Cogn.; det. F. Almeda and D. Penneys, V 2005	First record for the Guianas
7994	Orchidaceae	Masdevallia vargasii C. Schweinf.; det. G. A. Romero and G. Carnevali, 2004	First record for the Guiana Shield
8061	Malpighiaceae	Mascagnia poeppigiana (A. Juss.) W. R. Anderson; det. W. R. Anderson, 2000	First record for the Guianas
8107	Hippocrateaceae	Salacia cordata (Miers) Mennega; det. A. M. W. Mennega, V 2000	First record for Guyana (the Guianas?)
8239	Solanaceae	Solandra longiflora Tussac; det. M. Nee, 2000	First record for Guyana
8245	Orchidaceae	Isochilus linearis (Jacq.) R. Br.; det. E. A. Christenson, 2001	Second collection for the Guiana Shield
8353	Orchidaceae	Masdevallia vargasii C. Schweinf.; det. G. Carnevali, 2003	Second collection for the Guiana Shield
8397	Lauraceae	Endlicheria aff. szyszylowiczii Mez; det. A. Chanderbali	First record for the Guianas, if confirmed
8443	Rubiaceae	Coussarea cf. mapourioides Bremek.; det. C. M. Taylor, 2001	First record for Guyana, if confirmed
8520	Passifloraceae	Passiflora candida (Poepp. and Endl.) Mast.; det. C. Feuillet, 2000	First record for Guyana

8561	Lauraceae	Aniba cylindriflora Kosterm.; det. H. van der Werff, 2000	First record for the Guianas
8564	Gesneriaceae	Nautilocalyx fasciculatus L. E. Skog and Steyerm.; det. C. Feuillet	First record for Guyana
8566	Piperaceae	Peperomia rhombea Ruiz and Pav.; det. R. Callejas, IV 2000; !G. Mathieu, XI 2005	First record for the Guianas
8586	Hippocrateaceae	Salacia cordata (Miers) Mennega; det. A. M. W. Mennega, 2000	Second collection for Guyana
8595	Melastomataceae	Miconia brachybotrya Triana; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
8597	Melastomataceae	Miconia abbreviata Markgr.; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas
8624	Bromeliaceae	Guzmania retusa L. B. Sm.; det. E. J. Gouda, III 2002	First record for the Guianas
8638	Pteridaceae	Pteris pearcei Baker; det. G. McKee, VII 2000	First record for the Guianas
8720	Rutaceae	Zanthoxylum ekmanii (Urb.) Alain; det. J. Kallunki, 2000	First record for Guyana
			•
8768	Rubiaceae	Coussarea hirticalyx Standl. var. glabrior Steyerm.; det.	First record for the
0056	n 1	C. M. Taylor, 2001	Guianas
8856	Bombacaceae	Ochroma pyramidale (Cav. ex Lam.) Urb.; det. H. D. Clarke, 1999	First record for Guyana
8897	Gesneriaceae	Lampadaria rupestris Feuillet and L. E. Skog; det. C. Feuillet, 2002	Monotypic Guyana endemic
8899	Melastomataceae	Leandra micropetala (Naudin) Cogn.; det. F. Almeda and D. Penneys, VI 2002	First record for Guyana
9073	Podocarpaceae	Podocarpus steyermarkii J. Buchholz and N. E. Gray; det. H. D. Clarke, and J. Kelly, X 2002	First record for the Guianas
9107	Cyperaceae	Mapania sp.; det. M. T. Strong (US), 2001	Possibly first record for the Guianas
9157	Piperaceae	Piper inaequale C. DC.; det. A. R. A. Görts-van Rijn, 2002	First record for Guyana?
9165	Boraginaceae	Cordia fanchoniae Feuillet; det. James S. Miller, 2006	First record for Guyana
9184	Orchidaceae	Epidendrum pseudoramosum Schltr.; det. G. Carnevali, X 2003	First record for the Guianas
9227	Orchidaceae	Elleanthus arpophyllostachys (Rchb. f.) Rchb. f.; det. G. Carnevali, X 2003	First record for the Guianas
9269	Rapateaceae	Stegolepis ayangannae P. E. Berry, sp. nov. ined.; det. P. E. Berry, 2003	Possibly to become a paratype
9314	Orchidaceae	Pleurothallis tepuiensis Carnevali and I. Ramírez; det. G. Carnevali, X 2003	First record for the Guianas
9320	Erythroxylaceae	Erythroxylum oreophilum (O. E. Schulz ex Pilg.) Steyerm. and Maguire; det. P. E. Berry, 2003	First record for the Guianas
9362	Araliaceae	Schefflera cf. marahuacensis (Maguire, Steyerm. and Frodin)	First record for the Guianas, if confirmed
9368	Adiantaceae	Frodin; det. J. Kelly, H. D. Clarke, E. Tripp, X 2002 Pterozonium terrestre Lellinger; det. G. S. McKee, VIII 2002	First record for the
9383	Elaeocarpaceae	Sloanea crassifolia Earle Sm.; det. H. D. Clarke, J. Kelly,	Guianas First record for the
9394	Aquifoliaceae	and E. Tripp, X 2002 Ilex theezans Mart.; det. J. Kelly, H. D. Clarke, and E. Tripp, X 2002	Guianas First record for the Guianas
		L. 111pp, A 2002	Calulius

9395	Melastomataceae	Blakea/Topobea sp.; det. F. Almeda and D. Penneys, VI 2002	First record for the Guianas, but flowers
9405	Poaceae	Chusquea linearis N. E. Br.; det. E. Judziewicz, 2004	needed for determination Second record for the Guianas
9413 9421	Xyridaceae Chloranthaceae	Orectanthe sp.; det. C. L. Kelloff, XI 2002 Hedyosmum cf. intermedium Todzia; det. H. D. Clarke,	Possibly a new species First record for the
9447	Orchidaceae	J. Rhodes, S. Stern and J. Kelly, V 2003 Brachionidium longicaudatum Ames and C. Schweinf.; det. G. Carnevali, X 2003	Guianas, if confirmed First record for the Guianas
9457	Orchidaceae	Epidendrum alsum Ridl. ex Thurn; det. G. Carnevali, X 2003	First record for the Guianas
9464	Poaceae	Myriocladus distantiflorus Swallen; det. E. Judziewicz, 2004	Second record for the Guianas
9488	Blechnaceae	Blechnum atropurpureum A. R. Sm.; det. G. S. McKee, VIII 2002	First record for the Guianas
9507	Rubiaceae	Psychotria concinna Oliv.; det. C. M. Taylor, 2003	First certain record for the Guianas
9516	Erythroxylaceae	Erythroxylum oreophilum (O. E. Schulz ex Pilg.) Steyerm. and Maguire; det. P. E. Berry, 2003	Second record for the Guianas
9519	Myrsinaceae	Myrsine minima (Steyerm.) Pipoly; det. H. D. Clarke, E. Tripp, and J. Kelly, 2002	First record for the Guianas
9523	Aquifoliaceae	Ilex aff. amazonensis Edwin; det. J. Kelly and H. D. Clarke, 2002	First record for the Guianas, if confirmed
9568	Scrophulariaceae	Vellosiella spathacea (Oliv.) Melch.; det. S. F. Smith, 2002	First record for Guyana (previously Venezuelan Roraima)
9569	Orchidaceae	Octomeria cordilabia C. Schweinf.; det. G. Carnevali, X 2003	First record for the Guianas
9606	Orchidaceae	Psilochilus dusenianus Kraenzl. ex Garay and Dunst.; det. G. Carnevali, XII 2002	First record for the Guianas
9623	Rapateaceae	Epidryos guayanensis Maguire; det. P. E. Berry, 2003	Rare species
9629	Orchidaceae	Aspidogyne robusta (C. Schweinf.) Garay; det.	First record for the
		G. Carnevali, XII 2002	Guianas
9650	Lomariopsidaceae	Elaphoglossum horridulum (Kaulf.) J. Sm.; det. G. S. McKee, IV 2002	First record for the Guianas
9668	Melastomataceae	Maguireanthus ayangannae Wurdack; det. H. D. Clarke, 2001	Monotypic tepui species
9714	Rapateaceae	Epidryos guayanensis Maguire; det. P. E. Berry, 2003	Rare species
9716	Malpighiaceae	Byrsonima krukoffii W. R. Anderson; det. W. R. Anderson, 2003	First record for the Guianas
9736	Rubiaceae	Notopleura guadalupensis (DC.) C. M. Taylor; det. C. M. Taylor, 2003	First record for the Guianas?
9739	Orchidaceae	Cryptocentrum dunstervilleorum Carnevali and G. A. Romero; det. G. Carnevali, XII 2002	First record for the Guianas
9747	Orchidaceae	Cryptocentrum dunstervilleorum Carnevali and G. A. Romero; det. G. Carnevali, XII 2002	Second record for the Guianas
9791	Sapotaceae	Micropholis venulosa (Mart. and Eichler) Pierre; det. T. D. Pennington, 2004	First record for the Guianas (former records erroneous)

983	19	Annonaceae	Guatteria ayangannae U. Scharf and Maas; det. U. Scharf and Maas, 2004	ISOTYPE
982	25	Euphorbiaceae	Conceveiba ptariana (Steyerm.) Jabl. det. K. J. Wurdack, 2011	New record for Guyana, tepui endemic
986	65	Orchidaceae	Octomeria lancipetala C. Schweinf.; det. G. Carnevali, X 2003	First record for the Guianas
987	74	Poaceae	Paspalum cf. pilosum Lam.; det. E. Judziewicz, 2004	Second collection for Guyana, if confirmed
103	311	Melastomataceae	Macrocentrum stipulaceum Wurdack; det. F. Almeda and D. Penneys, V 2005	First known record after the Type
103	333	Melastomataceae	Macrocentrum stipulaceum Wurdack; det. F. Almeda and D. Penneys, V 2005	Second known record after the Type
106	672	Verbenaceae	Aegiphila venezuelensis Moldenke var. serrata Moldenke	First record for the Guianas?
107	764	Ochnaceae	Tyleria phelpsiana Maguire and Steyerm.; det. M. Sewell, 2005	First record of Tyleria for the Guianas
108	808	Poaceae	Aulonemia nitida Judz.; det. E. Judziewicz, 2004	PARATYPE, new species to science and the Guianas
108	854	Rhizophoraceae	Sterigmapetalum resinosum Steyerm. and Liesner; det. T. Hollowell, 2005	First record for the Guianas
109	977	Bignoniaceae	Tabebuia obscura (Bureau and K. Schum.) Sandwith; det. S. O. Grose, 2005	Second record for the Guianas
110	017	Lycopodiaceae	Huperzia linifolia (L.) Trevis.; det. G. S. McKee, 2004	First record for Guyana
113	159	Malpighiaceae	Tetrapterys glabrifolia (Griseb.) Small; det. W. R. Anderson, 2004	First record for Suriname
113	363	Chrysobalanaceae	Acioa guianensis Aubl.; det. M. Sewell, 2005	First record for Suriname
	528	Cyperaceae	Mapania sp.; det. M. T. Strong, 2004	Probably a new species, fide Strong, 2004
116	688	Ericaceae	Ledothamnus sessiliflorus N. E. Br.; det M. Sewell, 2004	First record for Guyana, second collection after the type
118	852	Magnoliaceae	Dugandiodendron ptaritepuianum (Steyerm.) Lozano; det. M. Sewell, 2004	First record of genus for the Guianas
119	920	Bromeliaceae	Vriesea duidae (L. B. Sm.) Gouda; det. E. J. Gouda, 2005	First record for the Guianas
120	040	Rhizophoraceae	Sterigmapetalum resinosum Steyerm. and Liesner; det. T. Hollowell, 2005	Second record for the Guianas

I. Expedition Narratives and Maps

(For detailed collection localities and collection numbers, see Part II: Collecting Localities)


During an expedition the goal is to document the botanical diversity of a georeferenced collecting locality chosen by the expedition members. In each locality attempts are made to collect plants of as many different growth habits and types as possible, ranging from submerged aquatic vegetation to emergent aquatics and rheophytic vegetation, seasonally flooded forest, herbs, vines, lianas, and herbaceous plants growing at the river's edge, and, in terra firme forest, understory herbs and shrubs, midstory trees and palms, canopy trees and lianas, epiphytes, and canopy-emergent trees. Members of Clarke's expeditions were able to climb trees up to about 80 cm in diameter and to collect in the canopy by using tree-climbing spikes and extendible aluminum clipper poles. Climbing trees takes a great deal of time but these collections of epiphytes, lianas, and large canopy trees are the most valuable because they are the most poorly known and least well represented in herbaria.

The difficulties of identifying material from neotropical forests necessitates that plants for the most part be fertile (flowering or fruiting). A pressed, dried herbarium specimen must be made so that identification can be made in the herbarium with full use of reference collections, botanical literature, and dissecting microscopes. The herbarium specimens that result constitute a record of the expedition that, if properly maintained, will remain in good condition for hundreds of years. The trip narratives that follow are extracts from the expedition reports of H. David Clarke.

TRIP 1: IWOKRAMA RAINFOREST RESERVE

17 SEPTEMBER TO 9 OCTOBER 1995 (MAP 1)

The purpose of this collecting expedition was to continue to document the flora of the Iwokrama Rainforest Reserve and to produce a checklist to fulfill a contract between the Smithsonian Institution and the Iwokrama program. The work was intended to extend and complement the work done by previous collectors: Bruce Hoffman, Toby Pennington, and Patrice Mutchnick. Collecting



MAP 1. Collecting localities of H. D. Clarke, Trips 1–3.

efforts were concentrated along rivers and machete-cut transect lines with the goal of sampling across a number of the different land systems described in the Iwokrama Phase 1 report. The collecting was expected to help to achieve a refined understanding of these land systems and the vegetation they support. During the expedition, Iwokrama personnel abandoned mapping the reserve on the basis of Iwokrama Phase 1 land systems in favor of a map delineating more detailed vegetation types (a la Fanshawe). No matter which system is used, the collecting serves to validate maps constructed largely from aerial photographs and knowledge of soils, topography, and geology.

We arrived in Annai by twin-engine Islander aircraft flown by Malcolm Chan-A-Sue and were met at the airstrip by Fred Allicock, the Iwokrama site manager, and a crew of Macushi workers from Surama. We traveled to Kurupukari field station by Land Rover and on to the Turtle Mountain transect on the Essequibo River by boat.

We began collecting along the transect with the help of one guide (Daniel Allicock), the boat captain, and two workers. The transect began in alluvial *Mora* forest and moved up into upland forest on brown sands. We also collected along the river on the way back to the field station and along the entrance road to the field station from the Kurupukari–Annai Road.

On 20 September we made a day trip to collect along the A–B transect, which begins at the Kurupukari–Annai Road and heads in an easterly direction. The area was dominated by *Mora* forest and mixed forest on white sand. The next day we made another day trip to collect along the C–D transect, which begins at the Kurupukari–Annai road and heads in a nearly westerly direction 5 km to the Burro-Burro River and then extends another 9 km beyond the river. Collections were made between the road and the river in *Rapatea* swamp forest and in mixed forest and wallaba (*Eperua* spp.) forest on white sands. During our second day trip to the A–B transect on 22 September we were filmed by a Canadian film crew.

The expedition next collected along the first 4 km of the Kuratoka Rapids transect, which begins at the Essequibo River and heads 9 km in a westerly direction to very nearly meet the A–B transect. The forest was relatively disturbed (reportedly by fire) and contained a good deal of secondary growth species not common elsewhere (*Acacia*, *Triplaris*, etc.).

After a day of plant processing and preparation, we traveled by boat (a very inefficient 25 hp motor that used 25 gallons of gas on this trip) from Kurupukari to the camp at the head of Post Arinda Inlet on the Essequibo River. We began collecting along a 4 km transect

that started at Post Arinda Inlet and ended at Burro-Burro River above its confluence with the Siparuni River. This transect included varied topography with *Mora* forest, *Mauritia* swamp forest, and upland forest on a series of low ridges that paralleled the two rivers. Labaria (*Bothrops atrox*) and spider- (*Ateles* sp.) and howler-monkeys (*Alouatta* spp.) were seen along the transect, and tapirs were seen near camp at night.

After finishing collecting along the Post Arinda Inlet transect with two workers, we were met by our guide and boat captain at the end of the transect on the Burro-Burro River. We traveled by boat up the Burro-Burro River to camp at the intersection of the C–D transect with the river. A jaguar was spotted swimming across the river. Collections were made along a 9 km extension of the C-D transect on the northern side of the Burro-Burro River. Most of the length of this transect was mixed forest on white sand, but the transect ended in a Humiria (muri) savanna with a low (5 m) canopy, presumably created by edaphic conditions leading to poor drainage in the wet season. We also collected along the Burro-Burro River, between the C-D transect above Dunari Rapids and the confluence with the Siparuni River before our return to Kurupukari to process plants.

The expedition made some last riparian collections along the Essequibo River north of Kurupukari. We then traveled by boat with a 25 hp motor with the crew (guide, boat captain, two workers) to camp at the head of Akromukru transect. As we collected along the 5 km long transect we saw several red brocket deer. The transect was dominated mostly by mixed forest on white sands, but numerous small canopy gaps added diversity (*Ochroma*, e.g.). *Caryocar nuciferum* L. is common near the Essequibo.

Continuing along the Essequibo River at the southern boundary of the reserve, we collected along 5 km of the Ladysmith Creek transect. The Mora excelsa Benth. forest near the river changes to Chlorocardium with Mora gongrijppii (Kleinhoonte) Sandwith forest away from the river. The striking orange bird, Cock of the Rock (Rupicola rupicola), was seen along this transect. After collecting along the Esseguibo between Ladysmith Creek and Pisham Pisham Rapids, we collected along the 5 km long Pisham Pisham transect. Mora forest near the river gives way abruptly to hill forest as the transect crosses a ridge that slopes gently on the side facing the river and drops abruptly on the side away from the river. Extensive rock outcroppings on this ridge provide habitat for terrestrial bromeliads (Ananas) and epilithic ferns. Further riparian collections between Pisham Pisham Rapids and Gold Falls found rheophytic Mourera fluviatilis Aubl. blooming in the rapids.

Finally, we returned to Kurupukari to process plants before our return to Georgetown in the Skyvan transport aircraft.

TRIP 2: IWOKRAMA RAINFOREST RESERVE

4 NOVEMBER 1995 TO 2 DECEMBER 1995 (MAP 1)

This was the second trip I made to the Iwokrama Rainforest Reserve as part of an ongoing effort to produce a checklist of its flora to fulfill an agreement between the management of the reserve and the Smithsonian Institution. The previous trip, made in September and October 1995, concentrated on collecting along transects starting along the Kurupukari-Annai road and along the Essequibo and Burro-Burro Rivers. Collecting on this trip concentrated on areas not visited earlier, including the Pakutau Hills along the Siparuni River, the Iwokrama Mountains, and a new transect along the Burro-Burro River. A new vegetation map of the reserve made by Ivan Anderson was used to help direct collecting efforts and, in turn, it was hoped that information from this trip could help to refine the map by providing information about previously unvisited areas. Throughout this trip, Bruce Hoffman was an accompanying botanist, recording data in 0.1 ha plots in an effort to assess a- and b-levels of plant species diversity.

Bruce Hoffman and I flew from Georgetown to Annai where we were met by Fred Allicock and workers. We moved to the field station at Kurupukari and made preparations for a week-long trip to the Siparuni River.

On 6 November we traveled by boat with a 40 hp engine to Pakutau Falls on the Siparuni River. The Siparuni River is occupied by several gold mining dredge operations between Pakutau Falls and its confluence with the Essequibo River. It is otherwise uninhabited and undisturbed, aside from where it is crossed by the old Mahdia-Sandstone road, which is now very overgrown. Malaria is common in this area. There the geology is characterized by doleritic intrusions that are slightly more basic than the granites that characterize most of the rest of the reserve. Although both Bruce Hoffman and Patrice Mutchnick have collected in this area previously, further collections were made in an effort to assess whether differences in geology between this and other areas in the reserve correspond to differences in vegetation. My preliminary assessment would be that, if these differences exist, they would be more quantitative than qualitative in nature, the mixed forest found on these hills being similar to mixed forest found on brown sands or in the Iwokrama Mountains.

The expedition walked to the end of a 5 km long transect that started at Pakutau Falls on the Siparuni River, proceeded in a southerly direction, ended near the highest point in the Pakutau Hills (~400 m elevation), and began collecting along the most distant portion of the transect. The next day we collected along the part of the transect closest to the Siparuni River. We then made riparian collections in the area surrounding Pakutau Falls and upstream as far as Ireng Creek, finding typical rheophytic and riparian vegetation such as Mourera fluviatilis, Psidium, and Coccoloba. Finally, we made riparian collections along the Siparuni River from Pakutau Falls downstream as far as Levai Falls before our return to Kurupukari to process plants and to work on identifications.

On 14 November we collected in the interior of a Mora forest adjacent to Kurupukari–Annai road, 22 km southwest of Kurupukari. We then traveled by boat to a new transect along the Burro-Burro River (approximately 1 km upstream from Duckla Falls). The transect was 5 km long and proceeded in a westerly direction. The terrain was quite flat, the soils were brown sands, and the vegetation varied between seasonally flooded palm swamp forest (Mauritia, Oenocarpus, and Jessenia) and mixed forest. During the next two days we collected along the farthest portion and in the near portion of the transect, where a tayra (Eira barbata) was seen. At night a labaria (Bothrops atrox) interrupted the Amerindians' card game under the tarp and was quickly dispatched.

A limited fuel supply forced us to abandon a plan to collect along the partially completed transect near Sandstone on the upper Burro-Burro River. Low fuel supplies at base camp limited all further collections in areas accessible by road, but collections were made near camp before our return to Kurupukari to process plants.

The following day the expedition made collections approximately 8 km from Kurupukari along the Kurupukari–Annai Road. We then traveled by Land Cruiser 34 km along the Kurupukari–Annai Road to set up camp at the head of a transect leading 4.5 km to the base of the Iwokrama Mountains. This transect travels around the periphery of *Humiria-Clusia* scrub and passes through palm swamp and *Mora* forest. We walked approximately 0.5 km over crude machete-cut trail up drainage into the Iwokrama Mountains and ascended the 800 m peak south of camp. No significant elevational gradient in floristic composition was detected. The forest is a mixed forest on brown sandy loam with numerous rock outcroppings. Black and red poison arrow frogs (cf. *Phyllobates*) were seen in the forest.

Further collections were made along the machete-cut trail and in a creek bed 0-3 km east-southeast of base

camp. Licania, Clathrotropis, Swartzia, and Cassia were common canopy elements in the first 2 km of the creek, whereas the midstory was dominated by unknown Meliaceae. Near the top of the drainage, 2-3 km east-southeast of camp, the canopy elements of the forest did not appear to differ greatly from those in lowland mixed forest in other parts of the reserve or throughout the areas visited in the Iwokrama Mountains and particularly in the gorge of the unnamed creek adjacent to camp. However, the understory, herbaceous, and epiphytic elements did appear to be characteristic of a distinctly more mesic forest than other parts of the reserve. Plants such as Cephaelis and other Rubiaceae, Sinningia and other Gesneriaceae, aroids, orchids, tree ferns and filmy ferns were encountered commonly here that were not seen elsewhere in the reserve. We examined and photographed petroglyphs newly discovered by Daniel Allicock, Baptist James, and crew.

On the highest peak in the Iwokrama Mountains (1,000 m) we saw a labaria guarding a petroglyph rock (because this snake is highly poisonous it was quickly dispatched), and a harpy eagle near a porcupine it had killed, which we photographed. A cut trail from the summit to a large rock outcropping immediately below the summit affords a view of Makarapan Mountain, the Annai area, and the area extending to the Essequibo River.

We returned to Kurupukari by Land Rover on 27 November and collected along the road near base camp. Near the road we saw a tapir that apparently was unaccustomed to people and allowed us to approach closely. We then collected along the A–B transect starting at Kurupukari–Annai Road (4°35′11.6″N, 58°44′39.3″W) and heading in a 105 degree direction. The transect started in *Mora* forest (in which we made more collections), passed through mixed forest, and ended in *Eperua* forest on white sand.

Finally, we moved to Surama to collect in a savanna area, before our return to Georgetown. The next field trip to Iwokrama was planned to take advantage of the onset of the rainy season when more plants were expected to flower.

TRIPS 3-4: MABURA HILL; CEIBA ENVIRONMENTAL CENTER

30 DECEMBER 1995 TO 14 JANUARY 1996 (MAPS 1 AND 2)

This collecting trip began at Mabura Hill, located in Demerara Timbers Ltd. Forest. The expedition moved south on the Mabura Hill-Kurupukari Road and made collections in dense forest on white sand.

On 1 January we collected 3 km south of Tropenbos Field Station in disturbed open area on red gravelly clay. Collections were also made 20 km south of Mabura Hill on the Mabura Hill–Kurupukari Road, in dense forest on white sand, with *Eperua*, *Peltogyne*, and *Licaria*.

The team then moved to an area 32 km south on the Mabura Hill–Kurupukari Road where the environment changed to dense forest on brown sand. The next day more collections were made in the disturbed open areas of Tropenbos Field Station. The expedition then returned to an area 3 km south of Mabura Hill and proceeded 60 km north on the Mabura Hill–Linden Highway where we collected in disturbed roadside vegetation on white sand.


Final collections were made at the CEIBA (Conservation of Ecological Interactions and Biotic Associations) Research Centre, adjacent to the Soesdyke–Linden Highway. The Center was populated by Muri scrub (*Humiria*) vegetation on white sand and Mauritia swamp forest on white sand with *Mauritia*, *Pentaclethra*, and *Mora*.

TRIPS 5-6: PARUIMA AND PARAMAKATOI


22 JANUARY TO 27 FEBRUARY 1996 (MAPS 3 AND 4)

A month-long plant-collecting trip to Paruima in the northwestern Pakaraima Mountains was followed by a one-week trip to Paramakatoi in the southern Pakaraimas with a team of bryologists and lichenologists. In the past the Paruima area has been collected only by Tim McDowell and Adrian Thompson, and Paramakatoi only by Lynn Gillespie. Both of these areas offer access to large expanses of premontane and montane primary tropical forest. In addition, lowland shrub savanna is close to Paramakatoi in the direction of Kato and the Paruima area offers a large number of habitats associated with the summits of the tepuis that surround the village.


Logistics problems necessitated flying into Kamarang before being transported by boat upriver into Paruima. After gaining approval of local authorities and finding a guide, we planned to collect in the Kamarang area for two days. The first days were spent along the trail between Kamarang and Waramadon (upstream on the Kamarang River from its confluence with the Paruima River). The trail began in secondary forest and quickly passed into primary premontane forest dominated by *Mora gongrijppii*, *Licania*, *Caryocar*, and *Aparisthmium*. On the second day we collected along a trail 3 km north of Kamarang on the Mazaruni River. The trail passes primarily through primary forest, but also through areas of overgrown cassava plantations, and leads from the river to farms and small-scale mines.



MAP 2. Collecting localities of H. D. Clarke, Trips 4 and 23.



MAP 3. Collecting localities of H. D. Clarke, Trips 5 and 15.



MAP 4. Collecting localities of H. D. Clarke, Trips 6-7.

After two days of travel we reached Paruima. With James Chambers we collected along the trail across the Kamarang River from Paruima leading north to Warimatipu, Holitipu, and Kaikan. The trail ascends from the river through secondary and primary forest and leads to a number of small areas cleared for farming. Collections were made as far as the base of Warimatipu, which is covered by semi-open, naturally disturbed forest on unstable rock slopes.

With James Chambers and three other workers we traveled by dugout several kilometers upstream on the Kamarang River to a trail leading to the Utshi River and Venezuela. The trail follows the course of the Kamarang River through a canyon between two tepuis and crosses a number of side canyons, such as Kumarow, that are crossed by walking high above the river on very large boulders that fill the riverbed. The trail then passes abruptly from forest into savanna as the summit is reached. The trail is very beautiful and offers an excellent opportunity for development for ecotourism.

After ascending the trail to the Utshi River tepui summit, we camped in a gallery forest along the Utshi River and collected in the savanna and gallery forest near camp.

The next day we hiked from camp to a site several kilometers south near the Great Falls on the Kamarang River and collected in the savanna and gallery forest between there and camp. This area offers spectacular views of the waterfalls and high tepuis in the area, including Illutipu, Waukauyengtipu, and, in good weather, Roraima.

We collected in a savanna, gallery forest, and seep area near the border of Venezuela along the trail and in the forest surrounding the first camp on the Kamarang River before returning to Paruima to process the plants.

The expedition then traveled to a large tepui area about 10 km north of Paruima called Waleliwatipu or Aymatoi, contiguous with Holitipu. We collected in savanna, gallery forest, and rock outcroppings between Uluk Creek near the southern edge of Waleliwatipu, and in gallery forest, savanna, and rock outcroppings near an airstrip built by a Canadian mining company in the vicinity of Mount Yuroban, a flat-topped forested promontory protruding above Holitipu. The gallery forest and rock outcroppings in the area of the airstrip provided a large number of unique plant species not seen elsewhere on this trip.

After another trip back to Paruima to process plants, we collected in premontane forest in the area between Paruima and Konuktipu (contiguous with Kolodokyengtipu). This area is dominated by dense primary forest interspersed with successional areas associated with cassava cultivation. It also has naturally disturbed areas and seeps at the base of cliffs with elements such as *Pothomorphe*, *Mucuna*,

Cissampelos, Mendoncia, and Pavonia. We then collected along the Kamarang River near Paruima, along the Paruima River upstream several kilometers to large rapids, and in the forest area between Paruima and Illubia Creek.

Aside from a giant anteater and the usual assortment of monkeys, we saw few mammals on this trip. The birdlife, however, was quite impressive, with a whole assortment of hummingbirds and many frugivorous (fruit-eating) birds such as trogons (bright red and green), bellbirds (white and brown with a wattle like a turkey and a call like a car horn that can be heard for kilometers), cotingas (iridescent blue and purple), Cock-of-the-Rock (day-glow orange), oropendulas (like orioles), and tanagers.

We returned to Georgetown, secured permits, hired workers, and traveled to Paramakatoi where we met with a team of lichenologists and bryologists, who had arrived from Kaieteur Falls: Paul DePriest (Smithsonian), Harry Sipman (Berlin), Angela Newton (Smithsonian), Solis Stenroos (Helsinki). Together we collected along the trail from Paramakatoi to Paramaktipu. The trail passes through disturbed vegetation into primary forest and climbs several hundred meters to the top of Paramaktipu. We also collected along the trail from Paramakatoi to Maikwak and Kowatipu, which passes through primary forest and occasional abandoned cassava plantations, and along the trail from Paramakatoi to Karibon Creek, which begins in secondary forest and descends a few hundred meters through primary forest, before returning by rough trail to Paramakatoi.

From Paramakatoi we collected along the trail to Yowang and Monkey Mountain. The trail descends several hundred meters, parallels a stream for several kilometers, and returns to Paramakatoi by a different route.

Finally, we collected along the trail between Paramakatoi and Kato. The forest savanna ecotone occurs about midway between the two villages. Collections were made in the forest near Paramakatoi. *Mora gongrijpii* dominates in low areas and premontane mixed forest with *Pouteria*, *Aspidosperma*, and *Licania* dominant in upland areas.

Because the short runway at Paramakatoi makes taking off with heavy payloads difficult, half the group had to walk to Kato, a distance of about 20 km by air, before the entire group was able to catch the flight to Georgetown.

TRIP 7: IWOKRAMA INTERNATIONAL RAINFOREST RESERVE

14 MARCH TO 16 APRIL 1996 (MAP 4)

This trip to the Iwokrama Rainforest Reserve was made as part of a continuing effort to document the flora of the area. Bruce Hoffman, who was researching Heteropsis and its potential as a non-timber forest product, joined this trip. Emphasis was put on documenting phenology by re-collecting in areas previously inventoried; this allowed for collecting plants in flower that may have been collected on previous expeditions in fruit. Excursions were also made to previously uncollected areas, such as an outlier of the Iwokrama Mountains, Sandstone on the upper Burro-Burro River, and floodplain areas adjacent to the Essequibo River near Turtle Pond.

The trip began with a flight into Annai to meet with Fred Allicock. After a quick trip to Surama to collect field assistants, we traveled to Kurupukari by Land Rover. After preparing the boat with a 40 hp engine, food, and supplies, we proceeded upriver to Akromukru Falls on the Essequibo River. Plants were collected along the first half of the 5 km Akromukru transect perpendicular to the Essequibo River (Figure 3). The first 2 km from the river are dominated by *Mora* forest, the next 2 to 3 km are *Mora* and mixed forest occurring together with *Chlorocardium*, and the remainder of the transect is dominated by mixed forest with *Chlorocardium*. Two harpy eagles, an adult and a not fully fledged juvenile, were observed at km 2.3, indicating the presence of a nest nearby.



FIGURE 3. Brassavola martiana Lindl. (Orchidaceae), Clarke 1366.

The camp was moved to an area near Ladysmith Creek and collecting continued along the first 2 km of the transect. On the first half of this 5 km transect *Mora* occurs together with mixed forest with *Chlorocardium*, *Licania*, and others species. There is also a good deal of semi-disturbed "liana forest." After about a week in this area we returned to Kurupukari by boat and made preparations for a trip to Moco Moco II Creek.

Leaving the boats, we traveled by Land Rover to Moco Moco II Creek, 32 km southwest of Kurupukari along Kurupukari-Lethem Road. We set up camp and began collecting in and around the forest along the 3.7 km transect. beginning at the road near camp and ascending to the summit of an unnamed outlier of the Iwokrama Mountains. Most of the first part of this transect is dominated by areas of poorly drained white sand with Mora, Phenakospermum, Eperua, Catostemma, and a prominent palm midstory with Oenocarpus and Euterpe. Along the steep rock slope that ascends the outcrop, Pentaclethra, Symphonia, Chrysophyllum, and Parinari dominate. The mixed forest on this mountain differs somewhat in composition from that found on brown sands in other parts of the reserve. The forest is slightly more open with a prominent palm (Bactris and Scheelea) understory. Bellbirds were heard here, the only place other than the Iwokrama Mountains proper where they have been heard in the reserve.

The expedition returned to Kurupukari and preparations were made for a second boat trip, this time to Turtle Pond on the Essequibo River and Sandstone on the upper Burro-Burro River, Collections were made along a transect to cover as much habitat over this 3.5 km section as possible. Most of the first 2 km of the transect was dominated by mixed forest on brown sand with Mora, Carapa, Chlorocardium, and Licania. Detours from the Turtle Pond transects were taken at km 2.4 and 0.9 km to smaller lakes between the transect and the Essequibo River. The lakes become channels of the Essequibo River during the rainy season and harbor a large number and diversity of fish, including arapaima. The forest adjacent to this area is of low stature and relatively low diversity and is adapted to flooding and siltation. Gustavia, Symmeria, an Eschweilera species, and numerous species of Myrtaceae dominate.

We traveled by boat down the Essequibo River and up the Siparuni and Burro-Burro Rivers to Sandstone, the site of an abandoned gauging station and terminus of the abandoned Mahdia–Sandstone Road. We continued collecting along a 2.7 km transect beginning at Sandstone on the Burro-Burro River. The transect began in flat *Mora* forest on brown sand near the river and passed over several hills

with rock outcroppings with *Ananas*, *Heliconia*, and associated herbaceous vegetation. Most of the transect away from the river was dominated by mixed forest on brown sand, although the transect did cross the abandoned road where dense secondary forest dominates.

On 3 April we left the northern part of Iwokrama and returned to Surama. Two transects heading northwest and southeast from the Kurupukari–Lethem Road near the southwestern border of the reserve were our next areas to sample. The mixed forest in this part of the reserve had a somewhat different composition and perhaps a more seasonal character; it was dominated by *Goupia*, *Vitex*, *Virola*, *Ceiba*, and *Cedrela*. Our final plant collecting for this trip was in the savannas near Surama. We then returned to Georgetown.

TRIP 8: EASTERN KANUKU MOUNTAINS

21 May to 15 June 1996 (Map 5)

This trip to Dadanawa Ranch, the Rupununi River, and the Eastern Kanuku Mountains was made to help document this diverse and poorly known area. The South Rupununi and Kanuku Mountains offer a diversity of habitats for collecting, including gallery forest, savanna, bush islands, xeric scrub, epilithic vegetation, seasonal forest, and a number of types of high-canopy rainforest in and surrounding the mountains. Moisture gradients occur from north to south, with very mesic forest occurring on the northern slopes of the Kanuku Mountains and drier forest on the southern slopes. Elevation gradients occur over about 1,000 m of vertical relief in the mountains.

Rain was very heavy throughout this trip but did not impede collecting or travel. In fact travel on the Rupununi River south of Sand Creek Village is possible only during the rainy season.

The trip began with travel by Guyana Airways Corporation (GAC) Twin Otter from Timehri to Lethem, where we were met by Duane DeFreitas, and we moved on into Dadanawa Ranch by Land Rover. Our first collections were made in savanna and gallery forest near the ranch compound.

Over the next few days we collected in gallery forest along the Rupununi River and in Natun Bush Island. Plant diversity in the South Rupununi Savanna consists of a heterogeneity of habitats including savanna proper, gallery forest, granite domes, and bush islands. Bush islands are areas of high-canopy evergreen forest surrounded by savanna, the presence of trees attributable to local edaphic conditions that allow for roots to penetrate the hardpan.

We also collected on Tautowan Mountain, a granite dome with xeric vegetation on exposed granite (*Cnidosculus* and *Melocactus*, e.g.) and dry forest vegetation at the base (*Fagara*, *Cochlospermum*, and *Lippia*, e.g.).

On 26 May we traveled to Sand Creek by aluminum boat. We collected in savanna and savanna–forest mosaic north of Sand Creek Village (although heavy rains during this period resulted in extensive flooding in the savanna surrounding the village), and in savanna, dry forest, and evergreen forest to the east of the village.

From Sand Creek Village we traveled by boat north along the Rupununi River to Crabwood Creek. Walking from camp, we reached an unnamed peak of the Kanuku Mountains 10 km to the east and collected on the summit and slopes of the mountain.

On 31 May we traveled by boat south along the Rupununi River to the westernmost extension of Makawatta massif. We cut a trail to the top of the mountain and collected among scrub vegetation at its summit and closed canopy forest on its slopes. We then collected near the camp in forest near Crabwood Creek that was soon to be inundated by rising water levels; *Mora*, *Ceiba*, and *Astrocaryum* were dominant.


Traveling about 15 km up the Maparri River to the base of a waterfall, we made camp and collected along the river. The forest on the south bank of the Maparri above the waterfall is particularly mesic, with an abundance of epiphytic filmy ferns, orchids, and bromeliads. For the next three days we continued to collect along the Maparri River as far as 10 km west and 8 km east of camp. We cut trails to the tops of two unnamed peaks, 3 km north and 2 km south of camp, and collected on the summits and slopes.

On 9 June malaria forced the group to begin returning to Dadanawa Ranch. Because of engine problems and the very strong current of the Rupununi River in flood stage, the trip back to Crabwood Creek took 24 hours of uninterrupted travel. Engine repairs at dawn allowed for good progress to be made thereafter. After a rest at Crabwood Creek, the group progressed to Dadanawa by boat, to Lethem by Land Rover, and back to Georgetown by GAC Twin Otter. Plants and goods were sent back to Georgetown by truck.

TRIP 9: KUYUWINI RIVER

29 JUNE TO 30 JULY 1996 (MAP 5)

On this trip to the Kuyuwini River in southern Guyana, I was accompanied by two students, Sally Adkins from the Smithsonian Institution and Calvin Bernard from the



MAP 5. Collecting localities of H. D. Clarke, Trips 8-9.

University of Guyana. Also included were Regis James from Aishalton and Claudius Perry from Marunawa, two Wapishana workers skilled in all aspects of plant collecting, and several other workers from Aishalton. The Kuyuwini River area is of interest because it is part of the poorly known and scarcely collected southern Guyana forest. Access to the forests of southern Guyana is difficult because the area is essentially unpopulated. The only starting points are at Gunn's Strip and several points on the South Rupununi savanna. Travel from the South Rupununi is the less expensive option, but is more arduous because extensive walking is required. On this trip, rations, supplies, fuel, and the outboard (~680 kg) were carried by people or by bullock from Aishalton over Marudi Mountain to the landing on the Kuyuwini River, after which the group travelled by dugout. The trail from Aishalton to Kuyuwini Landing is an old established trail that was also used by Richard Schomburgk in the 1840s. It begins in the savanna, passes through the savanna-forest ecotone "bush mouth" about 16 km southeast of Aishalton, and continues another 48 km through highquality primary tropical forest for another 48 km before reaching the Kuyuwini River. It passes over Marudi Mountain and within 8 km of Bat Mountain, an eroded granitedome inselberg with bare rock on top and scrub vegetation at its base. To find our position and successfully cut trail to the mountain, we used a combination of GPS, which necessitated climbing trees to get a signal, and orienteering with 1:50,000 series topographic maps and compass.

The trip began with a GAC Twin Otter flight from Timehri to Lethem. High water prevented travel in or out of Lethem and so over the next four days collections were made around Lethem in savanna and gallery forest of Takutu River. When Eddie Singh's truck arrived on 4 July the expedition proceeded to Dadanawa Ranch. High water levels in the Arakwai Creek prevented travel to Aishalton, so once again collections were made in the area: in savanna, gallery forest, and bush islands on the road from Dadanawa Ranch to Shea and near Natun Bush Island.

Aishalton was finally reached by tractor and arrangements were made to hire bullocks and workers in the village. The team walked from Aishalton to Regis James farms at bush mouth (~16 km) and from bush mouth to a point in the forest midway between Marudi Mountain and Kuyuwini Landing. Lack of forage for the bullocks in the forest impeded their progress, as did flooding in the *Euterpe* swamps. Kuyuwini Landing was finally reached on 13 July and collections were made near the landing and in forest along the trail to Marudi Mountain and Aishalton.

As further collections were made along the Kuyuwini River downstream (east) of the landing, the team repaired the large and small dugouts and equipped the large dugout to accept a 15 hp engine. We then traveled in the two dugouts from Kuyuwini Landing upstream—the large dugout with engine carried equipment and supplies and towed the small dugout with passengers. Extensive flooding in the area made finding even a provisional camp difficult. Continued travel up the Kuyuwini was impeded by many treefalls and vegetation (*Inga* and *Astrocaryum*) blocking a narrow channel that was hard to distinguish from adjacent flooded forest. Camp was made at a high spot on the river bank at a giant river otter midden.

The expedition cut trail and collected in terra firme mixed forest 0–2 km northwest of camp and in riparian habitats along the Kuyuwini River 0–5 km west of camp. The camp was moved upstream to a landing at the terminus of a trail from Parabara Savanna and further collections were made near camp, in forest and isolated savanna areas 0–5 km north of camp, and along the river 0–3 km west of camp.


We returned by dugout to Kuyuwini Landing and proceeded on foot to a point in the forest several kilometers south of Marudi Mountain. There we cut a trail from camp to the foot of Bat Mountain and ascended to a point where the vegetation ended, where further progress was made impossible by blue-green algae on rocks made slippery by the rainy season. We collected in scrub and xeric vegetation (*Furcrea*, *Melocactus*, *Cnidosculus*, *Clusia*, etc.) and enjoyed a spectacular view from horizon to horizon of uninterrupted, undisturbed, and uninhabited primary tropical rainforest.

Completing our work on Bat Mountain, we spent a long grueling day walking from the camp south of Marudi Mountain to bush mouth, approximately 32 km. Our return trip continued on foot to Aishalton, by tractor to Arakwai crossing, and to Dadanawa and Lethem by Land Rover. Plants and goods were left in Lethem to be transported by Eddie Singh's truck to Georgetown, while personnel returned to Georgetown by GAC Twin Otter.

TRIP 10: IWOKRAMA INTERNATIONAL RAINFOREST RESERVE

17 SEPTEMBER TO 5 OCTOBER 1996 (MAP 6)

This Iwokrama trip was specifically designed to collect in previously uncollected areas near the base camp and Turtle Mountain on the Essequibo River, and to collect intensively at higher elevations in the Iwokrama Mountains. Two newly cut transects were sampled, one near the base camp on the Kurupukari–Annai Road in mixed



MAP 6. Collecting localities of H. D. Clarke, Trips 10 and 13.

forest on undulating terrain, and one from the Essequibo River through forest prone to flooding and heavy siltation to an exposed area at the top of a cliff on Turtle Mountain. A camp established at the top of the drainage in the gorge between the highest peaks in the Iwokrama Mountains allowed more effective collecting. Carrying rations and equipment from the road to the base of the mountains and up the gorge is difficult, but the time needed to climb the mountains from the camp at the bottom of the gorge, three hours each way, was too long to allow for sufficient time to collect on the mountains. This work was carried out with the assistance of several Macushi and Wapishana workers from Surama and Kurupukari.

The trip began with a flight from Georgetown to Annai by GAC Twin Otter and travel by Land Rover to Kurupukari base camp, while rations and equipment was transported via Eddie Singh's Bedford truck. Our first collections were made along a transect beginning on the Kurupukari–Annai Road. The trail passes through terra firme mixed forest interrupted periodically by *Euterpe* swamp forest in depressions.

After travel by Land Cruiser to the head of a trail approximately 48 km southwest of Kurupukari, we made camp at the top of a gorge between the highest peaks of the Iwokrama Mountains. We collected in a streambed at the top of the gorge, climbing up over a series of waterfalls until the stream diminished into a number of seeps on the south-facing north slopes of the gorge on the peak. The gorge is very mesic and supports a high diversity of epiphytes and rheophytes.

On 23 and 24 September we climbed from camp at the top of the gorge (300 m) to collect on the summit of the highest unnamed peak in the Iwokrama Mountains (1,000 m). The vegetation on the summit is characterized by a higher number and diversity of epiphytes (Figure 4) and a more developed understory of palms and shrubs. The trees tend to be of lesser girth and somewhat lower stature than lower forests, but are otherwise similar to those found in mixed forests at lower elevations. Views are available from just below the summit of granite outcroppings of Makarapan Mountain and the twin peaks on the south side of the gorge on one side of the mountain, and the Essequibo River and Apoteri on the other side. For the next five days we cut a line up and collected on the twin peaks on the south side of the gorge. On 30 September we collected in Humiria (n.v. 'muri') scrub along the road at the beginning of the trail to the mountains 45 km southwest of Kurupukari before our return to Kurupukari by Land Cruiser.

The expedition then traveled by boat from base camp at Kurupukari to the beginning of a transect on the




FIGURE 4. Brassavola sp. (Orchidaceae), Clarke 2760.


Essequibo River that leads to the summit of Turtle Mountain. The trail ends at the summit in *Clusia/Erythroxylum* scrub forest on the top of a cliff that affords a view north and east across the Essequibo of Aikawan Mountain, the Canister Falls area, and other mountains. We collected in scrub forest on the summit, semi-disturbed "liana" forest on upper slopes, and along the river for several kilometers north of the beginning of the transect. We also collected on the lower slopes of Turtle Mountain in mixed forest, along the river between the beginning of the transect and base camp in seasonally inundated *Mora* forest, and in low-canopy seasonally flooded and siltated forest.

Finally, we collected along banks and on sand islands of the Essequibo River north of its confluence with Tiger Creek. This part of the river is characterized by having many rapids and channels. The islands that occur in this part of the river support a more open forest with more xeric vegetation than that found on lower parts of the Essequibo River. We prepared our plants and equipment for shipping by truck to Georgetown and traveled by Land Cruiser to Annai before the final trip by GAC scheduled Twin Otter service from Annai to Timehri.

TRIP 11: GUNN'S STRIP, CHODIKAR, KAMOA, AND UPPER ESSEQUIBO RIVERS

21 October to 26 November 1996 (MAP 7)

Floristically, the far southern area of Guyana south of Gunn's Strip is among the most poorly known, and general collecting in this area will help to augment our



MAP 7. Collecting localities of H. D. Clarke, Trips 11-12.

knowledge of many plant species. The vegetation map of Guyana produced by Smithsonian lists as "floristic composition unknown" both the lowland evergreen forest found in this area and the lower montane evergreen forests found in the Acarai, Kamoa, and Wassari Mountains on the Brazilian border. When working in this area, one notes a nearly complete turnover in species composition in these forests compared with forests in northern and central Guyana, in Iwokrama, for example. Thus, although forests in northern and central areas have a typical Guianan composition, the floristic affinities of those in the south are found in the eastern Amazon. What causes this difference in floristic composition is an interesting question. From Iwokrama, Mabura, Kartabo, and other areas in the north to the Brazilian border in the south there is an uninterrupted expanse of lowland evergreen forest with fairly uniform soils and geology and very uniform climate. Without any meaningful edaphic or climatic gradients, then, this marked difference in species composition must be attributed to historical factors.

Work in southern Guyana is made difficult by the remoteness of the area and difficult logistics. The only airstrip, and the only human habitation, is at the Wai Wai village of 200 people at Gunn's Strip. Air charters are expensive because of the distance from Georgetown and the reduced payload needed to accommodate extra fuel (maximum weight for an Islander is 1,200 lb [544 kg] and this includes fuel, pilot, passengers, and cargo). This expedition was carried out in conjunction with a Royal Ontario Museum mammal collecting expedition staffed by Burton Lim, Eamon O'Toole, and Charles Robertson. In addition, George Simon of the Ministry of Amerindian Affairs accompanied SI and ROM personnel. The total weight of people and equipment was 1,678 kg; three Islander charters were needed traveling into Gunn's Strip and two traveling out.

Assistance in plant collecting was provided by two continuing Wapishana workers, Regis James from Aishalton and Claudius Perry from Marunawa, and three Wai Wai workers, Marifa Marawanara, Wachana Yaymochi, and Mark Sose (Figure 5). Regis James and Claudius Perry are thoroughly trained in plant collecting and general bush skills and the Wai Wai workers are undoubtedly the best available people in Guyana for working in remote locations, having extraordinary bush skills and more indigenous knowledge about plants than any other Amerindian group in Guyana. Over the course of this five-week trip we made 607 plant collections, mostly in duplicates of six. The value of these collections is augmented by the fact that they were collected in very remote locations and because



FIGURE 5. Loading the Wai Wai dugout canoes at Gunn's Strip.

a good deal of effort was expended in collecting taxa that are difficult to collect: canopy trees, lianas, and epiphytes.

By 24 October both the Royal Ontario Museum and the Smithsonian teams had been flown into Gunn's Strip in two Guyana Defense Force (GDF) Islanders, splitting the cargo between the two planes. Arrangements and preparations were made for the trip to Chodikar River and Acarai Mountains, and the first collections of the trip were made in a forest on the east bank of the Essequibo River opposite Gunn's Strip on the first kilometer of trail to New River. Fuel, rations, equipment, and nine people then traveled in two large dugouts, powered by 15 and 25 hp engines and owned by the village, from Gunn's Strip upstream on the Essequibo River to its confluence with the Kamoa River. Travel continued upstream past the confluence of the Sipu and Watuwau Rivers to Chodikar River. Passage became increasingly difficult as the channel narrowed and became shallow. Treefalls about every 100 m were cleared with cutlasses and axes. Camp was made on Chodikar River several kilometers from the Brazilian border.

The expedition began to cut a line from camp into the Acarai Mountains with the objective of collecting on Chodikar Mountain, a granite inselberg likely to support a number of disjunct, xerophilous species. We collected as we cut the trail, mostly in *Euterpe* swamp forest, which is very characteristic of the extensive poorly drained areas of southern Guyana. On the third day we crossed a small creek and passed into terra firme forest and then into a semi-open forest on poorly drained white sandy clay with abundant Myrtaceae and Hymenophyllaceae. We moved our camp inland to a creek at the base of the Acarai Mountains to

give closer access to Chodikar Mountain and to avoid long, arduous travel through the *Euterpe* swamp forest.

We continued collecting and cutting a line in the direction of Chodikar Mountain. The line passed over a low ridge, crossed a creek, and climbed up very steeply onto a ridge that was partially covered with a Clusia/Erythroxylum scrub forest. As we continued we followed ridges as much as possible, but occasionally descended into ravines. More mesic elements such as ferns, gesneriads, and Herrania are found in the ravines, whereas a somewhat less mesic mixed forest is found on slopes and ridges. The line passed through a low canopy scrub forest with Erythroxylum and Myrtaceae on a ridge with numerous epiphytic orchids and Ericaceae. Guianan Cock-of-the-Rock was observed and photographed near a cliff area in a ravine. As we cut a line toward Chodikar Mountain through similar ridge and ravine mixed forest habitat, progress was slowed by the time needed to walk over very difficult terrain to the point where line cutting ended the previous day. One Wai Wai worker, in bare feet, nearly stepped on a modestly sized bushmaster.

On 5 November we were within 2 km of Chodikar Mountain, which was clearly visible from several points as a half-forested and half-rock face mountain, but complete depletion of rations at our remote camp at the base of the Acarai Mountains forced a return to main camp. The entire party of botanists, Amerindians, and mammalogists traveled by dugout down the Chodikar and Essequibo Rivers to Marifa Marawanaru's abandoned farm on the Essequibo River between the confluences of the Sipu and Kamoa Rivers, paddling to conserve diminished fuel supplies. Travel upstream on the Kamoa River was impeded by many treefalls across the channel. We made camp on the north bank of the river near an abandoned farm and relatively close to several outliers of the Kamoa Mountains.

From the new camp we cut a line to the summit of an unnamed outlier of the Kamoa Mountains 2 km north of camp (520 m elevation) and collected in scrub forest on granite outcroppings at the summit, in mixed forest on boulder-strewn slopes below the summit, and on slopes in both high-canopy dense forest and low-canopy *Clusial* Myrtaceae/*Erythroxylum* scrub forest. The forest between camp and the unnamed outlier contains both Vochysiaceae-dominated high-canopy forest and semi-open forest on poorly drained white sand with *Mauritiella*, *Catostemma*, and Clusiaceae. We also collected in riparian vegetation along the Kamoa River 0–6 km west of camp and on the summits and slopes of two additional unnamed outliers of the Kamoa Mountains 2 km south of camp.

We traveled north on the Essequibo River to an area north of its confluence with the Onoro River, an abandoned Konashen village, and to Konashen Rapids due east of Zibingatzako Mountain, and made camp along the river. We cut a line and collected 0-3 km east of camp in the direction of Zibingatzako Mountain in dense forest on relatively flat terrain. Unlike the area between Chodikar River and the Acarai Mountains, this area is only dominated by Euterpe swamp forest in the immediate vicinity of streams. After our cut line reached the base of Zibingatzako Mountain, we climbed to one of the summits of the Zibingatzako massif and collected in Clusia scrub forest on rock outcroppings. We also collected in riparian vegetation along the Essequibo River several kilometers south of camp and 0-5 km north of camp, before returning to one of the summits of the Zibingatzako massif and collecting in scrub forest on granite outcroppings. Finally, we returned by dugout to Gunn's Strip (Figure 6) and transported all collections, equipment, and personnel to Georgetown by GDF air charter.

TRIP 12: KWITARO AND UPPER REWA RIVERS

2 FEBRUARY TO 7 MARCH 1997 (MAP 7)

Inspiration for this Kwitaro-Rewa trip came as a result of flying from Gunn's Strip to Georgetown and



FIGURE 6. Marifa Waruwanaru (left) and Wachana Yaymochi (right) at Chodikar River camp making the paddles that were needed to get back to Gunn's Strip with a broken outboard engine.

observing a number of rugged, highly eroded granite inselbergs between the Kwitaro and Rewa Rivers and between the Rewa and Essequibo Rivers at about the latitude of the Great Falls of the Rewa River in southern Guyana. These inselbergs appear to be the eastern remnants of the Kanuku Mountains. The fact that the inselbergs and the surrounding areas should support a number of highly diverse plant communities, that this area had not previously been collected, and that exploratory timber concessions have been granted to multinational logging companies covering this entire area argue strongly for expending serious effort to explore and document the plants of this part of Guyana. A Conservation International Rapid Assessment Program team made only a cursory investigation of the lower Rewa River, traveling by boat from the Rupununi River.

Access for this expedition was made from the South Rupununi Savanna via an established line that begins at Shea Village and ends at the Kwitaro River. Although traveling by boat from the Rupununi River would be easier, the lower Rewa River has a different character than the upper part because it passes through flat terrain and has many meanders and oxbow lakes. The Kwitaro and upper Rewa Rivers, on the other hand, provide more immediate access to the inselbergs and have straighter channels with many rapids and waterfalls. All fuel, rations, and equipment had to be carried by people or bullocks from Shea Village to the Kwitaro River, a distance of approximately 32 km. In addition, dugouts had to be lined through the rapids on both rivers, and the very heavy dugouts had to be portaged on newly cut lines around several sheer-drop waterfalls on the Rewa River. This area was visited regularly during the balata (Manilkara) bleeding (when latex is gathered from carefully placed slashes in the bark) era in the 1970s and has been prospected sporadically for gold in the past 10 years, but at this point it has no permanent human habitation and is too far from the villages on the South Rupununi Savanna or Rewa Village at the mouth of the Rewa River to be visited by Amerindians paddling canoes. These two rivers still have abundant populations of Podocnemis river turtles, arapaima and other highly desirable fish species, giant river otters, and perhaps a remnant population of the Amazonian manatee.

Assistance on this expedition was provided by Claudius Perry of Marunawa, Romeo Williams of the Bartica area, and four workers, all former balata bleeders, from Shea: Paulin Griffith, Myles David, Melchior Augustine, and Malkie Peters. Extra workers were needed for this expedition: seven people would be the minimum number needed to move a large dugout canoe across a portage, lines had

to be cut for portages and to gain access to the inselbergs, and the entire expedition (680 kg) had to be carried from Shea Village to the Kwitaro River. We made 701 collections of fertile taxa on this expedition, mostly in replicates of six. Many of these were collected from difficult to collect canopy trees, epiphytes, and lianas by a technique that combined the use of tree-climbing spikes with extendable clipper poles to reach and collect in the canopy.

Expedition members met in Dadanawa and went on to Shea Village where arrangements were made for more workers and eight bullocks to transport fuel, rations, and equipment to the Kwitaro River. We traveled by foot from Shea to the Kwitaro River over a well established line of somewhat less than 32 km that passes through savanna and forest over relatively flat terrain to a landing on the Kwitaro River. While repairs were being made to the dugouts and three workers returned to Shea for additional supplies, collections were made in the vicinity of Kwitaro Landing (Figure 7).

On 8 February the expedition party of seven left Kwitaro Landing in one large dugout, towing a smaller dugout with fuel and two people. The water level was higher than usual, allowing for fairly easy passage through rapids just downstream from the landing. There were no other rapids after the first set below the landing, but travel was slowed somewhat because the river has a very narrow and shallow channel and broad meanders. After camping near an eastern outlier of the mountains, travel continued downstream on the Kwitaro River to its confluence with the Rewa River (Figure 8) and then upstream on the Rewa River, which has a deep, clear channel. At the end of the day the boats were pulled through the Coruna Rapids using rope and we made camp on the east bank just below




FIGURE 7. Hymenocallis tubiflora Salisb. (Liliaceae), Clarke 3475.



FIGURE 8. *Mollia glabrescens* Benth. (Tiliaceae), Clarke 3572, second collection after type by Schomburgk, near the confluence of the Kwitaro and Rewa rivers.

the Great Falls, a complex series of rapids with several 2–3 m sheer-drop falls. We observed several large anacondas on the banks of the Kwitaro River.

Over the next few days we collected in the forest near camp, on rock outcroppings above and below the Great Falls (Figure 9), and on an island above the Falls. We also scouted the old 400 m long portage, used during the balata era, around the Falls starting on the west bank below the Class III rapids below the Falls. We cleared this line to carry rations, fuel, and equipment around the Falls, and cleared another shorter line above the rapids along which to haul the empty boats with the help of cut wooden rollers.

We traveled upstream through periodic stretches of rapids to Pacu (= katabak in Wapishana) Falls, which has a sheer drop of about 5 m and necessitated hauling all supplies over a sheer rock outcropping that would be inundated when water levels are high. We proceeded upstream through more rapids to just below Bamboo Falls, the largest falls on the Rewa River, which has a tiered set of sheer-drop falls totaling about 12 m. This old "balata era" portage starts on the west bank at the end of a set of Class III rapids about 200 m below the Falls. After once



FIGURE 9. Miles (Wapishana) and Romeo Williams (Arawak), negotiating rapids below the Great Falls of the Rewa River in the finest (and only) craft on the river.

again clearing the old portage and hauling our supplies, we made camp at the end of the portage above the Falls.

We collected on an island in the Rewa River above Bamboo Falls, approximately 16 km southeast of the Kwitaro River confluence. Before reaching our next collection point we had to portage around two sets of moderate rapids: Bush Cow Falls and Iguana Falls. At both portages we carried supplies over land and lined the empty boats through the rapids. It was then possible to travel upstream through calm water about 16 km to a point on the river with most direct access to several inselbergs between the Rewa and Kwitaro Rivers.

On 17 February we began cutting a trail and collecting in forest in the direction of an inselberg about 6 km due west of the river; we reached the summit two days later. Near the summit the forest changed abruptly from high-canopy dense forest to more or less open low-canopy scrub forest. A king vulture roost and a jaguar sleeping in a tree were observed on the summit.

Riparian collections were made along the Rewa River south of camp. A jaguar was observed on the riverbank and an abandoned porknocker's (goldminer) camp was found on the river. We also collected along a newly cut line 0–2 km west of camp along the river and along the river to the north of camp. We then returned downstream to the confluence of the Rewa and Kwitaro Rivers, where we made camp on a sandbank. We collected on a sand levee to sample a successional gradient, in forest east of the river, and along the Rewa River south of the confluence. A parrot snake (*Leptophis* sp.) was observed very close (2 ft [0.6 m] away at eye level!) in the forest east of camp. We collected on a small mountain near camp immediately east of the river and along the Rewa River north of camp

before returning upstream on the Kwitaro to the camp we had used on 8 February.

We continued upstream to Kwitaro Landing, collecting in the forest along the trail to Shea 0–1 km west of Kwitaro Landing and along the river north and south of the landing.

With the help of bullocks we returned to Shea Village where we could arrange transportation to Dadanawa, on to Lethem by truck, and back to Timehri by GAC scheduled interior air service.

TRIP 13: IWOKRAMA INTERNATIONAL RAINFOREST RESERVE

16 to 30 March 1997 (Map 6)

This Iwokrama trip was the fifth expedition in a series to document the flora of the area. Scott Mori, a senior curator at the New York Botanical Garden, and his assistant, Scott Heald, provided additional expertise and enhanced collecting intensity. Scott Mori has completed a flora of Central French Guiana (Mori et al. 1997, 2002) and was able to provide important insights into the similarities and differences between the flora of French Guiana and of Iwokrama. Because only two weeks were available for this expedition we decided to concentrate on collecting in areas accessible from the road between Kurupukari and Annai, eliminating time-consuming travel by boat. In addition, a number of high-quality, diverse habitats are accessible from the road, in particular several areas in the Iwokrama Mountains at the end of trails to Mount Daniel and the gorge between the highest peaks in the mountains. These areas were found on previous expeditions to offer the highest levels of a- and b-diversity in the reserve and thus were thought to be the most productive areas for intensive collecting. Assistance was provided on this expedition by two workers with extensive experience in plant collecting, Romeo Williams from the Bartica area and Claudius Perry from Marunawa, South Rupununi Savanna. These two workers, with Scott Mori and me, expended a good deal of effort climbing trees to ensure that infrequently collected taxa were sampled. On this trip we made 272 collections of fertile taxa and many of these were from difficult to collect canopy trees, epiphytes, and lianas. In addition, Scott Mori and field assistants made 311 collections on this trip.

The seven members of our team flew from Timehri to Annai via GAC and then traveled from Annai to Kurupukari by Land Cruiser. We began collecting along a transect beginning on the Kurupukari-Annai Road 5 km southwest

of Kurupukari. The transect passes through terra firme mixed forest with greenheart reefs on brown sand over relatively flat terrain. Limited local relief accounts for the presence of *Euterpe* swamp forest in streambeds. We then traveled to Moco Moco II Creek 32 km southwest of Kurupukari on the Kurupukari–Annai Road where we rebuilt the camp and made several collections.

We walked northeast along the road for 2 km to a transect that passes through poorly drained forest on white sand with *Catostemma*, *Dimorphandra*, and *Euterpe*, crosses two small creeks, and abruptly ascends a gorge and then a ridge to the summit of a granitic outlier of the Iwokrama Mountains ("Mount Daniel"). Collections were made on the summit in mixed forest. We returned to Mount Daniel in subsequent days to collect just below the summit, on upper slopes, and on lower slopes in a gorge with granite boulders and semi-disturbed vegetation.


On 23 March we traveled from our camp at Moco Moco II Creek to the head of a transect leading to the Iwokrama Mountains, 45 km southwest of Kurupukari. The transect begins in *Humiria* scrub forest (n.v. 'muri'), passes through swamp forest on brown sand, crosses two creeks, and ends at a camp next to a stream at the foot of the mountains. We collected in the gorge separating the highest peaks of the Iwokrama Mountains, 0–3 km southeast of camp. This gorge has a high diversity of plants due to the combination of rheophytic, epipetric, semi-disturbed, and terra firme elements in the same area. The gorge appears to be substantially more mesic than other parts of the reserve and we observed a higher diversity of epiphytes.

Finally, we collected along the transect leading from camp to the Kurupukari–Annai Road in mixed forest on brown sand with *Mora*, *Carapa*, and *Socratea*. We then packed our plants and supplies for transport to Georgetown via truck through Kurupukari and departed.

TRIP 14: KUYUWINI AND KASSIKAITYU RIVERS

27 APRIL TO 6 JUNE 1997 (MAP 8)

A plant collecting expedition was made in far southern Guyana to the Kuyuwini and Kassikaityu Rivers. This expedition was conceived with the original goal of reaching and collecting in the Wassari Mountains on the Brazilian border. These mountains can be reached via the South Kassikaityu River and offer 1,000 m of elevational relief within several kilometers of the river. These mountains and the entire upper Kassikaityu are virtually unknown. They have been surveyed by the Boundary Commission



MAP. 8. Collecting localities of H. D. Clarke, Trips 14 and 16.

and visited by Adrian Thompson, who collected a limited number of specimens on a trip that ascended the Kassikaityu River, crossed the Wassari Mountains, and descended the Anauá River in Brazil to Manaus. The only person now living who has traveled in the area is Marifa, a Wai Wai who traversed the mountains to visit relatives on the Anauá River in Brazil. The middle and lower Kassikaityu Rivers offer access to northern outliers of the Kamoa Mountains and, because the channel of the Kassikaityu River is more navigable than that of the Kamoa River, these mountains are best reached from the Kassikaityu River. Plant collecting in this area allows for a better understanding of the floristic composition of the southern highlands of Guyana, the least well known of all floristic regions in Guyana.

This trip was almost certainly the most arduous of all those I have carried out in two years of field work in Guyana. It was the rainy season and because we started from the Rupununi Savanna, we had to walk along two trails, 48 to 65 km long, to reach the Kassikaityu River. The effort expended in traveling also limited the collecting effort; although the trip was six weeks long, we had only a little more than two weeks for collecting. Travel from Karaudarnau on the Rupununi Savanna to the Kuyuwini River was facilitated by the use of two bullock carts to transport the 725 kg of food, fuel, and equipment at the start of the trip and the 318 kg of plants and equipment at the end. Travel from the Kuyuwini to the Kassikaityu River was more difficult because carts could not be used and everything had to be carried by people with backpacks or "warishis." Much of the trail was flooded and stream crossings were difficult. It took nearly two weeks to reach the Kassikaityu River since it took three trips each way to move the entire expedition forward. Shortage of rations at that point forced the party to abandon travel to the headwaters of the Kassikaityu River. Instead we returned downstream to the confluence of the Kassikaityu with the Essequibo River, downstream on the Essequibo River to its confluence with the Kuyuwini River, upstream on the Kuyuwini to the landing at the end of the trail from Karaudarnau, and from there, with the assistance of two bullock carts, to Karaudarnau and Aishalton.

This expedition was staged from the Rupununi Savanna with the idea of economizing by transporting goods and personnel by Bedford truck and GAC scheduled interior air service rather than the more expensive alternative of using air charters. In retrospect, this expedition would have been only slightly more expensive if staged from Gunn's Strip using air charters (approximately US\$7,000 vs. the US\$6,000 spent on this trip). The extra cost could

easily be justified by the extra time allowed for collecting and the more thorough access to the Wassari and Kamoa mountains. As with all trips in southern Guyana, considerable effort was expended in cutting trails to gain access to mountainous areas for collecting. The time, effort, and extra personnel committed to cutting trail is justified by the greater habitat diversity and unique collections encountered on these mountains. Romeo Williams from Bartica, Regis James from Aishalton, and Claudius Perry from Marunawa, skilled botanical field guides, provided valuable assistance on this trip. We also hired six Wai Wai workers who provided invaluable assistance. We made 813 collections of fertile taxa during this expedition.

Our expedition team met in Dadanawa and traveled by Eddie Singh's truck to Karaudarnau via Aishalton. As we made arrangements for transportation from the village, the first heavy rains of the rainy season arrived and we saw the first mass synchronous flight of winged termites (large species). We continued on across Parabara Savanna, where high creeks made for difficult stream crossings, and arrived at a landing on the Kuyuwini River at the terminus of a trail from Karaudarnau. We sorted rations, supplies, and equipment for transportation or to cache near the landing and with the help of four newly arrived Wai Wai workers, we crossed the Kuyuwini River to the farm of Charlie Mingle and collected along a trail that leads from there to the Kassikaityu River. Much of the northern portion of this trail crosses seasonally flooded forest on white or brown sand. Dominants include Catostemma, Oenocarpus, Euterpe, and Licania. Additional collections were made 0-2 km north of the landing on the trail to Karaudarnau.

We arrived at Kassikaityu River camp on 19 May with all 10 members of the party and all supplies. Each day seven workers would return to the location of the previous camp to transport supplies, while the remaining three workers remained at the current camp to collect. At the second camp, Honey Creek (1°58'N, 59°09'W), collections were made in flooded and terra firme forest, 0-3 km south of camp (Figure 10). A large fer-de-lance swimming into camp was dispatched. A puma was observed on the trail between Honey Creek Camp and Anteater Head Creek Camp and a large jaguar visited the camp in the daytime. A large branch fell on the unoccupied camp, damaging a tarp. At the third camp, at Anteater Head Creek, collections were made in terra firme forest (Bertholettia, Sloanea, and Maximiliana dominant) near camp and 0-1 km to the south. A large tree fell on the camp in the night during a rain storm; only moderate injuries were sustained but the tarp was ruined. The workers were able to consume one



FIGURE 10. Odontadenia geminata (Hoffmanns. ex Roem. and Schult.) Müll. Arg. (Apocynaceae), Clarke 4411.

white-lipped peccary each day as they crossed this trail in addition to rations brought from Georgetown. At the fourth camp, at Kassikaityu River, collections were made in forest 0–4 km north of the river in flooded and terra firme forest, 0–4 km along the river west of the landing at the terminus of the trail from the Kuyuwini River, and 0–3 km east of the landing. Habitat diversity in this area is increased by the presence of scrub forest on rock outcroppings near the trail. Mark Sosé extracted two botfly larvae from my head using *Hevea* latex. The carcass of a tapir regurgitated by an anaconda was observed in the river.

On 22 May two young Wai Wai workers began the return trip to Karaudarnau with plants and the remainder of the party traveled downstream in a large dugout, making camp on the Kassikaityu River 5 km north of an unnamed outlier of Kamoa Mountains (1°49′17″N, 58°44′06″W). We began cutting a line toward an outlier of the Kamoa Mountains and collected along this trail in heavy rain. Until 26 May the team collected on the summit and slopes of this mountain and in riparian vegetation 0-8 km east of the camp on the Kassikaityu River. We then traveled downstream on the Kassikaityu River to its confluence with the Essequibo River, and downstream on the Essequibo River to its confluence with the Kuyuwini River. Monkey Jump, on the Esseguibo River at 2°07′53″N, 58°18′27″W, is a small gold-mining site at the confluence of the Essequibo River with an unnamed creek used by the Wai Wai people to travel to New River; it is the only human habitation on the stretches of river traveled on this trip. We continued upstream on the Kuyuwini River, using low throttle to conserve fuel, cutting through *Astrocaryum* and *Inga* blocking the channel, until we reached the landing at the end of the trail from Karaudarnau. We collected in riparian vegetation along Kuyuwini River 0–5 km west of the landing.

We traveled from the landing to a camp at the northern edge of Parabara Savanna (2°11′58″N, 59°22′14″W) and collected in the savanna and forest edge. We then traveled from Parabara Savanna to Karaudarnau, then to Aishalton (approximately 65 km total), and on to Dadanawa. Our final collections were made on Tautowan Mountain, 10 km east of Dadanawa on the road to Shea Village. From Dadanawa we traveled by Land Rover to Lethem, and by GAC scheduled interior service from Lethem to Timehri. Plants and equipment were left at Savanna Inn in Lethem for transportation to Georgetown by Eddie Singh's Bedford truck.

TRIP 15: WAUKAUYENGTIPU AND PARUIMA

29 JUNE TO 29 JULY 1997 (MAP 3)

A plant collecting expedition was made in the northwestern Pakaraima Mountains of Guyana to Waukauyengtipu and Paruima Village. Paruima is an excellent base of operations for expeditions because it is surrounded by tepuis in all directions that offer a diversity of plant communities. Two of these tepuis, Holitipu to the north (1,250 m) and Utshi/Great Falls of the Kamarang River to the south (1,100 m), have been visited by plant collectors in the past (Tim McDowell and Ben ter Welle). These two tepuis offer tepui scrub, savanna, and bog communities on their summits and premontane rainforests on their slopes. Waukauyengtipu, the eastern edge of which lies about 15 km due west of the village, rises to about 1,800 m and is one of the highest mountains in Guyana. The Amerindian community in Paruima, a branch of the Pemón Venezuela, speak Arekuma. Their term "Waukauyengtipu" means "the mountain of the place of the butterfly." There are only a few other areas in Guyana that offer comparable or higher elevations: Roraima, mountains such as Maringma south of Phillipai that are associated with the Roraima massif, Ayanganna, Wokomung, and Kopinang. Most of the tepuis in Guyana are of medium or low elevation, but the vegetation of tepui summits is determined more by edaphic factors related to flat sandstone substrates rather than elevation per se, so the occurrence of genuine high-elevation vegetation types, cloud forest in particular, is really quite limited. In Guyana it is restricted to the upper slopes of some of the higher tepuis having northern or eastern exposures that are able to collect moisture from prevailing trade winds. As expected, cloud forest vegetation was found on Waukauyengtipu on its upper slopes and at the summit near the eastern edge. Collections from these areas are expected to yield many new records for Guyana as well as many records of plants known previously in Guyana only from Mount Roraima. No person in the living memory of the villagers has ascended Waukauyengtipu.

An ascent of Waukauyengtipu is quite difficult for a number of reasons: (1) The trail from the village extends only about half the distance to the mountain, ending at Ararata scrub area; any further progress toward the mountain necessitates cutting trail. (2) There are no guides familiar with the terrain west of Ararata, meaning that the approach to and ascent of the mountain can be aided only by map, GPS, and compass. (3) Local people show a good deal of fear of the mountain and had to be convinced that it was safe. (4) The approach to the mountain from Ararata is over very difficult terrain, crossing steep ravines and ridges that are not indicated on the topographic map. (5) Most of the eastern face of the mountain is bordered by sheer 300 m cliffs; the only feasible route from Paruima is by a very steep cliff face more or less due west of Paruima, (6) The final ascent of the mountain climbs 1,500 vertical m over 2.5 km. The time and effort involved in this ascent means that thorough collecting on the summit can be accomplished only by moving a camp to the summit. Assistance was provided on this expedition by Tom Hollowell, data manager for the Smithsonian's Biological Diversity of the Guiana Shield Program; Christopher Chin and Keith David, two biology students from the University of Guyana; and Claudius Perry, a skilled Wapishana worker from Marunawa. We made 1,010 collections of fertile specimens on this expedition.

After initial preparations a party of 10 left Paruima Village with sufficient rations, supplies, and equipment for the first week of the trip. We made camp and collected in premontane forest on brown sand with *Mora gongrijppii*, *Sloanea*, and *Carapa* near the camp.

On 3 July our entire group moved to Ararata scrub area and established camp. We collected near the camp in scrub forest on white sand with *Clusia*, *Pagamea*, and *Humiria*. Over the next three days we collected in premontane forest on brown sand dominated by *Micrandra*, *Eperua*, and *Cassia* 0.2 to 0.5 km east of camp and in premontane forest 0.5 to 1.0 km east of camp.

We then began cutting a line west from camp in the direction of Waukauyengtipu and made collections in dense forest on white sand and sandstone dominated by *Dimorphandra*, *Eperua*, and *Dicymbe*. As we continued cutting the line, we made collections in montane forests over white sand and sandstone. We cut across a number of steep ravines and reached the lower slopes of the tepui, then moved our camp to the base of Waukauyengtipu and made more collections near camp.

As we cut a line to the summit of Waukauyengtipu, collecting on its middle and upper slopes, we crossed very steep terrain. The use of a rope was required over one pitch on a sandstone cliff. Canopy height was found to decrease toward the summit and bryophyte and epiphyte density to increase. Characteristic cloud forest elements were found beginning about 200 m below the summit, such as *Symbolanthus*, *Weinmannia*, *Podocarpus*, and *Tachia*. A large tropical rattlesnake (*Crotalus durissus*) was found and dispatched on the summit.

After moving supplies and equipment to the summit and dispatching workers to Paruima for resupply, we began collecting on Waukauyengtipu on 12 July and continued until 20 July (Figure 11). We collected in the cloud forest near the eastern edge of the mountain and cut a line to the top of a 300 m cliff on the eastern edge of the tepui to collect plants on the cliff face. A spectacular view was afforded from there of the entire upper Mazaruni valley, Roraima, Illutipu, and Great Falls of the Kamarang River, among others.

After more cloud forest collections, we cut a line due west from camp near the eastern edge of Waukauyengtipu toward a savanna 5 km west of camp. Progress was slowed by the difficulty of cutting through dense tepui scrub forest. The scrub forest varies in height from 4 m to about 15 m and is dominated by plants such as *Bonnetia*, *Clusia*, *Brocchinia*, *Cybianthus*, *Schefflera*, and *Mollinedia*. The workers who had gone to Paruima returned with supplies.

As we continued cutting our line west across Waukauyengtipu, we reached and made collections in very dense tepui scrub forest, *Euterpe* swamp forest, and finally wet savanna at the end of the day on 17 July. The wet savanna is a classic tepui bog community with *Heliamphora*, *Brocchinia*, *Xyris*, *Drosera*, *Cladonia*, *Utricularia*, and *Paepalanthus*. We also collected in bush islands adjacent to the savanna that had typical tepui scrub forest elements. The entire party then carried specimens and equipment from the camp on Waukauyengtipu to Ararata, where we observed a lek of the cotingid bird, Cock-of-the-Rock (*Rupicola rupicola*).



FIGURE 11. Heliamphora nutans Benth. (Sarraceniaceae) flowers, summit of Waukauyengtipu.

After a trip to Paruima we ascended and collected on two small tepuis: Konuktipu (690 m) 1.5 km south of Paruima and Warimatipu (880 m) 1.5 km north of the village.

Before we prepared to leave we collected on the trail to Illubia Creek, a tributary of the Kamarang River about 3 km south of the village, and in Auratoi savanna 5 km north of the village, passing through a farm on the Paruima River where a man was found who had been bitten by a fer-de-lance (*Bothrops* sp.) the previous night; the man died later that day.

Our last collecting trip before departing for Georgetown was made along the Paruima River 0–1 km north of its confluence with Kamarang River at Paruima Village.

Finally, we traveled by boat from Paruima to Kamarang and by air from Kamarang to Georgetown, a cheaper alternative to chartering a plane from Paruima to Georgetown.

TRIP 16: KWITARO AND REWA RIVERS AND EASTERN KANUKU MOUNTAINS AND MAKARAPAN MOUNTAIN

5 SEPTEMBER TO 6 OCTOBER 1997 (MAP 8)

This plant collecting expedition was carried out on the Kwitaro and Rewa Rivers in southern Guvana. These two rivers give access, via the North and South Rupununi Savannas, to a large portion of the pristine, uninhabited, and poorly collected forest of southern Guyana. Previous work on these rivers in February 1997 (Trip 12) concentrated on reaching the upper Rewa River through the arduous process of portaging dugout canoes and equipment around a series of falls. On this trip we concentrated on the lower Kwitaro and Rewa Rivers and the access they afford to the eastern Kanuku Mountains and Makarapan Mountain. This one-way trip began at Shea Village in the South Rupununi and ended at Annai in the North Rupununi Savanna. This one-way plan allowed for sampling over a large latitudinal gradient. It also provide the opportunity to observe changes in floristic composition of the forest from southern Guyana, with its floristic affinities to eastern Amazonia, to that of central Guyana, with its characteristic Chlorocardium and Mora forest. This expedition culminated a two-year collecting program in Guyana that, apart from three trips in the Pakaraima Mountains, concentrated on intensively collecting in forests from Iwokrama to the far southern border south of Gunn's Strip. Assistance was provided on this expedition by Cynthia Watson, a biology student from the University of Guyana, and two skilled plant collectors who have experience on numerous expeditions: Claudius Perry, a Wapishana worker from Marunawa, and Romeo Williams from Bartica. We made 874 collections of fertile taxa on this expedition; many of these were from difficult to collect canopy trees, epiphytes, and lianas using a tree climbing technique with climbing spikes and extendable clipper poles as described earlier.

The team flew from Timehri to Lethem in a GAC scheduled Twin Otter, where we were met by Justin De-Freitas. We continued by Land Rover to Dadanawa, then to Shea Village where 770 kg of rations, fuel, and equipment had been sent a week in advance in Eddie Singh's Bedford truck. We hired 13 bullocks and workers and made arrangements to transport our newly constructed dugout down-creek from the village to Kwitaro River (~32 km). We climbed out and collected on Shea Rock, a granite monolith 1 km north of the village (330 m elevation). Five workers transported the dugout down-creek to Kwitaro Landing to meet the main party, a task that required three

days because of low water levels that necessitated dragging the boat over many obstacles.

Between 10 and 12 September we collected in the forest near Kwitaro Landing, 0-1.5 km west of Kwitaro Landing on the trail to Shea Village, and along the Kwitaro River 0-2 km north of the Landing. The entire party of 11 people then traveled in three dugouts with all supplies and equipment down the Kwitaro River, lining the boats through a stretch of rapids several kilometers long immediately below the landing. We camped at the farm of a Wapishana man from Shea (Harold Paul); this is the only human habitation on either the Kwitaro or Rewa River. Continuing downstream we made camp at a point on the river due east of the Kanuku Mountains and began cutting a line due west from camp toward the Kanuku Mountains. We continued cutting line and collecting along the line in seasonally flooded forest until we reached the lower slopes of an unnamed mountain (summit at 3°11'22"N, 58°51'18"W). Ascending to the 560 m summit of this unnamed mountain we collected near its summit, which had inselberg scrub vegetation on granite outcrops with high epiphyte diversity. After we collected on the summit and upper slopes of this mountain, we continued to collected along the Kwitaro River 0-5 m north and 0-5 m south of camp.

On 19 September we traveled down the Kwitaro River and up the Rewa River and occupied an old camp (February 1997) on the west bank of the Rewa River immediately below the Great Falls. We collected along the Rewa River near the Great Falls and downstream 0-5 km north of camp below the Falls. We then traveled downstream to the confluence of the Rewa and Kwitaro Rivers. Four workers from Shea began a return trip to Shea, paddling and poling in one of the three dugouts. Our reduced party of seven traveled in two dugouts down most of the length of the Rewa River, making camp at a bend in the river about 10 km south of the confluence with the Rupununi River. The lower Rewa River is a classic lowland meandering river with healthy populations of black caymans, Podocnemis river turtles, iguanas, arapaima and other game fish species, and other sensitive species that are threatened elsewhere.

We cut a line from the river 1 km due south to an oxbow lake and collected in and around a *Mora* forest. We also collected along the Rewa River between camp and the confluence of the Rewa with the Rupununi River. We then traveled down the Rewa River and up the Rupununi River several kilometers to Rewa Village, where we visited with tuchau (Matthew Alvin) and recruited several Macushi workers for collecting on Makarapan Mountain. We continued upstream on the Rupununi River to

Kwattamang Landing (5 km from Annai). Our progress was slowed on the Rupununi River by low water levels and emergency repairs to the hull of the dugout broken by striking a sunken tree.

At Kwattamang Landing we were joined by an additional worker from Annai. We traveled to a point on the river due south of Makarapan Mountain and then carried our supplies 8 km north from the river to the base of the southern face of Makarapan Mountain. Camp was made next to a small creek in forest semi-disturbed by swidden fallow agriculture.


On 29 September we began cutting a line to the top of Makarapan Mountain, reaching the southern false summit. The false summit is a granite inselberg dominated by scrub elements such as *Clusia*, *Erythroxylum*, and epipetric bromeliads. That day and the next we collected on the southern false summit, on the lower slopes, and near camp. Finally we ascended to collect on the true summit, which also has inselberg vegetation and, in addition, epiphytic elements more characteristic of cloud forest, such as *Utricularia*, bryophytes, and a number of orchid and bromeliad species. During the next few days we collected in forest, savanna, and scrub 0–2 km south of camp at the base of the mountain while continuing to collect on the middle slopes and upper slopes below the southern false summit.

We headed out on 4 October carrying the plants and equipment to Rupununi River and traveling up the Rupununi River to Kwattamang Landing and from there to Annai, where we flew via GAC scheduled Twin Otter service to Timehri. Plants and equipment were left in Annai for transportation by Eddie Singh's Bedford truck to Georgetown.

TRIP 17: ACARAI MOUNTAINS-SIPU RIVER

18 AUGUST TO 18 SEPTEMBER 1998 (MAP 9)

This trip up the Sipu River to the Acarai Mountains began at Gunn's Strip (Figure 12). The expedition collected in secondary forest and in semi-open land on gray sandy clay with *Oenocarpus*, *Macrolobium*, and *Licania*. After a few days of preparation we moved along the Sipu River toward the Acarai Mountains, collecting in dense seasonally flooded forest on gray sand and finding *Aspidosperma*, *Euterpe*, *Isertia*, *Oenocarpus*, *Duguetia*, *Eperua*, and *Clusia* in various locations. Reaching the lower slopes of the Acarai Mountains 4 km south of the Sipu River, the team ascended to the summit of an unnamed peak 6 km south of the river. The lower slopes of the mountain were



MAP. 9. Collecting localities of H. D. Clarke, Trips 17-18.



FIGURE 12. Umana Yana (meeting house), Gunn's Strip.

populated with dense forest on brown sand, including Virola, Parkia, and Bactris. Along the ascending ridge the habitat included Aspidoserprma, Bactris, and Swartzia. At the summit the dense forest on brown sand included granite boulders, and the species Sloanea, Palicourea, Oenocarpus, and Clusia were apparent.

On 1 September the expedition reached the summit of the highest peak in the central Acarai Mountains 10 km south of the Sipu River and established camp at the base of this peak. On the summit the team found dense forest on brown sand and granite boulders with *Catostemma*, *Oenocarpus*, and *Bactris* (Figure 13). Another location on the summit was dominated by scrub forest on peat and granite with *Erythroxylum*, *Clusia*, and *Myrtaceae*. The area near this camp and around a creek at the base of the high peak was dominated by dense forest on brown sand and granite boulders, with *Eperua*, *Parkia*, and *Sloanea*.

Descending to a location 4 km south of the Sipu River, the expedition established a new camp in dense forest on brown sand. Common species in this forest included *Eperua*, *Sloanea*, *Oenocarpus*, *Pouteria*, *Bactris*, *Symphonia*, *Bertholettia*, and *Rinorea*. Traveling 0–5 km east of camp, the team made collections in dense seasonally flooded forest on gray sand, with *Eperua*, *Aspidosperma* and *Euterpe*. Farther to the east the area along the Sipu River included riparian vegetation and dense forest on poorly drained gray sandy clay, with *Symphonia*, *Euterpe*, and *Eperua*. To the west 0–3 km from camp, the river banks were covered with dense forest on poorly drained gray sandy clay, with *Eperua*, *Aparisthmium*, and *Euterpe*.

Finally, the expedition returned to Gunn's Strip. The savanna surrounding the airstrip 2 km west of the village and the Essequibo River is located on poorly drained



FIGURE 13. Lorostemon bombaciflorum Ducke (Clusiaceae), Clarke 7160.

white sandy clay and supports Brysonima, Trachypogon, and Tibouchina.

TRIP 18: WASSARI MOUNTAINS, UPPER TAKUTU-UPPER ESSEQUIBO REGION (REGION 9)

18 August to 28 September 1999 (Map 9)

A plant collecting expedition was made in southern Guyana into the Wassari Mountains in the headwaters of the South Kassikaityu River on the Brazilian border. This trip was designed as part of a series to sample vegetation of the highest elevations in southern Guyana. Collecting at higher elevations in this area is important for several reasons: (1) The difficulty of access in southern Guyana has restricted previous collectors to areas along rivers. (2) High-elevation collecting is necessary to test the extent to which vegetation changes with elevation in this area and to test the prevalent hypothesis that the mountains of southern Guyana are not high enough to have genuinely montane habitats. (3) Collecting in the highest elevational gradient in the area is likely to result in sampling more habitats, whether for elevational, edaphic, or other considerations,

and allows for collecting more species than collecting done exclusively at lower elevations. At 1,135 m the unnamed mountain ascended in this expedition is the highest elevation in Guyana south of Kowatipu, a sandstone tepui in the southern Pakaraima Mountains (1,295 m). The other areas in southern Guyana with elevations near or above 1,000 m include the Iwokrama Mountains, Makarapan Mountain, Acarai Mountains, Kanuku Mountains, Kamoa Mountains (see previous trip reports), and an isolated massif of the Acarai Mountains at the headwaters of the Muri River in the New River Triangle (where access is prohibited because of permit problems). The Wassari Mountains were an especially important focus for plant collecting. Results of the expedition would add to the data set of the mountains of southern Guyana, which are remarkably uniform regarding their abiotic environmental conditions (granitic geology, rainfall, temperature, elevation, etc.), and would allow for the attribution of observed floristic differences to historical rather than ecological factors.

Only one previous visit has been made to the Wassari Mountains. In 1970 Adrian Thompson skirted the southern and western parts of the area while making a traverse from the Kassikaityu River just above the landing of the trail from Kuyuwini River, across and up the Kamoa River, across to the Anauá River in Brazil, and from there to Manaus in Brazil. Several Brazilian gold miners were escorted up the South Kassikaityu River from Gunn's Strip by two Wai Wai men in June 1999, but they had to turn back a good distance from the Wassari Mountains because one of the Wai Wai guides died from malaria. The area has probably not been inhabited since the 1930s when the last of the Atorad Amerindians disappeared from this area. Access to the Wassari Mountains is best gained through the Wai Wai Amerindian village of Gunn's Strip on the upper Essequibo River, the only human habitation in the forests of southern Guyana, an expanse of some 7 million hectares. An attempt to reach the Wassari Mountains in July 1996 failed because the official 1:1,000,000 map of Guyana that was consulted in planning the expedition incorrectly places the mountains between the Kuyuwini and Kassikaityu Rivers (see previous trip reports). Subsequently, in May 1997 another attempt to reach the Wassari Mountains from the Rupununi Savanna failed due to shortage of rations and the time consumed in traversing the trail from the Kuyuwini River to the Kassikaityu River.

This expedition began at Gunn's Strip, which, although nearly 200 km by river from the Wassari Mountains, is still closer than the Rupununi Savanna and provided direct river access to the Kassikaityu River from its confluence with the Essequibo River.

The German magazine *Geo* wanted to feature a botanical expedition for their January 2000 issue and joined this expedition. Henry Tschinkel, former director of the Iwokrama International Rainforest Programme in Guyana, acted as liaison for the *Geo* group represented by the writer Johanna Wieland, photographer Mattias Klum, and his assistant Öla Högberg. Assistance on this expedition was provided by Claudius Perry of Marunawa, Romeo Williams of the Bartica area, Benny Cheong of Orinduik, and six workers from Gunn's Strip: Wachana Yaymochi, Yuphon Maruwanaru, Aaron Maruwanaru, Kayanama Ayaw, Thomas Andrew, and Bemner Sosé. We made 1,008 collections of fertile specimens on this expedition; many were from difficult to collect canopy trees, epiphytes, and lianas.

On 18 August the team congregated in Gunn's Strip. Permission was obtained and arrangements were made to hire workers, rent three dugout canoes, and purchase food supplies. The entire party of 14 left three days later and traveled north on the Essequibo River to its confluence with the Kassikaityu River (km 38.2). We then traveled upstream on the Kassikaityu River, making camps at km 71.2 and km 137.5 and on the South Kassikaityu River at km 184.5. High water levels and frequent rain during the four days of travel up the river were due to the late rainy season.

Continuing up the South Kassikaityu River, we made camp at the point giving most direct access to the highest point in the Wassari Mountains (km 192.8). Along the South Kassikaityu River we had to repeatedly use a chainsaw to clear the channel; at times the river narrowed to about 10 m in flood stage at the highest point. Beginning at the river and heading toward the Wassari Mountains, we cut a transect and made collections in flooded forest on gray sandy clay with abundant Euterpe and Mauritiela and in flooded swamp and liana forest along a creek between the two northern foothills of the Wassari Mountains. Camp was moved to the base of the mountains on 28 August and the next day we began cutting the line up and over an 840 m ridge south of camp, collecting on the ridge summit. Several hundred meters south of camp we discovered a one- or two-year-old trail with east-west heading, possibly coming from Brazil.

Our cut trail continued down the southern side of the 840 m ridge, reaching a creek at the base immediately north of the massif of the highest peak in the Wassari Mountains. We collected on the ridge summit, in a large treefall immediately below the summit, and in a ravine below the ridge. A jaguar was heard growling close to the collectors. Moving our camp over the ridge to the creek, we cut over the first and second summits to reach the highest peak in the Wassari Mountains. Collections were

made along the way (Figure 14): near camp in a flash-flood-prone bamboo (*Guadua*) forest; 0–0.5 km south of camp in dense forest with rock outcroppings; on middle slopes of the first summit 0.5–1.0 km south of camp; and on the summit of the 1,135 m peak in inselberg scrub forest on granite and *Sphagnum*. Soils in the area of the middle slopes were a deep red clay loam not seen in other areas. A large buttressed *Ficus* was the dominant emergent in this area. On the summit, Lauraceae (*Rhodoste-monodaphne scandens*, e.g.), Clusiaceae, and Myrtaceae were dominant, with abundant epiphytes maintained by frequent cloud contact. At the summit we paused to consult with members of the *Geo* team about the story and to take photographs.

On 7 September we began cutting a trail east of camp to an unnamed 975 m mountain with a high-canopy high-diversity forest with abundant *Bertholettia*. *Apodanthes casearieae* Poit. (Rafflesiaceae) was common as well as *Casearia* on the upper slopes of this mountain. A jaguar



FIGURE 14. Monstera adansonii Schott (Araceae), Clarke 8425, collected in the Wassarai Mountains.

was sighted along the trail. This peak's summit is dominated by inselberg scrub forest and offers excellent views of the Acarai Mountains, Wassari Mountains, and into Brazil. We continued collecting for several more days on the summit of the 1,135 m peak and between the peak and camp. The first summit between camp and the 1,135 m peak is dominated by inselberg scrub forest with abundant *Guadua*, *Erythroxylum*, *Sphagnum*, and Myrtaceae. Epiphytes are not as common on the smaller peak, perhaps due to less frequent cloud contact.

Making our last collections near camp in a flash-flood-prone forest with *Guadua*, *Inga*, *Socratea*, and *Cecropia* dominant, we carried our equipment to a new camp on the South Kassikaityu River. From this camp we collected 0–0.8 km south of the South Kassikaityu River on a transect starting at 1°38′56.8″N 59°14′58.7″W and heading toward the Wassari Mountains and along the South Kassikaityu River 0–6 km northeast of camp and 0–2 km southwest of camp.


On 22 September we traveled by dugout canoe to a previous camp (22 August). Heavy rains and rising river levels made for efficient travel. The Wai Wai opted for a fishing day to take advantage of active feeding by Haymara (Hoplyas macrophthalmus) in response to rising water levels. We continued by dugout to Gunn's Strip, stopping to collect on an island above Baboon (Biloku) Rapids (shipukashi = howler monkey in Wai Wai). Finally, we weighed and packed plants, supplies, and equipment, carried goods from the village to the airstrip, and flew by twin engine Islander from Gunn's Strip to Ogle the next day.

TRIP 19: MOUNT AYANGANNA, POTARO-SIPARUNI REGION (REGION 8)

30 May to 10 July 2001 (Map 10)

A plant-collecting expedition was made to the summit of Mount Ayanganna from an unexplored route ascending the east face. Mount Ayanganna (2,040 m elevation) is the highest mountain wholly within Guyana; it is a tepui, or flat-topped mountain, and a member of the Roraima sandstone formation. Although Mount Ayanganna may be the outstanding topographic feature of Guyana (along with Mount Roraima), it has received little attention from previous plant collectors because it is difficult to access. Previous collectors include Bassett Maguire, Bruce Hoffman, Terry Henkel, John Pipoly, and Steve Tillett. The first documented ascent was by Adrian Thompson on Independence Day (26 May) in 1966.

All previous expeditions have been attempted from the western approach because Akawaio Amerindian guides



MAP 10. Collecting localities of H. D. Clarke, Trips 19–20 and 22.

live only on the western face in the Mazaruni drainage. The western approach requires air charters to Imbaimadai, boat travel to Chi Chi Falls upstream on the Mazaruni River from Imbaimadai, walking from Chi Chi Falls to Chinowieng Village (the last human habitation on the west slope in a savanna inclusion), and walking approximately 40 km from Chinowieng to Mount Ayanganna by passing northeast of the summit on the lower escarpment, gaining the ridge that ascends to the summit escarpment, and climbing to the summit from there. The eastern face and the Potaro River drainage are uninhabited from the summit down to Chinapau Village and Kaieteur Falls. Access from Chinapau would be impossible because the Patamona Amerindians who live there do not travel above the falls upstream on the Potaro River (the main falls, Kaieteur, is immediately downstream from Chinapau).

Before this expedition, the route to the summit established by Isaac Jerry (an Akawaio Amerindian) and Adrian Thompson was from Chinowieng. That route has been used by all other parties, including members of the Guyana Defense Force who make annual ascents on Independence Day. Like most tepuis, Mount Ayanganna consists of tiered escarpments, which are often quite sheer, separated by flat or gently sloping plateaus. The east face consists of four separate escarpments, whereas the west face has only the summit escarpment and the three lower escarpments combined into one steep, but passable, escarpment.

A primitive white sand airstrip was cleared by diamond miners on the upper Potaro River about 15 km southeast of the summit during the 1980s. This airstrip has since been abandoned but a group of Brazilian diamond miners have built an improved laterite airstrip lower on the Potaro River about 20 km southeast of the summit. We chose a route from the airstrip because, although pioneering this new route would involve extensive line cutting, the airstrip is much closer than the approach through Imbaimadai, Chi Chi, and Chinowieng. This eastern approach was also expected to yield many unique collections. The eastern face directly intercepts the northeast trade winds from the Atlantic and may thus have the highest rainfall and most wet, high-elevation cloud forest and scrub habitats on its slopes, areas that often harbor unusual endemic taxa.

We made 1,021 plant collections on this expedition. Collections were made thoroughly at all elevations, making this a representative, if not a complete, collection of the flora (representing the month of the year visited) of a previously undocumented and unexplored face of this important tepui. Poorly known canopy tree, epiphytes, and lianas were collected by extensive tree climbing using

tree-climbing grimpettes and extendible aluminum clipper poles, augmenting the collections' value.

Supplies for the trip included 1,200 lb (~550 kg) of rations packed in five-gallon buckets, including 135 kg of cassava farine; 550 kg of equipment and supplies, including 70 kg of newspaper and 15 gallons (~57 L) of alcohol for collecting plants; 12 gallons (~45 L) of gasoline and an 84 lb (38 kg) Yamaha 15 hp engine for travel on the Potaro River; a two-way radio, antenna, solar panels, and battery; and packframes, cutlasses (machetes), sleeping bags, warm clothes, trade items, and tents for the Patamona Amerindian workers. Romeo Williams and Claudius Perry (experienced Arawak and Wapishana parataxonomists, respectively), Josh Kelly and Erin Tripp (undergraduate students from the University of North Carolina at Asheville), and the I flew from Ogle Airport in Georgetown to Ayanganna. A flight diverted to Orinduik picked up four Patamona Amerindian workers: Leonard Williams, Colin Albin, Pedro Joseph, and Edward Joseph. The entire party moved rations and equipment from the airstrip about 1 km west to a landing on the Potaro River where a provisional camp was made for the night.

As rations and equipment moved upstream from the new airstrip to the old Ayanganna airstrip on an aluminum boat rented from Brazilian miners, the full complement of the expedition party formed as Charles and Milton Joseph and Moses Williams (Patamona Amerindians) joined the group after walking overland from Orinduik on the Brazilian border. The expedition party moved up the river with the last load to Terry Henkel's (mycologist and former BDG collector) camp on the Potaro River. All river travel above the old airstrip was by paddling in a dugout canoe, because the dugout was too small to accept the outboard engine and the Brazilian aluminum boat was no longer available.

Expedition supplies were transported upstream on "whitewater river," an unnamed tributary of the Potaro that runs parallel to the eastern face of Mount Ayanganna. These supplies were to be stored at the site of the future "whitewater camp." Meanwhile, collections were made in the forest at the base of a laterite ridge along an affluent of the Potaro River 2 km south of Henkel's camp. From this camp a line was cut along a direct compass heading to the base of the toe slope of the first escarpment where more collections were made. Considerable diversity is present in this area, resulting from a mosaic of terra firme forest on laterite ridges with seasonally flooded forest on white sand. The expedition party moved along the cut line and then bushwacked east through forest to make camp at "whitewater camp" with the cache.

Six inches (152 mm) of rainfall (measured by a rain gauge in Henkel's camp) on the night of 5 June caused the river to rise 5 m or more. We were forced to evacuate whitewater camp to an impromptu camp on the first laterite ridge about 500 m west of the river. Ropes were needed to assist evacuation through flowing water in the flooded channel of the river and the move took three days.

We resumed collecting on a plateau edge above and on the summit of the first of four escarpments. On the top of the first summit (1,008 m elevation) soils changed from lateritic clay to white sand and gray sandy clay. The physiognomy of the forest of the first plateau differed from that of the base of the massif by having a lower (~15 vs. 20–30 m), non-stratified canopy with epiphytes at all levels and an abundant shrub and herb layer. Legumes were much less abundant and Clusiaceae, Myrsinaceae, Euphorbiaceae, and Melastomataceae became more abundant. Inundated forest dominates due to limited slope and because the sandstone bedrock is close to soil surface.

The camp was moved to a position along the creek about 1 km from the summit of the first escarpment. Collections were made near camp and on plateaus 1-2 km north of camp as the team continuously cut a line toward Chinowieng summit. Camp was moved to the top of a waterfall on an affluent of whitewater river at the edge of the first plateau and was then moved immediately below the second escarpment. Collecting there found unique montane elements such as *Hedyosmum* (Chloranthaceae). Dense forest on the second escarpment opens into broken-canopy (~10-12 m) scrub forest on poorly drained white sand and sandstone on a plateau between the second and third escarpments, turning into dense cloud forest on the plateau above the second escarpment and on the third escarpment, and finally becoming tepui scrub and cloud forest with high-elevation endemics such as *Podocarpus*, Weinmannia, and Mutisieae-Asteraceae on the plateau above the third escarpment. On the fifth day the cut line reached an intersection with a trail from the west slope to Chinowieng, high on the summit escarpment, where collections were made in dense scrub forest with low (5 m) canopy. Camp moved to the base of the fourth summit escarpment at 1,545 m.

Edward Joseph's femur was badly bruised by a rock dislodged from an unstable slope during descent and he was carried into camp in a warishi (Amerindian backpack made from *Ischnosiphon* fibers). While five members of the party moved to a new camp at the summit, the remaining members stayed in the lower camp to provide logistical support and remain with Edward Joseph. The five at the summit made collections near the camp in sloping tepui bog dominated by *Brocchinia*, Rapateaceae, and Cyperaceae;

on the summit proper, a rock outcropping with epipetric and scrub vegetation; and on the east face near the edge of the summit plateau in tepui scrub forest. They then returned to the camp at the base of the summit escarpment and made more collections near the lower camp.

The expedition party moved to a camp at the top of a waterfall at the base of the second escarpment and made collections in nearby forest. Heavy rainfall that night destroyed the tarp over the hammocks, forcing evacuation to the camp at the base of the first escarpment. In forest near this camp the restricted endemic and monotypic *Maguireanthus ayangannae* (Melastomataceae) was collected along the stream on a fallen log. Expedition members made additional collections in the forest 0.2–1 km south of camp along the trail to Henkel's camp. I encountered—and dispatched—a poisonous parrot snake (*Bothriopsis bilineata*) in a *Micrandra* tree (Euphorbiaceae).

On 2 July the expedition party moved to Terry Henkel's camp along the Potaro River. Collections were made near camp and in riparian vegetation along the Potaro River 0–2 km east and 0–2 km west of camp. We then moved to the old Ayanganna airstrip and from there to the new Ayanganna airstrip by aluminum boat with an outboard engine rented from Brazilian miners, making collections in both locations.

Departure was complicated when the pilot of the single Cessna 206 reported malfunction and loss of power, saying that only 400 lb (181 kg) of the anticipated 700 lb (317 kg) could be transported. Moreover, intense rain prevented diversion to Orinduik to return the Patamona workers to their home. Romeo and I boarded the aircraft with the plant collections; in blinding rain, the airplane barely cleared the trees at the end of the runway and was very slow to gain elevation needed to climb above the summit massif of Mount Ayanganna. The remaining expedition party made provisional camp at the airstrip. Once in Georgetown I urged the air charter company to evacuate the remaining personnel and equipment, which they did the next day. The Britten Norman (BN) Islander diverted twice to return the six Patamona workers to Orinduik but was forced by darkness to land at Timehri Airport with the 300 lb (136 kg) of equipment before continuing on to Ogle the next morning.

TRIP 20: MOUNT WOKOMUNG, POTARO-SIPARUNI REGION (REGION 8)

15 JUNE TO 23 JULY 2003 (MAP 10)

Mount Wokomung yielded 1,118 collections of plants over a five-and-a-half-week period in the summer of 2003.

This tepui (flat-topped, sheer-walled, sandstone mountain of the Guiana Highlands) attracted attention for several reasons: (1) Its elevation, at 1,660 m is the second-highest mountain after Mount Ayanganna (2,080 m) wholly within Guyana. (2) It lies at the southern end of a chain of tepuis that begins with Kamakusa (1,646 m) and Karanang (1,516 m) at the northern edge of the escarpment of the Pakaraima Mountains and passes south over Mount Avanganna to Mount Wokomung, a distance of 120 km. (3) It has a northeast aspect, which, combined with its high elevation, directly intercepts moisture-laden trade winds from the Atlantic and creates genuine montane wet cloud forests, a habitat that occurs only in restricted areas in Guyana. (4) It forms, with Mount Ayanganna, the high-elevation headwaters of the Potaro River, the river that forms Kaieteur Falls some 60 km downstream, Kaieteur National Park is the cornerstone of Guyana's National Protected Areas System (Figure 15). Proposals to expand Kaieteur National Park have encompassed both Mount Wokomung and Mount Ayanganna, but, before my 2001 expedition to the summit of Mount Ayanganna from the eastern face, no botanical data were available for the higher elevations of the entire upper Potaro watershed. Furthermore, although environmental threats to the Park from mining and other activities along the Potaro River below the Falls are well known, diamond mining by Brazilians and Guyanese in and adjacent to the Potaro River above the Falls has increased due to the recent construction of a laterite airstrip that provides access to this area. Documenting the botanical diversity of this region as baseline data before additional disturbance is essential for adequate monitoring and land use planning. The rejection of Kaieteur National Park for inclusion in the World Heritage List (IUCN, 2001) was based largely on the lack of documented diversity and the small size of the park (42) km²) as it currently exists. Data from the Wokomung expedition can help to ameliorate this shortcoming for any future conservation proposals in the area.

Recent construction of a laterite airstrip in the Upper Potaro by Brazilians has made expeditions to the Wokomung/Ayanganna area feasible from an eastern approach. Mining operations provide the only infrastructure in this area because the upper Potaro River has no permanent human habitations above the Patamona Amerindian village of Chinapau, which is immediately adjacent to Kaieteur National Park. Earlier expeditions to Mount Wokomung were either from the village of Kopinang several kilometers south of Mount Wokomung (Brian Boom, New York Botanical Garden, 1987 and 1989) or from the upper Ireng River to the west (Terry Henkel, Smithsonian Institution,



FIGURE 15. Kaieteur Falls from Johnson's View.

1993). A white sand airstrip several kilometers upstream of the new airstrip functioned for several years in the 1980s, but was never safe for landings or takeoffs with anything other than very light payloads. My 2001 expedition took advantage of the eastern approach to Mount Ayanganna and yielded four species and one genus new to science in addition to many other valuable collections. As on Mount Ayanganna, once the difficulty of having to cut new trail from the river to the summit is overcome, the eastern approach offers the advantage of providing access to those parts of the massif with the largest surface areas above the first escarpment. These extensive genuinely montane habitats—the principal target of this expedition—are not often encountered in Guyana and are expected to harbor a high diversity of unique plant species. Given these considerations, the overall plan of the expedition was straightforward: move from the New Ayanganna airstrip 24 km downstream on the Potaro River to a point that provides the most direct access to Mount Wokomung and then cut trail and collect along that trail to the summits of each of the three highest parts of the Mount Wokomung massif, returning by the same route.

Preparations for the Wokomung expedition began in earnest in March 2003 with the submission of a proposal to the Guyana Environmental Protection Agency for permission to carry out the work. I arrived in Guyana on 7 June 2003 with Josh Kelly and Erin Tripp (University of North Carolina at Asheville alumni and returning members of the 2001 Ayanganna expedition), and Stephen Stern (UNC-Asheville student). We spent one week preparing for the expedition, assembling a manifest that totaled 1,800 kg: 635 kg of rations (including 90 kg farine and 60 kg salt fish) and 400 kg of equipment, including two outboard engines, 150 kg gasoline, and 635 kg of personnel and gear.

On 15 June we flew from Ogle airstrip to the New Ayanganna airstrip with all supplies and equipment in two Islanders and one Cessna 206 airplane. We were met at the airstrip by five Patamona Amerindians from the upper Ireng village of Kaibarupai: Leonard and Moses Williams, Colin Albin, and Charles and Linus Joseph; all but Linus Joseph participated in the 2001 Ayanganna expedition. The group was joined later in the week by Romeo Williams and Claudius Perry, long-term Guyanese associates and parataxonomists who have accompanied many other scientific expeditions, and Diana Gittens, a student from the University of Guyana.

All supplies and equipment were carried from the airstrip about 500 m to the Bastos mining camp at the lower landing on the Potaro River and a wooden boat was rented for the length of the expedition. While supplies and equipment were moved several kilometers downstream to a camp at Malek Falls on the Potaro River, collections were made at the airstrip. The entire party moved to the new camp and collections were made in disturbed forest near Malek Falls while supplies and the workers were shuttled down the Potaro River.

As remaining personnel, supplies, and equipment traveled downstream from Malek Falls by boat, the stern wave of a passing boat transporting miners upstream flooded our bow, causing it to sink with the chain saw, tree climbing spikes, outboard, machetes, and aluminum clipper poles. All other supplies and equipment floated because they were secured in either plastic buckets or heavy plastic bags. Members of the expedition party swam to shore, collecting flotsam in the process, establishing once again and yet in a novel fashion that everything on a plant-collecting

expedition, including the botanists, is fully immersible. The miners transported the expedition party and equipment downstream to the river camp, where a provisional camp was made.

Radio communication was established with Georgetown by felling trees to erect the antenna and to allow for solar charging of the radio battery. The BDG had extra equipment in Georgetown so a radio message was sent to Terry Henkel, mycologist from Humboldt State University, California, to bring extra clipper poles and tree climbing spikes when he flew in the next day. Romeo Williams returned to the site of the sunken boat to retrieve the remaining expedition equipment left onshore, delivered the goods to the river camp, and left for the New Ayanganna airstrip to secure the services of a compressor, a floating river dredge, and a diver to retrieve the lost boat and equipment. He returned two days later with the tree climbing spikes, boat, and engine, but not the chain saw or clipper poles.

Collections were made around camp, principally epiphytes from trees felled for the radio, as David Clarke and the Patamona Amerindians began cutting a line toward the base of the first escarpment of Mount Wokomung. The next day Romeo Williams led the cutting party as the remainder of the expedition party hauled material to the end of the trail cut the previous day. Moving supplies continued to the site of a future camp at the base of the first of four escarpments. Plants were collected in the forest midway between the river and the mountain.

Noting that the river level had dropped since the boat overturned, Romeo and several of the party returned upstream to search for the clipper poles. They were unsuccessful, but returned with poles brought in by Terry Henkel.

On the 23 June the entire party moved camp to the base of Mount Wokomung, leaving a cache of specimens, rations, radio, and other equipment with the small land dredge operation on the opposite side of the river. The party made collections in the forest surrounding camp in both seasonally flooded and terra firme forest on steep lateritic slopes. Further collections were made on northeast facing slopes of the first escarpment in naturally disturbed forest on steep lateritic slopes.

As equipment and supplies were moved from the base of the first escarpment to a new camp on the plateau, a fixed line was necessary to help people up the slope immediately below the summit of the escarpment. The flat poorly drained terrain made finding a suitable stream for a water supply difficult in this area. Collections were made in semi-open, single-tiered canopy forest near camp and at the edge of the plateau, as line cutting proceeded to the summit of the easternmost pinnacle on the massif.

Line cutting, accompanied by collecting, proceeded toward the highest summit of the Mount Wokomung massif (Figure 16). The summit was reached on 5 July and collections were made in a tepui bog. The line cutting then began from a position below Little Ayanganna toward the summit of Mount Wokomung proper, the westernmost summit of the massif, via the second and third of four escarpments, 1.5 km northeast and 1 km northeast of Mount Wokomung. On 8 July we reached 1,490 m and camp was moved to a position immediately below the summit. The expedition party continued to collect on the summit, near camp, and around the previous camps as the party returned along the line. Final collections were made in forest near the previous Potaro River camp and along the river 0–2 km north of camp and 0–10 km south of camp.

After sending collections, supplies, and equipment upstream on the Potaro River, the entire expedition left the Potaro River camp in two boats, portaged around two falls, including Malek Falls, and arrived at the landing of the New Ayanganna airstrip. All collections, supplies, and equipment were moved from the landing and base camp to the airstrip. Finally, all plant collections, personnel, and equipment left for Ogle airport in a Cessna 206 and an Islander.

TRIP 21: CENTRAL SURINAME NATURE RESERVE

22 FEBRUARY TO 10 MARCH 2004 (MAP 11)


Collecting on this trip began along the Coppename River at Bureau Waterkracht Werken Camp, 500 m south of Tonckens Falls, and continued on to Tonckens Falls. From there we moved to collect along the Rechter Coppename River, near Bolletrie Falls, and along an unnamed tributary of the Rechter Coppename River. The headwaters



FIGURE 16. Stephen Stern, Josh Kelly, Claudius Perry, Diana Gittens, Erin Tripp, and David Clarke at the summit of Mount Wokomung, having cut trail and collected on three summits of the massif.

of the Rechter Coppename have their origin on the Tafelberg, the easternmost tepui in the Guiana Shield, which allows for representation of an ecological and elevational gradient otherwise not represented in Suriname. Classic examples of flooded forest, aquatic vegetation associated with periodically inundated rocks, herbaceous communities found on sandbars, and terra firme forest were observed. Although many of the plant species occur in other areas of the Guiana Shield, the assemblage of species that exists in the Rechter Coppename is unique. The river was found to be impressive in both basic botany and plant conservation, as described below. Terra firme forest in the Rechter Coppename was found close to the river, always less than 50 m and frequently only 10 m from the river. Typical examples of herbaceous plants, understory trees, palms, midstory trees, canopy trees, and canopy emergents were represented. Diversity at the species level in each of these major groups of plants was found to be moderately high. Flooded forest occupied a narrow band and was often on steep banks near the river. Typical genera such as *Psidium* and various other Myrtaceae were represented. The flooded forest, especially when subjected to siltation as occurred on river banks with low relief, had a non-stratified canopy 10-15 m high. Terra firme forest was quite stratified with canopy height approximately 30 m. Trees along the river bank and the banks themselves were covered by a dense assembly of vines, lianas, and herbaceous taxa including Cydista, Ipomoea, Heliotropium, Sida, Mikania, and other widespread taxa typical of low-elevation rivers of the Guiana Shield. Podostemaceae, Solanum, and Psidium often colonized rocks exposed to inundation. Soils were composed of brown sandy clays ultimately derived from granitic or doleritic substrates. The terra firme forest supported a high diversity of genera typically associated with these soils, namely Pouteria, *Inga*, and *Protium*. White sands and forest associated with them were not found, but further investigation of the upper Rechter Coppename River above Bolletrie Falls will be necessary to determine the boundaries of the psammophilous flora associated with the Tafelberg massif.

The expedition team included Claudius Perry, our Amerindian guide from many BDG expeditions, Erin Trip and Stephen Stern again joined the expedition, and Diana Gittens from University of Guyana. We moved on to the confluence of the Midden and Linker Coppename Rivers. The Midden and Linker Coppename Rivers are significant, both biologically and from a conservation standpoint, because they drain the highest elevations in Suriname, the Wilhelmina Gebergte with Julianatop being the highest point at 1,400 m. The elevation gradient from



MAP 11. Collecting localities of H. D. Clarke, Trip 21.

the confluence of the Linker and Midden Coppename (at 100 m) to the summit of the Wilhemina Gebergte is expected to contain a significant percentage of the plant diversity present in Suriname. Preservation of this watershed is therefore highly important for conservation. Although only the lower reaches of both rivers was explored, the diversity documented was impressive and differed in a number of respects from that observed on the Rechter Coppename River. Forest bordering the perimeters of the Midden and Linker Coppename in all instances was formed on terraces, levees, and other features resulting

from river dynamics, whereas the Rechter Coppename was dominated by terra firme forest not affected by river dynamics quite close to the main channel. Successional gradients formed over long time periods in the absence of human disturbance allowed for establishment of wind-dispersed taxa with high light requirements in seedling stages, such as *Ceiba pentandra* and *Couratari*. Both of these species were found frequently as large, buttressed, canopy-emergent taxa with heights to 45 m along the river banks. Although these taxa grow in closed-canopy forest, their presence indicates significant disturbance at the time

of seedling establishment, in this case as a result of erosion from the shifting river channel. Geonoma and Trichilia were found to dominate river terraces, whereas levees and poorly drained forest behind levees were found to be quite diverse, with a complement of herbaceous taxa and small trees in the understory such as Psychotria, Piper, and Rinorea, a midstory dominated by Astrocaryum, Euterpe, and Attalea, and a canopy with no clear dominants but many elements typical of low-elevation forests such as Inga, Eschweilera, Pouteria, and Licania. Canopy height was approximately 30 m with emergents to 45 m. Soils were universally brown sandy clays and were often alluvial in origin. Relief near the river was often very limited but in a few cases amounted to 10-20 m. The plant diversity of this area was found to differ from that of the Rechter Coppename chiefly as a result of differences in the character of the river. Together, these areas represent a pristine and diverse example of the plant diversity of this part of northeastern South America. Continued preservation of this area in a state that is free from human disturbance will help in the conservation of biological diversity and the processes that produce and maintain this diversity. A high priority should be placed on sampling the upper reaches of these two rivers to document the extent to which diversity varies with elevation as the rivers descend from the Wilhelmina Gebergte.

After returning to the area around Bureau Waterkracht Werken Camp, the expedition moved on to Adampada Creek, an affluent of the Coppename River. The biological and conservation significance of the plant diversity of Adampada Creek may be explained largely as a function of the smaller size of the creek compared to the Coppename River and the differences in river dynamics and hydrologic cycles that result. The botanical work done in Adampada Creek revealed abundant evidence of areas near the river being subjected to stronger but shorter flooding cycles than those found along the Coppename River. As a result the vegetation near the creek showed a more compressed transition from submerged aquatic to terra firme forest than along the Coppename River. Plant communities were sampled on various topographies, including a waterfall, rocky islands in rapids, steep river banks, and poorly drained and well-drained terra firme forest. These habitats were found to be closer together than along the Coppename River, making the aquatic habitats smaller and probably more susceptible to perturbation. Conservation of this part of the reserve is of particular concern because most of the watershed lies outside the reserve boundaries and is threatened by largescale bauxite extraction.

We spent the remainder of the trip along the main Coppename River, including the areas of Caiman Sula (= rapids), Sidonkroetoe Sula (= sit down meeting rapids), Driefoetoe Sula (= three-foot rapids), and unnamed tributaries and affluents of the Coppename River. Botanical sampling of the Coppename River below the confluence of the Rechter and Linker Coppename Rivers occurred in diverse habitats, including flooded forest on steep banks, rheophytic, emergent, and submerged aquatic vegetation, rocky islands, seasonally flooded forest behind levees, and relatively little genuine terra firme forest (although this may have been due more to limited relief and consequent poor drainage at the georeference localities than to river flooding per se). Vegetation differed qualitatively in these areas as a result of the more extensive and prolonged flooding on the larger section of the river. Flooded forest extended as much as 200 m behind the river bank. Although we found extensive evidence of vegetation affected by flooding, siltation, and formation of levees and berms, we found no evidence of successional gradients resulting from shifting river channels as we saw in the Linker Coppename River. Conservation of this part of the river will be best effected by protecting upstream parts of the river, which will preserve the hydrologic cycle and water characteristics.

All the sites visited on the Coppename River were found to be as pristine as any other site in the Neotropics. Because they are part of a very large protected area, the Central Suriname Nature Reserve, they may be expected to receive continued protection. In the absence of any human-induced disturbance of either aquatic or terrestrial vegetation, both species diversity and community dynamics are robust and, if afforded continued strong protection, will remain so in the future. The presence or absence of plant species in lowelevation forests of the Guiana Shield turn over more or less consistently as a function of distance, most likely as a result of an equilibrium established among speciation, dispersal, and extinction over very long time periods. The Coppename River provides an excellent example of the plant diversity that has evolved under these conditions and, given the large size of the reserve, the evolutionary and ecological dynamics needed to propagate these processes into the future will be maintained. The plant communities sampled were found to be composed of a unique assemblage of species, most of which have broader distributions in low-elevation areas of the Guiana Shield. The combination of species represented, however, is very unusual and the Coppename River, therefore, is an outstanding representative of the diversity of the Guiana Shield.

On this trip we were able to make 349 collections from the 24 georeference sites.

TRIPS 22-23: MOUNT MARINGMA, WAYALAYENG VILLAGE, GEORGETOWN

23 May to 27 July 2004 (Maps 10 and 11)

This expedition, my 20th (and possibly last) in Guyana over a 10-year period, was a continuation of work done in 2001 on Mount Ayanganna, 2003 on Mount Wokomung, and 1997 on Waukauvengtipu. The focus of these expeditions to the Pakaraima Mountains was to sample every tepui higher than 1,450 m. After this trip the only tepui not sampled in Guyana was Tulameng, at 1,490 m elevation, located at the extreme northeastern edge of the Pakaraima Mountains, which remains a high priority for sampling. Mount Maringma is important because it is close to the Roraima massif. Given its location at the eastern terminus of the chain of tepuis along the Brazil-Guyana border, Mount Maringma was expected to harbor many plants previously known only as Roraima endemics, as confirmed by preliminary results from both the slopes and summit of Mount Maringma. Notable collections include those of Magnolia, Drimys, Weinmannia, Rubus, Vellozia, Heliamphora, Stenopadus, Stomatochaeta, and Gongylolepis.

We approached the mountain from the Ataro River and the village of Wayalayeng, situated at the base of the mountain and next to the Falls of the Ataro River, where the river drops from 625 m to 490 m. Starting at Imbaimadai on the upper Mazaruni River, the expedition party descended the Mazaruni to its confluence with the Kukui River at Jawalla, ascended the Kukui River to the Ataro River confluence, and ascended the Ataro River to

Wayalayeng. We walked from there to the summit, cutting trail beyond the last farm from the village to the summit. The Ataro River section of the route lies within the Akawaio Amerindian village of Pipillipai. The western boundary of the village is formed by the Arabaru River, whose headwaters arise between Mount Maringma and an unnamed 1,830 m mountain south and west of Mount Maringma. Maringma itself, then, is not on village lands.

After collecting extensively along the southern slopes, summit, and a sub-summit plateau of Mount Maringma, the expedition, which included Jay Rhodes, returned along the Ataro River to Wayalayeng Village. Final collections were made at Imbaimadai near the airstrip; along the Mazaruni River 0–7 km above its confluence with the Karowrieng River; and in Georgetown at Bel Air Park.

The expedition to Mount Maringma (2,134 m) yielded 1,059 collections of plants over five weeks. The collections are noteworthy for several representatives of species collected by R. Schomburgk on Roraima in 1834 but not re-collected in the intervening 170 years. These collections came from a very small area of high-elevation cloud forest on the southern slope of Mount Maringma and, since Schomburgk's Roraima collections were made from a southern approach and were made mostly in Brazil and Venezuela, these collections may be the only genuine Guyana records for rare and endemic taxa such as Magnolia ptaritepuianum, Drimys brasiliensis, Rubus guyanensis, and Ledothamnus sessiliflorus. Detailed work on determinations, which is only now just beginning, is likely to extend this list significantly and also add a number of new species.

II. Collecting Localities

TRIP 1: IWOKRAMA RAINFOREST RESERVE

COLLECTIONS 154-400. 17 SEPTEMBER-9 OCTOBER 1995

Iwokrama Rainforest Reserve; transect from Essequibo River to Turtle Mountain, in SW direction. 18 September 1995.

4°42′20″N 58°42′36″W, elevation 60–150 m.

Collections: 154-165.

Iwokrama Rainforest Reserve; along Essequibo River between Turtle Mountain trail and Kurupukari Field Station. 18 September 1995.

4°41′N 58°42′W, elevation 60 m.

Collections: 166-170.

Iwokrama Rainforest Reserve; road from Kurupukari Field Station. to Kurupukari–Annai Road. 19 September 1995.

4°41′N 58°42′W, elevation 65 m.

Collections: 171-180.

Iwokrama Rainforest Reserve; head of A–B transect at Kurupukari–Annai Road. 20 September 1995.

4°35′12″N 58°44′39″W, elevation 75–100 m.

Collections: 181-189.

Chlorocardium-Ocotea-Eperua forest and inundated streamside vegetation.

Iwokrama Rainforest Reserve; Burro-Burro River, transect C–D from Kurupukari–Annai Road. 21 September 1995.

4°32′5″N 58°47′6″W, elevation 60-75 m.

Collections: 190-201.

Riverbank, palm swamp forest.

Iwokrama Rainforest Reserve; Essequibo River, Kuratoka Rapids. 23 September 1995.

4°35′0″N 58°37′30″W, elevation 60 m.

Collections: 202-216.

Eperua, Vochysia, Mora, Chlorocardium on white sand.

Iwokrama Rainforest Reserve; Essequibo River between Kurupukari and Post Arinda Inlet. 25 September 1995.

4°45′46″N 58°43′58″W, elevation 60-80 m.

Collections: 217–217.
Open riverside vegetation.

Iwokrama Rainforest Reserve; Post Arinda Inlet at Essequibo River and Burro-Burro River. 25 September 1995. 4°45′46″N 58°43′58″W, elevation 60–80 m.

Collections: 218-226.

Swamp with Mauritia, Clusia, Cyperaceae, Chlorocardium.

Iwokrama Rainforest Reserve; Post Arinda Inlet/Burro-Burro River transect, km 1.6–1.8. 26 September 1995.

4°45′46″N 58°48′0″W, elevation 60-80 m.

Collections: 227–235.

With Mora, Pentaclethra, Inga, and Cecropia; white sand with Chlorocardium.

Iwokrama Rainforest Reserve; N side of Burro-Burro River, C–D transect. 27 September 1995.

4°33′0″N 58°50′30″W, elevation 60-90 m.

Collections: 236-258.

Seasonally flooded white sand, now dry; *Humiria-Clusia* savanna; white sand forest with *Mauritia*; white sand with *Mora*, *Chlorocardium*, *Inga*, and *Eperua*.

Iwokrama Rainforest Reserve; Burro-Burro River between Dunari Rapids and confluence with Siparuni River. 4°32′N 58°50′W, elevation 60–65 m. 28 September 1995.

Collections: 259–291. Riverside vegetation.

Iwokrama Rainforest Reserve; Essequibo River, 0–5 km S of Kurupukari Field Station. 30 September 1995.

4°40′33″N 58°40′58″W, elevation 60 m.

Collections: 292-311.

Riparian vegetation.

Riverbank and seasonally inundated rocks in the river.

Iwokrama Rainforest Reserve; Essequibo River, near Akromukru Falls, Akromukru transect, km 2.0–5.0. 3 October 1995.

4°20′N 58°30′W, elevation 70-90 m.

Collections: 312-327.

Seasonally flooded white sand with Geonoma, Marantaceae, Chlorocardium, and Mora.

Iwokrama Rainforest Reserve; Essequibo River, Ladysmith Creek transect. 4 October 1995.

4°17′2″N 58°30′29″W, elevation 75–100 m.

Collections: 328–339.

White sand and brown sand with Mora.

Iwokrama Rainforest Reserve; Essequibo River between Ladysmith Creek and Akromukru Rapids. 5 October 1995.

4°17′N 58°29′W, elevation 75 m.

Collections: 340-351.

Thicket of Montrichardia and Bamboo.

Iwokrama Rainforest Reserve; Essequibo River between Akromukru Channel and Pisham Pisham Falls. 5 October 1995.

4°21′N 58°29′W, elevation 75 m.

Collections: 352-364.

Iwokrama Rainforest Reserve; Essequibo River, Pisham Pisham transect.

4°26'9"N 58°29'7"W, elevation 70-80 m.

Collections: 365-378.

On white sand and on brown sand with rock outcroppings.

Iwokrama Rainforest Reserve; Essequibo River, between Pisham Pisham Falls and Tiger Creek. 7 October 1995.

4°27′N 58°28′W, elevation 60-65 m.

Collections: 379-389.

Riparian vegetation.

Iwokrama Rainforest Reserve; Essequibo River, between Tiger Creek and Kuratoka Rapids. 7 October 1995. 4°32′N 58°35′W, elevation 60 m.

Collections: 390–393.

Riparian vegetation.

Iwokrama Rainforest Reserve; Essequibo River, near Gold Falls. 7 October 1995.

4°38′N 58°38′W, elevation 60 m.

Collections: 394-400.

Riparian vegetation, seasonally submerged rocks (now exposed).

TRIP 2: IWOKRAMA RAINFOREST RESERVE

Collections: 401–703. 4 November 1995–2 December 1995

Iwokrama Rainforest Reserve. 6 November 1995.

4°40′31″N 58°40′59″W, elevation 65 m.

Collections: 401. Collected with B. Hoffman.

Mora forest on brown sand.

Iwokrama Rainforest Reserve, Pakutau Falls on Siparuni River, S to Pakutau hills. 7–8 November 1995.

4°45′17"N 59°1′28"W, elevation 75-400 m.

Collections: 402-435. Collected with B. Hoffman.

Dense forest on red, sandy clay.

Iwokrama Rainforest Reserve; between Pakutau Falls and Ireng Creek on Siparuni River. 9 November 1995.

4°45′N 59°1′W, elevation 75 m.

Collections: 436-469.

Riparian vegetation above falls.

Iwokrama Rainforest Reserve; between Pakutau Falls and Levi Falls on Siparuni River. 10 November 1995.

4°45′N 59°1′W, elevation 75 m.

Collections: 470-483.

Riparian vegetation and seasonally submerged, rocky sand island in river.

Iwokrama Rainforest Reserve; 14 mi from Kurupukari on the Kurupukari–Annai Road. 14 November 1995.

4°27′30″N 58°47′36″W, elevation 80 m.

Collections: 484-512. Collected with B. Hoffman.

Dense forest on brown sand with *Pentaclethra* and *Mora*; roadside vegetation with *Cecropia*, *Hamelia* and Melastomataceae.

Iwokrama Rainforest Reserve; Burro-Burro River, W along a 5 km long transect.

4°38′7″N 58°49′27″W, elevation 75 m.

Collections: 513-538. Collected with B. Hoffman.

16-17 November 1995.

Dense forest and swamp forest on brown sand.

Iwokrama Rainforest Reserve; Burro-Burro River, near head of river.

4°38′7″N 58°49′27″W, elevation 75 m.

Collections: 539-542. Collected with B. Hoffman.

18 November 1995.

Dense forest on brown sand; with Mora, Pentaclethra, Couepia, Cassia and Clusiaceae.

Iwokrama Rainforest Reserve; along Kurupukari-Annai Road, near head of A-B transect. 20 November 1995.

4°35′N 58°44′W, elevation 75 m.

Collections: 543-573.

In low wet areas and along bank of small stream.

Iwokrama Rainforest Reserve; Iwokrama Mountains, at and near summit of unnamed peak S of base camp. 22 November 1995.

4°20′48″N 58°50′55″W, elevation 600–800 m.

Collections: 574-588. Collected with B. Hoffman.

Dense forest on brown sandy loam; with *Symphonia*, *Caryocar*, Lecythidaceae, *Moronobea*, *Aspidosperma*, *Pouteria* and *Cordia nodosa*.

Iwokrama Rainforest Reserve; Iwokrama Mountains, near base camp. 22 November 1995.

4°20′48″N 58°50′55″W, elevation 70 m.

Collections: 589-591. Collected with B. Hoffman.

On treefall in canopy gap; dense forest on brown sand; with Meliaceae and Catostemma.

Iwokrama Rainforest Reserve; 0–2 km ESE of base camp. 23 November 1995.

4°20′27″N 58°48′33″W, elevation 70-150 m.

Collections: 592-623. Collected with B. Hoffman.

Dense forest on brown sand, numerous rock outcroppings; with *Licaria*, *Cassia* and Meliaceae.

Iwokrama Rainforest Reserve; 2–3 km ESE of base camp. 24 November 1995.

4°20′N 58°48′W, elevation 150-250 m.

Collections: 624-647. Collected with B. Hoffman.

Creekbed.

Iwokrama Rainforest Reserve; Iwokrama Mountains, near summit peak 3 km E of base camp. 25 November 1995.

4°20′46″N 58°46′46″W, elevation 800-1,000 m.

Collections: 648-652.

Dense forest on brown sand; with *Chlorocardium*, *Symphonia* and *Lecythis*.

Iwokrama Rainforest Reserve; Iwokrama Mountains, along Kurupukari–Annai Road. 26 November 1995.

4°20′47″N 58°50′55″W, elevation 75 m.

Collections: 653-659. Collected with B. Hoffman.

Disturbed roadside vegetation.

Iwokrama Rainforest Reserve; Iwokrama Mountains, Kurupukari base camp. 27 November 1995.

4°40′31″N 58°40′59″W, elevation 65 m.

Collections: 660–662 and 684–692. Collected with B. Hoffman.

Edge of dense forest on brown, alluvial sandy loam; with Mora, Pentaclethra and Carapa.

Iwokrama Rainforest Reserve; Iwokrama Mountains, 8 mi from Kurupukari along Kurupukari–Annai Road. 27 November 1995.

4°35′12″N 58°44′40″W, elevation 70 m.

Collections: 663-673. Collected with B. Hoffman.

Disturbed roadside vegetation, creekbeds with white and brown sand.

Iwokrama Rainforest Reserve; Iwokrama Mountains, along Kurupukari–Annai Road, km 0.2–1.5. 28 November 1995.

 $4^{\circ}35'12"N 58^{\circ}44'40"W$, elevation 70–100 m.

Collections: 674-683, Collected with B. Hoffman.

Dense forest on brown sand.

Surama. 1 December 1995.

4°10′N 59°5′W, elevation 80 m.

Collections: 693–703. Savanna vegetation.

TRIP 3-4: MABURA HILL; CEIBA ENVIRONMENTAL CENTER

COLLECTIONS: 704–785. 30 December–14 January 1996

Mabura Hill, Demerara Timbers Ltd. Forest; S on Mabura Hill–Kurupukari Road. 30 December 1995.

5°11′39″N 58°42′15″W, elevation 60–80 m.

Collections: 704-726.

Dense forest on white sand.

Mabura Hill, Demerara Timbers Ltd. Forest; S on Mabura Hill-Kurupukari Road. 30 December 1995.

5°11′23″N 58°44′11″W, elevation 60-80 m.

Collections: 727–735.

Dense forest on white sand.

Tropenbos Field Station; 3 km S of Mabura Hill. 1 January 1996.

5°9'30"N 58°41'56" W.

Collections: 736-740.

Disturbed open area, red gravelly clay.

Tropenbos Field Station; 20 km S of Mabura Hill on Mabura Hill-Kurupukari Road. 1 January 1996.

5°9'40"N 58°44'51"W, elevation 70-100 m.

Collections: 741-751.

Dense forest on white sand; with *Eperua*, *Peltogyne* and *Licaria*.

Mabura Hill, 30–32 km S on Mabura Hill–Kurupukari Road. 2–3 January 1996.

5°5′55″N 58°44′58″W, elevation 75–85 m.

Collections: 752–759.

Dense forest on brown sand.

Tropenbos Field Station; 3 km South of Mabura Hill. 4 January 1996.

5°9′30″N 58°41′56″ W.

Collections: 760-761.

Disturbed open area with red, gravelly clay; disturbed roadside vegetation on white sand.

Mabura Hill; 30 km N on Mabura Hill-Linden Highway. 4 January 1996.

5°30′N 58°35′W, elevation 60 m.

Collections: 762–767.

Disturbed roadside vegetation on white sand.

Mabura Hill; 60 km N on Mabura Hill-Linden Highway. 4 January 1996.

5°50′N 58°30′W, elevation 60 m.

Collections: 768-776.

Scrub vegetation on white sand.

CEIBA Environmental Center, adjacent to Soesdyke–Linden Highway, property of Godfrey Bourne. 14 January 1996.

6°29′50″N 58°13′9″W, elevation 3-4 m.

Collections: 777–785.

Moori scrub (*Humiria*) vegetation on white sand; *Mauritia* swamp forest on white sand with *Mauritia*, *Pentaclethra*, and *Mora*.

TRIP 5-6: PARUIMA AND PARAMAKATOI

COLLECTIONS: 786–1274.
22 January to 27 February 1996

Kamarang to Waramadon Trail. 23 January 1996. 5°50'N 60°39'W, elevation 550–600 m.

Collections: 786–803.

Disturbed forest on brown sand.

Kuroba, E on the Mazaruni River; 3 km N of confluence of Kamarang River with Mazaruni River. 24 January 1996.

5°54′N 60°36′W, elevation 550–620 m.

Collections: 804-833.

Disturbed areas and dense forest on brown sand.

Paruima, 0–4 km N on trail N to Warimatipu, Holitipu and Kaikan. 27 January 1996.

5°50'N 61°4'W, elevation 490-690 m.

Collections: 834-858.

Disturbed scrub vegetation at edge of cassava field on alluvial soil; dense forest on brown sandy clay, with *Mora gonggrijpii* and *Carapa*; base of tepui.

Paruima-Utshi River trail to Venezuela junction. 29 January 1996.

5°41′11″N 61°7′6″W, elevation 1,000 m.

Collections: 859-872.

On white sand and sandstone, *Trachypogon* grassland and bush islands, with Clusiaceae and Humiriaceae.

Utshi River to Great Falls trail, on Kamarang River. 30 January 1996.

5°40'9"N 61°6'30"W, elevation 910 m.

Collections: 873–906.

Tepui grassland, with Trachypogon, Pteridium and Drosera.

Utshi River trail to Santa Elena, Venezuela. 31 January 1996.

5°39'38"N 61°9'43"W, elevation 980 m.

Collections: 907-943.

Gallery forest and steep area in savanna adjacent to small stream.

Kamarang River, camp on trail from Paruima to Utshi River and Venezuela. 1 February 1996.

5°43′40″N 61°6′3″W, elevation 560 m.

Collections: 944-964.

Dense forest on brown sand, with Mora and Pentaclethra.

Waleliwatipu (Aymatoi), N of Paruima; in vic. of camp. 5 February 1996.

5°53'41"N 61°1'13"W, elevation 1,090 m.

Collections: 965–1027.

Savanna and gallery forest vegetation, with *Trachypogon, Clusia* and *Humiria*.

Holitipu, trail between camp and airstrip and surrounding area. 7 February 1996.

5°59′19″N 61°3′36″W, elevation 1,100 m.

Collections: 1028-1075.

Tepui savannah and gallery forest.

Paruima to Konuktipu (Rain Mountain) trail. 11 February 1996.

5°48′N 61°3′W, elevation 600-620 m.

Collections: 1076-1107.

Disturbed forest on brown sandy clay, with *Licania*, *Mora gonggrijpii*, and *Pentaclethra*; dense secondary forest on rock slope, with *Heliconia*, *Piper*, *Cecropia* and *Bauhinia*, secondary growth on hillside with brown sandy clay; with *Trema*, *Cecropia* and *Piper*.

Paruima, vic.; along Kamarang and Paruima Rivers. 12 February 1996.

5°49′N 61°4′W, elevation 500 m.

Collections: 1108-1128.

Riparian vegetation.

Paruima to Illubia Creek trail; near Kamarang River. 13 February 1996.

5°47′N 61°3′W, elevation 500 m.

Collections: 1129-1156.

Sand along river and dense forest.

Paramakatoi, 2 km S; trail to Paramaktipu. 21 February 1996.

4°41′N 59°43′W, elevation 840–1,064 m.

Collections: 1157-1187. Collected with S. Grose.

Disturbed forest on brown sandy loam, with *Hamelia*, *Miconia* and *Licania*.

Paramakatoi, 0.5–4 km from; trail to Maikwak and Kowatipu. 22 February 1996.

4°43′N 59°42′W, elevation 680–760 m.

Collections: 1188-1234. Collected with S. Grose.

Dense forest on brown sand, with *Pentaclethra*, *Carapa*, *Lecythis*, *Eschweilera* and *Hymenolobium*.

Paramakatoi, 0.5–6 km from; trail to Youwang and Monkey Mountain. 24 February 1996.

4°41′N 59°42′W, elevation 460-840 m.

Collections: 1235-1264. Collected with S. Grose.

Disturbed secondary forest on brown sand with rock outcroppings, with *Pteridium*, *Eleusine* and *Tabebuia*.

Paramakatoi, 0.5–2 km from; trail to Kato. 25 February 1996.

4°42′N 59°44′W, elevation 685–790 m.

Collections: 1265-1274.

Dense forest on brown sand, with Mora, Pentaclethra and Aspidosperma.

TRIP 7: IWOKRAMA RAINFOREST RESERVE

COLLECTIONS: 1275-1638. 14 MARCH-16 APRIL 1996

Iwokrama Rainforest Reserve; Akromukru Transect at Akromukru Falls, Essequibo River. 17 March 1996.

4°20′N 58°30′W, elevation 70-90 m.

Collections: 1275-1308.

Dense forest and semi-disturbed "liana forest" (*Pinzona*, *Bauhinia*, *Mora*) on brown sand, and riparian vegetation near falls.

Iwokrama Rainforest Reserve; Akromukru Transect at Akromukru Falls, Essequibo River, km 3.0–5.0. 18 March 1996.

4°20′N 58°30′W, elevation 70-90 m.

Collections: 1309-1334.

Dense forest on brown sand, with Chlorocardium, Carapa, Jessenia, Clathropis, Mora, Socratea, and Ischnosiphon.

Iwokrama Rainforest Reserve; 5 km transect, near Ladysmith Creek, Essequibo River. 19 March 1996.

4°17′4″N 58°30′28″W, elevation 75–100 m.

Collections: 1335-1347.

Dense forest on brown sand with Mora, Licana, Chlorocardium, Catostemma, Pinzona, and Bauhinia.

Iwokrama Rainforest Reserve; Essequibo River, near Ladysmith Creek. 19–21 March 1996.

4°17′4″N 58°30′28″W, elevation 65 m.

Collections: 1348-1396.

Riparian vegetation and dense forest on brown sand (with Mora, Clorocardium, and Catostemma).

Iwokrama Rainforest Reserve; Moco Moco II Creek, 20 mi. SW of Kurupukari on Kurupukari–Annai Road, near camp. 23 March 1996.

4°25′N 58°50′W, elevation 60 m.

Collections: 1397-1408.

Forest edge and interior on brown sand, with *Mora*, *Pentaclethra*, and *Carapa*.

Iwokrama Rainforest Reserve; Moco Moco II Creek, 20 mi. SW of Kurupukari on Kurupukari–Annai Road, 1 km NE of camp. 23 March 1996.

4°25′30″N 58°49′0″W, elevation 65 m.

Collections: 1409-1436.

Roadside vegetation, rock slope, and seasonally flooded dense forest on white sand with Mauritiella, Catostemma, Parinari, Symphonia, Oenocarpus, and Eperua.

Iwokrama Rainforest Reserve; near summit of unnamed peak, 20 mi. SW of Kurupukari on Kurupukari–Annai Road. 24 March 1996.

4°25′N 58°49′W, elevation 300 m.

Collections: 1437–1443.

Dense forest on brown sandy clay, with Symphonia and Chrysophyllum.

Iwokrama Rainforest Reserve; Turtle Pond transect, Essequibo River, km 0.1–3.5. 27–28 March 1996.

4°45′30″N 58°45′0″W, elevation 60 m.

Collections: 1444-1470.

Dense forest on brown sand with Mora, Licania, Pentaclethra, Carapa, Chlorocardium; swamp forest on brown sand with Mora, Carapa, Apeiba.

Iwokrama Rainforest Reserve; Turtle Pond transect, 1 km E of 2.4 km transect point. 28 March 1996.

4°45′N 58°44′W, elevation 60 m.

Collections: 1471–1479.

Near lake, seasonally inundated forest on brown sand, with *Inga*, *Eschweilera*, *Peltogyne*.

Iwokrama Rainforest Reserve; Turtle Pond transect, 0.5 km E of 0.9 km transect point. 28 March 1996.

4°45′0″N 58°44′30″W, elevation 60 m.

Collections: 1480-1483.

Near lake, seasonally flooded swamp forest on brown sand with rock outcroppings, with *Eperua*, *Astrocaryum*, *Diospyros*.

Iwokrama Rainforest Reserve; Turtle Pond camp, Essequibo River. 28 March 1996.

4°45′0″N 58°44′30″W, elevation 60 m.

Collections: 1484-1485.

Dense forest on brown sand with Mora and Aspidosperma.

Iwokrama Rainforest Reserve; Burro-Burro River transect, km 0–1.0, Sandstone. 30 March 1996.

4°23′16″N 58°55′2″W, elevation 65 m.

Collections: 1486–1516.

Dense forest on brown sand with Mora, Socratea, Chlorocardium and Nectandra; disturbed forest on rock outcroppings with Heliconia and Borreria.

Iwokrama Rainforest Reserve; Burro-Burro River, between Sandstone and confluence of Sipariparu River. 31 March 1996.

4°23′16″N 58°55′2″W, elevation 65 m.

Collections: 1517–1558.

Riparian vegetation.

Iwokrama Rainforest Reserve; Surama, transect heading NW from Kurupukari–Annai road, km 0.1–0.8. 3 April 1996.

4°14′N 59°0′W, elevation 70 m.

Collections: 1559-1566.

Dense forest on brown sand with 'komakaballi,' *Attalea*, *Oenocarpus*; and disturbed roadside vegetation on laterite with *Cecropia*, *Heliconia*, and *Trema*.

Iwokrama Rainforest Reserve; Annai, transect heading SE from Kurupukari–Annai road, km 0.1–1.2.

4°14′N 59°0′W, elevation 70 m. 4 April 1996.

Collections: 1567-1575.

Dense forest on brown sand, with *Phenakospermum*, *Euterpe*, *Goupia*, *Cieba*, *Cedrela*.

Iwokrama Rainforest Reserve; Surama. 5 April 1996. 4°9'N 59°4'W. elevation 70 m.

Collections: 1576–1604.

Savanna vegetation, with Trachypogon, Curatella, Byrsonima.

Omai, Toolsie Persaud Forest Concession. 12 April 1996. 5°31′48″N 58°41′52″W, elevation 45 m.

Collections: 1605-1611.

Dense forest on brown sand, with *Peltogyne*, *Licania*, *Oenocarpus*.

Tamour, 18 mi from Toolsie Persaud Forest Headquarters, Essequibo River. 13 April 1996.

5°36′57″N 58°45′0″W, elevation 50 m.

Collections: 1612–1632.

Dense forest on brown sand, with *Eschweilera*, *Mora*, *Eperua*.

Mabura Hill Forest Reserve; 13 km S of Mabura Hill. 14 April 1996.

5°10′2″N 58°42′44″W, elevation 60 m.

Collections: 1633-1638.

Dense forest on white sand, with Licania, Aspidosperma, Eperua.

TRIP 8: EASTERN KANUKU MOUNTAINS

COLLECTIONS: 1639-2069. 21 MAY-15 JUNE 1996

Dadanawa Ranch, near Ranch Compound. 22 May 1996.

2°50′N 59°31′W, elevation 100-120 m.

Collections: 1639–1670. Collected with T. McPherson. Savanna and gallery forest on sandy clay soil, with *Ziziphus*, *Anacardium* and *Trachypogon*.

Rupununi River landing, on trail from Dadanawa to Kotinarub Village. 23 May 1996.

2°50′N 59°31′W, elevation 100 m.

Collections: 1671–1704. Collected with T. McPherson. Gallery forest, with Cereus, Tabebuia and Astrocaryum; savanna and bush islands, with Curatella, Ruellia, Trachypogon, Byrsonima and Curatella.

Sand Creek Village; savanna N of village. 27 May 1996. 2°59'46"N 59°31'18"W, elevation 100 m.

Collections: 1705–1760. Collected with T. McPherson. Savanna vegetation on sandy clay soil with *Trachypogon*, *Curatella* and Cyperaceae; dense forest on brown sandy clay with *Bombax*, *Ficus* and *Aspidosperma*.

Sand Creek to Shea Village. 28 May 1996.

2°58′44″N 59°31′12″W, elevation 100 m.

Collections: 1761–1806. Collected with T. McPherson.

Savanna and scrub vegetation, with Curatella, Cochlospermum and Vitex.

Sand Creek (Katiwau Creek)–Rupununi River confluence. 29 May 1996.

2°58'N 59°31' W.

Collections: 1807–1812. Collected with T. McPherson. Gallery forest, with *Vitex*, *Astrocaryum* and *Inga*.

Rupununi River-Crabwood Creek confluence, 10 km E of camp, summit of unnamed peak. 30 May 1996.

3°10′N 59°24′ W.

Collections: 1813–1842. Collected with T. McPherson. Dense forest on brown sand, with *Clusia*, *Catostemma* and *Eschweilera*.

Makawatta massif, westernmost part. 31 May 1996. 3°5′24″N 59°26′43″W, elevation 250 m.

Collections: 1843–1864. Collected with T. McPherson. Area at and summit of unnamed peak.

Rupununi River-Crabwood Creek confluence. 1 June 1996.

3°10′37″N 59°24′16″W, elevation 100 m.

Collections: 1865–1875. Collected with T. McPherson. Area near camp.

Maparri River, at base of waterfall. 2 June 1996. 3°20′1.8″N 59°15′16.1″ W.

Collections: 1876–1879. Collected with T. McPherson. Dense forest on brown sand, with *Mora*, *Socratea* and *Licania*.

Maparri River, S bank, 0–6 km from camp at base of waterfall. 3 June 1996.

3°20′1.8″N 59°15′16.1″ W.

Collections: 1880–1928. Collected with T. McPherson. Dense forest and streamside vegetation on brown sand, with *Mora*, *Aspidosperma*, *Socratea* and *Euterpe*.

Maparri Creek, N side; opposite camp at base of waterfall. 4 June 1996.

3°20′1.8″N 59°15′16.1″ W.

Collections: 1929–2012. Collected with T. McPherson. Streamside vegetation and dense forest on brown sand, with *Ceiba*, *Virola* and *Aspidosperma*.

Maparri River, N side; 3–8 km ENE of camp at base of waterfall. 6 June 1996.

3°20′1.8″N 59°15′16.1″ W.

Collections: 2013–2035. Collected with T. McPherson. Dense forest on brown sand and laterite, with *Coura-*

tari, Manilkara and Parinari.

Maparri River, peak 3 km N of camp at base of waterfall. 7 June 1996.

3°20′28.9″N 59°14′47.4″ W.

Collections: 2036–2053. Collected with T. McPherson. Dense forest on brown sand with rock outcroppings, with *Manilkara*, *Lecythis* and *Oenocarpus*.

Maparri River, Small Mountain, 2 km S of camp at base of waterfall. 8 June 1996.

3°20′1.8″N 59°15′16.1″ W.

Collections: 2054–2068. Collected with T. McPherson. Dense forest on brown sand, with *Socratea, Pouteria* and *Manilkara*.

Rupununi River, 5 km S of confluence with Maparri River. 9 June 1996.

3°20′1.8″N 59°15′16.1″ W.

Collections: 2069–2069. Collected with T. McPherson. Riparian vegetation, with *Inga, Astrocaryum* and *Montrichardia*.

TRIP 9: KUYUWINI RIVER

COLLECTIONS: 2070-2469. 29 JUNE-30 JULY 1996

Lethem, 1–2 km S, on road to Macushi Village and Dadanawa. 30 June 1996.

3°28′N 59°40′W, elevation 120 m.

Collections: 2070–2083. Collected with S. Adkins; C. Bernard.

Gallery forest and savanna, with *Trachypogon*, *Curatella*, *Zizyphus* and *Vitex*.

Lethem, 0-1 km SE. 2 July 1996.

3°28′N 59°40′W, elevation 120 m.

Collections: 2084–2111. Collected with S. Adkins; C. Bernard.

Savanna, with Curatella, Trachypogon and Byrsonima.

Dadanawa Ranch; road E to Shea, 0–2 km from ranch compound. 5 July 1996.

2°50'N 59°30'W, elevation 130 m.

Collections: 2112–2123. Collected with S. Adkins; C. Bernard.

Savanna vegetation, with *Trachypogon*, *Anacardium* and *Curatella*.

Dadanawa Ranch, near compound; Nantun Bush Island, 0.5 km W of Rupununi River. 7 July 1996.

2°48'40"N 59°32'6"W, elevation 130 m.

Collections: 2122–2155. Collected with S. Adkins; C. Bernard.

Dense forest on brown sand with *Centrolobium*, *Inga*, *Hymenea* and *Acacia tenuifolia*; edge of bush island with *Bauhinia*, *Curatella* and *Lippia*.

Awarowau Creek, between Dadanawa and Aishalton. 8 July 1996.

2°40'N 59°20'W, elevation 140 m.

Collections: 2156–2159. Collected with S. Adkins; C. Bernard.

Savanna and gallery forest, with *Tibouchina*, *Vitex* and *Trachypogon*.

Dadanawa Ranch, Wariwau Outstation. 8 July 1996. 2°40′N 59°10′W, elevation 130 m.

Collections: 2160–2161. Collected with S. Adkins; C. Bernard.

Disturbed, open area near outstation buildings.

Aishalton, trail to Kuyuwini River, between Marudi Mountain. and Bat Mountain. 8 July 1996.

2°15′N 59°9′W, elevation 240 m.

Collections: 2162–2163. Collected with S. Adkins; C. Bernard.

Aishalton, trail to Kuyuwini River landing. 8 July 1996.

2°4'4"N 59°4'33"W, elevation 230 m.

Collections: 2164–2187. Collected with S. Adkins; C. Bernard.

Secondary vegetation in cleared area along river, brown sandy soil with *Cynodon*, *Caladium* and *Borreria*.

Aishalton, trail to Kuyuwini River landing, 0–2 km from landing, 14 July 1996.

2°4′4″N 59°4′33″W, elevation 230 m.

Collections: 2188–2205. Collected with S. Adkins; C. Bernard.

Dense forest on brown sandy clay, with *Heteropsis*, *Bactris* and *Socratea*.

Kuyuwini River, 0–10 km from Kuyuwini Landing. 15 July 1996.

2°4′4″N 59°4′33″W, elevation 230 m.

Collections: 2206–2235. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Kuyuwini River, between Aishalton-Marudi Mountain Landing and Karaudarnau-Parabara Savanna Landing. 16 July 1996.

2°4′36″N 59°10′57″W, elevation 240 m.

Collections: 2236–2236. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Parabara Landing, toward camp. 17 July 1996. 2°5′57″N 59°14′16″W, elevation 240 m.

Collections: 2237–2240. Collected with S. Adkins;

C. Bernard.

Riparian vegetation.

Kuyuwini River, 0–2 km NW of camp. 18 July 1996. 2°4′48″N 59°17′10″W, elevation 240 m.

Collections: 2241–2308. Collected with S. Adkins; C. Bernard.

Dense forest on brown sand, with *Socratea*, *Manilkara* and *Carvocar*.

Kuyuwini River, area near camp. 19 July 1996.

2°4′48″N 59°17′10″W, elevation 240 m.

Collections: 2309–2320. Collected with S. Adkins; C. Bernard.

Disturbed vegetation.

Kuyuwini River to Parabara Savanna trail; 0–5 km from camp. 20 July 1996.

2°5′21″N 59°17′12″W, elevation 250 m.

Collections: 2321–2329. Collected with S. Adkins; C. Bernard.

Dense forest on white sand, with Euterpe, Phenako-spermum and Manilkara.

Kuyuwini River to Parabara Savanna trail. 20 July 1996. 2°5′54″N 59°17′15″W, elevation 250 m.

Collections: 2330–2389. Collected with S. Adkins; C. Bernard.

Savanna vegetation on white sandy soil, with *Mauritia*, *Trachypogon* and *Humiria*.

Kuyuwini River, 0–5 km W of camp. 20 July 1996. 2°5′21″N 59°17′12″W, elevation 240 m.

Collections: 2390–2409. Collected with S. Adkins; C. Bernard.

Riparian vegetation.

Kuyuwini Landing to Marudi Mountain. trail, 0–3 km from Kuyuwini Landing. 22 July 1996.

2°4′2″N 59°4′33″W, elevation 240 m.

Collections: 2410–2410. Collected with S. Adkins; C. Bernard.

Dense forest on white sand, with Euterpe, Phenako-spermum and Attalea.

Marudi Mountain, camp along trail between Kuyuwini River and Marudi Mountain. 23 July 1996.

2°12′59″N 59°9′0″W, elevation 240 m.

Collections: 2411–2416. Collected with S. Adkins; C. Bernard.

Dense forest on brown sand, with Manilkara, Carapa and Oenocarpus.

Kuyuwini River to Marudi Mountain. trail; between Bat Mountain and camp. 24 July 1996.

2°12′59″N 59°9′0″W, elevation 260 m.

Collections: 2417–2431. Collected with S. Adkins; C. Bernard.

Dense forest on brown and white sand, with *Euterpe*, *Schefflera* and *Phenakospermum*.

Bat Mountain. 25 July 1996.

2°10′41″N 59°10′30″W, elevation 450 m.

Collections: 2432–2467. Collected with S. Adkins; C. Bernard.

Scrub and epilithic vegetation on granitic outcroppings, with *Clusia*, *Vitex* and *Melocactus*.

Marudi Mountain. to Aishalton trail, near Regis James' farm. 27 July 1996.

2°23′0″N 59°15′30″W, elevation 180 m.

Collections: 2468–2469. Collected with S. Adkins; C. Bernard.

Ecotone between forest and savanna ("bush mouth").

Dadanawa Ranch, in compound. 29 July 1996.

2°50′N 59°31′W, elevation 180 m.

Collections: 2469–2469. Collected with S. Adkins; C. Bernard.

Savanna and gallery forest on sandy clay soil, with Ziziphus, Anacardium and Trachypogon.

TRIP 10: IWOKRAMA

COLLECTIONS: 2470–2771. 17 SEPTEMBER-5 OCTOBER 1996

Iwokrama International Rainforest Reserve; Karupukari–Annai Road. 19 September 1996.

4°37′35″N 58°43′0″W, elevation 70 m.

Collections: 2470-2484.

Dense forest on brown sand, with *Licania*, *Eschweilera* and *Chlorocardium*.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, 0–3 km NW and SE of camp. 22 September 1996. 4°19′47″N 58°47′44″W, elevation 270 m.

Collections: 2485-2526.

Streamside vegetation, with Spathiphyllum, Gonzalagunia and Renealmia.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, summit of highest peak. 23 September 1996.

4°20′17″N 58°46′50″W, elevation 1,000 m.

Collections: 2527-2562...

Dense forest on brown sand with *Cordia, Rinorea* and *Lecythis*; edge of rock outcropping with *Clusia, Heliconia* and *Cecropia*.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, near top of unnamed peak. 24 September 1996. 4°20′28″N 58°47′16″W, elevation 700 m.

Collections: 2563-2580.

Dense forest on brown sand, with Aspidosperma, Caryocar and Pouteria.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, summit of unnamed peak. 26 September 1996. 4°18′36″N 58°48′46″W, elevation 800 m.

Collections: 2581-2631.

Dense forest on brown sand, with Aspidosperma, Moronobea, Scheelea, Cassia and Geonoma.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, creek S of camp. 29 September 1996.

4°19′15″N 58°48′38″W, elevation 400 m.

Collections: 2632-2633.

Dense forest on brown sand, with Mora, Carapa and Catostemma.

Iwokrama International Rainforest Reserve; Iwokrama Mountains, summit of unnamed peak. 29 September 1996. 4°18′36″N 58°48′46″W, elevation 800 m.

Collections: 2634-2651.

Dense forest on brown sand, with Aspidosperma, Moronobea, Scheelea, Cassia and Geonoma.

Kurupukari-Annai road, 28 miles from Kurupukari; Iwokrama International Rainforest Reserve. 30 September 1996.

4°20′32″N 58°50′57″W, elevation 60 m.

Collections: 2652-2671.

Scrub forest on white sand, with *Humiria*, *Pagamea* and Xyridaceae.

Turtle Mountain, summit; 3 km W of Essequibo River; Iwokrama International Rainforest Reserve. 1 October 1996.

4°43′55″N 58°44′2″W, elevation 270 m.

Collections: 2672-2689.

Scrub and epilithic vegetation on dolerite with *Passi-flora*, Myrtaceae and *Clusia*; semi-disturbed "liana forest" on brown sand with *Bauhinia*, *Swartzia* and *Cassia*.

Iwokrama Rainforest Reserve; transect: Essequibo River–summit of Turtle Mountain, 2–2.5 km W. of Essequibo River. 1 October 1996.

4°43′59″N 58°42′43″W, elevation 150–200 m.

Collections: 2690-2722.

Riparian vegetation and dense forest on brown sand, with *Pausandra*, *Eperua* and *Parinari*.

Iwokrama Rainforest Reserve; transect: Essequibo River–summit of Turtle Mountain, 0.6–1.7 km W. of Essequibo River. 2 October 1996.

4°43′59″N 58°42′43″W, elevation 150 m.

Collections: 2723–2729.

Dense forest on brown sand, with Carapa, Licania, Eperua, Mora and Pentaclethra.

Iwokrama Rainforest Reserve; transect: Essequibo River–summit of Turtle Mountain, 0.4 km W. of Essequibo River. 2 October 1996.

4°43′59″N 58°42′43″W, elevation 150 m.

Collections: 2730–2732.

Seasonally inundated forest on brown sand, with Carapa, Pentaclethra and Astrocaryum.

Iwokrama International Rainforest Reserve; Essequibo River, at Turtle Mountain. 2 October 1996.

4°43′59"N 58°42′43"W, elevation 60 m.

Collections: 2733–2753.

Riparian vegetation.

Iwokrama International Rainforest Reserve; Essequibo River, 0–5 km N of Tiger Creek. 3 October 1996. 4°32′30″N 58°35′0″W, elevation 60 m.

Collections: 2754-2771.

Rocky island in river and riparian vegetation with Myrcia, Astrocaryum and Psidium.

TRIP 11: GUNN'S STRIP, CHODIKAR, KAMOA, AND UPPER ESSEQUIBO RIVERS

COLLECTIONS: 2772–3378. 21 October–26 November 1996

Essequibo River, 1 km S of Gunn's Strip. 26 October 1996.

1°39'6"N 58°37'45"W, elevation 240 m.

Collections: 2772-2788.

Seasonally inundated forest along river, with *Inga*, *Astrocaryum*, and *Cassia*.

Chodikar River, 0–2 km SW of camp. 29 October 1996. 1°21′33″N 58°46′22″W, elevation 240 m.

Collections: 2789-2836.

Dense swamp forest on grey sandy clay, with *Euterpe*, *Scheelea*, and *Eperua*.

Chodikar River, W of river and E of Acarai Mountains. 31 October 1996.

1°20′56″N 58°48′12″W, elevation 250 m.

Collections: 2837-2858.

Dense swamp forest on brown sand, with *Euterpe*, *Eschweilera*, and *Eperua*.

Acarai Mountains. 2 November 1996.

1°20'44"N 58°48'51"W, elevation 300-600 m.

Collections: 2859-2901 and 3378.

Dense forest on brown sand, with Eperua, Eschweilera, and Pithecellobium.

Acarai Mountains. 3 November 1996.

1°20′13″N 58°50′4″W, elevation 530–610 m.

Collections: 2902-2936.

Dense forest on brown sand with *Socratea, Moronobea, Apeiba, Cassia*, and *Pithecellobium*; low canopy scrub forest on rock outcroppings (with *Erythroxylum*, Myrtaceae, and *Schefflera*.

Acarai Mountains, 0–1 km W of Chodikar Mountain. 4 November 1996.

1°20′13″N 58°50′55″W, elevation 530 m.

Collections: 2937-2972.

Dense forest on brown sand, with Moronobea, Swartzia, and Socratea.

Kamoa Mountains, 2 km N of camp on Kamoa River. 9 November 1996.

1°32′50″N 58°50′4″W, elevation 520 m.

Collections: 2973-3001.

Scrub forest on granitic outcroppings, with *Schefflera*, *Miconia*, and *Clusia*.

Kamoa River, 0–6 km W of camp. 9 November 1996. 1°31′50″N 58°49′40″W, elevation 270 m.

Collections: 3002–3040.

Riparian vegetation.

Kamoa Mountains, just below summit; 2 km N of camp on Kamoa River. 10 November 1996.

1°32′50″N 58°50′4″W, elevation 450 m.

Collections: 3041–3076.

Dense forest on brown sand and granitic boulders, with *Bactris*, Clusiaceae, and Myrtaceae.

Kamoa Mountains, 0–2 km N of camp on Kamoa River. 11 November 1996.

1°31′50″N 58°49′40″W, elevation 240 m.

Collections: 3077–3113.

Dense forest on brown sand with *Socratea*, Vochysiaceae, *Eschweilera*, *Bactris*, and *Eperua*; semi-open canopy forest on poorly drained white sand with *Mauritiella*, *Scheelea*, and Clusiaceae.

Kamoa Mountains, 2 km S of Kamoa River. 12 November 1996.

1°31'4"N 58°48'54"W, elevation 450 m.

Collections: 3114-3132.

Dense forest on brown sand and granitic boulders, with Scheelea, Clusia, and Sloanea.

Kamoa Mountains, 1.5 km S of Kamoa River. 12 November 1996.

1°31′8″N 58°49′45″W, elevation 400 m.

Collections: 3133-3183.

Dense forest on brown sand with rock outcroppings, with *Sloanea*, *Oenocarpus*, and *Phenakospermum*.

Kamoa Mountains, 2 km S of Kamoa River. 13 November 1996.

1°31′4″N 58°48′54″W, elevation 450 m.

Collections: 3184-3207.

Dense forest on brown sand and granitic boulders, with *Scheelea*, *Clusia*, and *Sloanea*.

Essequibo River, 4 km N of abandoned Konashen Village and Konashen Rapids and W of Mount Zibingatzako. 16 November 1996.

1°35′23″N 58°37′44″W, elevation 240 m.

Collections: 3208-3223.

Dense forest on brown sand, with Oenocarpus, Sloanea, and Pithecellobium.

Essequibo River, area 4 km N of Konashen Rapids and Mount Zibingatzako. 17 November 1996.

1°35′3″N 58°36′35″W, elevation 240-260 m.

Collections: 3224-3244.

Dense forest on brown sand, with *Pithecellobium*, and *Bactris*.

Onoro Mountains, 4 km SW of Mount Zibingatzako, summit of unnamed peak. 18 November 1996.

1°34′14″N 58°33′47″W, elevation 610 m.

Collections: 3245-3264.

Scrub forest on rock outcroppings, with Clusia, Ouratea, and Vismia.

Essequibo River, between camp (at confluence of Essequibo River and Onoro Creek) and Konashen Rapids. 18 November 1996.

1°35′23″N 58°37′44″W, elevation 240 m.

Collections: 3265–3312.

Riparian vegetation.

Essequibo River, 0–1 km E of camp on Essequibo, 4 km N of abandoned Konashen Village and Konashen Rapids. 19 November 1996.

1°35′23″N 58°37′44″W, elevation 250 m.

Collections: 3313–3367.

Riparian vegetation and dense forest on brown sand with *Ruizterania*, *Socratea*, and *Jacaranda*.

Onoro Mountains, 4 km SW of Zibingatzako Mountain, summit of unnamed peak. 20 November 1996.

1°34′2″N 58°33′53″W, elevation 610 m.

Collections: 3368-3377.

Scrub forest on granitic outcroppings, with *Clusia*, Myrtaceae, and *Scleria*.

TRIP 12: KWITARO AND UPPER REWA RIVERS

COLLECTIONS: 3379–4079. 2 FEBRUARY–7 MARCH 1997

Kwitaro River; landing at terminus of trail from Shea Village. 7 February 1997.

2°54′40″N 58°58′25″W, elevation 135 m.

Collections: 3379-3411.

Forest edge on brown alluvial sand; with *Bauhinia*, *Licania* and *Costus*.

Rewa River; near camp at Great Falls. 10 February 1997.

3°10′40″N 58°40′25″W, elevation 90 m.

Collections: 3412-3467.

Dense forest on brown sandy clay; with Ceiba, Maximiliana and Euterpe.

Rewa River; gorge below Great Falls. 11 February 1997. 3°10′40″N 58°40′25″W, elevation 90 m.

Collections: 3468-3545.

Dense forest and riparian vegetation on brown sand with granite outcropping; with *Ceiba*, *Ananas* and *Combretum*.

Rewa River; area near Great Falls. 12 February 1997. 3°10′40″N 58°40′25″W, elevation 90 m.

Collections: 3546–3583.

Dense forest and riparian vegetation on brown sand and granite outcropping; with *Ceiba*, *Pachira* and *Psidium*.

Rewa River; island above Great Falls. 13 February 1997. 3°10′40″N 58°40′25″W, elevation 90 m.

Collections: 3584-3588.

Riparian vegetation on granitic outcroppings; with *Jacaranda*, *Psidium* and *Myrcia*.

Rewa River; area near Bamboo Falls. 15 February 1997. 3°9′3″N 58°37′31″W, elevation 120 m.

Collections: 3589-3599.

Dense forest and riparian vegetation on granite outcroppings and brown sand; with *Jacaranda*, *Pithecello*bium and *Ceiba*.

Rewa River; forest between camp and unnamed mountain. 5.6 km W of camp. 17 February 1997.

2°59'6"N 58°35'32"W, elevation 150 m.

Collections: 3600-3670.

Dense forest on brown sand; with Mora, Carapa, Euterpe, Pithecelobium, Aspidosperma, Maximilana and Ocotea.

Rewa River; summit of unnamed peak, 5.6 km W of camp. 19 February 1997.

2°58'49"N 58°38'27"W, elevation 400 m.

Collections: 3671–3723.

Medium canopy semi-open forest on brown sand; and scrub forest on granite outcroppings.

Rewa River; forest 4 km W of camp, between camp and unnamed mountain. 20 February 1997.

2°59'6"N 58°35'32"W, elevation 180 m.

Collections: 3724–3726.

Dense forest on brown sand; with Mora, Catostemma and Maximiliana.

Rewa River; summit of unnamed mountain, 5.6 km W of camp. 20 February 1997.

2°58′49″N 58°38′27″W, elevation 180 m.

Collections: 3727-3738.

Scrub forest on granite, with Clusia, Erythroxylum and Mimosa.

Rewa River; 0–5 km S of camp. 20 February 1997. 2°59′6″N 58°35′32″W, elevation 150 m.

Collections: 3739–3769.

Riparian vegetation.

Rewa River; 0–2 km S of camp. 21 February 1997. 2°59′6″N 58°35′32″W, elevation 150 m.

Collections: 3770-3838.

Dense forest on brown sand; with Mora, Carapa and Pithecellobium.

Rewa River; Bush Cow Falls. 22 February 1997.

3°7'44"N 58°38'2"W, elevation 135 m.

Collections: 3839-3839.

Rheophytic and riparian vegetation; with Mourera, Psidium and Jacaranda.

Rewa River; Iguana Falls. 22 February 1997.

3°5′31″N 58°37′47″W, elevation 135 m.

Collections: 3840-3840.

Rheophytic and riparian vegetation; with Mourera, Psidium and Jacaranda.

Rewa River; Great Falls. 23 February 1997.

3°10′40″N 58°40′25″W, elevation 90 m.

Collections: 3841-3842.

Riparian vegetation; with Ceiba, Inga and Jacaranda.

Rewa River; at confluence of Kwitaro River. 25 February 1997.

3°17′22″N 58°45′7″W, elevation 90 m.

Collections: 3843-3899.

Successional gradient on sand levee along river and semi-disturbed "liana forest"; with *Acacia*, *Heliconia* and *Cecropia*.

Rewa River; 0–5 km S of confluence with Kwitaro River. 25 February 1997.

3°17′22″N 58°45′7″W, elevation 90 m.

Collections: 3900–3937. Riparian vegetation.

Rewa River; 0–1 km E of camp at confluence of Kwitaro River. 26 February 1997.

3°17'22"N 58°45'7"W, elevation 90-150 m.

Collections: 3938-3959.

Dense forest on brown sand with granite boulders; with Catostemma, Licania and Duguetia.

Rewa River; 0–5 km N of confluence of Rewa and Kwitaro Rivers. 26 February 1997.

3°17'22"N 58°45'7"W, elevation 90 m.

Collections: 3960-3990.

Riparian vegetation.

Kwitaro River; 0–1 km W of landing at end of trail from Shea Village. 1 March 1997.

2°54′40″N 58°58′25″W, elevation 135 m.

Collections: 3991-4016.

Dense forest on brown sand; with Mora, Eschweilera and Ceiba.

Kwitaro River; 0–4 km W of landing at end of trail from Shea Village. 1 March 1997.

2°54′40″N 58°58′25″W, elevation 135 m.

Collections: 4017–4052.

Riparian vegetation.

Kwitaro River; 0–4 km S of landing at end of trail from Shea Village. 2 March 1997.

2°54′40″N 58°58′25″W, elevation 135 m.

Collections: 4053-4079.

Riparian vegetation.

TRIP 13: IWOKRAMA

COLLECTIONS: 4080-4351, 16-30 MARCH 1997

Iwokrama Rainforest Reserve. Karupukari, 3 miles SW on Karupukari-Annai Road, 5 km long transect. 17 March 1997.

4°37′35″N 58°43′0″W, elevation 70 m.

Collections: 4080–4090. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with *Chlorocardium*, *Eperua* and *Licania*.

Iwokrama Rainforest Reserve. Karupukari, 20 miles SW on Karupukari-Annai Road.

4°25′N 58°50′W, elevation 65 m.

Collections: 4091–4094. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with Mora, Eschweilera and Pentaclethra.

Iwokrama Rainforest Reserve. Karupukari–Annai Road, summit of unnamed peak at end of 5 km transect. 19 March 1997.

4°28′14″N 58°47′16″W, elevation 700 m.

Collections: 4095–4131. Collected with S. Mori; S. Heald.

Dense forest on brown sand with rock outcroppings; with *Chrysophyllum*, *Caryocar* and *Catostemma*.

Iwokrama Rainforest Reserve. Karupukari-Annai Road, below summit of unnamed peak. 20 March 1997.

4°28′14″N 58°47′16″W, elevation 500-600 m.

Collections: 4132–4182. Collected with S. Mori; S. Heald.

Dense forest on brown sand and laterite; with Caryocar, Sloanea and Aparisthmium.

Iwokrama Rainforest Reserve. Karupukari–Annai Road, lower slopes of unnamed peak. 22 March 1997.

4°28′14″N 58°47′16″W, elevation 200–400 m.

Collections: 4183–4194. Collected with S. Mori; S. Heald.

Dense forest on brown sand, laterite, and granite boulders; with *Sloanea*, *Pentaclethra* and *Eschweilera*.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 0–1 km SE of camp at bottom of gorge. 24 March 1997. 4°20′15″N 58°48′37″W, elevation 75–150 m.

Collections: 4195–4239. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with Mora, Chlorocardium and Trichilia.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 1–2 km SE of camp at bottom of gorge. 25 March 1997.

4°20′15″N 58°48′37″W, elevation 150–200 m.

Collections: 4240–4284. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with Mora, Eschweilera and Chlorocardium.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 2–3 km SE of camp at bottom of gorge. 26 March 1997. 4°20′15″N 58°48′37″W, elevation 200–225 m.

Collections: 4285–4328. Collected with S. Mori; S. Heald.

Dense forest on brown sand and granitic boulders; with Cassia, Carapa and Sloanea.

Iwokrama Rainforest Reserve. Iwokrama Mountains, 4.5 km transect from Karupukari–Annai Road to camp. 27 March 1997.

4°20′15″N 58°48′37″W, elevation 60 m.

Collections: 4329–4351. Collected with S. Mori; S. Heald.

Dense forest on brown sand; with Mora, Carapa and Socratea.

TRIP 14: KUYUWINI AND KASSIKAITYU RIVERS

COLLECTIONS: 4352-5164. 27 APRIL-6 JUNE 1997

Parabara Savanna, S of Karaudarnau Village. 3 May 1997.

2°11′55″N 59°22′15″W, elevation 270 m.

Collections: 4352-4352.

Savanna vegetation on white sandy clay, with *Trachypogon*, *Paepalanthus* and Cyperaceae.

Kuyuwini River, C. Mingle farm near river landing, at end of trail from Parabara Savanna and Karaudarnau. 6 May 1997.

2°5′41″N 59°14′25″W, elevation 240 m.

Collections: 4353–4361.

Disturbed vegetation and secondary forest on brown sand, with *Cecropia*, *Trema* and *Solanum*.

Kuyuwini River, trail from river to Kassikaityu, 0–2 km S of Charlie Mingle farm. 6 May 1997.

2°5′41″N 59°14′25″W, elevation 240 m.

Collections: 4362-4400.

Dense forest on brown sand with *Oenocarpus*, *Licania* and *Maximiliana*; dense forest on white sand with *Catostemma*, *Socratea* and *Oenocarpus*.

Kuyuwini River, trail from river to Parabara Savanna and Karaudarnau Village, 0–2 km N of landing. 7 May 1997.

2°5′56"N 59°14′58"W, elevation 240 m.

Collections: 4401–4446.

Kuyuwini River, trail to Kassikaityu River, 0–1 km S of camp at Honey Creek. 10 May 1997.

1°58′N 59°9′W, elevation 260 m.

Collections: 4447–4475.

Dense swamp forest on white sand, with *Euterpe*, *Catostemma* and *Protium*.

Kuyuwini River, trail to Kassikaityu River, 1–2 km S of camp at Honey Creek. 11 May 1997.

1°58'N 59°9'W, elevation 260 m.

Collections: 4476-4500.

Kuyuwini River, trail to Kassikaityu River, 2–3 km S of camp at Honey Creek. 13 May 1997.

1°58′N 59°9′W, elevation 260 m.

Collections: 4501-4541.

Dense forest on brown sand, with *Sloanea*, *Maximiliana* and *Herrania*.

Kuyuwini River, trail to Kassikaityu River, area near camp at Anteater Head Creek. 15 May 1997.

1°55′39″N 59°6′58″W, elevation 260 m.

Collections: 4542–4581.

Dense forest on brown sand, with Bertholettia, Sloanea and Maximiliana.

Kuyuwini River, trail to Kassikaityu River, 0–1 km S of camp at Anteater Head Creek. 16 May 1997.

1°55′39″N 59°6′58″W, elevation 260 m.

Collections: 4582-4613.

Dense forest on brown sand, with Euterpe, Sloanea and Bertholettia.

Kassikaityu River, 0–1 km N of landing at terminus of trail from Kuyuwini River. 18 May 1997.

1°50′27″N 59°5′0″W, elevation 240 m.

Collections: 4614-4679.

Inundated forest with Myrtaceae, Astrocaryum and Inga; dense forest on brown sand with Phenakospermum, Catostemma and Maximiliana.

Kassikaityu River, 1–3 km N of landing at terminus of trail from Kuyuwini River. 19 May 1997.

1°50′27″N 59°5′0″W, elevation 240 m.

Collections: 4680-4721.

Inundated forest with Astrocaryum, Pachira and Myrtaceae; dense forest on brown sand with Bertholettia, Eschweilera and Oenocarpus.

Kassikaityu River, 3–4 km N of landing at terminus of trail from Kuyuwini River. 20 May 1997.

1°50′27″N 59°5′0″W, elevation 240 m.

Collections: 4722-4754.

Dense forest on brown sand with *Pouteria*, *Apeiba*, *Bertholettia* and *Oenocarpus*; scrub vegetation on granite with *Clusia*, *Ananas* and Myrtaceae.

Kassikaityu River, 0–4 km W of landing at terminus of trail from Kuyuwini River. 20 May 1997.

1°50′27″N 59°5′0″W, elevation 240 m.

Collections: 4755-4802.

Riparian vegetation.

Kassikaityu River, 3–4 km N of landing at terminus of trail from Kuyuwini River. 21 May 1997.

1°50′27″N 59°5′0″W, elevation 240 m.

Collections: 4803-4824.

Dense forest on brown sand with *Pouteria, Apeiba, Bertholettia* and *Oenocarpus*; scrub vegetation on granite with *Clusia, Ananas* and Myrtaceae.

Kassikaityu River, 0–3 km E of landing at terminus of trail from Kuyuwini River. 21 May 1997.

1°50′27″N 59°5′0″W, elevation 240 m.

Collections: 4825-4864.

Riparian vegetation.

Kassikaityu River, forest between camp and unnamed outlier of Kamoa Mountains, 5 km S of camp. 23 May 1997. 1°49′17″N 58°44′6″W, elevation 240 m.

Collections: 4865-4904.

Dense forest on brown sand, with *Inga*, *Eperua* and *Euterpe*.

Kamoa Mountains.; summit of unnamed outlier, 5 km S of camp on Kassikaityu River. 24 May 1997.

1°47'22"N 58°44'18"W, elevation 490 m.

Collections: 4905-4940.

Dense forest on brown sand and granite outcroppings, with *Aspidosperma*, *Erythroxylum* and *Symphonia*.

Kamoa Mountains.; near summit of unnamed outlier, 5 km S of camp on Kassikaityu River. 25 May 1997.

1°47′22″N 58°44′18″W, elevation 450-490 m.

Collections: 4941-4960.

Dense forest on brown sand and granite outcroppings, with *Aspidosperma*, *Erythroxylum* and *Symphonia*.

Kassikaityu River; 0–5 km E of camp. 26 May 1997. 1°49′17″N 58°44′6″W, elevation 240 m.

Collections: 4961–5002. Riparian vegetation.

Kamoa Mountains.; N slopes of unnamed outlier, 5 km S of camp on Kassikaityu River. 26 May 1997.

1°47′22″N 58°44′18″W, elevation 300–450 m.

Collections: 5003-5022.

Dense forest on brown sand and granite boulders, with Hevea, Bauhinia and Erythroxylum.

Kassikaityu River, 1 km S of camp. 26 May 1997.

1°49′17″N 58°44′6″W, elevation 240 m.

Collections: 5023-5024.

Swamp forest with *Euterpe*, *Eschweilera* and *Bactris*; terre firme forest with *Eperua*, *Eschweilera* and *Bactris*.

Kassikaityu River; 5–8 km E of camp. 26 May 1997. 1°49′17″N 58°44′6″W, elevation 240 m.

Collections: 5025-5048.

Riparian vegetation.

Kuyuwini River; 0–5 km W of landing at terminus of trail from Karaudarnau and Parabara Savanna. 31 May 1997.

2°5′56″N 59°14′58″W, elevation 240 m.

Collections: 5049-5085.

Riparian vegetation.

Parabara Savanna; trail from Karaudarnau to Kuyuwini River. 1 June 1997.

2°11′58″N 59°22′14″W, elevation 270 m.

Collections: 5086-5131.

Dadanawa Ranch, in ranch compound. 4 June 1997. 2°49′31″N 59°31′31″W, elevation 120 m.

Collections: 5132–5133.

Tautowan Mountain.; base and slopes, 10 km E of Dadanawa Ranch Compound. 4 June 1997.

2°49′24″N 59°25′46″W, elevation 150-260 m.

Collections: 5134-5162.

Scrub forest on laterite and granite outcroppings, with Zanthoxylum, Chochlospermum, and Cnidoscolus.

TRIP 15: WAUKAUYENGTIPU AND PARUIMA

COLLECTIONS: 5165-6174. 29 JUNE-29 JULY 1997

Paruima, 5 km W; near camp on trail to Ararata savanna. 2 July 1997.

5°48′25″N 61°6′6″W, elevation 685 m.

Collections: 5165–5228. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on brown sand, with Mora gongrijppii, Sloanea and Carapa.

Paruima, 9 km W; Ararata scrub area. 3 July 1997. 5°49′36″N 61°8′40″W, elevation 800 m.

Collections: 5229–5356. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Scrub forest on white sand, with Clusia, Paepalanthus, Cladonia, Pagamea, and Humiria.

Paruima, 9 km W; 0.2-0.5 km E of Ararata scrub area. 5 July 1997.

5°49'36"N 61°8'40"W, elevation 780 m.

Collections: 5357–5404. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on brown sand, with *Micrandra*, *Eperua* and *Cassia*.

Paruima, 9 km W; 0.5-1.0 km E of Ararata scrub area. 6 July 1997.

5°49'36"N 61°8'40"W, elevation 780 m.

Collections: 5405–5453. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on brown sand, with Aspidosperma, Eperua and Licania.

Paruima, 11 km W; between Ararata scrub area and Waukauyengtipu. 7 July 1997.

5°49'36"N 61°9'19"W, elevation 850 m.

Collections: 5454–5484. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on white sand, with Eperua, Dimorphandra and Dicymbe.

Paruima, 12 km W; between Ararata scrub area and Waukauyengtipu. 8 July 1997.

5°49′30″N 61°10′0″W, elevation 850 m.

Collections: 5485–5513. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on white sand, with *Sloanea*, *Eperua* and *Dicymbe*.

Waukauyengtipu; area near camp at base. 9 July 1997. 5°49′30″N 61°11′15″W, elevation 1,140 m.

Collections: 5514–5521. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense forest on white sand, with *Licania*, *Micrandra* and *Socratea*.

Waukauyengtipu, slope. 10 July 1997.

5°49′30″N 61°11′40″W, elevation 1,300 m.

Collections: 5522–5559. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Cloud forest on white sand and sandstone, with Geonoma, Clusia and Catostemma.

Waukauyengtipu, eastern summit. 10 July 1997.

5°49'44"N 61°11'43"W, elevation 1,570 m.

Collections: 5560–5583. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Cloud forest on white sand and sandstone, with Weinmannia, Symbolanthus and Clusia.

Paruima, 15 km W; camp near eastern summit of Waukauyengtipu. 12 July 1997.

5°49′57″N 61°12′0″W, elevation 1,525 m.

Collections: 5584–5589. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Cloud forest on sandstone and peat, with Clusia, Schefflera and Bonnetia.

Paruima, 15 km W; eastern edge of Waukauyengtipu. 12 July 1997.

5°49'44"N 61°11'43"W, elevation 1,570 m.

Collections: 5590–5690. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Cloud forest on sandstone and peat, with Weinmannia, Bonnetia, Schefflera and Clusia.

Paruima, 15 km W; 0.25 km W of camp near eastern summit of Waukauyengtipu. 15 July 1997.

5°49′57″N 61°12′0″W, elevation 1,525 m.

Collections: 5691–5730. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense tepui scrub forest on sandstone and peat, with *Euterpe*, *Clusia* and *Bonnetia*.

Paruima, 15 km W; 0.25 km E of camp near eastern summit of Waukauyengtipu. 15 July 1997.

5°49′57″N 61°12′0″W, elevation 1,525 m.

Collections: 5731–5739. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Cloud forest on peat and sandstone, with *Podocar*pus, Euterpe and Sloanea.

Paruima, 15 km W; 1.5 km W of camp near eastern summit of Waukauyengtipu. 16 July 1997.

5°49′57″N 61°12′0″W, elevation 1,525 m.

Collections: 5740–5767. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense tepui scrub forest on sandstone and peat, with *Clusia, Bonnetia* and *Schefflera*.

Paruima, 17 km W; 3 km W of eastern summit of Waukauyengtipu. 17 July 1997.

5°49′51″N 61°13′16″W, elevation 1,430 m.

Collections: 5768–5808. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Dense tepui scrub forest on white sand and sandstone, with *Bonnetia*, *Clusia* and *Euterpe*.

Paruima, 20 km W; wet savanna on Waukauyengtipu. 17 July 1997.

5°49′58″N 61°14′5″W, elevation 1,430 m.

Collections: 5809–5927. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Savanna vegetation, with *Brocchinia*, *Heliamphora* and *Xyris*.

Paruima, 2.5 km W of camp 17 km W of Paruima; near eastern summit of Waukauyengtipu. 18 July 1997.

5°49′51″N 61°13′16″W, elevation 1,430 m.

Collections: 5815–5815. Collected with T. Hollowell; K. David; C. Chin; C. Perry.

Tepui scrub vegetation, with Bonnetia, Podocarpus and Clusia.

Paruima, 1.5 km S; summit of Konuktipu. 22 July 1997. 5°48′4″N 61°3′25″W, elevation 690 m.

Collections: 5928–5965. Collected with K. David; C. Chin; C. Perry.

Dense forest on laterite, with *Pentaclethra*, *Aparisthmium* and *Eperua*.

Paruima, 1.5 km N; summit of Warimatipu. 23 July 1997. 5°50′2″N 61°3′56″W, elevation 880 m.

Collections: 5966–5989. Collected with K. David; C. Chin; C. Perry.

Dense forest on laterite and granite outcroppings, with Aspidosperma, Caryocar and Eperua.

Paruima, 1.5 km N; slopes of Warimatipu below summit. 23 July 1997.

5°50′2″N 61°3′56″W, elevation 840 m.

Collections: 5990–6033. Collected with K. David; C. Chin; C. Perry.

Semi-disturbed forest on brown sand, with *Pentaclethra*, *Humiria* and *Cecropia*.

Paruima, 1–3 km S; Kamarang River, trail to Illubia Creek, near trail to Utshi Savanna and Venezuela. 24 July 1997.

5°47′49″N 61°3′57″W, elevation 500 m.

Collections: 6034–6051. Collected with K. David; C. Chin; C. Perry.

Dense forest on brown sand, with Apeiba, Pentacle-thra and Eschweilera.

Paruima, 1–3 km S; Illubia Creek, 0.5 km E of confluence with Kamarang River. 24 July 1997.

5°47′49″N 61°3′57″W, elevation 500 m.

Collections: 6052–6088. Collected with K. David; C. Chin; C. Perry.

Dense forest on brown sand and granite outcroppings, with *Sloanea*, *Brownea* and *Pentaclethra*.

Paruima, 5 km N; Auratoi Savanna. 25 July 1997. 5°51′8″N 61°5′5″W, elevation 760 m.

Collections: 6089–6139. Collected with K. David; C. Chin; C. Perry.

Savanna vegetation on white sand and sandstone, with *Pteridium*, *Trachypogon* and *Brysonima*.

Paruima River, 0–1 km N of confluence with Kamarang River. 27 July 1997.

5°48′54″N 61°3′42″W, elevation 500 m.

Collections: 6140–6174. Collected with K. David; C. Chin; C. Perry.

Riparian vegetation.

TRIP 16: KWITARO AND REWA RIVERS AND EASTERN KANUKU MOUNTAINS AND MAKARAPAN MOUNTAIN

COLLECTIONS: 6175–7048. 5 SEPTEMBER-6 OCTOBER 1997

Shea Rock; 1 km N of Shea Village. 7 September 1997. 2°49′51″N 59°9′18″W, elevation 330 m.

Collections: 6175–6187. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Scrub vegetation on granite monolith, with *Cnidoscolus*, *Furcraea* and *Mimosa*.

Kwitaro Landing; at terminus of trail from Shea Village. 10 September 1997.

2°54′39″N 58°58′19″W, elevation 120 m.

Collections: 6188–6216. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest and disturbed vegetation on brown sand, with *Uncaria*, *Vitex* and *Ceiba*.

Kwitaro Landing; 0–0.5 km W. on trail to Shea Village. 11 September 1997.

2°54′39″N 58°58′19″W, elevation 120 m.

Collections: 6217–6233. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Ceiba*, *Maximiliana* and *Rinorea*.

Kwitaro Landing; 0.5–1.5 km W. on trail to Shea Village. 12 September 1997.

2°54'39"N 58°58'19"W, elevation 120 m.

Collections: 6234–6258. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Inga*, *Maximiliana* and *Ceiba*.

Kwitaro River; 0–2 km N of landing at terminus of trail from Shea Village. 12 September 1997.

2°54′39″N 58°58′19″W, elevation 120 m.

Collections: 6259-6282. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation.

Kwitaro River; 1–2 km W of camp. 15 September 1997. 3°10′18″N 58°49′44″W, elevation 90 m.

Collections: 6283–6328. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Catostemma*, *Ceiba* and *Clathrotropis*.

Kwitaro River; area between river and eastern Kanuku Mountains. 16 September 1997.

3°10′18″N 58°49′44″W, elevation 90 m.

Collections: 6329–6352. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand, with *Bertholettia*, *Maximiliana* and *Eschweilera*.

Eastern Kanuku Mountains, lower slopes of unnamed mountain. 16 September 1997.

3°11′22″N 58°51′18″W, elevation 200 m.

Collections: 6353–6364. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand and granite boulders, with Sloanea, Eschweilera and Moronobea.

Eastern Kanuku Mountains, 5 km W of Kwitaro River, below summit of unnamed mountain. 17 September 1997. 3°11′22″N 58°51′18″W, elevation 380 m.

Collections: 6365–6368. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand and granite boulders, with *Sloanea*, *Eschweilera* and *Moronobea*.

Eastern Kanuku Mountains, 5 km W of Kwitaro River, summit of unnamed mountain. 17 September 1997. 3°11′22″N 58°51′18″W, elevation 560 m.

Collections: 6369–6419. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Scrub forest on granite outcropping, with Clusia, Erythroxylum and Sloanea.

Kwitaro River, 0–5 km S of camp. 17 September 1997. 3°10′18″N 58°49′44″W, elevation 90 m.

Collections: 6420–6459. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise. Riparian vegetation.

Eastern Kanuku Mountains, 5 km W of Kwitaro River, summit of unnamed peak. 18 September 1997.

3°11′22″N 58°51′18″W, elevation 560 m. Collections: 6460–6492. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Kwitaro River, 0-5 km N of camp. 18 September 1997. $3^{\circ}10'18''$ N $58^{\circ}49'44''$ W, elevation 90 m.

Collections: 6493-6539. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise. Riparian vegetation.

Rewa River, at Great Falls. 20 September 1997. 3°10′38″N 58°40′36″W, elevation 90 m. Collections: 6540–6606. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Riparian vegetation on granite outcroppings, with Ceiba, Ananas, and Mourera.

Rewa River, 0–5 km S of Great Falls. 20 September 1997. 3°10′38″N 58°40′36″W, elevation 90 m.

Collections: 6607-6671. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise. Riparian vegetation.

Rewa River, 1 km S of camp. 24 September 1997. 3°48′35″N 58°46′20″W, elevation 75 m. Collections: 6672–6696. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Seasonally flooded forest on brown sand, with *Mora*, *Maximiliana* and *Duguetia*.

Rewa River, between camp and confluence of Rewa with Rupununi River. 25 September 1997.

3°48′35″N 58°46′20″W, elevation 75 m.

Collections: 6697-6737. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise. Riparian vegetation.

Rupununi River, between Kwattamang Landing and Rewa Village. 29 September 1997.

3°56′59"N 58°52′3"W, elevation 100 m.

Collections: 6738-6813. Collected with C. Watson;

R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Semi-disturbed forest on brown sand, with Mora, Maximiliana and Cecropia.

Makarapan Mountain, southern false summit. 29 September 1997.

3°57′55″N 58°51′58″W, elevation 870 m.

Collections: 6814–6904. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Scrub forest on granite outcroppings, with *Clusia*, *Erythroxylum* and Myrtaceae.

Makarapan Mountain, at base of southern side, 0–1 km S of camp. 29 September 1997.

3°56′59″N 58°52′3″W, elevation 100 m.

Collections: 6905–6962. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Semi-disturbed forest on brown sand with *Cecropia*, *Mora* and *Maximiliana*; savanna vegetation on white sandy clay with *Byrsonima*, *Curatella* and *Paepalanthus*.

Makarapan Mountain, upper slopes, below southern false summit. 2 October 1997.

3°57′55″N 58°51′58″W, elevation 760 m.

Collections: 6963–6983. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Dense forest on brown sand and granite outcroppings, with *Sloanea*, *Manilkara* and *Moronobea*.

Makarapan Mountain, 1–2 km S of camp at base of southern side of mountain. 2 October 1997.

3°56′59″N 58°52′3″W, elevation 100 m.

Collections: 6984–7034. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Savanna and scrub vegetation on white sandy clay, with *Byrsonima*, *Curatella* and *Paepalanthus*.

Makarapan Mountain, upper slopes, below false summit. 3 October 1997.

3°57′55″N 58°51′58″W, elevation 450–550 m.

Collections: 7035–7048. Collected with C. Watson; R. Williams; C. Perry; J. Clarke; K. Hurtubise.

Savanna and scrub vegetation on white sandy clay, with *Byrsonima*, *Curatella* and *Paepalanthus*.

TRIP 17: ACARAI MOUNTAINS-SIPU RIVER

COLLECTIONS: 7049–7888. 18 AUGUST–18 SEPTEMBER 1998

Gunn's Strip. 18 August 1998.

1°39′6″N 58°37′41″W, elevation 240 m.

Collections: 7049–7068. Collected with R. Williams; C. Perry.

Secondary forest, semi-open on gray sandy clay, with Oenocarpus, Macrolobium and Licania.

Sipu River, camp. 22 August 1998. 1°25′17″N 58°57′7″W, elevation 240 m. Collections: 7069–7081. Collected with R. Williams; C. Perry.

Dense, seasonally flooded forest on gray sand, with *Aspidosperma* and *Euterpe*.

Sipu River, between camp and Acarai Mountains. 23 August 1998.

1°24′34″N 58°57′0″W, elevation 245 m.

Collections: 7082–7113. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy soil, with *Isertia*, *Oenocarpus* and *Duguetia*.

Acarai Mountains, lower slopes, 4 km S of Sipu River. 24 August 1998.

1°23′14″N 58°56′45″W, elevation 290 m.

Collections: 7114–7130. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with Virola, Parkia and Bactris.

Sipu River, near camp. 25 August 1998.

1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7131–7132. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy clay, with Eperua, Clusia, Oenocarpus, Symphonia, Aparisthmium and Euterpe.

Acarai Mountains, ridge ascending to summit of unnamed peak, 6 km S of Sipu River. 26 August 1998.

1°22′24″N 58°56′52″W, elevation 700 m.

Collections: 7133–7153 and 7230–7249. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with Aspidosperma, Bactris, Swartzia, Clusia, Oenocarpus and Palicourea.

Acarai Mountains, summit of unnamed peak, 6 km S of Sipu River. 27 August 1998.

1°21′47″N 58°57′34″W, elevation 900 m.

Collections: 7154–7185. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with Sloanea, Palicourea and Oenocarpus.

Acarai Mountains, summit of unnamed peak, 5 km S of Sipu River. 29 August 1998.

1°21′47″N 58°57′34″W, elevation 900 m.

Collections: 7186–7227. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with Sloanea, Clusia and Palicourea.

Acarai Mountains, 8 km S of Sipu River, camp at base of highest peak in central Acarai Mountains. 1 September 1998.

1°21′19″N 58°57′25″W, elevation 610 m.

Collections: 7250–7254. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with Catostemma, Oenocarpus and Bactris.

Acarai Mountains, 10 km S of Sipu River, summit of highest peak in central Acarai Mountains. 1 September 1998.

1°19′58″N 58°57′54″W, elevation 1,100 m.

Collections: 7255–7334 and 7438–7482. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders with *Catostemma*, *Oenocarpus* and *Bactris*; scrub forest on peat and granite with *Erythroxylum*, *Clusia* and Myrtaceae.

Acarai Mountains, 8 km S of Sipu River, near camp and creek at base of highest peak in central Acarai Mountains. 2 September 1998.

1°21′19″N 58°57′25″W, elevation 610 m.

Collections: 7335–7437. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with Catostemma, Oenocarpus, Bactris, Eperua, Parkia and Sloanea.

Acarai Mountains, 10 km S of Sipu River, upper slopes of highest peak in central Acarai Mountains. 5 September 1998.

1°19′58″N 58°57′54″W, elevation 800–900 m.

Collections: 7483–7545. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with Aparisthmium, Parkia and Bactris.

Acarai Mountains, 8 km S of Sipu River, creek at base of highest peak in central Acarai Mountains. 6 September 1998.

1°21′19″N 58°57′25″W, elevation 610 m.

Collections: 7546–7547. Collected with R. Williams; C. Perry.

Dense forest on brown sand and granite boulders, with *Eperua*, *Parkia* and *Sloanea*.

Acarai Mountains, 4 km S of Sipu River, area near camp at base of Acarai Mountains. 7 September 1998.

1°23′11″N 58°56′47″W, elevation 245 m.

Collections: 7548–7686. Collected with R. Williams; C. Perry.

Dense forest on brown sand, with Eperua, Sloanea, Oenocarpus, Pouteria, Bertholettia, Rinorea, Bactris and Symphonia.

Sipu River, area near camp. 11 September 1998. 1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7687–7725. Collected with R. Williams; C. Perry.

Dense, seasonally flooded forest on gray sand with *Eperua*, *Aspidosperma* and *Euterpe*; dense forest on brown sand and laterite with *Eperua*, *Nectandra* and *Oenocarpus*.

Sipu River, 0–5 km E of camp. 11 September 1998. 1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7726–7766. Collected with R. Williams; C. Perry.

Riparian vegetation.

Sipu River, near camp. 12 September 1998. 1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7767–7789. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy clay, with Eperua, Clusia, Oenocarpus, Symphonia, Aparisthmium and Euterpe.

Sipu River, 0–3 km W of camp. 12 September 1998. 1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7790–7821. Collected with R. Williams; C. Perry.

Riparian vegetation.

Sipu River, near camp. 14 September 1998. 1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7822–7842. Collected with R. Williams; C. Perry.

Dense forest on poorly drained gray sandy clay, with Eperua, Clusia, Oenocarpus, Symphonia, Aparisthmium and Euterpe.

Sipu River, 5–7 km E of camp. 14 September 1998. 1°25′17″N 58°57′7″W, elevation 240 m.

Collections: 7843–7866. Collected with R. Williams; C. Perry.

Riparian vegetation.

Gunn's Strip; airstrip 2 km W of village and Essequibo River. 18 September 1998.

1°39′5″N 58°38′50″W, elevation 240 m.

Collections: 7867–7888. Collected with R. Williams; C. Perry.

Savanna on poorly drained white sandy clay, with Brysonima, Trachypogon and Tibouchina.

TRIP 18: WASSARI MOUNTAINS, UPPER TAKUTU-UPPER ESSEQUIBO REGION (REGION 9)

COLLECTIONS: 7889–8896. 18 AUGUST–28 SEPTEMBER 1999

South Kassikaityu River, transect from S. Kassikaityu River to Wassari Mountains, 0–0.1 km S of river. 25 August 1999.

1°38′57″N 59°14′59″W, elevation 240 m.

Collections: 7889–7941. Collected with R. Williams; C. Perry.

Poorly drained forest on gray sandy clay, with Catostemma, Euterpe and Oenocarpus.

Wassari Mountains, trail heading from S. Kassikaityu River to Wassari Mountains, near N base of mountains. 26 August 1999.

1°36′42″N 59°14′26″W, elevation 260 m.

Collections: 7942–7976. Collected with R. Williams; C. Perry.

Poorly drained dense forest on gray sandy clay, with Euterpe, Mauritiella and Eperua.

Wassari Mountains, trail heading from S. Kassikaityu River to Wassari Mountains, near N. base of mountains. 26 August 1999.

1°36′8″N 59°14′20″W, elevation 260 m.

Collections: 7977–7991. Collected with R. Williams; C. Perry.

Poorly drained dense forest on gray sandy clay, with *Euterpe, Mauritiella* and *Eperua*.

Wassari Mountains, 0.2–0.5 km N of camp at base of mountains. 27 August 1999.

1°35′57″N 59°14′17″W, elevation 300 m.

Collections: 7992–8014. Collected with R. Williams; C. Perry.

Semi-disturbed forest at base of escarpment on brown sandy clay and boulders, with *Euterpe*, *Jacaratia* and *Cecropia*.

Wassari Mountains, base of N slope, 0–1.5 km S of camp. 29 August 1999.

1°35′57″N 59°14′17″W, elevation 300–680 m.

Collections: 8015–8036. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Pouteria*, *Inga* and *Schefflera*.

Wassari Mountains, summit of unnamed peak. 29 August 1999.

1°34′57″N 59°14′17″ W.

Collections: 8037–8052. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Pouteria*, *Inga* and *Schefflera*.

Wassari Mountains, summit of unnamed peak, 8 km S of S. Kassikaityu River. 31 August 1999.

1°34′57″N 59°14′17″W, elevation 715 m.

Collections: 8053–8108. Collected with R. Williams; C. Perry.

Dense forest on reddish sandy clay, with Couratari, Pouteria and Inga.

Wassari Mountains, upper slopes of northern outlier, 0–0.5 km S of summit. 1 September 1999.

1°34′57″N 59°14′15″W, elevation 600-715 m.

Collections: 8109–8139. Collected with R. Williams; C. Perry.

Dense forest on red sandy clay and granite boulders, with *Ouratea*, *Pouteria* and *Inga*.

Wassari Mountains, camp along creek at base of highest peak in Wassari Mountains. 1 September 1999.

1°33′54″N 59°14′18″W, elevation 275 m.

Collections: 8140-8141. Collected with R. Williams; C. Perry.

Periodically inundated forest on gray sandy clay, with *Inga*, *Cecropia* and *Guadua*.

Wassari Mountains, lower slopes of highest peak (1,135 m), 0–0.5 km S of camp. 1 September 1999.

1°33′54″N 59°14′18″W, elevation 275-400 m.

Collections: 8142–8183. Collected with R. Williams; C. Perry.

Dense forest on reddish brown sandy clay, with *Tabebuia*, *Ficus* and *Guarea*.

Wassari Mountains, 0.5–1.0 km S of camp at base of highest peak (1,135 m). 1 September 1999.

1°33′54″N 59°14′18″W, elevation 400-540 m.

Collections: 8184–8225. Collected with R. Williams; C. Perry.

Dense forest on red sandy clay, with Ficus, Sloanea and Oenocarpus.

Wassari Mountains, summit of highest peak, 14 km S of S. Kassikaityu River. 1 September 1999.

1°31′43″N 59°14′23″W, elevation 1,135 m.

Collections: 8226–8286. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat with Rhodostemonodaphne, Clusia, Sphagnum, Olyra and

Myrtaceae; elfin forest on granite and peat with *Rhodoste-monodaphne*, *Clusia* and *Sphagnum*.

Wassari Mountains, lower slopes of unnamed peak, 12 km S of S. Kassikaityu River, 0.0.5 km E of camp. 9 September 1999.

1°33′54″N 59°14′18″W, elevation 275-350 m.

Collections: 8287–8371. Collected with R. Williams; C. Perry.

Dense forest on reddish sandy clay, with *Pouteria*, *Bertholettia* and *Eschweilera*.

Wassari Mountains, summit of highest peak, 14 km S of S. Kassikaityu River. 10 September 1999.

1°31′43″N 59°14′23″W, elevation 1,135 m.

Collections: 8372–8423. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat with Rhodostemonodaphne, Clusia, Sphagnum, Olyra and Myrtaceae; elfin forest on granite and peat with Rhodostemonodaphne, Clusia and Sphagnum.

Wassari Mountains, slopes of unnamed peak, 12 km S of S. Kassikaityu River, 0.5–1.0 km E of camp. 11–12 September 1999.

1°33′54″N 59°14′18″W, elevation 350-500 m.

Collections: 8424–8519. Collected with R. Williams; C. Perry.

Dense forest on reddish, sandy clay and granite boulders, with *Virola*, *Ficus*, *Bertholettia*, *Pouteria* and *Rinorea*.

Wassari Mountains, summit of highest peak, 14 km S of S. Kassikaityu River. 13 September 1999.

1°31′43″N 59°14′23″W, elevation 1,135 m.

Collections: 8520–8560. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat with Rhodostemonodaphne, Clusia, Sphagnum, Olyra and Myrtaceae; elfin forest on granite and peat with *Rhodostemonodaphne*, *Clusia* and *Sphagnum*.

Wassari Mountains, summit of unnamed peak, 12.5 km S of S. Kassikaityu River. 14 September 1999.

1°32′19″N 59°15′4″W, elevation 915 m.

Collections: 8561–8608. Collected with R. Williams; C. Perry.

Dense forest on reddish sandy clay, with *Ficus*, *Ocotea* and *Myrcia*.

Wassari Mountains, summit of unnamed peak, 10.5 km S of S. Kassikaityu River. 15 September 1999.

1°33′10″N 59°14′35″W, elevation 900 m.

Collections: 8609–8660. Collected with R. Williams; C. Perry.

Dense forest and scrub forest on peat and granite, with *Tricholia*, *Ficus* and *Guadua*.

Wassari Mountains, W slope of unnamed peak, 12 km S of S. Kassikaityu River. 16 September 1999.

1°33′57″N 59°12′31″W, elevation 700 m.

Collections: 8661–8663. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Sloanea*, *Bertholettia* and *Rinorea*,

Wassari Mountains, summit of unnamed peak, 12 km S of S. Kassikaityu River. 16 September 1999.

1°33'43"N 59°12'31"W, elevation 975 m.

Collections: 8664–8703. Collected with R. Williams; C. Perry.

Inselberg scrub forest on granite and peat, with *Clusia*, *Psammisia* and *Erythroxylum*.

Wassari Mountains, near camp, along creek at base of highest peak in Wassari Mountains. (1,135 m). 17 September 1999.

1°34′8″N 59°14′18″W, elevation 275 m.

Collections: 8704–8744. Collected with R. Williams; C. Perry.

Dense forest on brown sandy clay, with *Inga*, *Socratea* and *Cecropia*.

S. Kassikaityu River, 0–0.5 km S of river, heading toward Wassari Mountains. 20 September 1999.

1°38′57″N 59°14′59″W, elevation 240 m.

Collections: 8745–8794. Collected with R. Williams; C. Perry.

Poorly drained dense forest on gray sandy clay, with *Eperua*, *Euterpe* and *Inga*.

S. Kassikaityu River, 0–6 km N and E of camp. 20 September 1999.

1°39′11″N 59°14′59″W, elevation 240 m.

Collections: 8795–8823. Collected with R. Williams; C. Perry.

Riparian vegetation.

S. Kassikaityu River, 0.5–0.8 km S of river toward Wassari Mountains. 21 September 1999.

1°38′57″N 59°14′59″W, elevation 240 m.

Collections: 8824-8862. Collected with R. Williams;

C. Perry.

Riparian vegetation.

S. Kassikaityu River, 0–2 km S and W of camp. 21 September 1999.

1°39′11″N 59°14′59″W, elevation 240 m.

Collections: 8863–8895. Collected with R. Williams; C. Perry.

Riparian vegetation.

Essequibo River, island above Baboon (Biloku) Rapids. 25 September 1999.

1°45′58″N 58°34′14″W, elevation 240 m.

Collections: 8896–8896. Collected with R. Williams; C. Perry.

Riparian vegetation, with Eperua, Astrocaryum and Inga.

TRIP 19: MOUNT AYANGANNA, POTARO-SIPARUNI REGION (REGION 8)

COLLECTIONS: 8897-9917. 30 May-10 July 2001

Upper Potaro River, 2 km south of camp, along stream (affluent of Potaro River). 3 June 2001.

5°18′5″N 59°54′40″W, elevation 650 m.

Collections: 8897–8936. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest and streamside vegetation, sandstone and laterite with *Tococa*, *Tachigali* and *Psychotria*.

Mount Ayanganna, east face, base of first of three escarpments. 4 June 2001.

5°20′4″N 59°55′30″W, elevation 712 m.

Collections: 8937–8972. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on brown sandy clay and laterite, with *Micrandra*, *Dicymbe* and *Xylopia*.

Mount Ayanganna, east face, slopes of first of four escarpments. 9 June 2001.

5°19′58″N 59°56′4″W, elevation 810 m.

Collections: 8973–9020. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on reddish brown clay, with Cordia, Socratea and Inga.

Mount Ayanganna, east face, plateau above edge of first of four escarpments. 10 June 2001.

5°20′2″N 59°56′53″W, elevation 1,008 m.

Collections: 9021–9049. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on gray sandy clay and sandstone, with *Inga*, *Socratea* and *Clusia*.

Mount Ayanganna, east face, camp above first of four escarpments. 12 June 2001.

5°20′19″N 59°56′46″W, elevation 1,070 m.

Collections: 9050–9100. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and peat, with *Inga*, *Sloanea* and *Rapatea*.

Mount Ayanganna, east face, plateau above first escarpment, 1 km N of camp. 13 June 2001.

5°20′19″N 59°56′46″W, elevation 1,100 m.

Collections: 9101–9140. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on white sand, sandstone, and peat; with *Euterpe*, *Clusia*, and *Rapatea*.

Mount Ayanganna, east face, plateau above first escarpment, 2 km N of camp. 14 June 2001.

5°20′19″N 59°56′46″W, elevation 1,100 m.

Collections: 9141–9172. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest, on sandstone and peat, with *Socratea*, *Clusia*, and *Ischnosiphon*.

Mount Ayanganna, east face, camp at base of second of four escarpments. 16 June 2001.

5°22′22″N 59°57′34″W, elevation 1,120 m.

Collections: 9173–9256. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest, on sandstone and peat, and riparian vegetation near waterfall, with *Protium*, *Socratea*, and *Clusia*.

Mount Ayanganna, east face, plateau above second of four escarpments. 17 June 2001.

5°22'37"N 59°58'21"W, elevation 1,380 m.

Collections: 9257–9349. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Scrub forest on sandstone and peat, with Clusia, Pagamea, and Sphagnum.

Mount Ayanganna, east face, plateau above third of four escarpments. 19 June 2001.

5°23'12"N 59°58'36"W, elevation 1,570 m.

Collections: 9350–9398. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Tepui scrub forest on sandstone and peat, with *Podocarpus*, *Weinmannia*, and *Bonnetia*.

Mount Ayanganna, east face, fourth of four escarpments. 21 June 2001.

5°23′23″N 59°58′35″W, elevation 1,580 m.

Collections: 9399–9444. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Scrub forest on sandstone and peat, with *Podocarpus*, *Clusia* and *Brocchinia*.

Mount Ayanganna, camp on summit plateau. 23 June 2001.

5°23′18″N 59°59′8″W, elevation 2,040 m.

Collections: 9445–9505. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Tepui bog on sandstone, with *Brocchinia*, *Podocarpus*, and *Bonnetia*.

Mount Ayanganna, summit. 23 June 2001. 5°23′2″N 59°59′24″W, elevation 2,080 m.

Collections: 9506–9512. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Mount Ayanganna, east face, edge of summit plateau. 24 June 2001.

5°23′18″N 59°58′56″W, elevation 2,000 m.

Collections: 9513–9550. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Tepui scrub forest on sandstone, with *Bonnetia*, *Clusia* and *Brocchinia*.

Mount Ayanganna, east face, area near camp at base of fourth of four escarpments. 26 June 2001.

5°23′5″N 59°58′33″W, elevation 1,545 m.

Collections: 9551–9602. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and peat, with *Euterpe*, *Clusia*, and *Brocchinia*.

Mount Ayanganna, east face, area near camp at base of second of four escarpments. 28 June 2001.

5°22′22″N 59°57′34″W, elevation 1,120 m.

Collections: 9603–9643. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and peat, with *Clusia*, *Euterpe*, and *Socratea*.

Mount Ayanganna, east face, camp at base of first of four escarpments. 30 June 2001.

5°20'4"N 59°55'30"W, elevation 712 m.

Collections: 9644–9705. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on brown sandy clay and laterite, with *Dicymbe*, *Pentaclethra*, and *Micrandra*.

Mount Ayanganna, east face, 0.2–1.0 km S of camp at base of first of four escarpments. 1 July 2001.

5°20'4"N 59°55'30"W, elevation 700 m.

Collections: 9706–9756. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on brown sandy clay and laterite, with *Dicymbe*, *Caryocar*, and *Inga*.

Upper Potaro River, near camp. 3 July 2001.

5°18′5″N 59°54′40″W, elevation 650 m.

Collections: 9757–9871. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on gray alluvial sand and laterite with *Dicymbe*, *Pentaclethra*, and *Socratea*; on gray sandy clay with *Dicymbe*, *Pentaclethra*, and *Clusia*.

Upper Potaro River, near old Ayanganna airstrip. 5 July 2001.

5°18′5″N 59°53′52″W, elevation 650 m.

Collections: 9872–9896. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Secondary vegetation on white sand and sandstone, with Cecropia, Vismia, and Pteridium.

Upper Potaro River, near new Ayanganna airstrip. 7 July 2001.

5°18′6″N 59°50′6″W, elevation 650 m.

Collections: 9897–9917. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly.

Dense forest on sandstone and laterite, with *Dicymbe*, *Pentaclethra*, and *Rapatea*.

TRIP 20: MOUNT WOKOMUNG, POTARO-SIPARUNI REGION (REGION 8)

COLLECTIONS: 9918-11035.15 JUNE-23 JULY 2003

New Ayanganna airstrip, vic. 16 June 2003.

5°18′5″N 59°49′51.8″W, elevation 640 m.

Collections: 9918–9945. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Disturbed vegetation, with Tibouchina, Vismia and Borreria.

Upper Potaro River, Malek Falls, below new Ayanganna airstrip. 17 June 2003.

5°16′56.7″N 59°49′25.7″W, elevation 625 m.

Collections: 9946–9989. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Secondary forest and open, disturbed areas around dredge pits, with *Cecropia*, *Vismia* and *Miconia*.

Upper Potaro River, 5.5 km NE of Mount Wokomung, 18 June 2003.

5°9′57.2"N 59°46′40.8"W, elevation 620 m.

Collections: 9990–10055. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Along river and in dense forest on laterite, with *Dicymbe*, *Xylopia* and *Bactris*.

Upper Potaro River, 3 km SSW of camp. 21 June 2003. 5°8′48.2″N 59°47′39.4″W, elevation 640 m.

Collections: 10056–10057. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with Dicymbe, Mora and Clusia.

Mount Wokomung, camp at base of first of four escarpments. 24 June 2003.

5°7'47.8"N 59°48'35.5"W, elevation 674 m.

Collections: 10058–10124. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite and gray sandy clay, with *Dicymbe*, *Protium* and *Oenocarpus*.

Mount Wokomung, NE facing slopes of first of four escarpments. 25 June 2003.

5°7'38.1"N 59°48'40.1"W, elevation 790 m.

Collections: 10125–10171. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Naturally disturbed forest on steep lateritic slopes, with *Heliconia*, Ocotea and Cecropia.

Mount Wokomung, plateau above first of four escarpments. 28 June 2003.

5°6'36.3"N 59°49'14.1"W, elevation 1,135 m.

Collections: 10172–10258. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense, single-tiered canopy forest on gray sandy clay, peat, and sandstone, with *Clusia*, *Moronobea* and *Euterpe*.

Mount Wokomung, edge of plateau above first of four escarpments. 29 June 2003.

5°6′57.2″N 59°48′46.9″W, elevation 1,070 m.

Collections: 10259–10308. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense, single-tiered canopy forest on gray sandy clay, with peat, sandstone, with *Clusia, Schefflera* and *Euterpe*.

Mount Wokomung, easternmost pinnacle of massif. 30 June 2003.

5°5′34.4″N 59°50′13.3″W, elevation 1,524 m.

Collections: 10309–10359. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Scrub forest on sandstone and peat, with *Guadua*, *Euterpe* and *Sphagnum*.

Mount Wokomung, NE facing slopes above second of four escarpments. 1 July 2003.

5°5′55.9"N 59°50′15.6"W, elevation 1,400 m.

Collections: 10360–10447. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on sandstone and peat, with *Guadua*, *Euterpe* and *Clusia*.

Mount Wokomung, base of fourth of four escarpments. 4 July 2003.

5°5′38.7″N 59°50′35.6″W, elevation 1,375 m.

Collections: 10448–10513. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Semi-open forest on peat and sandstone, with *Euterpe*, *Clusia* and *Licania*.

Mount Wokomung, Little Ayanganna, summit of highest point of Mount Wokomung massif. 5 July 2003. 5°4′53.1″N 59°50′26.1″W, elevation 1.660 m.

Collections: 10514–10530. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Tepui bog on sandstone and peat, with *Brocchinia*, *Bonnetia* and *Rapatea*.

Mount Wokomung, Little Ayanganna, upper slopes of highest point of Mount Wokomung massif. 5 July 2003. 5°5′8″N 59°50′32″W, elevation 1,525 m.

Collections: 10531–10575. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Tepui scrub forest on sandstone and peat, with Schefflera, Clusia and Guadua.

Mount Wokomung, Little Ayanganna, summit of highest point of Mount Wokomung massif. 6 July 2003. 5°4′53.1″N 59°50′26.1″W, elevation 1,660 m.

Collections: 10576–10629. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Tepui bog on sandstone and peat, with *Brocchinia*, *Bonnetia* and *Rapatea*.

Mount Wokomung, slopes above second of four escarpments, 1.5 km NE of Mount Wokomung. 7 July 2003. 5°4'46.9"N 59°51'4.2"W, elevation 1,450 m.

Collections: 10630–10658. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on sandstone and laterite, with *Clusia*, *Licania* and *Euterpe*.

Mount Wokomung, area above third of four escarpments, 1 km NE of Mount Wokomung. 8 July 2003.

5°4′30″N 59°51′15″W, elevation 1,490 m.

Collections: 10659–10692. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with Clusia, Euterpe and Licania.

Mount Wokomung, summit. 10 July 2003.

5°4'3.3"N 59°51'41.8"W, elevation 1,560 m.

Collections: 10693–10805. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Scrub forest on sandstone and peat, with *Clusia*, *Miconia* and *Euterpe*.

Mount Wokomung, sub-summit camp. 12 July 2003. 5°4′20″N 59°51′45″W, elevation 1,420 m.

Collections: 10806–10807. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with Aspidosperma, Clusia and Euterpe.

Mount Wokomung, easternmost pinnacle of massif. 13 July 2003.

5°5′34.4″N 59°50′13.3″W, elevation 1,524 m.

Collections: 10808–10853. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Scrub forest on sandstone and peat, with *Guadua*, *Euterpe* and *Sphagnum*.

Mount Wokomung, plateau above first of four escarpments. 14 July 2003.

5°6'36.3"N 59°49'14.1"W, elevation 1,135 m.

Collections: 10854–10884. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense, single-tiered canopy forest on gray sandy clay, peat, and sandstone, with *Clusia*, *Moronobea* and *Euterpe*.

Mount Wokomung, camp at base of first of four escarpments. 16 July 2003.

5°7'47.8"N 59°48'35.5"W, elevation 674 m.

Collections: 10885–10901. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite and gray sandy clay, with *Dicymbe*, *Protium* and *Oenocarpus*.

Upper Potaro River, 3 km SSW of camp. 17 July 2003. 5°8′48.2″N 59°47′39.4″W, elevation 640 m.

Collections: 10902. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with Dicymbe, Mora and Clusia.

Upper Potaro River, 0–2 km N of camp, NE of toe slope of Mount Wokomung. 18 July 2003.

5°9′57.2″N 59°46′40.8″W, elevation 620 m.

Collections: 10903–10931. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Riparian vegetation.

Upper Potaro River, camp, NE of toe slope of Mount Wokomung. 19 July 2003.

5°9′57.2"N 59°46′40.8"W, elevation 620 m.

Collections: 10932–10967. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern.

Dense forest on laterite, with *Dicymbe*, *Xylopia* and *Bactris*.

Upper Potaro River, 0–2 km S of camp, NE of toe slope of Mount Wokomung. 19 July 2003.

5°9′57.2″N 59°46′40.8″W, elevation 620 m.

Collections: 10968–10985. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern. Riparian vegetation.

Upper Potaro River, 0–10 km S of camp, NE of toe slope of Mount Wokomung. 20 July 2003.

5°9′57.2″N 59°46′40.8″W, elevation 620 m.

Collections: 10986–11035. Collected with R. Williams; C. Perry; E. Tripp; J. Kelly; D. Gittens; S. Stern. Riparian vegetation.

TRIP 21: CENTRAL SURINAME NATURE RESERVE

COLLECTIONS: 11036-11384. 22 FEBRUARY-10 MARCH 2004

Central Suriname Nature Reserve, Coppename River, Bureau Waterkracht Werken Camp, 500 m S of Tonckens Falls. 22 February 2004.

4°25′15.5″N 56°31′13.7″W, elevation 50–75 m.

Collections: 11036–11050. Collected with J. Rhodes. Riparian vegetation with *Jacaranda*, *Eschweilera*, and *Psidium*.

Central Suriname Nature Reserve, Coppename River, Tonckens Falls. 23 February 2004.

4°25′21.7″N 56°31′34.2″W, elevation 50–75 m.

Collections: 11051–11077. Collected with J. Rhodes. Riparian vegetation with *Parinari, Cassia*, and *Mourera*.

Central Suriname Nature Reserve, Rechter Coppename River. 23 February 2004.

4°21′18.1″N 56°31′8.2″W, elevation 50-75 m.

Collections: 11078–11081. Collected with J. Rhodes. Dense forest on brown sandy clay with *Astrocaryum*, *Eperua*, and *Attalea*.

Central Suriname Nature Reserve, lower Rechter Coppename River. 23 February 2004.

4°21′41.2″N 56°31′8.2″W, elevation 50–75 m.

Collections: 11082–11086. Collected with J. Rhodes. Rapids, sandbars, and seasonally flooded forest on brown sandy clay with *Astrocaryum*, *Eperua*, and *Scleria*.

Central Suriname Nature Reserve, lower Rechter Coppename River. 24 February 2004.

4°18′9″N 56°27′13.7″W, elevation 50–75 m.

Collections: 11087-11099. Collected with J. Rhodes.

Riparian vegetation and terra firme forest on brown sandy clay with Attalea, Lecythis, and Rinorea.

Central Suriname Nature Reserve, lower Rechter Coppename River, 24 February 2004.

4°18′37.4″N 56°27′6.2″W, elevation 50-75 m.

Collections: 11100-11106. Collected with J. Rhodes. Seasonally inundated and terra firme forest on brown sandy clay with Astrocaryum, Eperua, and Rinorea.

Central Suriname Nature Reserve, Rechter Coppename River, Bolletrie Falls. 25 February 2004.

4°16′51.1″N 56°25′32″W, elevation 80 m.

Collections: 11107-111028 and 11141-11151. Collected with J. Rhodes.

Scrub, seasonally inundated, and dense forest on brown sandy clay, sand and jasper with Jacaranda, Psidium, and Mourera.

Central Suriname Nature Reserve, unnamed tributary of Rechter Coppename River. 26 February 2004.

4°21'49.1"N 56°29'59.2"W, elevation 50-75 m. Collections: 11129-11140. Collected with J. Rhodes. Riparian vegetation with Scleria, Inga, and Duroia.

Central Suriname Nature Reserve, confluence of Midden and Linker Coppename River. 28 February 2004.

4°13′9″N 56°36′0″W, elevation 75–100 m.

Collections: 11152-11156. Collected with J. Rhodes. Flooded forest on brown sandy clay with Heisteria, Cecropia, and Attalea.

Central Suriname Nature Reserve, unnamed tributary of upper Linker Coppename River. 29 February 2004.

4°3′55.6"N 56°41′6.8"W, elevation 75–100 m.

Collections: 11157–11177. Collected with J. Rhodes.

Riparian vegetation and flooded forest on brown sandy clay with Sloanea, Inga, and Astrocaryum.

Central Suriname Nature Reserve, Linker Coppename River "Kankantrie Sula" (= Ceiba rapids). 1 March 2004. 4°6′30.8″N 56°38′52.1″W, elevation 75–100 m.

Collections: 11178-11192. Collected with J. Rhodes.

Flooded and terra firme forest on brown sandy clay with Phenakospermum, Astrocaryum, and Eperua.

Central Suriname Nature Reserve, "Calliandra Sula," rapids on Linker Coppename River. 1 March 2004.

4°9′20.2″N 56°37′17.4″W, elevation 75–100 m.

Collections: 11193-11206. Collected with J. Rhodes.

Scrub forest on exposed rock and thin sandy soil with Catopsis, Calliandra, and Psidium.

Central Suriname Nature Reserve, Midden Coppename River, rapids 500 m upstream of confluence with Linker Coppename River. 2 March 2004.

4°12′53,3″N 56°35′54″W, elevation 75–100 m.

Collections: 11207-11215. Collected with J. Rhodes.

Dense forest on brown alluvial sandy clay with Eschweilera, Trichilia, and Astrocaryum.

Central Suriname Nature Reserve, 2 km below confluence of Linken and Midden Coppename River. 2 March 2.004.

4°15′14.7″N 56°35′1.8″W, elevation 75–100 m.

Collections: 11216-11226. Collected with J. Rhodes.

Riparian vegetation and seasonally inundated forest on brown sandy clay, rock, and sand with Psidium, Costus, and Eschweilera.

Central Suriname Nature Reserve, Midden Coppename River, rapids 500 m upstream of confluence with Linker Coppename River. 3 March 2004.

4°12′53,3″N 56°35′54″W, elevation 75–100 m.

Collections: 11227. Collected with J. Rhodes.

Dense forest on brown alluvial sandy clay with Eschweilera, Trichilia, and Astrocaryum.

Central Nature Suriname Reserve, Midden Coppename River, rapids 500 m upstream of confluence with Linker Coppename River. 3 March 2004.

4°12′53.3″N 56°35′54″W, elevation 75–100 m.

Collections: 11228-11240. Collected with J. Rhodes.

Dense forest on brown alluvial sandy clay with Eschweilera, Trichilia, and Astrocaryum.

Central Suriname Nature Reserve, Coppename River, Bureau Waterkracht Werken Camp, 500 m S of Tonckens Falls. 5 March 2004.

4°25′15.5″N 56°31′13.7″W, elevation 50–75 m.

Collections: 11241–11241, Collected with I. Rhodes.

Riparian vegetation with *Jacaranda*, *Eschweilera*, and Psidium.

Central Suriname Nature Reserve, unnamed tributary of Linker Coppename River. 5 March 2004.

4°23′25.1″N 56°31′52.1″W, elevation 75–100 m.

Collections: 11243-11252. Collected with J. Rhodes.

Seasonally inundated forest on alluvial brown sandy clay with Astrocaryum, Inga, and Eschweilera.

Central Suriname Nature Reserve, Coppename River, Bureau Waterkracht Werken Camp, 500 m S of Tonckens Falls, 6 March 2004.

4°25′15.5″N 56°31′13.7″W, elevation 50–75 m.

Collections: 11253. Collected with J. Rhodes.

Riparian vegetation with *Jacaranda*, *Eschweilera*, and *Psidium*.

Central Suriname Nature Reserve, Adampada Creek, affluent of Coppename River, Caiman Sula (= rapids). 7 March 2004.

4°31′46.8″N 56°34′5.3″W, elevation 50–75 m.

Collections: 11254-11279. Collected with J. Rhodes.

Scrub forest on rock and sand with Cecropia, Mourera, and Montrichardia.

Central Suriname Nature Reserve, unnamed tributary of Adampada Creek, affluent of Coppename River. 7 March 2004.

4°31′55.4″N 56°32′54.1″W, elevation 50–75 m.

Collections: 11280-11294. Collected with J. Rhodes.

Dense forest on brown sandy clay with Virola, Euterpe, and Ischnosiphon.

Central Suriname Nature Reserve, Adampada Creek, affluent of Coppename River. 8 March 2004.

4°32′30″N 56°32′35″W, elevation 50–75 m.

Collections: 11295-11323. Collected with J. Rhodes.

Disturbed and dense forest on brown sandy clay with *Cecropia, Protium*, and *Inga*; seasonally inundated forest, creekbed, and poorly drained forest on brown sandy clay with *Swartzia*, *Eperua*, and *Astrocaryum*.

Central Suriname Nature Reserve, Coppename River, "Sidonkroetoe Sula" (= sit down meeting rapids). 9 March 2004.

4°31′50.9″N 56°30′56″W, elevation 50-75 m.

Collections: 11324-11331. Collected with J. Rhodes.

Dense forest on brown sandy clay and rocky islands and sandbars with *Couratari*, *Duroia*, and *Euterpe*.

Central Suriname Nature Reserve, back channel of Coppename River at "Sidonkroetoe Sula" (= sit down meeting rapids). 9 March 2004.

4°32′14.9″N 56°30′52.5″W, elevation 50–75 m.

Collections: 11332–11342. Collected with J. Rhodes.

Dense forest on brown sandy clay with *Eschweilera*, *Astrocaryum*, and *Rinorea*.

Central Suriname Nature Reserve, Coppename River, Driefoetoe Sula (= three-foot rapids). 10 March 2004.

4°36′41.9″N 56°30′24.6″W, elevation 50–75 m.

Collections: 11343-11370. Collected with J. Rhodes.

Dense forest on brown sandy clay and rocky islands with Eschweilera, Astrocaryum, and Eperua.

Central Suriname Nature Reserve, unnamed tributary of Coppename River 200 m South of Driefoetoe Sula (= three-foot rapids). 10 March 2004.

4°36'41.9"N 56°30'24.6"W, elevation 50-75 m.

Collections: 11371-11384. Collected with J. Rhodes.

Dense, seasonally inundated forest on brown sandy clay with *Jacaranda*, *Ischnosiphon*, and *Rinorea*.

TRIPS 22–23: MOUNT MARINGMA, WAYALAYENG VILLAGE

Collections: 11385–12438. 23 May-11 July 2004

Wayalayeng Village, Falls of the Ataro River above first escarpment of Mount Maringma. 5 June 2004.

5°14′25.4″N 60°30′57.9″W, elevation 628 m.

Collections: 11385–11463. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest and scrub on white sand and sandstone with *Dimorphandra*, *Pteridium*, and *Cassia*.

Mount Maringma, camp at base of second escarpment. 8 June 2004.

5°12′38.2″N 60°34′0.4″W, elevation 1,065 m.

Collections: 11464–11494. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on brown sandy clay with *Euterpe*, *Inga*, and *Socratea*; dense forest on laterite and brown sandy clay with *Carapa*, *Eschweilera* and *Socratea*.

Mount Maringma, southern slopes near source of Arabaru River. 10 June 2004.

5°12′23.6″N 60°34′19.1″W, elevation 1,400 m.

Collections: 11495–11551. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on laterite and sandstone with *Socratea*, *Schefflera*, and *Inga*.

Mount Maringma, southern slopes of summit escarpment, Arabaru River. 11 June 2004.

5°12′16.6″N 60°34′35.9″W, elevation 1,360 m.

Collections: 11552–11581. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on sandstone and peat with Weinmannia, Hedyosmum, and Miconia; dense forest on peat, sandstone, and grey sandy clay with Licania, Weinmannia and Euterpe.

Mount Maringma, base of summit escarpment, Arabaru River. 12 June 2004.

5°12′9.9″N 60°34′55.7″W, elevation 1,370 m.

Collections: 11582–11620. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on peat and sandstone with *Cecropia*, *Clusia*, and *Euterpe*.

Mount Maringma, slope of summit escarpment. 14 June 2004.

5°12′24.3″N 60°35′30.1″W, elevation 1,710 m.

Collections: 11621–11687. Collected with C. Perry; E. Tripp: S. Stern: D. Gittens.

Cloud forest on sandstone and peat with *Bonnetia*, *Euterpe*, and *Clusia*.

Mount Maringma, summit. 15 June 2004.

5°13′0.7″N 60°35′2.7″W, elevation 2,110 m.

Collections: 11688–11776. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Scrub forest and tepui bog on peat and sandstone with *Bonnetia*, *Ilex*, and *Brocchinia*.

Mount Maringma, slope of summit escarpment. 18 June 2004.

5°12′24.3″N 60°35′30.1″W, elevation 1,710 m.

Collections: 11777–11788 and 11964. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Cloud forest on sandstone and peat with *Bonnetia*, *Euterpe*, and *Clusia*.

Mount Maringma, plateau below summit escarpment. 19 June 2004.

5°12′10.1″N 60°35′16.4″ W, elevation 1,610 m.

Collections: 11789–11911. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on sandstone and peat with Vismia, Euterpe, and Magnolia.

Mount Maringma, slope below sub-summit plateau. 22 June 2004.

5°12′16.6″N 60°34′35.9″ W, elevation 1,490 m.

Collections: 11912–11960. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on sandstone and peat with *Schefflera*, *Euterpe* and *Licania*.

Mount Maringma, southern slopes of summit escarpment, Arabaru River. 23 June 2004.

5°12′16.6″N 60°34′35.9″ W, elevation 1,360 m.

Collections: 11961–11963 and 11965–12007. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on sandstone and peat with Weinmannia, Hedyosmum, and Miconia; dense forest on peat, sandstone, and grey sandy clay with *Licania*, *Weinmannia* and *Euterpe*.

Mount Maringma, Arabaru River waterfall. 25 June 2004.

5°12′36.8″N 60°34′9.6″ W, elevation 1,175 m.

Collections: 12008–12082. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on brown sandy clay and laterite with *Inga*, *Carapa*, and *Socratea*.

Mount Maringma, camp at base of second escarpment. 26 June 2004.

5°12'38.2"N 60°34'0.4" W, elevation 1,065 m.

Collections: 12083–12122. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense forest on laterite and brown sandy clay with Carapa, Eschweilera and Socratea.

Ataro River, landing below falls at Wayalayeng Village. 28 June 2004.

5°14′7.9″N 60°30′37.1″ W, elevation 488 m.

Collections: 12123–12225. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Dense primary and secondary forest on alluvial sandy clay with *Vismia*, *Dicymbe*, and *Cecropia*.

Ataro River, below falls of Wayalayeng Village. 29 June 2004.

5°14′7.9″N 60°30′37.1″ W, elevation 488 m.

Collections: 12226–12261. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Riparian vegetation with *Inga*, *Miconia*, and Myrtaceae.

Ataro River between falls and confluence with Kukui River. 30 June 2004.

5°18′15″N 60°28′45″ W, elevation 488 m.

Collections: 12262–12303. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Riparian vegetation with *Inga*, *Pentaclethra*, and Myrtaceae.

Imbaimadai, savanna near airstrip. 2 July 2004.

5°42′30″N 60°18′ W, elevation 500 m.

Collections: 12304–12399. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

E. Iripp; S. Stern; D. Gittens.

Savanna on white sand and sandstone with Sauvagesia, Tibouchina, and Trachypogon.

Along the Mazaruni River, 0–7 km above confluence of Karowrieng River. 2 July 2004.

5°40'N 60°17' W, elevation 500 m.

Collections: 12400–12438. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens.

Riparian vegetation.

TRIP 23: GEORGETOWN

COLLECTIONS: 12439-12443. 12-27 July 2004

Georgetown, 62 Zinnia Ave., Bel Air Park. 12 July 2004.

6°48′31.4″N 58°8′21.4″ W, elevation 2 m. Collections: 12439–12443. Collected with C. Perry; E. Tripp; S. Stern; D. Gittens. Disturbed urban land on coastal plain clay.

III. Collections by Number

Part III lists collections in numerical order with identifications and authors.

- 154. Gentianaceae: Voyria corymbosa Splitg.
- 155. Bromeliaceae: Aechmea bromeliifolia (Rudge) Baker
- 156. Violaceae: Noisettia orchidiflora (Rudge) Ging.
- 156a. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 157. Araceae: Philodendron myrmecophilum Engl.
- 158. Violaceae: Amphirrhox longifolia (A. St.-Hil.) Spreng.
- 159. Olacaceae: Heisteria cauliflora Sm.
- 160. Rubiaceae: Psychotria polycephala Benth.
- 161. Annonaceae: Duguetia yeshidan Sandwith
- 162. Apocynaceae: Malouetia tamaquarina (Aubl.) A. DC.
- 163. Costaceae: Costus scaber Ruiz and Pav.
- 164. Violaceae: Rinorea pubiflora (Benth.) Sprague and Sandwith
- 165. Moraceae: Clarisia ilicifolia (Spreng.) Lanj. and Rossberg
- 166. Leguminosae-Mimosoideae: Pentaclethra macroloba (Willd.) Kuntze
- 167. Caryocaraceae: Anthodiscus trifoliatus G. Mey.
- 168. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth. var. *oxyphyllä* (Harms) R. S. Cowan
- 169. Convolvulaceae: *Dicranostyles* cf. *ampla* Ducke var. *castanea* D. F. Austin
- 170. Menispermaceae: Orthomene schomburgkii (Miers) Barneby and Krukoff
- 171. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 172. Myrtaceae: Eugenia cucullata Amshoff
- 173. Boraginaceae: Cordia nodosa Lam.
- 174. Ulmaceae: Trema micrantha (L.) Blume
- 175. Rubiaceae: Amaioua guianensis Aubl.
- 176. Euphorbiaceae: Dalechampia parvibracteata Lanj.
- 177. Rubiaceae: Psychotria gracilenta Müll. Arg.
- 178. Piperaceae: Piper trichoneuron (Miq.) C. DC.
- 179. Siparunaceae: Siparuna guianensis Aubl.
- 180. Heliconiaceae: Heliconia acuminata Rich.
- 181. Arecaceae: Desmoncus polyacanthos Mart.
- 182. Melastomataceae: Clidemia sp.
- 183. Polypodiaceae: Microgramma thurnii (Baker) R. M. Tryon and Stolze

- 184. Trigoniaceae: Trigonia laevis Aubl.
- 185. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
- 186. Lecythidaceae: Eschweilera sagotiana Miers
- 187. Annonaceae: Duguetia neglecta Sandwith
- 188. Lauraceae: *Chlorocardium rodiei* (R. H. Schomb.) Rohwer, H. G. Richt. and van der Werff
- 189. Rubiaceae: Duroia eriopila L. f.
- 190. Lecythidaceae: *Eschweilera* cf. *subglandulosa* (Steud. ex O. Berg) Miers
- 191. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 192. Annonaceae: Duguetia calycina Benoist
- 193. Rubiaceae: Duroia eriopila L. f.
- 194. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook, f.
- 195. Sapotaceae: *Pouteria torta* (Mart.) Radlk. ssp. *glabra* T. D. Penn.
- 196. Sapotaceae: Ecclinusa guianensis Eyma
- 197. Chrysobalanaceae: Couepia bracteosa Benth.
- 198. Chrysobalanaceae: Couepia bracteosa Benth.
- 199. Violaceae: Paypayrola longifolia Tul.
- 200. Flacourtiaceae: Carpotroche surinamensis Uittien
- 201. Thurniaceae: *Thurnia sphaerocephala* (Rudge) Hook. f.
- 202. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
- 203. Sapindaceae: Cupania hirsuta Radik.
- 204. Violaceae: Rinorea riana Kuntze
- 205. Rubiaceae: Amaioua guianensis Aubl.
- 206. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 207. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 208. Verbenaceae: Petrea macrostachya Benth.
- 209. Passifloraceae: Passiflora glandulosa Cav.
- 210. Leguminosae-Mimosoideae: *Inga rubiginosa* (Rich.) DC.
- 211. Zingiberaceae: Renealmia floribunda K. Schum.
- 212. Siparunaceae: Siparuna guianensis Aubl.
- 213. Sapotaceae: Ecclinusa guianensis Eyma
- 214. Celastraceae: Maytenus sp.
- 215. Rubiaceae: Morinda tenuiflora (Benth.) Steyerm.
- 216. Clusiaceae: Clusia fockeana Mig.
- 217. Boraginaceae: Cordia grandiflora (Desv.) Kunth
- 218. Cyperaceae: *Scleria flagellum-nigrorum* P. J. Bergius
- 219. Chrysobalanaceae: Hirtella sp.
- 220. Clusiaceae: Clusia grandiflora Splitg.
- 221. Myrsinaceae: Cybianthus fulvopulverulentus (Mez) G. Agostini ssp. fulvopulverulentus

- 222. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 223. Melastomataceae: Tococa aristata Benth.
- 224. Clusiaceae: Clusia fockeana Miq.
- 225. Xyridaceae: *Abolboda grandis* Griseb. var. *rigida* Malme
- 226. Humiriaceae: Humiria balsamifera Aubl.
- 227. Ebenaceae: Diospyros lissocarpoides Sandwith
- 228. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 229. Annonaceae: Duguetia yeshidan Sandwith
- 230. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 231. Euphorbiaceae: Sandwithia guyanensis Lanj.
- 232. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 233. Annonaceae: *Trigynaea caudata* (R. E. Fr.) R. E. Fr.
- 234. Boraginaceae: Cordia exaltata Lam.
- 235. Rhizophoraceae: Cassipourea lasiocalyx Alston
- 236. Chrysobalanaceae: Licania incana Aubl.
- 237. Rubiaceae: Pagamea capitata Benth.
- 238. Melastomataceae: Comolia vernicosa (Benth.) Triana
- 239. Xyridaceae: Xyris surinamensis Spreng.
- 240. Lentibulariaceae: Indet.
- 241. Clusiaceae: Clusia fockeana Miq.
- 242. Ternstroemiaceae: *Ternstroemia punctata* (Aubl.) Sw.
- 243. Loranthaceae: Phthirusa rufa (Mart.) Eichler
- 244. Cyperaceae: Scleria macrogyne C. B. Clarke
- 245. Xyridaceae: Xyris involucrata Nees
- 246. Orchidaceae: Epidendrum orchidiflorum Salzm.
- 247. Ochnaceae: Ouratea sp.
- 248. Xyridaceae: *Abolboda grandis* Griseb. var. *grandis*
- 249. Orchidaceae: Bifrenaria longicornis Lindl.
- 250. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 251. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 252. Lissocarpaceae: Lissocarpa guianensis Gleason
- 253. Chrysobalanaceae: Couepia bracteosa Benth.
- 254. Chrysobalanaceae: Couepia bracteosa Benth.
- 255. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 256. Gentianaceae: Voyria corymbosa Splitg.
- 257. Passifloraceae: Passiflora coccinea Aubl.
- 258. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 259. Passifloraceae: Passiflora capparidifolia Killip
- 260. Hippocrateaceae: Hippocratea volubilis L.

261.	Leguminosae-Mimosoideae: Inga disticha Benth.	300.	Vitaceae: Cissus erosa Rich.
262.	Compositae: Mikania congesta DC.	301.	Sapindaceae: Matayba macrostylis Radlk.
263.	Araceae: Montrichardia arborescens (L.) Schott	302.	Melastomataceae: Mouriri guianensis Aubl.
264a.	Bignoniaceae: Paragonia pyramidata (Rich.)	303.	Leguminosae-Caesalpinioideae: Crudia sp.
	Bureau	304.	Boraginaceae: Tournefortia hirsutissima L.
264b.	Bignoniaceae: Memora schomburgkii (DC.) Miers	305.	Malpighiaceae: Hiraea faginea (Sw.) Nied.
265.	Leguminosae-Mimosoideae: Zygia cataractae	306.	Apocynaceae: Prestonia acutifolia (Benth. ex
	(Kunth) L. Rico		Müll. Arg.) K. Schum.
266.	Sapotaceae: Pouteria cuspidata (A. DC.) Baehni	307.	Moraceae: Brosimum lactescens (S. Moore)
267.	Myrtaceae: Eugenia s.l. florida DC.		C. C. Berg
268.	Melastomataceae: Miconia longifolia (Aubl.) DC.	308.	Myrtaceae: Eugenia lambertiana DC.
269.	Bignoniaceae: Cydista aequinoctialis (L.) Miers	309.	Capparaceae: Crateva tapia L.
270.	Lauraceae: Nectandra amazonum Nees	310.	Trigoniaceae: Trigonia hypoleuca Griseb.
271.	Combretaceae: Buchenavia? macrophylla Eichler	311.	Loranthaceae: <i>Oryctanthus alveolatus</i> (Kunth)
272.	Smilacaceae: Smilax schomburgkiana Kunth	0.1.	Kuijt
273.	Lecythidaceae: Eschweilera subglandulosa	312.	Chrysobalanaceae: <i>Licania persaudii</i> Fanshawe
275.	(Steud. ex O. Berg) Miers	312.	and Maguire
274.	Rubiaceae: <i>Uncaria guianensis</i> (Aubl.) J. F. Gmel.	313.	Annonaceae: Anaxagorea dolichocarpa Sprague
275.	Rubiaceae: Genipa spruceana Steyerm.	313.	and Sandwith
276.	Bignoniaceae: Adenocalymna inundatum Mart.	314.	Violaceae: <i>Rinorea pubiflora</i> (Benth.) Sprague
270.	ex DC. var. surinamense Bureau and K. Schum.	511.	and Sandwith
277.	Leguminosae-Caesalpinioideae: <i>Tachigali</i>	315.	Selaginellaceae: Selaginella parkeri (Hook. and
2//.	paniculata Aubl.	313.	Grev.) Spring
278.	Leguminosae-Faboideae: Ormosia coccinea	316.	Piperaceae: <i>Piper bartlingianum</i> (Miq.) C. DC.
2/0.	(Aubl.) Jacks.	317.	Poaceae: Olyra micrantha Kunth
279.	Leguminosae-Caesalpinioideae: Campsiandra	317.	Siparunaceae: Siparuna cuspidata (Tul.) A. DC.
417.	laurifolia Benth.	319.	Gesneriaceae: Codonanthe calcarata (Miq.)
280.	Chrysobalanaceae: Hirtella paniculata Sw.	317.	Hanst.
281.	Leguminosae-Caesalpinioideae: <i>Peltogyne venosa</i>	320.	Hippocrateaceae: Salacia maburensis Mennega
201.	(Vahl) Benth.	320.	
282.		321.	Apocynaceae: Bonafousia undulata (Vahl) A. DC.
283.	Chrysobalanaceae: Parinari campestris Aubl.	222	Heliconiaceae: <i>Heliconia acuminata</i> Rich.
283.	Vitaceae: Cissus verticillata (L.) Nicolson and	322.	· ·
204	C. E. Jarvis	323.	Rubiaceae: Psychotria gracilenta Müll. Arg.
284.	Myrtaceae: Psidium acutangulum DC.	324.	Violaceae: Paypayrola cf. longifolia Tul.
285.	Combretaceae: Combretum rotundifolium Rich.	325.	Rubiaceae: Palicourea guianensis Aubl.
286.	Apocynaceae: Indet.	326.	Gentianaceae: Voyria caerulea Aubl.
287.	Leguminosae-Faboideae: Alexa sp.	327.	Caryocaraceae: Caryocar nuciferum L.
288.	Solanaceae: Solanum pensile Sendtn.	328.	Apocynaceae: Bonafousia lorifera (Miers)
289.	Malpighiaceae: Hiraea faginea (Sw.) Nied.		Boiteau and L. Allorge
290.	Leguminosae-Mimosoideae: Inga sertulifera DC.	329.	Euphorbiaceae: Sagotia racemosa Baill.
291.	Vochysiaceae: Vochysia tetraphylla (G. Mey.) DC.	330.	Annonaceae: Guatteria scandens Ducke
292.	Leguminosae-Caesalpinioideae: Campsiandra sp.	331.	Sapotaceae: Pradosia ptychandra (Eyma) T. D.
293.	Myrtaceae: Psidium acutangulum DC.		Penn.
294.	Leguminosae-Caesalpinioideae: Macrolobium sp.	332.	Violaceae: Rinorea pubiflora (Benth.) Sprague
295.	Myrtaceae: Psidium acutangulum DC.		and Sandwith
296.	Bignoniaceae: Pleonotoma clematis (Kunth) Miers	333.	Arecaceae: Bactris oligoclada Burret
207	T 1 1 1 77 1 1 1 77 1 1 1 1 1 1 1 1 1 1	224	C : 1

334.

335.

336.

Sapindaceae: Cupania hirsuta Radlk.

Rubiaceae: Amaioua guianensis Aubl.

Malpighiaceae: Stigmaphyllon sinuatum (DC.)

297.

298.

299.

(Kunth) L. Rico

Leguminosae-Mimosoideae: Zygia cataractae

Leguminosae-Caesalpinioideae: Cynometra sp.

Hippocrateaceae: Hippocratea volubilis L.

337. Rubiaceae: Guettarda acreana K. Krause 375. 338. Gentianaceae: Voyriella parviflora (Miq.) Miq. A. R. Sm. Gentianaceae: Voyria aurantiaca Splitg. 339. 376. Leguminosae-Faboideae: Machaerium 340. aristulatum (Spruce ex Benth.) Ducke 377. 341. Cecropiaceae: Coussapoa? asperifolia Trécul 378. ssp. magnifolia (Trécul) Akkermans and C. C. 379. Berg 342. Myrtaceae: Eugenia lambertiana DC. 380. 343. Leguminosae-Faboideae: Dioclea virgata (Rich.) 381. Amshoff 382. 344. Leguminosae-Faboideae: Vigna sp. 345. Leguminosae-Caesalpinioideae: Cynometra sp. 383. Chrysobalanaceae: Parinari campestris Aubl. 346. 347. Orchidaceae: Cattleya violacea (Kunth) Rolfe 384. 348. Moraceae: Ficus sp. 349. Bombacaceae: Pachira insignis (Sw.) Sw. ex 385. 386. Savigny 350. Leguminosae-Caesalpinioideae: Copaifera sp. 387. 351. Orchidaceae: Cattleva violacea (Kunth) Rolfe 388. Leguminosae-Faboideae: Ormosia coccinea 352. 389. (Aubl.) Jacks. 353. Orchidaceae: Brassavola martiana Lindl. 390. 354. Orchidaceae: Dimerandra sp. 391. 355. Rubiaceae: Genipa spruceana Steyerm. 356. Orchidaceae: Prosthechea vespa (Vell.) W. E. 392. 393. Higgins Combretaceae: Combretum rotundifolium Rich. 394. 357. 358. Turneraceae: Turnera aurantiaca Benth. 359. Orchidaceae: Brassavola martiana Lindl. 395. 360. Orchidaceae: Orleanesia amazonica Barb. Rodr. 396. 361. Cyperaceae: *Hypolytrum longifolium* (Rich.) 397. Nees 398. 362. Oxalidaceae: Oxalis frutescens L. 399. Leguminosae-Caesalpinioideae: Campsiandra sp. 363. 364. Ochnaceae: Ouratea rupununiensis Klotzsch ex 400. 401. 365. Meliaceae: Carapa akuri Poncy, Forget and 402. Kenfack 366. Boraginaceae: Cordia exaltata Lam. 403. Violaceae: Paypayrola longifolia Tul. 367. 368. Marantaceae: Monotagma spicatum (Aubl.) J. F. 404. 405. Macbr. A. Juss. 369. Quiinaceae: Lacunaria crenata (Tul.) A. C. Sm. 370. Apocynaceae: Couma guianensis Aubl. 406. Cyperaceae: Calyptrocarya glomerulata 371. 407. (Brongn.) Urb. 408. Siparunaceae: Siparuna guianensis Aubl. 372. Siparunaceae: Siparuna decipiens (Tul.) A. DC. 409. Passifloraceae: Passiflora amoena L. K. Escobar 373. Aspleniaceae: Asplenium serratum L. 410.

Metaxyaceae: Metaxya rostrata (Kunth) C. Presl

374.

Dryopteridaceae: Cyclodium inerme (Fée) Bromeliaceae: Ananas parguazensis L. A. Camargo and L. B. Sm. Mvrtaceae: Eugenia tapacumensis O. Berg Olacaceae: Heisteria cauliflora Sm. Leguminosae-Faboideae: Acosmium nitens (Vogel) Yakovlev Violaceae: Corynostylis arborea (L.) S. F. Blake Euphorbiaceae: Micrandra elata (Didr.) Müll. Arg. Amaranthaceae: Pfaffia glomerata (Spreng.) Pedersen var. glomerata Trigoniaceae: Trigonia villosa Aubl. var. macrocarpa (Benth.) Lleras Orchidaceae: Caularthron cf. bilamellatum (Rchb. f.) R. E. Schult. Orchidaceae: Orleanesia amazonica Barb. Rodr. Orchidaceae: Brassavola martiana Lindl. Sapindaceae: Matayba camptoneura Radlk. Ebenaceae: Diospyros lissocarpoides Sandwith Convolvulaceae: Dicranostyles? ampla Ducke var. castanea D. F. Austin Clusiaceae: Caraipa grandifolia Mart. Lecythidaceae: Eschweilera subglandulosa (Steud. ex O. Berg) Miers Polygalaceae: Moutabea guianensis Aubl. Leguminosae-Caesalpinioideae: Eperua sp. Burseraceae: Protium heptaphyllum (Aubl.) Marchand ssp. heptaphyllum Orchidaceae: Orleanesia amazonica Barb. Rodr. Podostemaceae: Mourera fluviatilis Aubl. Chrysobalanaceae: Couepia comosa Benth. Polygonaceae: Coccoloba cf. ovata Benth. Acanthaceae: *Justicia schomburgkiana* (Nees) V. A. W. Graham Polygalaceae: Securidaca marginata Benth. Annonaceae: Guatteria scandens Ducke Rutaceae: Conchocarpus fanshawei (Sandwith) Kallunki and Pirani Arecaceae: Geonoma maxima (Poit.) Kunth ssp. ambigua (Spruce) A. J. Hend. Piperaceae: Piper hostmannianum (Miq.) C. DC. Malpighiaceae: Stigmaphyllon sinuatum (DC.) Tiliaceae: Apeiba petoumo Aubl. Rubiaceae: Rudgea stipulacea (DC.) Steyerm. Apocynaceae: Bonafousia undulata (Vahl) A. DC.

Rutaceae: Ticorea foetida Aubl.

411.

- 412. Annonaceae: *Trigynaea caudata* (R. E. Fr.) R. E. Fr.
- 413. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 414. Euphorbiaceae: *Discocarpus essequeboensis* Klotzsch
- 415. Orchidaceae: Scaphyglottis sp.
- 416. Myrtaceae: Eugenia sp.
- 417. Rhizophoraceae: Cassipourea guianensis Aubl.
- 418. Violaceae: Paypayrola hulkiana Pulle
- 419. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 420. Apocynaceae: Aspidosperma vargasii A. DC.
- 421. Orchidaceae: *Camaridium micranthum* M. A. Blanco
- 422a. Orchidaceae: Maxillaria uncata Lindl.
- 422b. Orchidaceae: Maxillaria brachybulbon Schltr.
- 423. Violaceae: Paypayrola hulkiana Pulle
- 424. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 425. Myrtaceae: Eugenia sp.
- 426. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 427. Bromeliaceae: Guzmania lingulata (L.) Mez
- 428. Turneraceae: Turnera rupestris Aubl.
- 429. Orchidaceae: Epidendrum purpurascens H. Focke
- 430. Boraginaceae: Cordia nodosa Lam.
- 431. Passifloraceae: Passiflora coccinea Aubl.
- 432. Leguminosae-Mimosoideae: *Acacia tenuifolia* (L.) Willd. var. *tenuifolia*
- 433. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
- 434. Piperaceae: Piper trichoneuron (Miq.) C. DC.
- 435. Bignoniaceae: Memora schomburgkii (DC.)
- 436. Pontederiaceae: *Eichhornia diversifolia* (Vahl) Urb.
- 437. Cyperaceae: Rhynchospora reptans (Rich.) Böck.
- 438. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 439. Vochysiaceae: Vochysia tetraphylla (G. Mey.) DC.
- 440. Leguminosae-Caesalpinioideae: *Macrolobium* cf. *bifolium* (Aubl.) Pers.
- 441. Leguminosae-Caesalpinioideae: Campsiandra sp.
- 442. Leguminosae-Caesalpinioideae: *Eperua* sp.
- 443. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 444. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 445. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
- 446. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*

- 447. Leguminosae-Faboideae: *Ormosia coccinea* (Aubl.) Jacks.
- 448. Marcgraviaceae: Souroubea guianensis Aubl.
- 449. Hippocrateaceae: Hippocratea volubilis L.
- 450. Leguminosae-Faboideae: Alexa sp.
- 451. Leguminosae-Faboideae: *Machaerium* floribundum Benth. var. floribundum
- 452. Smilacaceae: Smilax schomburgkiana Kunth
- 453. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
- 454. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 455. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 456. Leguminosae-Faboideae: *Dalbergia riedelii* (Benth.) Sandwith
- 457. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 458. Commelinaceae: Commelina cf. schomburgkiana Klotzsch
- 459. Malvaceae: Hibiscus bifurcatus Cav.
- 460. Leguminosae-Faboideae: Vigna sp.
- 461. Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.
- 462. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
- 463. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
- 464. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 465. Vitaceae: Cissus sicyoides L.
- 466. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
- 467. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 468. Leguminosae-Caesalpinioideae: *Peltogyne venosa* (Vahl) Benth.
- 469. Polygonaceae: Coccoloba? padiformis Meisn.
- 470. Rubiaceae: Genipa spruceana Steyerm.
- 471. Podostemaceae: Mourera fluviatilis Aubl.
- 472. Cyperaceae: Cyperus miliifolius Poepp. and Kunth
- 473. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
- 474. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
- 475. Solanaceae: Solanum monachophyllum Dunal
- 476. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 477. Convolvulaceae: *Maripa scandens* Aubl.
- 478. Myrtaceae: Psidium acutangulum DC.
- 479. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg

Solanaceae: Solanum coriaceum Dunal

512.

480.	Cyperaceae: <i>Hypolytrum longifolium</i> (Rich.) Nees ssp. <i>longifolium</i>	513.	Araceae: <i>Philodendron fragrantissimum</i> (Hook.) G. Don
481.	Rubiaceae: Spermacoce hyssopifolia Willd. ex	514.	Hippocrateaceae: Tontelea attenuata Miers
	Roem. and Schult.	515.	Marantaceae: Ischnosiphon foliosus Gleason
482.	Hippocrateaceae: Peritassa laevigata	516.	Boraginaceae: Cordia sagotii I. M. Johnst.
	(Hoffmanns. ex Link) A. C. Sm.	517.	Violaceae: Paypayrola longifolia Tul.
483.	Lauraceae: Nectandra cf. globosa (Aubl.) Mez	518.	Passifloraceae: Passiflora glandulosa Cav.
484.	Rubiaceae: Psychotria apoda Steyerm.	519.	Aristolochiaceae: Aristolochia cornuta Mast.
485.	Melastomataceae: <i>Maieta poeppigii</i> Mart. ex	520.	Gentianaceae: Voyria corymbosa Splitg.
	Cogn.	521.	Melastomataceae: Miconia serialis DC.
486.	Arecaceae: Geonoma baculifera (Poit.) Kunth	522.	Dichapetalaceae: Tapura guianensis Aubl.
487.	Arecaceae: Bactris oligoclada Burret	523.	Leguminosae-Faboideae: Ormosia coutinhoi
488.	Rubiaceae: Psychotria polycephala Benth.		Ducke
489.	Melastomataceae: Aciotis indecora (Bonpl.)	524.	Chrysobalanaceae: Licania longistyla (Hook. f.)
	Triana		Fritsch
490.	Violaceae: Paypayrola longifolia Tul.	525.	Chrysobalanaceae: Couepia bracteosa Benth.
491.	Cyperaceae: Cyperus luzulae (L.) Rottb. ex Retz.	526.	Annonaceae: Duguetia calycina Benoist
492.	Rubiaceae: Isertia hypoleuca Benth.	527.	Arecaceae: Bactris oligoclada Burret
493.	Rubiaceae: Coccocypselum guianense (Aubl.)	528.	Hugoniaceae: Roucheria schomburgkii Planch.
., .,	K. Schum.	529.	Sapotaceae: Ecclinusa guianensis Eyma
494.	Melastomataceae: Pterolepis glomerata	530.	Gentianaceae: Voyria aphylla (Jacq.) Pers.
.,	(Rottb.) Miq.	531.	Arecaceae: Bactris sp.
495.	Melastomataceae: Aciotis sp.	532.	Chrysobalanaceae: <i>Licania boyanii</i> Tutin
496.	Ochnaceae: Sauvagesia erecta L.	533.	Clusiaceae: Clusia fockeana Miq.
497.	Leguminosae-Faboideae: Desmodium sp.	534.	Myrtaceae: <i>Myrcia sylvatica</i> (G. Mey.) DC.
498.	Xyridaceae: <i>Xyris jupicai</i> Rich.	535.	Hymenophyllaceae: <i>Trichomanes arbuscula</i> Desv.
499.	Gentianaceae: Coutoubea ramosa Aubl. var.	536.	Sapotaceae: <i>Pradosia schomburgkiana</i> (A. DC.)
•//	ramosa	330.	Cronquist
500.	Compositae: Eleutheranthera ruderalis (Sw.)	537.	Leguminosae-Caesalpinioideae: Chamaecrista
500.	Sch. Bip.	007	adiantifolia (Spruce ex Benth.) H. S. Irwin and
501.	Rubiaceae: Sabicea glabrescens (K. Schum.)		Barneby var. <i>pteridophylla</i> (Sandwith) H. S.
501.	Benth.		Irwin and Barneby
502.	Leguminosae-Caesalpinioideae: Chamaecrista	538.	Lauraceae: <i>Chlorocardium rodiei</i> (R. H.
302.	nictitans (L.) Moench var. disadena (Steud.) H. S.	330,	Schomb.) Rohwer, H. G. Richt. and van der
	Irwin and Barneby		Werff
503.	Clusiaceae: Vismia Japurensis Reichardt	539.	Annonaceae: Unonopsis guatterioides (A. DC.)
504.	Melastomataceae: <i>Macairea pachyphylla</i> Benth.	337.	R. E. Fr.
505.	Gentianaceae: Chelonanthus grandiflorus (Aubl.)	540.	Leguminosae-Faboideae: Swartzia xanthopetala
505.	Chodat and Hassl.	310.	Sandwith
506.	Malpighiaceae: Stigmaphyllon sinuatum (DC.)	541.	Piperaceae: <i>Piper avellanum</i> (Miq.) C. DC.
000.	A. Juss.	542.	Moraceae: Ficus sp.
507.	Scrophulariaceae: Stemodia pratensis (Aubl.)	543.	Poaceae: Panicum pilosum Sw.
307.	C. P. Cowan	544.	Clusiaceae: Vismia guianensis (Aubl.) Choisy
508.	Sterculiaceae: <i>Waltheria indica</i> L.	545.	Annonaceae: Annona sericea Dunal
509.	Bignoniaceae: Distictella magnoliifolia (Kunth)	546.	Boraginaceae: Cordia exaltata Lam.
507.	Sandwith	547.	Euphorbiaceae: Pogonophora schomburgkiana
510.	Lamiaceae: <i>Hyptis lanceolata</i> Poir.	J 17 1	Miers ex Benth.
511.	Leguminosae-Caesalpinioideae: Senna	548.	Siparunaceae: Siparuna guianensis Aubl.
J	quinquangulata (Rich.) H. S. Irwin and Barneby	549.	Verbenaceae: Petrea macrostachya Benth.
512	C.1 C.1 . D. 1	550	Commence Ditlemme estitation (Will4 \ Disele

550.

Cyperaceae: Diplacrum capitatum (Willd.) Böck.

- 551. Melastomataceae: Comolia villosa (Aubl.) Triana
- 552. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 553. Malpighiaceae: Heteropterys nervosa A. Juss.
- 554. Annonaceae: Guatteria wachenheimi Benoist
- 555. Araceae: *Urospatha sagittifolia* (Rudge) Schott var. *sagittifolia*
- 556. Clusiaceae: Vismia macrophylla Kunth
- 557. Compositae: *Chromolaena squalida* (DC.) R. M. King and H. Rob.
- 558. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm.
- 559. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 560. Dioscoreaceae: *Dioscorea amazonum* Mart. ex Griseb.
- 561. Compositae: Rolandra fruticosa (L.) Kuntze
- 562. Passifloraceae: Passiflora auriculata Kunth
- 563. Cyperaceae: Rhynchospora barbata (Vahl) Kunth
- 564. Cyperaceae: *Bulbostylis juncoides* (Vahl) Kük. ex Osten
- 565. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 566. Melastomataceae: Tibouchina aspera Aubl.
- 567. Cyperaceae: Scleria cyperina Willd. ex Kunth
- 568. Apocynaceae: Allamanda sp.
- 569. Leguminosae-Faboideae: Aeschynomene sp.
- 570. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 571. Leguminosae-Faboideae: Eriosema sp.
- 572. Lecythidaceae: Eschweilera sagotiana Miers
- 573. Trigoniaceae: Trigonia laevis Aubl.
- 574. Solanaceae: Markea sessiliflora Ducke
- 575. Annonaceae: Guatteria wachenheimi Benoist
- 576. Flacourtiaceae: Casearia singularis Eichler
- 577. Euphorbiaceae: Mabea cf. piriri Aubl.
- 578. Loganiaceae: Strychnos cf. cogens Benth.
- 579. Carvocaraceae: Carvocar montanum Prance
- 580. Smilacaceae: Smilax domingensis Willd.
- 581. Rubiaceae: Palicourea guianensis Aubl.
- 582. Monimiaceae: Mollinedia grazielae Peixoto
- 583. Annonaceae: Annona symphyocarpa Sandwith
- 584. Rubiaceae: Rudgea hostmanniana Benth.
- 585. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 586. Flacourtiaceae: Casearia sylvestris Sw.
- 587. Meliaceae: Indet.
- 588. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 589. Orchidaceae: Stelis sp.
- 590. Rubiaceae: Rudgea hostmanniana Benth.
- 591. Dichapetalaceae: Tapura guianensis Aubl.
- 592. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith

- 593. Urticaceae: *Urera caracasana* (Jacq.) Gaudich. ex Griseb.
- 594. Euphorbiaceae: Pausandra cf. martinii Baill.
- 595. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 596. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 597. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 598. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 599. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 600. Melastomataceae: Miconia nervosa (Sm.) Triana
- 601. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 602. Passifloraceae: Passiflora amoena L. K. Escobar
- 603. Leguminosae-Faboideae: *Dioclea macrocarpa* Huber
- 604. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 605. Rubiaceae: Psychotria uliginosa Sw.
- 606. Meliaceae: Guarea pubescens (Rich.) A. Juss.
- 607. Rubiaceae: Psychotria irwinii Steyerm.
- 608. Loganiaceae: Spigelia multispica Steud.
- 609. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 610. Moraceae: Ficus maxima Mill.
- 611. Myrsinaceae: Stylogyne orinocensis (Kunth) Mez
- 612. Flacourtiaceae: Casearia mariquitensis Kunth
- 613. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
- 614. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 615. Gesneriaceae: Besleria laxiflora Benth.
- 616. Sapindaceae: Paullinia latifolia Benth. ex Radlk.
- 617. Solanaceae: Solanum leucocarpon Dunal
- 618. Campanulaceae: Centropogon cornutus (L.)
 Druce
- 619. Flacourtiaceae: Casearia pitumba Sleumer
- 620. Picramniaceae: Picramnia latifolia Tul.
- 621. Cucurbitaceae: Gurania lobata (L.) Pruski
- 622. Euphorbiaceae: *Plukenetia supraglandulosa* L. J. Gillespie
- 623. Annonaceae: Guatteria wachenheimi Benoist
- 624. Solanaceae: Solanum schlechtendalianum Walp.
- 625. Picramniaceae: Picramnia latifolia Tul.
- 626. Solanaceae: Markea camponoti Ducke
- 627. Clusiaceae: Clusia grandiflora Splitg.
- 628. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 629. Araceae: Philodendron? placidum Schott
- 630. Araceae: Anthurium gracile (Rudge) Schott
- 631. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.

- 632. Rafflesiaceae: Indet.
- 633. Araceae: Spathiphyllum cuspidatum Schott
- 634. Aspleniaceae: Asplenium serratum L.
- 635. Cyperaceae: *Mapania sylvatica* Aubl.
- 636. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 637. Rubiaceae: Psychotria irwinii Steyerm.
- 638. Gesneriaceae: *Paradrymonia densa* (C. H. Wright) Wiehler
- 639. Leguminosae-Caesalpinioideae: *Senna* quinquangulata (Rich.) H. S. Irwin and Barneby
- 640. Melastomataceae: Miconia nervosa (Sm.) Triana
- 641. Araceae: Anthurium? expansum Gleason
- 642. Orchidaceae: Cheiradenia cuspidata Lindl.
- 643. Marantaceae: Ischnosiphon foliosus Gleason
- 644. Zingiberaceae: Renealmia orinocensis Rusby
- 645. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 646. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 647a. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 647b. Lauraceae: Rhodostemonodaphne scandens Madriñán
- 648. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 649. Lauraceae: Indet.
- 650. Solanaceae: Schwenckia? sp.
- 651. Orchidaceae: Epidendrum ramosum Jacq.
- 652. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 653. Gentianaceae: Irlbachia purpurascens (Aubl.) Maas
- 654. Melastomataceae: Miconia ciliata (Rich.) DC.
- 655. Malpighiaceae: *Banisteriopsis martiniana* (A. Juss.) Cuatrec. var. *martiniana*
- 656. Humiriaceae: Humiria balsamifera Aubl.
- 657. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
- 658. Costaceae: Costus scaber Ruiz and Pav.
- 659. Asclepiadaceae: Matelea stenopetala Sandwith
- 660. Malpighiaceae: *Hiraea gracieana* W. R. Anderson
- 661. Burseraceae: *Protium* s.s. *guianense* (Aubl.) Marchand
- 662. Trigoniaceae: *Trigonia laevis* Aubl. var. *microcarpa* (Sagot ex Warm.) Sagot
- 663. Polygonaceae: Coccoloba ascendens Duss ex Lindau
- 664. Verbenaceae: Aegiphila villosa (Aubl.) J. F. Gmel.
- 665. Leguminosae-Mimosoideae: *Mimosa pudica* L. var. *tetrandra* (Humb. and Bonpl. ex Willd.) DC.

- 666. Cecropiaceae: Coussapoa cf. microcephala Trécul
- 667. Asclepiadaceae: Indet.
- 668. Icacinaceae: Emmotum fagifolium Ham.
- 669. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 670. Annonaceae: Guatteria citriodora Ducke
- 671. Simaroubaceae: Simaba cedron Planch.
- 672. Cyperaceae: *Becquerelia cymosa* Brongn. ssp. *cymosa*
- 673. Lentibulariaceae: Utricularia juncea Vahl
- 674. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
- 675. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 676. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 677. Olacaceae: Heisteria cauliflora Sm.
- 678. Apocynaceae: Aspidosperma excelsum Benth.
- 679. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.
- 680. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 681. Smilacaceae: *Smilax syphilitica* Humb. and Bonpl. ex Willd.
- 682. Burmanniaceae: Campylosiphon purpurascens Benth.
- 683. Moraceae: Ficus paraensis (Miq.) Miq.
- 684. Oxalidaceae: Oxalis frutescens L.
- 685. Leguminosae-Caesalpinioideae: *Martiodendron excelsum* (Benth.) Gleason
- 686. Leguminosae-Mimosoideae: *Hydrochorea* corymbosa (Rich.) Barneby and J. W. Grimes
- 687. Leguminosae-Faboideae: Lonchocarpus sp.
- 688. Chrysobalanaceae: Couepia comosa Benth.
- 689. Leguminosae-Mimosoideae: *Mimosa pellita* Humb. and Bonpl. ex Willd.
- 690. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
- 691. Bignoniaceae: *Pleonotoma clematis* (Kunth) Miers
- 692. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 693. Malvaceae: *Peltaea trinervis* (C. Presl) Krapov. and Cristóbal.
- 694. Cyperaceae: Rhynchospora albomarginata Kük.
- 695. Lythraceae: Cuphea antisyphilitica Kunth var. acutifolia Benth.
- 696. Rubiaceae: Spermacoce verticillata L.
- 697. Melastomataceae: Clidemia capitellata (Bonpl.) D. Don
- 698. Rubiaceae: Sipanea galioides Wernham

- 699. Melastomataceae: *Rhynchanthera grandiflora* (Aubl.) DC.
- 700. Polygalaceae: Polygala adenophora DC.
- 701. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
- 702. Melastomataceae: Comolia villosa (Aubl.) Triana
- 703. Lauraceae: Cassytha filiformis L.
- 704. Rubiaceae: Isertia hypoleuca Benth.
- 705. Ochnaceae: Sauvagesia erecta L. var. erecta
- 706. Rhabdodendraceae: *Rhabdodendron amazonicum* (Spruce ex Benth.) Huber
- 707. Dilleniaceae: Tetracera volubilis L. ssp. volubilis
- 708. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 709. Clusiaceae: Vismia sessilifolia (Aubl.) Choisy
- 710. Gleicheniaceae: *Dicranopteris flexuosa* (Schrad.) Underw.
- 711. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 712. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
- 713. Asclepiadaceae: Indet.
- 714. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 715. Flacourtiaceae: Casearia commersoniana Cambess.
- 716. Cyperaceae: Cyperus ligularis L.
- 717. Eriocaulaceae: Eriocaulon sp.
- 718. Blechnaceae: Blechnum serrulatum Rich.
- 719. Melastomataceae: Clidemia conglomerata DC.
- 720. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 721. Verbenaceae: Petrea macrostachya Benth.
- 722. Melastomataceae: Clidemia conglomerata DC.
- 723. Apocynaceae: *Anartia cerea* (Woodson) L. Allorge
- 724. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
- 725. Gesneriaceae: *Paradrymonia densa* (C. H. Wright) Wiehler
- 726. Rhizophoraceae: Indet.
- 727. Bignoniaceae: Anemopaegma sp.
- 728. Lauraceae: Ocotea schomburgkiana (Nees) Mez
- 729. Solanaceae: Solanum costatum M. Nee
- 730. Eriocaulaceae: *Paepalanthus bifidus* (Schrad.) Kunth
- 731. Oleandraceae: Nephrolepis biserrata (Sw.) Schott
- 732. Myrsinaceae: Cybianthus venezuelanus Mez
- 733. Rubiaceae: Morinda tenuiflora (Benth.) Steyerm.
- 734. Poaceae: Axonopus capillaris (Lam.) Chase
- 735. Leguminosae-Faboideae: Centrosema sp.
- 736. Melastomataceae: *Nepsera aquatica* (Aubl.) Naudin

- 737. Dioscoreaceae: Dioscorea sp.
- 738. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 739. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
- 740. Leguminosae-Faboideae: Zornia sp.
- 741. Compositae: *Chromolaena odorata* (L.) R. M. King and H. Rob.
- 742. Poaceae: Panicum pilosum Sw.
- 743. Gentianaceae: *Chelonanthus grandiflorus* (Aubl.) Chodat and Hassl.
- 744. Araceae: Philodendron callosum K. Krause
- 745. Boraginaceae: Cordia nodosa Lam.
- 746. Verbenaceae: Aegiphila macrantha Ducke
- 747. Zingiberaceae: Renealmia orinocensis Rusby
- 748. Rubiaceae: Coccocypselum guianense (Aubl.) K. Schum.
- 749. Melastomataceae: Aciotis purpurascens (Aubl.)
 Triana
- 750. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 751. Dichapetalaceae: Tapura sp.
- 752. Flacourtiaceae: Casearia rusbyana Briq.
- 753. Leguminosae-Caesalpinioideae: *Elizabetha durissima* Ducke
- 754. Melastomataceae: Henriettea ramiflora (Sw.) DC.
- 755. Rubiaceae: Palicourea guianensis Aubl.
- 756. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 757. Loranthaceae: Phthirusa stenophylla Eichler
- 758. Euphorbiaceae: Plukenetia loretensis Ule
- 759. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 760. Acanthaceae: *Asystasia gangetica* (L.) T. Anderson
- 761. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 762. Leguminosae-Caesalpinioideae: Eperua sp.
- 763. Sterculiaceae: Waltheria s.l. indica L.
- 764. Compositae: Unxia camphorata L. f.
- 765. Poaceae: Eragrostis maypurensis (Kunth) Steud.
- 766. Poaceae: Paspalum melanospermum Desv. ex Poir.
- 767. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 768. Marcgraviaceae: Norantea guianensis Aubl.
- 769. Rubiaceae: Sipanea pratensis Aubl.
- 770. Rubiaceae: Palicourea guianensis Aubl.
- 771. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 772. Rubiaceae: Pagamea guianensis Aubl.
- 773. Dilleniaceae: Tetracera asperula Miq.
- 774. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
- 775. Sapindaceae: Matayba opaca Radlk.

814.

Rubiaceae: Perama dichotoma Poepp.

776. Humiriaceae: Humiria balsamifera Aubl. var. 815. Apocynaceae: Mandevilla vanheurckii (Müll. guianensis (Benth.) Cuatrec. Arg.) Markgr. 777. Leguminosae-Caesalpinioideae: Senna latifolia 816. Euphorbiaceae: Omphalea diandra L. (G. Mey.) H. S. Irwin and Barneby 817. Melastomataceae: Miconia marginata Triana 778. Cyperaceae: Lagenocarpus verticillatus (Spreng.) 818. Violaceae: Paypayrola longifolia Tul. Verbenaceae: Aegiphila sp. T. Koyama and Maguire 819. Compositae: Wulffia baccata (L.) Kuntze 779. 820. Passifloraceae: Passiflora coccinea Aubl. 780. Rubiaceae: Pagamea guianensis Aubl. 821. Bignoniaceae: Schlegelia spruceana K. Schum. 781. Erythroxylaceae: Erythroxylum citrifolium 822. Rubiaceae: Psychotria iodotricha Müll. Arg. A. St.-Hil. 823. Solanaceae: Solanum rugosum Dunal 782. Bignoniaceae: Arrabidaea candicans (Rich.) DC. 824. Menispermaceae: Indet. 783. Compositae: Clibadium surinamense L. 825. Rubiaceae: Faramea maguirei Steverm. 784. Orchidaceae: Scaphyglottis sp. 826. Rubiaceae: Psychotria apoda Steverm. 785. Aquifoliaceae: Ilex martiniana D. Don 827. Dryopteridaceae: Cyclodium meniscioides 786. Flacourtiaceae: Banara guianensis Aubl. (Willd.) C. Presl 787. Melastomataceae: Miconia sp. 828. Melastomataceae: Clidemia conglomerata DC. 788. Rubiaceae: Psychotria poeppigiana Müll. Arg. 829. Ulmaceae: Trema micrantha (L.) Blume 789. Rubiaceae: Rudgea hostmanniana Benth. 830. Annonaceae: Anaxagorea dolichocarpa Sprague 790. Violaceae: Paypayrola longifolia Tul. and Sandwith 791. Rubiaceae: Palicourea riparia Benth. 831. Compositae: Erechtites hieracifolius (L.) Raf. 792. Rubiaceae: Palicourea longistipulata (Müll. Arg.) ex DC. Standl. ssp. chrysorrachis (Bremek.) Steyerm. 832. Melastomataceae: Aciotis purpurascens (Aubl.) 793. Leguminosae-Mimosoideae: Mimosa rufescens Benth. var. rufescens 833. Commelinaceae: Tripogandra serrulata (Vahl) 794. Rubiaceae: Manettia alba (Aubl.) Wernham Handlos 795. Compositae: Mikania psilostachya DC. 834. Piperaceae: Piper hostmannianum (Mig.) C. DC. 796. Myrtaceae: Myrcia fallax (Rich.) DC. 835. Heliconiaceae: Heliconia acuminata Rich. 797. Piperaceae: Peperomia macrostachya (Vahl) Rubiaceae: Gonzalagunia dicocca Cham. and 836. 798. Araceae: Philodendron grandifolium (Jacq.) Schott 837. Compositae: *Elephantopus mollis* Kunth 799. Euphorbiaceae: Aparisthmium cordatum 838. Melastomataceae: Miconia ceramicarpa (DC.) (A. Juss.) Baill. 800. Rubiaceae: Psychotria astrellantha Wernham 839. Melastomataceae: Clidemia ostentata Wurdack 801. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl 840. Rubiaceae: Psychotria poeppigiana Müll. Arg. 802. Melastomataceae: Tococa aristata Benth. 841. Melastomataceae: Clidemia involucrata DC. 803. Rubiaceae: Psychotria gracilenta Müll. Arg. 842. Dennstaedtiaceae: Lindsaea? lancea (L.) Bedd. 804. Rubiaceae: Retiniphyllum schomburgkii (Benth.) var. lancea Müll. Arg. Cyatheaceae: Cyathea surinamensis (Miq.) 843. 805. Ternstroemiaceae: Ternstroemia sp. Domin Adiantaceae: Adiantum cajennense Willd. ex 806. Icacinaceae: Emmotum fagifolium Ham. 844. Klotzsch 807. Rubiaceae: Ladenbergia lambertiana (A. Braun ex Mart.) Klotzsch 845. Araceae: Monstera adansonii Schott 808. Viscaceae: Phoradendron crassifolium (Pohl ex 846. Rubiaceae: Psychotria uliginosa Sw. DC.) Eichler 847. Campanulaceae: Centropogon cornutus (L.) Druce 809. Leguminosae-Faboideae: Dioclea reflexa Hook. f. Rubiaceae: Pagamea capitata Benth. 848. 810. Araceae: Philodendron callosum K. Krause 849. Boraginaceae: Cordia polycephala (Lam.) I. M. Schizaeaceae: Schizaea incurvata Schkuhr 811. Johnst. 812. Lythraceae: Cuphea sp. 850. Melastomataceae: *Clidemia octona* (Bonpl.) Gentianaceae: Voyria aphylla (Jacq.) Pers. L. O. Williams ssp. guayanensis Wurdack 813.

851.

Verbenaceae: Lantana camara L.

- 852. Compositae: Clibadium surinamense L.
- 853. Thelypteridaceae: *Thelypteris pennata* (Poir.) C. V. Morton
- 854. Leguminosae-Caesalpinioideae: Brownea sp.
- 855. Funariaceae: Funaria hygrometrica Hedw. var. calvescens (Schwaegr.) Mont.
- 856. Gesneriaceae: *Nautilocalyx mimuloides* (Benth.) C. V. Morton
- 857. Schizaeaceae: Anemia phyllitidis (L.) Sw.
- 858. Passifloraceae: Passiflora rubra L.
- 859. Melastomataceae: Meriania urceolata Triana
- 860. Clusiaceae: *Clusia schomburgkiana* (Planch. and Triana) Benth. ex Engl.
- 861. Lythraceae: Indet.
- 862. Viscaceae: Phoradendron pellucidulum Eichler
- 863. Humiriaceae: Humiria crassifolia Mart. ex Urb.
- 864. Melastomataceae: Macairea pachyphylla Benth.
- 865. Schizaeaceae: *Actinostachys pennula* (Sw.) Hook.
- 866. Compositae: *Chromolaena odorata* (L.) R. M. King and H. Rob.
- 867. Ochnaceae: Sauvagesia angustifolia Ule
- 868. Humiriaceae: Vantanea minor Benth.
- 869. Gentianaceae: *Irlbachia nemorosa* (Willd. ex Roem. and Schult.) Merr.
- 870. Flacourtiaceae: Euceraea nitida Mart.
- 871. Orchidaceae: Epistephium subrepens Hoehne
- 872. Orchidaceae: *Prosthechea calamaria* (Lindl.) W. E. Higgins
- 873. Orchidaceae: Catasetum discolor (Lindl.) Lindl.
- 874. Araceae: Philodendron callosum K. Krause
- 875. Melastomataceae: Tococa nitens (Benth.) Triana
- 876. Rubiaceae: Sipanea galioides Wernham
- 877. Polygalaceae: Polygala blakeana Steyerm.
- 878. Compositae: *Praxelis karuaiensis* (V. M. Badillo) R. M. King and H. Rob.
- 879. Compositae: Conyza bonariensis (L.) Cronquist
- 880. Chrysobalanaceae: Hirtella bullata Benth.
- 881. Apocynaceae: *Mandevilla benthamii* (A. DC.) K. Schum.
- 882. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 883. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
- 884. Aquifoliaceae: *Ilex* sp.
- 885. Humiriaceae: Vantanea cf. minor Benth.
- 886. Lentibulariaceae: Utricularia hispida Lam.
- 887. Rubiaceae: Perama hirsuta Aubl.
- 888. Polygalaceae: Polygala sp.
- 889. Melastomataceae: *Macairea lasiophylla* (Benth.) Wurdack

- 890. Rubiaceae: *Retiniphyllum laxiflorum* (Benth.) N. E. Br. var. *laxiflorum*
- 891. Ochnaceae: *Ouratea gillyana* (Dwyer) Sandwith and Maguire
- 892. Orchidaceae: Eriopsis biloba Lindl.
- 893. Ericaceae: Bejaria cf. aestuans L.
- 894. Rubiaceae: Pagamea capitata Benth.
- 895. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
- 896. Orchidaceae: Cyrtopodium parviflorum Lindl.
- 897. Lentibulariaceae: Utricularia juncea Vahl
- 898. Clusiaceae: Vismia guianensis (Aubl.) Choisy
- 899. Clusiaceae: Vismia guianensis (Aubl.) Choisy
- 900. Melastomataceae: *Rhynchanthera grandiflora* (Aubl.) DC.
- 901. Clusiaceae: Clusia grandiflora Splitg.
- 902. Chrysobalanaceae: Licania lasseri Maguire
- 903. Melastomataceae: Tococa guianensis Aubl.
- 904. Melastomataceae: *Siphanthera cordifolia* (Benth.) Gleason
- 905. Polygalaceae: Polygala sp.
- 906. Lythraceae: Indet.
- 907. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 908. Compositae: Calea oliveri B. L. Rob. and Greenm.
- 909. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
- 910. Compositae: Orthopappus angustifolius (Sw.) Gleason
- 911. Melastomataceae: Miconia alata (Aubl.) DC.
- 912. Rubiaceae: Sabicea velutina Benth.
- 913. Loganiaceae: Bonyunia minor N. E. Br.
- 914. Bonnetiaceae: Bonnetia sessilis Benth.
- 915. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
- 916. Melastomataceae: *Macairea lasiophylla* (Benth.) Wurdack
- 917. Bonnetiaceae: Bonnetia sessilis Benth.
- 918. Rubiaceae: Chalepophyllum guianense Hook. f.
- 919. Passifloraceae: Passiflora sclerophylla Harms
- 920. Cyrillaceae: Cyrilla racemiflora L.
- 921. Melastomataceae: *Meriania sclerophylla* (Naudin) Triana
- 922. Cyperaceae: *Lagenocarpus rigidus* (Kunth) Nees ssp. *tremulus* (Nees) T. Koyama and Maguire
- 923. Cyperaceae: *Rhynchospora brachychaeta* C. Wright
- 924. Droseraceae: *Drosera* sp.
- 925. Bignoniaceae: Digomphia laurifolia Benth.
- 926. Lentibulariaceae: Utricularia subulata L.
- 926a Lentibulariaceae: Utricularia juncea Vahl

962.

Orchidaceae: Maxillaria parkeri Hook.

926b Lentibulariaceae: Utricularia adpressa Salzm. ex 963. Marantaceae: Ischnosiphon arouma (Aubl.) A. St.-Hil. and Girard Körn. 927. Eriocaulaceae: Syngonanthus xeranthemoides 964. Piperaceae: Piper demeraranum (Mig.) C. DC. (Bong.) Ruhland 965. Rubiaceae: Ladenbergia lambertiana (A. Braun 928. Liliaceae: Nietneria paniculata Steverm. ex Mart.) Klotzsch 929. Xyridaceae: Xyris guianensis Steud. 966. Compositae: Stomatochaeta condensata (Baker) Bromeliaceae: Brocchinia reducta Baker 930. Maguire and Wurdack 931. Iridaceae: Indet. Melastomataceae: Tibouchina fraterna N. E. Br. 967. 932. Eriocaulaceae: Indet. 968. Piperaceae: Piper aduncum L. 933. Eriocaulaceae: Syngonanthus gracilis (Bong.) 969. Orchidaceae: Brassia bidens Lindl. Ruhland 970. Orchidaceae: Epidendrum tumuc-humaciense 934. Eriocaulaceae: Syngonanthus longipes Gleason (Veyret) Carnevali and G. A. Romero Xyridaceae: Abolboda macrostachya Spruce ex 971. 935. Orchidaceae: Eriopsis biloba Lindl. Malme var. robustior Steverm. 972. Apocynaceae: Mandevilla benthamii (A. DC.) Malpighiaceae: Tetrapterys pusilla Steyerm. 936. K. Schum. 937. Gentianaceae: Chelonanthus angustifolius 973. Bignoniaceae: Digomphia laurifolia Benth. 974. (Kunth) Gilg Clusiaceae: Clusia pusilla Steyerm. 938. Heliconiaceae: Heliconia psittacorum L. f. 975. Bonnetiaceae: Bonnetia sessilis Benth. 939. Orchidaceae: Epidendrum ibaguense Kunth 976. Humiriaceae: Humiria crassifolia Mart. ex Urb. 940. Orchidaceae: Epidendrum sp. 977. Clusiaceae: Clusia pusilla Steverm. 941. Orchidaceae: Koellensteinia sp. 978. Phytolaccaceae: Phytolacca rivinoides Kunth and Orchidaceae: Sobralia liliastrum Lindl. 942. Bouché 943. Orchidaceae: Catasetum discolor (Lindl.) Lindl. 979. Compositae: Gongylolepis benthamiana R. H. 944. Orchidaceae: Scaphyglottis sp. Schomb. Araceae: Spathiphyllum cannifolium (Dryand. ex Compositae: Calea lucidivenia Gleason and S. F. 945. 980. Sims) Schott Blake var. *orientalis* (Maguire and Wurdack) 946. Cyclanthaceae: Dicranopygium angustissimum Pruski (Sandwith) Harling 981. Ericaceae: Bejaria sprucei Meisn. Orchidaceae: Maxillaria parkeri Hook. 947. 982. Dennstaedtiaceae: Lindsaea pendula Klotzsch 948. Orchidaceae: Maxillaria cf. discolor (Lodd. ex 983. Leguminosae-Caesalpinioideae: Chamaecrista Lindl.) Rchb. f. desvauxii (Collad.) Killip var. mollissima (Benth.) 949. Piperaceae: Peperomia macrostachya (Vahl) H. S. Irwin and Barneby A. Dietr. 984. Ochnaceae: Sauvagesia angustifolia Ule 950. Araceae: Anthurium scandens (Aubl.) Engl. Melastomataceae: Marcetia taxifolia (A. St.-985. 951. Polypodiaceae: Polypodium caceresii Sodiro Hil.) DC. 952. Rubiaceae: Psychotria poeppigiana Müll. Arg. 986. Asclepiadaceae: Indet. 953. Melastomataceae: Meriania sclerophylla Melastomataceae: Miconia ceramicarpa (DC.) 987. Cogn. var. ceramicarpa (Naudin) Triana 954. Bromeliaceae: Mezobromelia pleiosticha Gentianaceae: Irlbachia nemorosa (Willd. ex 988. (Griseb.) Utley and H. Luther Roem. and Schult.) Merr. Ericaceae: Sphyrospermum cordifolium Benth. 955. 989. Melastomataceae: Comolia sp. 956. Araceae: Syngonium podophyllum Schott 990. Rubiaceae: Perama hirsuta Aubl. 957. Araceae: Anthurium clavigerum Poepp. 991. Orchidaceae: Epistephium subrepens Hoehne 958. Ericaceae: Satyria panurensis (Benth. ex Meisn.) 992. Ochnaceae: Sauvagesia sp. Benth. and Hook. f. ex Nied. 993. Eriocaulaceae: Syngonanthus xeranthemoides 959. Bignoniaceae: Schlegelia spruceana K. Schum. (Bong.) Ruhland 960. 994. Xyridaceae: Indet. Melastomataceae: Maieta guianensis Aubl. Aquifoliaceae: *Ilex* sp. 961. Melastomataceae: Clidemia minutiflora (Triana) 995. 996. Loranthaceae: Struthanthus gracilis (Gleason) Cogn.

Steyerm. and Maguire

- 997. Sapotaceae: *Pradosia schomburgkiana* (A. DC.) Cronquist
- 998. Orchidaceae: Cyrtopodium parviflorum Lindl.
- 999. Santalaceae: Thesium tepuiense Steyerm.
- 1000. Lentibulariaceae: Utricularia subulata L.
- 1001. Lentibulariaceae: *Utricularia amethystina* Salzm. ex A. St.-Hil. and Girard
- 1002. Orchidaceae: Epidendrum secundum Jacq.
- 1003. Ericaceae: *Thibaudia* s.l. *nutans* Klotzsch ex Mansf.
- 1004. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 1005. Chrysobalanaceae: Licania lasseri Maguire
- 1006. Marcgraviaceae: *Sarcopera tepuiensis* (de Roon) Bedell ssp. *tepuiensis*
- 1007. Euphorbiaceae: *Phyllanthus vacciniifolius* (Müll. Arg.) Müll. Arg.
- 1008. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
- 1009. Malpighiaceae: *Blepharandra hypoleuca* (Benth.) Griseb.
- 1010. Blechnaceae: Blechnum serrulatum Rich.
- 1011. Bromeliaceae: *Lindmania guianensis* (Beer) Mez var. *vestita* (L. B. Sm.) L. B. Sm.
- 1012. Poaceae: Panicum aequivaginatum Swallen
- 1013. Cyperaceae: *Mapania tepuiana* (Steyerm.) T. Koyama
- 1014. Xyridaceae: Xyris involucrata Nees
- 1015. Cyrillaceae: Cyrilla racemiflora L.
- 1016. Ericaceae: *Vaccinium puberulum* Klotzsch ex Meisn.
- 1017. Apocynaceae: *Mandevilla vanheurckii* (Müll. Arg.) Markgr.
- 1018. Compositae: Stenopadus talaumifolius S. F. Blake
- 1019. Melastomataceae: Macairea pachyphylla Benth.
- 1020. Orchidaceae: *Galeottia burkei* (Rchb. f.) Dressler and Christenson
- 1021. Ericaceae: *Vaccinium puberulum* Klotzsch ex Meisn.
- 1022. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 1023. Asclepiadaceae: Indet.
- 1024. Polygonaceae: Coccoloba? sp. nov.
- 1025. Bignoniaceae: Tabebuia? sp. nov.
- 1026. Burmanniaceae: Burmannia bicolor Mart.
- 1027. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 1028. Compositae: *Lepidaploa bolivarensis* (V. M. Badillo) H. Rob.
- 1029. Ochnaceae: Ouratea gillyana (Dwyer) Sandwith and Maguire
- 1030. Myrsinaceae: *Cybianthus fulvopulverulentus* (Mez) G. Agostini ssp. *magnoliifolius* (Mez) Pipoly

- 1031. Ochnaceae: Indet.
- 1032. Melastomataceae: Tibouchina fraterna N. E. Br.
- 1033. Orchidaceae: Epidendrum sp.
- 1034. Hymenophyllaceae: Trichomanes crinitum Sw.
- 1035. Sapindaceae: Matayba ptariana Steyerm.
- 1036. Polypodiaceae: Polypodium triseriale Sw.
- 1037. Orchidaceae: Sobralia liliastrum Lindl.
- 1038. Ternstroemiaceae: Ternstroemia cf. sp.
- 1039. Compositae: *Gamochaeta simplicicaulis* (Willd. ex Spreng.) Cabrera
- 1040. Apocynaceae: Galactophora schomburgkiana Woodson
- 1041. Ericaceae: Vaccinium euryanthum A. C. Sm.
- 1042. Marcgraviaceae: *Sarcopera flammifera* de Roon and Bedell
- 1043. Scrophulariaceae: Buchnera rosea Kunth
- 1044. Oleandraceae: Nephrolepis cordifolia (L.) C. Presl
- 1045. Orchidaceae: Koellensteinia sp.
- 1046. Lentibulariaceae: Utricularia hispida Lam.
- 1047. Rubiaceae: Perama dichotoma Poepp.
- 1048. Burmanniaceae: *Burmannia capitata* (Walter ex J. F. Gmel.) Mart.
- 1049. Lythraceae: Cuphea sp.
- 1050. Gentianaceae: Chelonanthus viridiflorus (Mart.) Gilg
- 1051. Orchidaceae: Epidendrum orchidiflorum Salzm.
- 1052. Compositae: Unxia camphorata L. f.
- 1053. Rubiaceae: Sabicea velutina Benth.
- 1054. Melastomataceae: Clidemia capitata Benth.
- 1055. Moraceae: Indet.
- 1056. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 1057. Compositae: Baccharis nitida (Ruiz and Pav.) Pers.
- 1058. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
- 1059. Cyperaceae: *Rhynchospora capillifolia* W. W. Thomas
- 1060. Melastomataceae: *Siphanthera cordifolia* (Benth.) Gleason
- 1061. Rubiaceae: Psychotria crocochlamys Sandwith
- 1062. Rubiaceae: Psychotria hemicephaelis Wernham
- 1063. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm.
- 1064. Hymenophyllaceae: *Trichomanes cellulosum* Klotzsch
- 1065. Bryophyte: Indet.
- 1066. Ericaceae: Orthaea crinita A. C. Sm.
- 1067. Sapotaceae: *Pradosia beardii* (Monach.) T. D. Penn.
- 1068. Orchidaceae: Selenipedium steyermarkii Foldats
- 1069. Rubiaceae: Psychotria campylopoda Standl.
- 1070. Euphorbiaceae: Senefelderopsis croizatii Steyerm.

- 1071. Rubiaceae: Psychotria crocochlamys Sandwith
- 1072. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 1073. Clusiaceae: Vismia japurensis Reichardt
- 1074. Flacourtiaceae: Euceraea nitida Mart.
- 1075. Malpighiaceae: Byrsonima carraoana Steyerm.
- 1076. Piperaceae: Piper arboreum Aubl.
- 1077. Cyclanthaceae: Asplundia sp.
- 1078. Violaceae: Paypayrola longifolia Tul.
- 1079. Marcgraviaceae: Marcgravia coriacea Vahl
- 1080. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth. var. *myriadenia*
- 1081. Orchidaceae: Epidendrum orchidiflorum Salzm.
- 1082. Orchidaceae: Notylia? sp. nov.
- 1083. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 1084. Adiantaceae: Adiantum phyllitidis J. Sm.
- 1085. Rubiaceae: Gonzalagunia dicocca Cham. and Schltdl.
- 1086. Melastomataceae: *Miconia hypoleuca* (Benth.)
- 1087. Annonaceae: Guatteria wachenheimi Benoist
- 1088. Cyperaceae: Scleria latifolia Sw.
- 1089. Cucurbitaceae: *Gurania subumbellata* (Miq.) Cogn.
- 1090. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 1091. Rhamnaceae: Gouania sp.
- 1092. Smilacaceae: Smilax schomburgkiana Kunth
- 1093. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
- 1094. Piperaceae: Piper glabrescens (Miq.) C. DC.
- 1095. Malvaceae: Sida urens L.
- 1096. Capparaceae: Cleome viridiflora Schreb.
- 1097. Orchidaceae: Cyclopogon sp.
- 1098. Malvaceae: *Pavonia fruticosa* (Mill.) Fawc. and Rendle
- 1099. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 1100. Woodsiaceae: Diplazium cristatum (Desr.) Alston
- 1101. Melastomataceae: Aciotis sp.
- 1102. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 1103. Piperaceae: Lepianthes umbellatum Raf.
- 1104. Menispermaceae: Cissampelos pareira L.
- 1105. Costaceae: Costus scaber Ruiz and Pav.
- 1106. Passifloraceae: Passiflora rubra L.
- 1107. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 1108. Lauraceae: Ocotea puberula (Rich.) Nees

- 1109. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 1110. Clusiaceae: Vismia japurensis Reichardt
- 1111. Melastomataceae: Miconia ampla Triana
- 1112. Lauraceae: Ocotea cernua (Nees) Mez
- 1113. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
- 1114. Leguminosae-Caesalpinioideae: *Macrolobium bifolium* (Aubl.) Pers.
- 1115. Bombacaceae: Pachira minor (Sims) Hemsl.
- 1116. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
- 1117. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 1118. Leguminosae-Mimosoideae: Calliandra surinamensis Benth.
- 1119. Cucurbitaceae: *Gurania subumbellata* (Miq.) Cogn.
- 1120. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
- 1121. Bignoniaceae: *Tabebuia insignis* (Miq.) Sandwith var. *insignis*
- 1122. Clusiaceae: Mahurea exstipulata Benth.
- 1123. Orchidaceae: Pleurothallis spiculifera Lindl.
- 1124. Leguminosae-Mimosoideae: Inga sp.
- 1125. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
- 1126. Bignoniaceae: *Schlegelia* cf. *violacea* (Aubl.) Griseb.
- 1127. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 1128. Orchidaceae: Epidendrum aff. nocturnum Jacq.
- 1129. Siparunaceae: Siparuna guianensis Aubl.
- 1130. Loranthaceae: Oryctanthus alveolatus (Kunth) Kuijt
- 1131. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 1132. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
- 1133. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 1134. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 1135. Poaceae: Panicum pilosum Sw.
- 1136. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *rubescens* (Huber ex C. B. Clarke) T. Koyama
- 1137. Begoniaceae: Begonia heloisana Brade
- 1138. Gesneriaceae: Kohleria hirsuta (Kunth) Regel
- 1139. Gentianaceae: Voyria rosea Aubl.
- 1140. Tiliaceae: Apeiba petoumo Aubl.
- 1141. Araceae: Rhodospatha latifolia Poepp.
- 1142. Tectariaceae: Tectaria trifoliata (L.) Cav.
- 1143. Woodsiaceae: Diplazium cristatum (Desr.) Alston

- 1144. Commelinaceae: Tradescantia zanonia (L.) Sw.
- 1145. Leguminosae-Caesalpinioideae: *Brownea coccinea* Jacq. ssp. *capitella* (Jacq.) D. Velázq. and Agostini
- 1146. Adiantaceae: Adiantum latifolium Lam.
- 1147. Piperaceae: *Peperomia urocarpa* Fisch. and C. A. Mey.
- 1148. Heliconiaceae: Heliconia bihai (L.) L.
- 1149. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
- 1150. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 1151. Araceae: Syngonium podophyllum Schott
- 1152. Arecaceae: Bactris maraja Mart.
- 1153. Orchidaceae: *Ligeophila clavigera* (Rchb. f.) Garay
- 1154. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 1155. Arecaceae: *Geonoma interrupta* (Ruiz and Pav.) Mart. var. *euspatha* (Burret) A. J. Hend.
- 1156. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
- 1157. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 1158. Rubiaceae: Ferdinandusa goudotiana K. Schum.
- 1159. Viscaceae: Phoradendron bilineatum Urb.
- 1160. Lamiaceae: Indet.
- 1161. Burseraceae: Protium subserratum (Engl.) Engl.
- 1162. Passifloraceae: Passiflora ascidia Feuillet
- 1163. Melastomataceae: Meriania urceolata Triana
- 1164. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
- 1165. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 1166. Melastomataceae: Tococa guianensis Aubl.
- 1167. Compositae: *Calea oliveri* B. L. Rob. and Greenm.
- 1168. Elaeocarpaceae: Sloanea sp.
- 1169. Euphorbiaceae: Mabea rubicunda Jabl.
- 1170. Bromeliaceae: Guzmania lingulata (L.) Mez
- 1171. Cyatheaceae: Cyathea surinamensis (Miq.) Domin
- 1172. Orchidaceae: Epidendrum ramosum Jacq.
- 1173. Melastomataceae: Miconia mariae Wurdack
- 1174. Heliconiaceae: *Heliconia acuminata* Rich. ssp. *acuminata*
- 1175. Piperaceae: Peperomia pilicaulis C. DC.
- 1176. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 1177. Melastomataceae: Adelobotrys adscendens (Sw.) Triana
- 1178. Bromeliaceae: Werauhia viridiflora (Regel) J. R. Grant

- 1179. Orchidaceae: Stenia pallida Lindl.
- 1180. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 1181. Flacourtiaceae: Casearia singularis Eichler
- 1182. Boraginaceae: Cordia nodosa Lam.
- 1183. Araceae: Philodendron pedatum (Hook.) Kunth
- 1184. Euphorbiaceae: Pausandra martinii Baill.
- 1185. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
- 1186. Leguminosae-Caesalpinioideae: *Senna bacillaris* (L. f.) H. S. Irwin and Barneby var. *bacillaris*
- 1187. Annonaceae: Annona symphyocarpa Sandwith
- 1188. Passifloraceae: Passiflora coccinea Aubl.
- 1189. Incertae sedis: Indet.
- 1190. Verbenaceae: Petrea macrostachya Benth.
- 1191. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 1192. Rubiaceae: Psychotria uliginosa Sw.
- 1193. Thelypteridaceae: *Thelypteris tetragona* (Sw.) Small
- 1194. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 1195. Heliconiaceae: Heliconia sp.
- 1196. Cyclanthaceae: Asplundia sp.
- 1197. Rubiaceae: Rudgea fissistipula Müll. Arg.
- 1198. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 1199. Solanaceae: Solanum costatum M. Nee
- 1200. Orchidaceae: Catasetum sp.
- 1201. Piperaceae: *Peperomia urocarpa* Fisch. and C. A. Mey.
- 1202. Cyperaceae: *Mapania sylvatica* Aubl.
- 1203. Adiantaceae: Adiantum phyllitidis J. Sm.
- 1204. Adiantaceae: Adiantum olivaceum Baker
- 1205. Orchidaceae: Isochilus linearis (Jacq.) R. Br.
- 1206. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
- 1207. Sapotaceae: Pouteria speciosa (Ducke) Baehni
- 1208. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 1209. Gentianaceae: Voyria corymbosa Splitg.
- 1210. Euphorbiaceae: Croton matourensis Aubl.
- 1211. Incertae sedis: Indet.
- 1212. Compositae: Mikania banisteriae DC.
- 1213. Boraginaceae: *Tournefortia candidula* (Miers) I. M. Johnst.
- 1214. Annonaceae: Duguetia decurrens R. E. Fr.
- 1215. Annonaceae: Duguetia decurrens R. E. Fr.
- 1216. Menispermaceae: Abuta rufescens Aubl.
- 1217. Leguminosae-Faboideae: *Desmodium axillare* (Sw.) DC.

- 1218. Piperaceae: Piper hispidum Sw.
- 1219. Piperaceae: Piper arboreum Aubl.
- 1220. Schizaeaceae: Anemia phyllitidis (L.) Sw.
- 1221. Orchidaceae: Corymborkis sp.
- 1222. Orchidaceae: *Pelexia laxa* (Poepp. and Endl.) Lindl.
- 1223. Zingiberaceae: Renealmia guianensis Maas
- 1224. Orchidaceae: Gongora maculata Lindl.
- 1225. Rubiaceae: Psychotria deflexa DC.
- 1226. Rubiaceae: Geophila cordifolia Miq.
- 1227. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
- 1228. Poaceae: Ichnanthus breviscrobs Döll
- 1229. Aquifoliaceae: Ilex karuaiana Steyerm.
- 1230. Melastomataceae: Miconia prasina (Sw.) DC.
- 1231. Chrysobalanaceae: *Licania apetala* (E. Mey.) Fritsch
- 1232. Symplocaceae: Symplocos sp.
- 1233. Chrysobalanaceae: Hirtella paniculata Sw.
- 1234. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 1235. Siparunaceae: Siparuna guianensis Aubl.
- 1236. Compositae: Chaptalia nutans (L.) Pol.
- 1237. Clusiaceae: Vismia guianensis (Aubl.) Choisy
- 1238. Loganiaceae: Bonyunia minor N. E. Br.
- 1239. Polygalaceae: Polygala longicaulis Kunth
- 1240. Compositae: *Ichthyothere terminalis* (Spreng.) S. F. Blake
- 1241. Euphorbiaceae: *Croton hostmannii* Miq. ex Schltdl.
- 1242. Symplocaceae: Symplocos sp.
- 1243. Myrtaceae: Eugenia punicifolia (Kunth) DC.
- 1244. Compositae: *Chromolaena laevigata* (Lam.) R. M. King and H. Rob.
- 1245. Myrtaceae: Psidium guineense Sw.
- 1246. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
- 1247. Malvaceae: Sida sp.
- 1248. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 1249. Convolvulaceae: Indet.
- 1250. Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.
- 1251. Sapindaceae: Indet.
- 1252. Leguminosae-Mimosoideae: Inga sp.
- 1253. Melastomataceae: Miconia affinis DC.
- 1254. Sapindaceae: Cardiospermum sp.
- 1255. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
- 1256. Apocynaceae: *Aspidosperma sandwithianum* Markgr.
- 1257. Leguminosae-Faboideae: *Rhynchosia phaseoloides* (Sw.) DC.

- 1258. Heliconiaceae: Heliconia densiflora B. Verl. ssp. densiflora
- 1259. Marantaceae: Maranta gibba Sm.
- 1260. Sapotaceae: Chrysophyllum argenteum Jacq. ssp. auratum (Miq.) T. D. Penn.
- 1261. Acanthaceae: Trichanthera gigantea (Bonpl.) Nees
- 1262. Malvaceae: *Pavonia castaneifolia* A. St.-Hil. and Naudin
- 1263. Ulmaceae: Trema micrantha (L.) Blume
- 1264. Meliaceae: Guarea guidonia (L.) Sleumer
- 1265. Rubiaceae: Palicourea guianensis Aubl.
- 1266. Melastomataceae: Miconia mariae Wurdack
- 1267. Myrsinaceae: Cybianthus venezuelanus Mez1268. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 1269. Dichapetalaceae: Tapura guianensis Aubl.
- 1270. Balsaminaceae: Impatiens balsamina L.
- 1271. Compositae: Neurolaena lobata (L.) R. Br.
- 1272. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 1273. Chrysobalanaceae: Licania silvae Prance
- 1274. Humiriaceae: Sacoglottis guianensis Benth.
- 1275. Annonaceae: Duguetia yeshidan Sandwith
- 1276. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
- 1277. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 1278. Flacourtiaceae: *Ryania pyrifera* (Rich.) Uittien and Sleumer
- 1279. Leguminosae-Mimosoideae: Inga thibaudiana DC.
- 1280. Gentianaceae: Voyria corymbosa Splitg.
- 1281. Passifloraceae: Passiflora glandulosa Cav.
- 1282. Passifloraceae: Passiflora amoena L. K. Escobar
- 1283. Cyperaceae: Diplasia karatifolia Rich.
- 1284. Arecaceae: Euterpe oleracea Mart.
- 1285. Violaceae: Rinorea flavescens (Aubl.) Kuntze
- 1286. Cactaceae: Epiphyllum phyllanthus (L.) Haw. var. phyllanthus
- 1287. Bryophyte: Indet.
- 1288. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 1289. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 1290. Violaceae: Paypayrola longifolia Tul.
- 1291. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 1292. Arecaceae: Bactris sp.
- 1293. Apocynaceae: Aspidosperma excelsum Benth.
- 1294. Gentianaceae: Voyria corymbosa Splitg.
- 1295. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 1296. Heliconiaceae: Heliconia acuminata Rich.
- 1297. Gentianaceae: Voyria rosea Aubl.
- 1298. Arecaceae: Geonoma deversa (Poit.) Kunth

- 1299. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 1300. Apocynaceae: *Tabernaemontana heterophylla* Vahl
- 1301. Poaceae: Ichnanthus panicoides P. Beauv.
- 1302. Cyperaceae: Calyptrocarya poeppigiana Kunth
- 1303. Lauraceae: *Chlorocardium rodiei* (R. H. Schomb.) Rohwer, H. G. Richt. and van der Werff
- 1304. Meliaceae: *Carapa akuri* Poncy, Forget and Kenfack
- 1305. Leguminosae-Faboideae: *Alexa imperatricis* (R. H. Schomb.) Baill.
- 1306. Hippocrateaceae: Salacia maburensis Mennega
- 1307. Orchidaceae: *Rodriguezia lanceolata* Ruiz and Pav.
- 1308. Sapindaceae: Matayba camptoneura Radlk.
- 1309. Arecaceae: Bactris sp.
- 1310. Rubiaceae: Palicourea guianensis Aubl.
- 1311. Costaceae: Costus scaber Ruiz and Pay.
- 1312. Sapotaceae: *Pouteria* cf. *torta* (Mart.) Radlk. ssp. *glabra* T. D. Penn.
- 1313. Piperaceae: Piper demeraranum (Miq.) C. DC.
- 1314. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 1315. Sapindaceae: Paullinia sp.
- 1316. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 1317. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
- 1318. Verbenaceae: Petrea macrostachya Benth.
- 1319. Smilacaceae: Smilax schomburgkiana Kunth
- 1320. Arecaceae: Socratea exorrhiza (Mart.) H. Wendl.
- 1321. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
- 1322. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 1323. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 1324. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
- 1325. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 1326. Rubiaceae: Rudgea crassiloba (Benth.) B. L. Rob.
- 1327. Leguminosae-Caesalpinioideae: *Elizabetha* coccinea M. R. Schomb. ex Benth.
- 1328. Compositae: Mikania parviflora (Aubl.) H. Karst.
- 1329. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 1330. Bignoniaceae: Pleonotoma clematis (Kunth) Miers
- 1331. Chrysobalanaceae: Licania leptostachya Benth.
- 1332. Leguminosae-Faboideae: *Etaballia dubia* (Kunth) Rudd
- 1333. Bombacaceae: Pachira aquatica Aubl.
- 1334. Connaraceae: Connarus lambertii (DC.) Sagot
- 1335. Annonaceae: Guatteria scandens Ducke

- 1336. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 1337. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 1338. Violaceae: Paypayrola longifolia Tul.
- 1339. Violaceae: Rinorea riana Kuntze
- 1340. Chrysobalanaceae: *Licania densiflora* Kleinhoonte
- 1341. Zingiberaceae: Renealmia floribunda K. Schum.
- 1342. Leguminosae-Mimosoideae: Inga thibaudiana DC.
- 1343. Bromeliaceae: *Aechmea tillandsioides* (Mart. ex Schult, f.) Baker
- 1344. Arecaceae: Astrocaryum sciophilum (Miq.) Pulle
- 1345. Verbenaceae: Petrea macrostachya Benth.
- 1346. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 1347. Rubiaceae: Amaioua guianensis Aubl.
- 1348. Apocynaceae: Odontadenia macrantha (Roem. and Schult.) Markgr.
- 1349. Leguminosae-Faboideae: Machaerium sp.
- 1350. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
- 1351. Leguminosae-Faboideae: *Machaerium ferox* (Mart. ex Benth.) Ducke
- 1352. Ebenaceae: Diospyros lissocarpoides Sandwith
- 1353. Leguminosae-Caesalpinioideae: *Eperua schomburgkiana* Benth.
- 1354. Onagraceae: Ludwigia leptocarpa (Nutt.) H. Hara
- 1355. Compositae: Eclipta prostrata (L.) L.
- 1356. Leguminosae-Faboideae: Vigna sp.
- 1357. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
- 1358. Leguminosae-Caesalpinioideae: *Martiodendron excelsum* (Benth.) Gleason
- 1359. Passifloraceae: Passiflora capparidifolia Killip
- 1360. Polygonaceae: Symmeria paniculata Benth.
- 1361. Hepaticae: Indet.
- 1362. Orchidaceae: Epidendrum rigidum Jacq.
- 1363. Turneraceae: Turnera aurantiaca Benth.
- 1364. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
- 1365. Orchidaceae: Cattleva violacea (Kunth) Rolfe
- 1366. Orchidaceae: Brassavola martiana Lindl.
- 1367. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 1368. Leguminosae-Faboideae: *Paramachaerium schomburgkii* (Benth.) Ducke
- 1369. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 1370. Chrysobalanaceae: *Licania apetala* (E. Mey.) Fritsch var. *apetala*

- 1371. Orchidaceae: Rodriguezia lanceolata Ruiz and Pav.
- 1372. Araceae: *Philodendron muricatum* Willd. ex Schott
- 1373. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 1374. Polygonaceae: Symmeria paniculata Benth.
- 1375. Leguminosae-Mimosoideae: *Mimosa pellita* Humb. and Bonpl. ex Willd.
- 1376. Boraginaceae: Cordia grandiflora (Desv.) Kunth
- 1377. Cecropiaceae: *Coussapoa asperifolia* Trécul ssp. *magnifolia* (Trécul) Akkermans and C. C. Berg
- 1378. Combretaceae: Combretum rotundifolium Rich.
- 1379. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
- 1380. Combretaceae: *Buchenavia megalophylla* van Heurck and Müll. Arg.
- 1381. Myrtaceae: Eugenia lambertiana DC.
- 1382. Convolvulaceae: Ipomoea tiliacea (Willd.) Choisy
- 1383. Orchidaceae: Orleanesia amazonica Barb. Rodr.
- 1384. Myrtaceae: Eugenia cf. cribrata McVaugh
- 1385. Solanaceae: Solanum monachophyllum Dunal
- 1386. Rubiaceae: Chomelia obtusa Cham. and Schltdl.
- 1387. Malpighiaceae: *Heteropterys multiflora* (DC.) Hochr.
- 1388. Myrtaceae: Myrcia aff. quitarensis (Benth.) Sagot
- 1389. Leguminosae-Faboideae: Aeschynomene sp.
- 1390. Myrtaceae: Myrcia decorticans DC.
- 1391. Tiliaceae: Vasivaea alchorneoides Baill.
- 1392. Leguminosae-Faboideae: Dalbergia sp.
- 1393. Melastomataceae: *Tococa subciliata* (DC.)
- 1394. Rubiaceae: *Duroia genipoides* Hook. f. ex K. Schum.
- 1395. Salviniaceae: Salvinia radula Baker
- 1396. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 1397. Cyperaceae: Hypolytrum jenmanii C. B. Clarke
- 1398. Cyperaceae: Fimbristylis complanata (Retz.) Link
- 1399. Leguminosae-Faboideae: Aeschynomene sp.
- 1400. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 1401. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth. var. *myriadenia*
- 1402. Xyridaceae: Xyris jupicai Rich.
- 1403. Malpighiaceae: Byrsonima aerugo Sagot
- 1404. Bignoniaceae: Distictella elongata (Vahl) Urb.
- 1405. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 1406. Onagraceae: Ludwigia rigida (Miq.) Sandwith
- 1407. Melastomataceae: Tibouchina aspera Aubl.

- 1408. Solanaceae: Solanum coriaceum Dunal
- 1409. Dilleniaceae: Doliocarpus spraguei Cheesman
- 1410. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 1411. Rapateaceae: Rapatea paludosa Aubl.
- 1412. Melastomataceae: Henriettea multiflora Naudin
- 1413. Leguminosae-Caesalpinioideae: *Chamaecrista nictitans* (L.) Moench var. *disadena* (Steud.) H. S. Irwin and Barneby
- 1414. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth. var. *myriadenia*
- 1415. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 1416. Annonaceae: Duguetia neglecta Sandwith
- 1417. Annonaceae: Xylopia benthamii R. E. Fr.
- 1418. Bryophyte: Indet.
- 1419. Sapotaceae: Ecclinusa guianensis Eyma
- 1420. Orchidaceae: Maxillaria parkeri Hook.
- 1421. Burmanniaceae: Gymnosiphon breviflorus Gleason
- 1422. Rubiaceae: Psychotria apoda Steyerm.
- 1423. Marantaceae: Ischnosiphon foliosus Gleason
- 1424. Strelitziaceae: *Phenakospermum guyannense* (Rich.) Endl. ex Mig.
- 1425. Chrysobalanaceae: *Licania longistyla* (Hook. f.) Fritsch
- 1426. Melastomataceae: Tococa aristata Benth.
- 1427. Arecaceae: Euterpe oleracea Mart.
- 1428. Bryophyte: Indet.
- 1429. Annonaceae: Guatteria wachenheimi Benoist
- 1430. Araceae: Anthurium thrinax Madison
- 1431. Rubiaceae: Rudgea hostmanniana Benth.
- 1432. Orchidaceae: Wullschlaegelia calcarata Benth.
- 1433. Rubiaceae: Psychotria uliginosa Sw.
- 1434. Dennstaedtiaceae: *Saccoloma elegans* Kaulf. ssp. *chartaceum* Nair ex Cremers and K. U. Kramer
- 1435. Rubiaceae: Psychotria muscosa (Jacq.) Steyerm.
- 1436. Melastomataceae: Miconia mariae Wurdack
- 1437. Piperaceae: Peperomia ouabianae C. DC.
- 1438. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 1439. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
- 1440. Orchidaceae: Elleanthus sp.
- 1441. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 1442. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
- 1443. Hippocrateaceae: Salacia maburensis Mennega
- 1444. Olacaceae: Heisteria cauliflora Sm.
- 1445. Euphorbiaceae: *Discocarpus essequeboensis* Klotzsch
- 1446. Poaceae: Olyra longifolia Kunth

- 1447. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
- 1448. Annonaceae: Duguetia paraensis R. E. Fr.
- 1449. Leguminosae-Mimosoideae: Zygia sp.
- 1450. Ebenaceae: Diospyros lissocarpoides Sandwith
- 1451. Rubiaceae: Psychotria apoda Steyerm.
- 1452. Rubiaceae: Psychotria polycephala Benth.
- 1453. Flacourtiaceae: Casearia singularis Eichler
- 1454. Orchidaceae: Wullschlaegelia calcarata Benth.
- 1455. Annonaceae: Duguetia yeshidan Sandwith
- 1456. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
- 1457. Elaeocarpaceae: Sloanea garckeana K. Schum.
- 1458. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
- 1459. Lecythidaceae: *Eschweilera simiorum* (Benoist) Eyma
- 1460. Meliaceae: Guarea pubescens (Rich.) A. Juss. ssp. pubescens
- 1461. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 1462. Verbenaceae: Petrea macrostachya Benth.
- 1463. Gentianaceae: Voyria corymbosa Splitg.
- 1464. Chrysobalanaceae: Hirtella silicea Griseb.
- 1465. Lauraceae: Endlicheria chalisea Chanderbali
- 1466. Annonaceae: Unonopsis stipitata Diels
- 1467. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 1468. Dichapetalaceae: Tapura guianensis Aubl.
- 1469. Boraginaceae: Cordia nodosa Lam.
- 1470. Vittariaceae: Antrophyum guayanense Hieron.
- 1471. Rubiaceae: Faramea sessilifolia (Kunth) DC.
- 1472. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
- 1473. Quiinaceae: Quiina rhytidopus Tul.
- 1474. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
- 1475. Poaceae: Panicum stoloniferum Poir.
- 1476. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 1477. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 1478. Cyperaceae: *Rhynchospora amazonica* Poepp. and Kunth ssp. *amazonica*
- 1479. Salviniaceae: Salvinia radula Baker
- 1480. Bryophyte: Indet.
- 1481. Moraceae: Ficus sp.
- 1482. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 1483. Polygonaceae: Symmeria paniculata Benth.
- 1484. Rubiaceae: Morinda tenuiflora (Benth.) Steverm.
- 1485. Myrtaceae: Myrciaria cf. dubia (Kunth) McVaugh

- 1486. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 1487. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 1488. Hippocrateaceae: *Peritassa pruinosa* (Seem.) A. C. Sm.
- 1489. Araceae: Heteropsis spruceana Schott
- 1490. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 1491. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
- 1492. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 1493. Boraginaceae: Cordia nodosa Lam.
- 1494. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 1495. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 1496. Rubiaceae: Morinda tenuiflora (Benth.) Steverm.
- 1497. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
- 1498. Araceae: Philodendron hylaeae G. S. Bunting
- 1499. Flacourtiaceae: Carpotroche surinamensis Uittien
- 1500. Heliconiaceae: Heliconia acuminata Rich.
- 1501. Bixaceae: Cochlospermum orinocense (Kunth) Steud.
- 1502. Dioscoreaceae: Dioscorea sp.
- 1503. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
- 1504. Myrtaceae: *Myrciaria floribunda* (West ex Willd.) O. Berg
- 1505. Bromeliaceae: *Ananas parguazensis* L. A. Camargo and L. B. Sm.
- 1506. Rubiaceae: Sipanea pratensis Aubl.
- 1507. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
- 1508. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
- 1509. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 1510. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 1511. Araceae: Philodendron rudgeanum Schott
- 1512. Rutaceae: Ertela trifolia (L.) Kuntze
- 1513. Orchidaceae: *Campylocentrum fasciola* (Lindl.) Cogn.
- 1514. Orchidaceae: Quekettia sp.
- 1515. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 1516. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
- 1517. Polygonaceae: Coccoloba densifrons Mart. ex Meisn.
- 1518. Passifloraceae: Passiflora vespertilio L.

- 1519. Loranthaceae: Phthirusa stelis (L.) Kuijt
- 1520. Flacourtiaceae: Homalium racemosum Jacq.
- 1521. Leguminosae-Faboideae: *Etaballia dubia* (Kunth) Rudd
- 1522. Passifloraceae: Passiflora capparidifolia Killip
- 1523. Leguminosae-Faboideae: *Dioclea scabra* (Rich.) R. H. Maxwell
- 1524. Leguminosae-Mimosoideae: *Macrosamanea pubiramea* (Steud.) Barneby and J. W. Grimes var. *pubiramea*
- 1525. Orchidaceae: Epidendrum s.l. nocturnum Jacq.
- 1526. Gnetaceae: Gnetum nodiflorum Brongn.
- 1527. Leguminosae-Mimosoideae: *Zygia latifolia* (L.) Fawc. and Rendle var. *lasiopus* (Benth.) Barneby and J. W. Grimes
- 1528. Sapindaceae: Matayba camptoneura Radlk.
- 1529. Malpighiaceae: *Tetrapterys discolor* (G. Mey.) DC.
- 1530. Flacourtiaceae: Casearia commersoniana Cambess.
- 1531. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 1532. Clusiaceae: Caraipa grandifolia Mart.
- 1533. Leguminosae-Faboideae: *Machaerium leiophyllum* (DC.) Benth. var. *crista-castrense* (Mart. ex Benth.) Rudd
- 1534. Rubiaceae: Posoqueria longiflora Aubl.
- 1535. Rubiaceae: Palicourea riparia Benth.
- 1536. Leguminosae-Faboideae: Dalbergia sp.
- 1537. Myrtaceae: Myrcia inaequiloba (DC.) D. Legrand
- 1538. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 1539. Myrtaceae: Plinia aff. pinnata L.
- 1540. Rutaceae: *Zanthoxylum compactum* (Huber ex Albuq.) P. G. Waterman
- 1541. Malpighiaceae: *Heteropterys velutina* W. R. Anderson
- 1542. Annonaceae: Annona hypoglauca Mart.
- 1543. Sapindaceae: Matayba macrostylis Radlk.
- 1544. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 1545. Orchidaceae: Epidendrum macrocarpum Rich.
- 1546. Lauraceae: Nectandra amazonum Nees
- 1547. Araceae: Anthurium gracile (Rudge) Schott
- 1548. Bignoniaceae: *Clytostoma binatum* (Thunb.)
- 1549. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
- 1550. Moraceae: Ficus paraensis (Miq.) Miq.
- 1551. Leguminosae-Faboideae: Mucuna sp.
- 1552. Solanaceae: Solanum pensile Sendtn.

- 1553. Vitaceae: Cissus verticillata (L.) Nicolson and C. E. Jarvis
- 1554. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 1555. Sterculiaceae: *Herrania lemniscata* (M. R. Schomb.) R. E. Schult.
- 1556. Bromeliaceae: *Aechmea tillandsioides* (Mart. ex Schult. f.) Baker
- 1557. Lecythidaceae: Gustavia augusta L.
- 1558. Annonaceae: *Xylopia discreta* (L. f.) Sprague and Hutch.
- 1559. Melastomataceae: *Bellucia grossularioides* (L.) Triana
- 1560. Annonaceae: Unonopsis stipitata Diels
- 1561. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
- 1562. Myristicaceae: *Virola surinamensis* (Rol. ex Rottb.) Warb.
- 1563. Solanaceae: Solanum crinitum Lam.
- 1564. Rhamnaceae: Gouania blanchetiana Miq.
- 1565. Malpighiaceae: Stigmaphyllon sinuatum (DC.) A. Juss.
- 1566. Flacourtiaceae: Casearia rusbyana Briq.
- 1567. Burseraceae: Tetragastris altissima (Aubl.) Swart
- 1568. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
- 1569. Verbenaceae: Vitex stahelii Moldenke
- 1570. Chrysobalanaceae: Licania majuscula Sagot
- 1571. Hymenophyllaceae: Trichomanes pinnatum Hedw.
- 1572. Theophrastaceae: *Clavija lancifolia* Desf. ssp. *chermontiana* (Standl.) B. Ståhl
- 1573. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 1574. Balanophoraceae: Helosis cavennensis (Sw.) Spreng.
- 1575. Orchidaceae: Vanilla sp.
- 1576. Verbenaceae: *Stachytarpheta cayennensis* (Rich.) Vahl
- 1577. Leguminosae-Faboideae: *Desmodium adscendens* (Sw.) DC.
- 1578. Scrophulariaceae: Buchnera rosea Kunth
- 1579. Convolvulaceae: *Merremia aturensis* (Kunth) Hallier f.
- 1580. Leguminosae-Faboideae: Galactia sp.
- 1581. Melastomataceae: Tibouchina aspera Aubl.
- 1582. Leguminosae-Caesalpinioideae: *Chamaecrista hispidula* (Vahl) H. S. Irwin and Barneby
- 1583. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 1584. Melastomataceae: Miconia macrothyrsa Benth.
- 1585. Cyperaceae: *Rhynchospora nervosa* (Vahl) Böck. ssp. *nervosa*
- 1586. Solanaceae: Solanum stramoniifolium Jacq.

- 1587. Leguminosae-Faboideae: Zornia sp.
- 1587b. Leguminosae-Caesalpinioideae: *Chamaecrista diphylla* (L.) Greene
- 1588. Malvaceae: Sida cordifolia L.
- 1589. Sterculiaceae: Waltheria indica L.
- 1590. Euphorbiaceae: Croton trinitatis Millsp.
- 1591. Turneraceae: Turnera scabra Millsp.
- 1592. Melastomataceae: *Clidemia novemnervia* (DC.)
- 1593. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 1594. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
- 1595. Siparunaceae: Siparuna guianensis Aubl.
- 1596. Rubiaceae: Isertia parviflora Vahl
- 1597. Apocynaceae: Tabernaemontana cf. sp.
- 1598. Passifloraceae: Passiflora cf. laurifolia L.
- 1599. Convolvulaceae: *Merremia macrocalyx* (Ruiz and Pav.) O'Donell
- 1600. Apocynaceae: *Mandevilla hirsuta* (Rich.) K. Schum.
- 1601. Rubiaceae: Borreria capitata (Ruiz and Pav.) DC.
- 1602. Compositae: Wulffia baccata (L.) Kuntze
- 1603. Hippocrateaceae: *Prionostemma aspera* (Lam.) Miers
- 1604. Bignoniaceae: *Memora flavida* (DC.) Bureau and K. Schum.
- 1605. Lauraceae: *Chlorocardium rodiei* (R. H. Schomb.) Rohwer, H. G. Richt, and van der Werff
- 1606. Humiriaceae: Humiria sp.
- 1607. Sapotaceae: Pouteria engleri Eyma
- 1608. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
- 1609. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 1610. Anacardiaceae: Tapirira guianensis Aubl.
- 1611. Malpighiaceae: Byrsonima aerugo Sagot
- 1612. Convolvulaceae: Maripa sp.
- 1613. Moraceae: Ficus sp.
- 1614. Leguminosae-Mimosoideae: *Macrosamanea pubiramea* (Steud.) Barneby and J. W. Grimes var. *pubiramea*
- 1615. Cucurbitaceae: Momordica charantia L.
- 1616. Clusiaceae: Vismia sessilifolia (Aubl.) Choisy
- 1617. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
- 1618. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 1619. Melastomataceae: Henriettea multiflora Naudin
- 1620. Passifloraceae: *Passiflora foetida* L. var. *hispida* (DC.) Killip

- 1621. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 1622. Solanaceae: Solanum stramoniifolium Jacq.
- 1623. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 1624. Bignoniaceae: *Anemopaegma oligoneuron* (Sprague and Sandwith) A. H. Gentry
- 1625. Solanaceae: Solanum paludosum Moric.
- 1626. Apocynaceae: *Himatanthus bracteatus* (A. DC.) Woodson
- 1627. Dioscoreaceae: Dioscorea sp.
- 1628. Leguminosae-Faboideae: Clitoria sp.
- 1629. Rubiaceae: Psychotria anceps Kunth
- 1630. Sapindaceae: Cupania scrobiculata Rich.
- 1631. Sapindaceae: Serjania paucidentata DC.
- 1632. Clavicipitaceae: Cordyceps sp.
- 1633. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 1634. Aristolochiaceae: Aristolochia sp.
- 1635. Orchidaceae: Maxillaria uncata Lindl.
- 1636. Orchidaceae: Maxillaria caespitifica Rchb. f.
- 1637. Lauraceae: Ocotea rhynchophylla (Meisn.) Mez
- 1638. Myrtaceae: Myrcia fallax (Rich.) DC.
- 1639. Boraginaceae: *Cordia curassavica* (Jacq.) Roem. and Schult.
- 1640. Myrtaceae: Psidium guineense Sw.
- 1641. Oxalidaceae: Oxalis frutescens L.
- 1642. Convolvulaceae: Evolvulus sp.
- 1643. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
- 1644. Loranthaceae: Struthanthus elegans Mart.
- 1645. Erythroxylaceae: Erythroxylum sp.
- 1646. Chrysobalanaceae: Couepia comosa Benth.
- 1647. Sterculiaceae: Helicteres guazumifolia Kunth
- 1648. Connaraceae: Rourea grosourdyana Baill. var. grosourdyana
- 1649. Erythroxylaceae: Erythroxylum sp.
- 1650. Loranthaceae: *Psittacanthus cordatus* (Hoffmanns.) Blume
- 1651. Lythraceae: *Cuphea antisyphilitica* Kunth var. *acutifolia* Benth.
- 1652. Malvaceae: *Peltaea trinervis* (C. Presl) Krapov. and Cristóbal
- 1653. Malvaceae: Sida cordifolia L.
- 1654. Sterculiaceae: Waltheria microphylla Cav.
- 1655. Malvaceae: Sida linifolia Juss. ex Cav.
- 1656. Dilleniaceae: Curatella americana L.
- 1657. Turneraceae: Turnera sp.
- 1658. Combretaceae: Combretum fruticosum (Loefl.) Stuntz
- 1659. Melastomataceae: *Miconia pseudoaplostachya* Cogn.

- 1660. Melastomataceae: Miconia prasina (Sw.) DC.
- 1661. Rubiaceae: Genipa spruceana Steverm.
- 1662. Scrophulariaceae: Buchnera rosea Kunth
- 1663. Cyperaceae: Bulbostylis lanata (Kunth) Lindm.
- 1664. Poaceae: Trachypogon spicatus (L. f.) Kuntze
- 1665. Cyperaceae: Lagenocarpus rigidus (Kunth) Nees
- 1666. Turneraceae: Turnera sp.
- 1667. Rubiaceae: *Diodella apiculata* (Willd. ex Roem. and Schult.) Delprete
- 1668. Melastomataceae: Comolia villosa (Aubl.) Triana
- 1669. Ochnaceae: Sauvagesia erecta L. var. erecta
- 1670. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 1671. Leguminosae-Faboideae: Swartzia latifolia Benth.
- 1672. Convolvulaceae: Indet.
- 1673. Convolvulaceae: Indet.
- 1674. Sterculiaceae: Helicteres baruensis Jacq.
- 1675. Malpighiaceae: Bunchosia mollis Benth.
- 1676. Incertae sedis: Indet.
- 1677. Rutaceae: Ertela trifolia (L.) Kuntze
- 1678. Bignoniaceae: Cuspidaria sp.
- 1679. Leguminosae-Faboideae: Dalbergia sp.
- 1680. Passifloraceae: Passiflora foetida L.
- 1681. Bignoniaceae: *Arrabidaea mollissima* (Kunth) Bureau and K. Schum.
- 1682. Sapindaceae: Indet.
- 1683. Leguminosae-Faboideae: *Desmodium incanum* DC.
- 1684. Polygalaceae: *Polygala violacea* Aubl., emend. Marques
- 1685. Bixaceae: Cochlospermum vitifolium (Willd.) Spreng.
- 1686. Sapindaceae: Indet.
- 1687. Sapindaceae: Paullinia verrucosa Radlk.
- 1688. Incertae sedis: Indet.
- 1689. Euphorbiaceae: Cnidoscolus urens (L.) Arthur
- 1690. Verbenaceae: Lippia origanoides Kunth
- 1691. Rubiaceae: Tocoyena sp.
- 1692. Schizaeaceae: *Anemia villosa* Humb. and Bonpl. ex Willd.
- 1693. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
- 1694. Rubiaceae: Morinda tenuiflora (Benth.) Steyerm.
- 1695. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 1696. Bixaceae: Cochlospermum vitifolium (Willd.)
 Spreng.
- 1697. Adiantaceae: *Doryopteris conformis* K. U. Kramer and R. M. Tryon
- 1698. Verbenaceae: Vitex capitata Vahl
- 1699. Apocynaceae: *Himatanthus drasticus* (Mart.) Plumel

- 1700. Cactaceae: *Melocactus smithii* (Alexander) Buining ex G. D. Rowley
- 1701. Araceae: Caladium bicolor (Aiton) Vent.
- 1702. Leguminosae-Faboideae: *Tephrosia purpurea* (L.) Pers.
- 1703. Menispermaceae: Cissampelos ovalifolia DC.
- 1704. Asclepiadaceae: Indet.
- 1705. Xyridaceae: *Xyris paraensis* Poepp. ex Kunth var. *paraensis*
- 1706. Scrophulariaceae: *Bacopa serpyllifolia* (Benth.) Pennell
- 1707. Lythraceae: Cuphea sp.
- 1708. Scrophulariaceae: *Anisantherina hispidula* (Mart.) Pennell
- 1709. Rubiaceae: Perama hirsuta Aubl.
- 1710. Polygalaceae: Polygala blakeana Steyerm.
- 1711. Melastomataceae: Comolia villosa (Aubl.) Triana
- 1712. Polygalaceae: Indet.
- 1713. Ochnaceae: Sauvagesia rubiginosa A. St.-Hil.
- 1714. Eriocaulaceae: Paepalanthus sp.
- 1715. Sterculiaceae: *Byttneria genistella* Triana and Planch.
- 1716. Scrophulariaceae: Indet.
- 1717. Gentianaceae: Coutoubea racemosa G. Mey.
- 1718. Linaceae: Linum cf. sp.
- 1719. Leguminosae-Mimosoideae: *Mimosa pudica* L. var. *tetrandra* (Humb. and Bonpl. ex Willd.) DC.
- 1720. Ochnaceae: Ouratea angulata Tiegh.
- 1721. Boraginaceae: Heliotropium filiforme Lehm.
- 1722. Leguminosae-Mimosoideae: *Neptunia plena* (L.)
- 1723. Malvaceae: *Peltaea trinervis* (C. Presl) Krapov. and Cristóbal
- 1724. Myrtaceae: Psidium guineense Sw.
- 1725. Acanthaceae: *Ruellia geminiflora* Kunth var. *angustifolia* (Nees) Griseb.
- 1726. Orchidaceae: *Galeandra stylomisantha* (Vell.) Hoehne
- 1727. Sterculiaceae: Melochia s.l. spicata (L.) Fryxell
- 1728. Malvaceae: Pavonia angustifolia Benth.
- 1729. Leguminosae-Faboideae: *Aeschynomene* paniculata Willd. ex Vogel
- 1730. Gentianaceae: Schultesia brachyptera Cham.
- 1731. Liliaceae: Zephyranthes puertoricensis Traub
- 1732. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
- 1733. Apocynaceae: *Mandevilla hirsuta* (Rich.) K. Schum.
- 1734. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 1735. Compositae: Wulffia baccata (L.) Kuntze

- 1736. Marantaceae: Calathea cf. mansonis Körn.
- 1737. Cyperaceae: Bulbostylis paradoxa (Spreng.) Lindm.
- 1738. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
- 1739. Araceae: Monstera adansonii Schott
- 1740. Leguminosae-Faboideae: Vigna sp.
- 1741. Rubiaceae: Isertia parviflora Vahl
- 1742. Flacourtiaceae: Casearia mariquitensis Kunth
- 1743. Zingiberaceae: *Renealmia aromatica* (Aubl.) Griseb.
- 1744. Araceae: Caladium bicolor (Aiton) Vent.
- 1745. Piperaceae: Piper sp.
- 1746. Annonaceae: Annona sp.
- 1747. Piperaceae: *Peperomia quadrangularis* (J. V. Thomps.) A. Dietr.
- 1748. Turneraceae: Turnera sp.
- 1749. Melastomataceae: Clidemia capitellata (Bonpl.)
- 1750. Bixaceae: Cochlospermum vitifolium (Willd.) Spreng.
- 1751. Menispermaceae: Cissampelos pareira L.
- 1752. Lauraceae: Endlicheria reflectens (Nees) Mez
- 1753. Rubiaceae: Morinda tenuiflora (Benth.) Steyerm.
- 1754. Costaceae: Costus arabicus L.
- 1755. Rutaceae: Ertela trifolia (L.) Kuntze
- 1756. Rubiaceae: Isertia parviflora Vahl
- 1757. Passifloraceae: Passiflora balbis Feuillet
- 1758. Passifloraceae: Passiflora leptopoda Harms
- 1759. Costaceae: Costus arabicus L.
- 1760. Rubiaceae: Psychotria (subg. Psychotria)
- 1761. Verbenaceae: Lantana camara L.
- 1762. Verbenaceae: Lantana canescens Kunth
- 1763. Bignoniaceae: *Arrabidaea mollissima* (Kunth) Bureau and K. Schum.
- 1764. Sapindaceae: Indet.
- 1765. Tiliaceae: Luehea alternifolia (Mill.) Mabb.
- 1766. Apocynaceae: Stemmadenia grandiflora (Jacq.) Miers
- 1767. Apocynaceae: Prestonia surinamensis Müll. Arg.
- 1768. Verbenaceae: Vitex compressa Turcz.
- 1769. Bignoniaceae: *Macfadyena uncata* (T. F. Andrews) Sprague and Sandwith
- 1770. Rubiaceae: *Mitracarpus frigidus* (Willd. ex Roem. and Schult.) K. Schum.
- 1771. Combretaceae: Combretum fruticosum (Loefl.)
- 1772. Iridaceae: Indet.
- 1773. Leguminosae-Faboideae: Zornia latifolia Sm.
- 1774. Leguminosae-Faboideae: *Stylosanthes* angustifolia Vogel

- 1775. Leguminosae-Faboideae: Galactia jussiaeana Kunth
- 1776. Rhamnaceae: Gouania sp.
- 1777. Myrtaceae: Campomanesia grandiflora (Aubl.) Sagot
- 1778. Convolvulaceae: Indet.
- 1779. Ulmaceae: Trema micrantha (L.) Blume
- 1780. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 1781. Rutaceae: Zanthoxylum caribaeum Lam.
- 1782. Rubiaceae: *Wittmackanthus stanleyanus* (R. H. Schomb.) Kuntze
- 1783. Apocynaceae: Mandevilla scaberula N. E. Br.
- 1784. Malpighiaceae: Bunchosia mollis Benth.
- 1785. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
- 1786. Boraginaceae: Cordia sp.
- 1787. Sapotaceae: Pouteria surumuensis Baehni
- 1788. Apocynaceae: *Himatanthus drasticus* (Mart.) Plumel
- 1789. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 1790. Gesneriaceae: *Sinningia schomburgkiana* (Kunth and Bouché) Chautems
- 1791. Sterculiaceae: Helicteres baruensis Jacq.
- 1792. Rubiaceae: Sipanea pratensis Aubl.
- 1793. Xyridaceae: Abolboda pulchella Bonpl.
- 1794. Melastomataceae: *Comolia villosa* (Aubl.) Triana
- 1795. Connaraceae: Rourea grosourdyana Baill. var. grosourdyana
- 1796. Malpighiaceae: Byrsonima coccolobifolia Kunth
- 1797. Rubiaceae: Palicourea rigida Kunth
- 1798. Polygalaceae: Indet.
- 1799. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
- 1800. Malpighiaceae: Indet.
- 1801. Menispermaceae: Cissampelos ovalifolia DC.
- 1802. Asclepiadaceae: Indet.
- 1803. Tiliaceae: Indet.
- 1804. Cactaceae: *Pilosocereus oligolepis* (Vaupel) Byles and G. D. Rowley
- 1805. Loganiaceae: Antonia ovata Pohl
- 1806. Malpighiaceae: Spachea elegans (G. Mey.) A. Juss.
- 1807. Euphorbiaceae: Croton galeopsifolius Lanj.
- 1808. Euphorbiaceae: Croton aff. galeopsifolius Lanj.
- 1809. Cyperaceae: Cyperus simplex Kunth
- 1810. Malpighiaceae: Heteropterys subhelicina Nied.
- 1811. Passifloraceae: Passiflora capparidifolia Killip
- 1812. Bignoniaceae: *Tabebuia obscura* (Bureau and K. Schum.) Sandwith

- 1813. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 1814. Arecaceae: Oenocarpus bacaba Mart.
- 1815. Leguminosae-Mimosoideae: Inga sp.
- 1816. Lecythidaceae: Lecythis chartacea O. Berg
- 1817. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 1818. Tiliaceae: Mollia globularis Meijer
- 1819. Melastomataceae: *Miconia lateriflora* Cogn. ssp. *monticellensis* Wurdack
- 1820. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 1821. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
- 1822. Melastomataceae: Clidemia hirta (L.) D. Don
- 1823. Bombacaceae: Catostemma fragrans Benth.
- 1824. Violaceae: Rinorea riana Kuntze
- 1825. Fungi-Incert. sed.: Indet.
- 1826. Passifloraceae: Passiflora sp.
- 1827. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 1828. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
- 1829. Humiriaceae: Sacoglottis cydonioides Cuatrec.
- 1830. Orchidaceae: Lockhartia imbricata (Lam.) Hoehne
- 1831. Schizaeaceae: *Anemia pastinacaria* Moritz ex Prantl
- 1832. Bryophyte: Indet.
- 1833. Ramalinaceae: Ramalina anceps Nyl.
- 1834. Tiliaceae: Apeiba schomburgkii Szyszyl.
- 1835. Rubiaceae: Chomelia schomburgkii Steverm.
- 1836. Polypodiaceae: *Polypodium polypodioides* (L.) Watt
- 1837. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
- 1838. Myrtaceae: Eugenia coffeifolia DC.
- 1839. Leguminosae-Mimosoideae: *Zygia inaequalis* (Humb. and Bonpl. ex Willd.) Pittier
- 1840. Pteridophyte: Indet.
- 1841. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 1842. Aspleniaceae: Asplenium serratum L.
- 1843. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
- 1844. Myrtaceae: Indet.
- 1845. Sapotaceae: Pouteria surumuensis Baehni
- 1846. Sapindaceae: Paullinia verrucosa Radlk.
- 1847. Dilleniaceae: Indet.
- 1848. Passifloraceae: Dilkea clarkei Feuillet
- 1849. Connaraceae: Connarus coriaceus G. Schellenb.

- 1850. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
- 1851. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 1852. Malpighiaceae: Byrsonima spicata (Cav.) DC.
- 1853. Erythroxylaceae: *Erythroxylum lindemanii* Plowman
- 1854. Trigoniaceae: Trigonia sp.
- 1855. Aristolochiaceae: *Aristolochia kanukuensis* Feuillet
- 1856. Cyperaceae: *Rhynchospora comata* (Link) Roem. and Schult.
- 1857. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Mig.
- 1858. Smilacaceae: Smilax schomburgkiana Kunth
- 1859. Celastraceae: Maytenus kanukuensis A. C. Sm.
- 1860. Vochysiaceae: Indet.
- 1861. Rubiaceae: Psychotria horizontalis Sw.
- 1862. Heliconiaceae: Heliconia bihai (L.) L.
- 1863. Annonaceae: Annona sp.
- 1864. Rubiaceae: Duroia eriopila L. f.
- 1865. Orchidaceae: Maxillaria uncata Lindl.
- 1866. Orchidaceae: Pleurothallis pruinosa Lindl.
- 1867. Orchidaceae: Pleurothallis picta Lindl.
- 1868. Orchidaceae: Maxillaria uncata Lindl.
- 1869. Orchidaceae: Stelis sp.
- 1870. Liliaceae: Hymenocallis tubiflora Salisb.
- 1871. Araceae: Monstera adansonii Schott
- 1872. Costaceae: Costus scaber Ruiz and Pav.
- 1873. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 1874. Phytolaccaceae: *Microtea maypurensis* (Kunth)
- 1875. Portulacaceae: Portulaca cf. pilosa L.
- 1876. Araceae: Anthurium trinervium Miq.
- 1877. Myrsinaceae: Ardisia guianensis (Aubl.) Mez
- 1878. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 1879. Rubiaceae: Sipanea hispida Benth. ex Wernham
- 1880. Bryophyte: Indet.
- 1881. Leucobryaceae: Leucobryum cf. sp.
- 1882. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 1883. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 1884. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
- 1885. Gentianaceae: *Chelonanthus purpurascens* (Aubl.) Struwe, S. Nilsson and V. A. Albert
- 1886. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 1887. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.

- 1888. Orchidaceae: Cheiradenia cuspidata Lindl.
- 1889. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 1890. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 1891. Loganiaceae: Spigelia sp.
- 1892. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 1893. Acanthaceae: Polylychnis radicans (Nees) Wassh.
- 1894. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
- 1895. Heliconiaceae: Heliconia acuminata Rich.
- 1896. Flacourtiaceae: Carpotroche surinamensis Uittien
- 1897. Arecaceae: Bactris elegans Barb. Rodr.
- 1897a. Arecaceae: Astrocaryum gynacanthum Mart.
- 1898. Arecaceae: Bactris ptariana Steyerm.
- 1899. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 1900. Monimiaceae: Mollinedia sp.
- 1901. Connaraceae: Connarus perrottetii (DC.) Planch. var. rufus Forero
- 1902. Annonaceae: Duguetia neglecta Sandwith
- 1903. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 1904. Tectariaceae: *Triplophyllum dicksonioides* (Fée) Holttum
- 1905. Aspleniaceae: Asplenium angustum Sw.
- 1906. Lygodiaceae: Lygodium volubile Sw.
- 1907. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl
- 1908. Aspleniaceae: Asplenium juglandifolium Lam.
- 1909. Cyperaceae: Hypolytrum jenmanii C. B. Clarke
- 1910. Triuridaceae: Sciaphila purpurea Benth.
- 1911. Cyperaceae: *Mapania macrophylla* (Böck.) H. Pfeiff.
- 1912. Acanthaceae: Justicia wurdackii Leonard
- 1913. Melastomataceae: Aciotis laxa (DC.) Cogn.
- 1914. Rubiaceae: Psychotria apoda Steyerm.
- 1915. Orchidaceae: Maxillaria porrecta Lindl.
- 1916. Leguminosae-Mimosoideae: *Calliandra coriacea* (Humb. and Bonpl. ex Willd.) Benth.
- 1917. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 1918. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 1919. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.
- 1920. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
- 1921. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
- 1922. Ochnaceae: Sauvagesia angustifolia Ule
- 1923. Orchidaceae: Sobralia sp.

- 1924. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 1925. Cyatheaceae: Cyathea cyatheoides (Desv.) K. U. Kramer
- 1926. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 1927. Araceae: Rhodospatha oblongata Poepp.
- 1928. Gesneriaceae: *Paradrymonia maculata* (Hook. f.) Wiehler
- 1929. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 1930. Rubiaceae: Psychotria racemosa Rich.
- 1931. Euphorbiaceae: *Acidoton nicaraguensis* (Hemsl.) G. L. Webster
- 1932. Bromeliaceae: Tillandsia anceps Lodd.
- 1933. Aspleniaceae: Asplenium serratum L.
- 1934. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
- 1935. Melastomataceae: Leandra solenifera Cogn.
- 1936. Incertae sedis: Indet.
- 1937. Adiantaceae: Adiantum asperum (Poir.) Desv.
- 1938. Fungi-Incert. sed.: Indet.
- 1939. Hippocrateaceae: Indet.
- 1940. Polypodiaceae: *Polypodium polypodioides* (L.) Watt
- 1941. Araceae: Philodendron? placidum Schott
- 1942. Selaginellaceae: Selaginella epirrhizos Spring
- 1943. Cyperaceae: Scleria latifolia Sw.
- 1944. Myrtaceae: Indet.
- 1945. Tectariaceae: *Tectaria* cf. *plantaginea* (Jacq.) Maxon
- 1946. Loganiaceae: Spigelia hamelioides Kunth
- 1947. Rubiaceae: Psychotria uliginosa Sw.
- 1948. Orchidaceae: Cheiradenia cuspidata Lindl.
- 1949. Lomariopsidaceae: *Elaphoglossum luridum* (Fée) H. Christ
- 1950. Melastomataceae: *Miconia gratissima* Benth. ex Triana
- 1951. Bromeliaceae: *Tillandsia monadelpha* (E. Morren) Baker
- 1952. Bromeliaceae: Araeococcus micranthus Brongn.
- 1953. Orchidaceae: Dichaea sp.
- 1954. Solanaceae: *Solanum stramoniifolium* Jacq. var. *inerme* (Dunal) Whalen
- 1955. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 1956. Zingiberaceae: Renealmia guianensis Maas
- 1957. Leguminosae-Mimosoideae: *Inga nobilis* Willd.
- 1958. Orchidaceae: Epidendrum compressum Griseb.
- 1959. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton

- 1960. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
- 1961. Leguminosae-Faboideae: Mucuna sp.
- 1962. Rubiaceae: Psychotria lupulina Benth.
- 1963. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 1964. Sapindaceae: Indet.
- 1965. Myrsinaceae: Stylogyne orinocensis (Kunth) Mez
- 1966. Melastomataceae: Henriettea sp.
- 1967. Lecythidaceae: Eschweilera pedicellata (Rich.) S. A. Mori
- 1968. Myrtaceae: Psidium cf. acutangulum DC.
- 1969. Myrsinaceae: Ardisia guianensis (Aubl.) Mez
- 1970. Chrysobalanaceae: Licania leptostachya Benth.
- 1971. Araceae: *Philodendron hederaceum* (Jacq.) Schott
- 1972. Cucurbitaceae: *Cayaponia cruegeri* (Naudin) Cogn.
- 1973. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 1974. Euphorbiaceae: Croton cuneatus Klotzsch
- 1975. Vitaceae: Cissus erosa Rich.
- 1976. Apocynaceae: *Mesechites trifida* (Jacq.) Müll. Arg.
- 1977. Solanaceae: Solanum monachophyllum Dunal
- 1978. Poaceae: Acroceras zizanioides (Kunth) Dandy
- 1979. Myrtaceae: Psidium cf. striatulum DC.
- 1980. Vitaceae: Cissus sp.
- 1981. Smilacaceae: Smilax schomburgkiana Kunth
- 1982. Lecythidaceae: Gustavia augusta L.
- 1983. Verbenaceae: Petrea macrostachya Benth.
- 1984. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 1985. Annonaceae: Duguetia calycina Benoist
- 1986. Myrtaceae: Eugenia coffeifolia DC.
- 1987. Sapindaceae: Indet.
- 1988. Chrysobalanaceae: Licania majuscula Sagot
- 1989. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 1990. Leguminosae-Mimosoideae: Inga alata Benoist
- 1991. Parmeliaceae: Parmotrema sp.
- 1992. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 1993. Sapotaceae: Ecclinusa guianensis Eyma
- 1994. Leguminosae-Mimosoideae: *Acacia tenuifolia* (L.) Willd.
- 1995. Dilleniaceae: *Doliocarpus dentatus* (Aubl.) Standl. ssp. *dentatus*
- 1996. Rubiaceae: Amaioua corymbosa Kunth
- 1997. Melastomataceae: *Miconia splendens* (Sw.) Griseb.

- 1998. Amaranthaceae: *Alternanthera brasiliana* (L.) Kuntze
- 1999. Meliaceae: Trichilia martiana C. DC.
- 2000. Bromeliaceae: Tillandsia anceps Lodd.
- 2000a. Marantaceae: Indet.
- 2001. Moraceae: *Ficus insipida* Willd. ssp. *scabra* C. C. Berg
- 2002. Boraginaceae: Tournefortia cuspidata Kunth
- 2003. Elaeocarpaceae: Sloanea grandiflora Sm.
- 2004. Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.
- 2005. Meliaceae: Guarea? pubescens (Rich.) A. Juss.
- 2006. Araceae: Anthurium gracile (Rudge) Schott
- 2007. Araceae: Anthurium trinervium Miq.
- 2008. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 2009. Leguminosae-Caesalpinioideae: *Tachigali* paniculata Aubl.
- 2010. Araceae: Syngonium podophyllum Schott
- 2011. Annonaceae: Annona hypoglauca Mart.
- 2012. Leguminosae-Mimosoideae: *Inga meissneriana* Miq.
- 2013. Sterculiaceae: Theobroma subincanum Mart.
- 2014. Adiantaceae: Adiantum leprieurii Hook.
- 2015. Sapindaceae: Talisia hemidasya Radlk.
- 2016. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 2017. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
- 2018. Monimiaceae: Mollinedia sp.
- 2019. Chrysobalanaceae: Hirtella silicea Griseb.
- 2020. Orchidaceae: Cheiradenia cuspidata Lindl.
- 2021. Orchidaceae: Dichaea sp.
- 2022. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
- 2023. Rubiaceae: Coutarea hexandra (Jacq.) K. Schum.
- 2024. Moraceae: Ficus paraensis (Miq.) Miq.
- 2025. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 2026. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
- 2027. Bryophyte: Indet.
- 2028. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 2029. Orchidaceae: Maxillaria acutifolia Lindl.
- 2030. Myrtaceae: Eugenia cucullata Amshoff
- 2031. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 2032. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 2033. Malpighiaceae: Byrsonima aerugo Sagot
- 2034. Violaceae: Rinorea riana Kuntze

- 2035. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 2036. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
- 2037. Apocynaceae: *Anartia olivacea* (Müll. Arg.) Markgr.
- 2038. Boraginaceae: Cordia nodosa Lam.
- 2039. Quiinaceae: Indet.
- 2040. Burmanniaceae: Gymnosiphon breviflorus Gleason
- 2041. Rubiaceae: Ferdinandusa goudotiana K. Schum.
- 2042. Melastomataceae: Mouriri sp.
- 2043. Leguminosae-Faboideae: Ormosia sp.
- 2044. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 2045. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
- 2046. Meliaceae: Guarea? pubescens (Rich.) A. Juss.
- 2047. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
- 2048. Humiriaceae: Indet.
- 2049. Bryophyte: Indet.
- 2050. Lauraceae: Licaria debilis (Mez) Kosterm.
- 2051. Araceae: Xanthosoma belophyllum (Willd.) Schott
- 2052. Lecythidaceae: Gustavia hexapetala (Aubl.) Sm.
- 2053. Arecaceae: Astrocaryum sp.
- 2054. Annonaceae: Duguetia calycina Benoist
- 2055. Burseraceae: *Tetragastris panamensis* (Engl.) Kuntze
- 2056. Lauraceae: Indet.
- 2057. Bombacaceae: Pachira aquatica Aubl.
- 2058. Flacourtiaceae: Casearia singularis Eichler
- 2059. Sterculiaceae: Indet.
- 2060. Rubiaceae: *Posoqueria panamensis* (Walp. and Duchass.) Walp.
- 2061. Myrsinaceae: Ardisia guianensis (Aubl.) Mez
- 2062. Lauraceae: Licaria debilis (Mez) Kosterm.
- 2063. Clusiaceae: Chrysochlamys weberbaueri Engl.
- 2064. Marantaceae: Indet.
- 2065. Sapotaceae: Indet.
- 2066. Tectariaceae: Tectaria trifoliata (L.) Cav.
- 2067. Not Sapotaceae: Indet.
- 2068. Bromeliaceae: Tillandsia bulbosa Hook.
- 2069. Orchidaceae: Cattleva violacea (Kunth) Rolfe
- 2070. Rhamnaceae: Indet.
- 2071. Lecythidaceae: *Lecythis brancoensis* (R. Knuth) S. A. Mori
- 2072. Verbenaceae: Vitex compressa Turcz.
- 2073. Malvaceae: Sida sp.
- 2074. Erythroxylaceae: Erythroxylum sp.
- 2075. Rubiaceae: Diodella teres (Walter) Small

- 2076. Leguminosae-Faboideae: *Desmodium canum* (J. F. Gmel.) Schinz and Thell.
- 2077. Dioscoreaceae: Dioscorea sp.
- 2078. Oxalidaceae: Oxalis frutescens L.
- 2079. Lythraceae: Cuphea carthagenensis (Jacq.) J. F. Macbr.
- 2080. Apocynaceae: Rauvolfia sp.
- 2081. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 2082. Leguminosae-Caesalpinioideae: Cassia moschata Kunth
- 2083. Bignoniaceae: *Tabebuia obscura* (Bureau and K. Schum.) Sandwith
- 2084. Rubiaceae: Palicourea rigida Kunth
- 2085. Poaceae: Trachypogon spicatus (L. f.) Kuntze
- 2086. Cyperaceae: *Bulbostylis conifera* (Kunth) C. B. Clarke
- 2087. Cuscutaceae: Cuscuta sp.
- 2088. Malpighiaceae: Byrsonima coccolobifolia Kunth
- 2089. Erythroxylaceae: *Erythroxylum suberosum* A. St.-Hil.
- 2090. Myrtaceae: Eugenia punicifolia (Kunth) DC.
- 2091. Polygalaceae: Polygala longicaulis Kunth
- 2092. Polygalaceae: Polygala longicaulis Kunth
- 2093. Connaraceae: Connarus incomptus Planch.
- 2094. Myrtaceae: Psidium guineense Sw.
- 2095. Krameriaceae: Krameria ixine Loefl.
- 2096. Aquifoliaceae: *Ilex* sp.
- 2097. Leguminosae: Indet.
- 2098. Rubiaceae: *Diodella apiculata* (Willd. ex Roem. and Schult.) Delprete
- 2099. Leguminosae-Faboideae: *Galactia jussiaeana* Kunth
- 2100. Portulacaceae: Talinum fruticosum (L.) Juss.
- 2101. Verbenaceae: Lippia alba (Mill.) N. E. Br.
- 2102. Lamiaceae: *Marsypianthes chamaedrys* (Vahl) Kuntze
- 2103. Leguminosae-Caesalpinioideae: *Peltophorum dubium* (Spreng.) Taub.
- 2104. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 2105. Chrysobalanaceae: Hirtella racemosa Lam.
- 2106. Trigoniaceae: Trigonia villosa Aubl.
- 2107. Sterculiaceae: Helicteres guazumifolia Kunth
- 2108. Malpighiaceae: Bunchosia mollis Benth.
- 2109. Melastomataceae: Clidemia sericea D. Don
- 2110. Rubiaceae: Morinda tenuiflora (Benth.) Steyerm.
- 2111. Vitaceae: Cissus erosa Rich.
- 2112. Ochnaceae: Ouratea superba Engl.
- 2113. Rubiaceae: Chomelia tenuiflora Benth.
- 2114. Malpighiaceae: Heteropterys subhelicina Nied.

- 2115. Poaceae: Panicum polycomum Trin.
- 2116. Turneraceae: *Piriqueta cistoides* (L.) Griseb. var. *cistoides*
- 2117. Leguminosae-Faboideae: *Crotalaria maypurensis* Kunth
- 2118. Convolvulaceae: Evolvulus sp.
- 2119. Lythraceae: *Cuphea antisyphilitica* Kunth var. *acutifolia* Benth.
- 2120. Melastomataceae: *Miconia pseudoaplostachya* Cogn.
- 2121. Rubiaceae: Faramea crassifolia Benth.
- 2122a. Ochnaceae: Sauvagesia sprengelii A. St.-Hil.
- 2122b. Malpighiaceae: Bunchosia mollis Benth.
- 2123a. Loranthaceae: *Struthanthus phyllyraeoides* (Kunth) Blume
- 2123b. Rutaceae: Ertela trifolia (L.) Kuntze
- 2124. Poaceae: Panicum pilosum Sw.
- 2125. Annonaceae: Annona sp.
- 2126. Tiliaceae: Indet.
- 2127. Bryophyte: Indet.
- 2128. Poaceae: Olyra latifolia L.
- 2129. Bryophyte: Indet.
- 2130. Tiliaceae: Luehea alternifolia (Mill.) Mabb.
- 2131. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
- 2132. Meliaceae: Trichilia pallida Sw.
- 2133. Sterculiaceae: Helicteres baruensis Jacq.
- 2134. Flacourtiaceae: Casearia spinescens (Sw.) Griseb.
- 2135. Erythroxylaceae: *Erythroxylum suberosum* A. St.-Hil.
- 2136. Malpighiaceae: Byrsonima coccolobifolia Kunth
- 2137. Orchidaceae: Habenaria sp.
- 2138. Marantaceae: Maranta arundinacea L.
- 2139. Cyperaceae: Rhynchospora ciliata (Vahl) Kük.
- 2140. Leguminosae-Faboideae: *Bowdichia virgilioides* Kunth
- 2141. Rubiaceae: Guettarda argentea Lam.
- 2142. Violaceae: *Hybanthus calceolaria* (L.) Schulze-Menz
- 2143. Boraginaceae: Cordia alliodora (Ruiz and Pav.) Oken
- 2144. Leguminosae-Mimosoideae: *Acacia tenuifolia* (L.) Willd.
- 2145. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
- 2146. Myrtaceae: Psidium guineense Sw.
- 2147. Compositae: Wulffia baccata (L.) Kuntze
- 2148. Asclepiadaceae: Indet.
- 2149. Tiliaceae: Apeiba schomburgkii Szyszyl.

- 2150. Bignoniaceae: *Arrabidaea mollissima* (Kunth) Bureau and K. Schum.
- 2151. Cyperaceae: Cyperus schomburgkianus Nees
- 2152. Leguminosae-Mimosoideae: Acacia sp.
- 2153. Verbenaceae: Clerodendrum ternifolium Kunth
- 2154. Turneraceae: Indet.
- 2155. Tiliaceae: Corchorus orinocensis Kunth
- 2156. Sterculiaceae: Helicteres guazumifolia Kunth
- 2157. Leguminosae-Faboideae: *Indigofera lespedezioides* Kunth
- 2158. Leguminosae-Faboideae: *Eriosema* simplicifolium (Kunth) G. Don
- 2159. Lythraceae: *Cuphea antisyphilitica* Kunth var. *acutifolia* Benth.
- 2160. Compositae: Porophyllum ruderale (Jacq.) Cass.
- 2161. Leguminosae-Faboideae: Indigofera hirsuta L.
- 2162. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 2163. Solanaceae: Solanum semotum M. Nee
- 2164. Melastomataceae: Clidemia hirta (L.) D. Don
- 2165. Anacardiaceae: Anacardium occidentale L.
- 2166. Cyperaceae: Cyperus luzulae (L.) Rottb. ex Retz.
- 2167. Poaceae: Paspalum decumbens Sw.
- 2168. Verbenaceae: *Stachytarpheta cayennensis* (Rich.) Vahl
- 2169. Euphorbiaceae: Plukenetia loretensis Ule
- 2170. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 2171. Poaceae: Eleusine indica (L.) Gaertn.
- 2172. Cyatheaceae: Cyathea cyatheoides (Desv.) K. U. Kramer
- 2173. Leguminosae-Faboideae: *Desmodium adscendens* (Sw.) DC.
- 2174. Rubiaceae: Spermacoce latifolia Aubl.
- 2175. Chrysobalanaceae: *Licania sprucei* (Hook. f.) Fritsch
- 2176. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
- 2177. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 2178. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
- 2179. Cyperaceae: Fimbristylis dichotoma (L.) Vahl
- 2180. Rubiaceae: Geophila cordifolia Mig.
- 2181. Commelinaceae: *Aneilema umbrosum* (Vahl) Kunth ssp. *ovato-oblongum* (P. Beauv.) J. K. Morton
- 2182. Commelinaceae: *Murdannia nudiflora* (L.) Brenan
- 2183. Bryophyte: Indet.
- 2184. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring

- 2185. Adiantaceae: Adiantum latifolium Lam.
- 2186. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 2187. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell
- 2188. Chrysobalanaceae: Licania kunthiana Hook. f.
- 2189. Chrysobalanaceae: Couepia guianensis Aubl. ssp. glandulosa (Miq.) Prance
- 2190. Rubiaceae: Malanea sarmentosa Aubl.
- 2191. Burseraceae: Protium crassipetalum Cuatrec.
- 2192. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
- 2193. Myristicaceae: Iryanthera sp.
- 2194. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl
- 2195. Annonaceae: Duguetia cauliflora R. E. Fr.
- 2196. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
- 2197. Rubiaceae: Duroia eriopila L. f.
- 2198. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
- 2199. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
- 2200. Olacaceae: Ptychopetalum olacoides Benth.
- 2201. Aspleniaceae: Asplenium serratum L.
- 2202. Sterculiaceae: Theobroma subincanum Mart.
- 2203. Cactaceae: Epiphyllum phyllanthus (L.) Haw.
- 2204. Annonaceae: Anaxagorea brevipes Benth.
- 2205. Arecaceae: *Geonoma macrostachys* Mart. var. poiteauana (Kunth) A. J. Hend.
- 2206. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
- 2207. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
- 2208. Leguminosae-Caesalpinioideae: *Senna pendula* (Humb. and Bonpl. ex Willd.) H. S. Irwin and Barneby var. *tenuifolia* (Benth.) H. S. Irwin and Barneby
- 2209. Polygalaceae: Securidaca paniculata Rich. var. lasiocarpa Oort
- 2210. Leguminosae-Faboideae: *Swartzia anomala* R. S. Cowan
- 2211. Leguminosae-Mimosoideae: Inga splendens Willd.
- 2212. Myrtaceae: Eugenia lambertiana DC.
- 2213. Leguminosae-Faboideae: *Vigna luteola* (Jacq.) Benth.
- 2214. Euphorbiaceae: Croton cuneatus Klotzsch
- 2215. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 2216. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.

- 2217. Passifloraceae: Passiflora vespertilio L.
- 2218. Onagraceae: Ludwigia sp.
- 2219. Boraginaceae: Indet.
- 2220. Vitaceae: Cissus erosa Rich.
- 2221. Melastomataceae: Miconia longifolia (Aubl.) DC.
- 2222. Leguminosae-Faboideae: Ormosia coarctata Jacks.
- 2223. Asclepiadaceae: Indet.
- 2224. Flacourtiaceae: Casearia mariguitensis Kunth
- 2225. Solanaceae: Schwenckia grandiflora Benth.
- 2226. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
- 2227. Orchidaceae: Epidendrum rigidum Jacq.
- 2228. Rubiaceae: *Bothriospora corymbosa* (Benth.) Hook. f.
- 2229. Sapindaceae: Matayba macrostylis Radlk.
- 2230. Combretaceae: Buchenavia viridiflora Ducke
- 2231. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
- 2232. Combretaceae: Combretum laxum Jacq.
- 2233. Vitaceae: Cissus sp.
- 2234. Sapindaceae: Matayba camptoneura Radlk.
- 2235. Rubiaceae: Genipa spruceana Steyerm.
- 2236. Orchidaceae: Epidendrum anceps Jacq.
- 2237. Orchidaceae: Dichaea sp.
- 2238. Orchidaceae: Polystachya sp.
- 2239. Orchidaceae: Brassia lanceana Lindl.
- 2240. Lecythidaceae: *Eschweilera parviflora* (Aubl.) Miers
- 2241. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
- 2242. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 2243. Arecaceae: Geonoma leptospadix Trail
- 2244. Poaceae: Ichnanthus panicoides P. Beauv.
- 2245. Meliaceae: Guarea silvatica C. DC.
- 2246. Lauraceae: Ocotea sp.
- 2247. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 2248. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
- 2249. Olacaceae: Indet.
- 2250. Caryocaraceae: Caryocar pallidum A. C. Sm.
- 2251. Chrysobalanaceae: *Licania sprucei* (Hook. f.) Fritsch
- 2252. Lauraceae: Nectandra sp.
- 2253. Marantaceae: *Monotagma laxum* (Poepp. and Endl.) K. Schum.
- 2254. Adiantaceae: Adiantum tomentosum Klotzsch
- 2255. Arecaceae: Socratea exorrhiza (Mart.) H. Wendl.

- 2256. Arecaceae: Geonoma poiteauana Kunth
- 2257. Leguminosae-Caesalpinioideae: *Dinizia excelsa* Ducke
- 2258. Caryocaraceae: Caryocar pallidum A. C. Sm.
- 2259. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 2260. Arecaceae: Bactris elegans Barb. Rodr.
- 2261. Sapotaceae: Manilkara huberi (Ducke) A. Chev.
- 2262. Rubiaceae: Palicourea calophylla DC.
- 2263. Hymenophyllaceae: Trichomanes sp.
- 2264. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 2265. Hymenophyllaceae: Trichomanes punctatum Poir.
- 2266. Arecaceae: Bactris elegans Barb. Rodr.
- 2267. Lauraceae: Ocotea cf. splendens (Meisn.) Baill.
- 2268. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 2269. Annonaceae: Duguetia yeshidan Sandwith
- 2270. Rubiaceae: Psychotria polycephala Benth.
- 2271. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 2272. Cyperaceae: Diplasia karatifolia Rich.
- 2273. Orchidaceae: Indet.
- 2274. Pteridophyte: Indet.
- 2275. Pteridophyte: Indet.
- 2276. Myrtaceae: Indet.
- 2277. Myrtaceae: Indet.
- 2278. Leguminosae-Faboideae: Swartzia sp.
- 2279. Apocynaceae: Odontadenia sp.
- 2280. Leguminosae-Faboideae: Swartzia sp.
- 2281. Chrysobalanaceae: Indet.
- 2282. Annonaceae: Annona sp.
- 2283. Myrtaceae: Indet.
- 2284. Rubiaceae: Indet.
- 2285. Pteridophyte: Indet.
- 2286. Annonaceae: Duguetia sp.
- 2287. Rhamnaceae: Indet.
- 2288. Rubiaceae: *Bothriospora corymbosa* (Benth.) Hook. f.
- 2289. Malpighiaceae: Indet.
- 2290. Orchidaceae: Maxillaria uncata Lindl.
- 2291a. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 2291b. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 2292. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
- 2293. Melastomataceae: Miconia? sp.
- 2294. Melastomataceae: Miconia prasina (Sw.) DC.
- 2295. Rubiaceae: Isertia cf. hypoleuca Benth.
- 2296. Commelinaceae: *Dichorisandra hexandra* (Aubl.) Standl.

- 2297. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 2298. Dilleniaceae: Doliocarpus major J. F. Gmel.
- 2299. Myrsinaceae: Indet.?
- 2300. Melastomataceae: *Clidemia japurensis* DC. var. *heterobasis* (DC.) Wurdack
- 2301. Aquifoliaceae: Ilex cf. ovalifolia G. Mey.
- 2302. Orchidaceae: *Encyclia granitica* (Bateman ex Lindl.) Schltr.
- 2303. Rubiaceae: *Posoqueria* cf. *panamensis* (Walp. and Duchass.) Walp.
- 2304. Acanthaceae: *Justicia schomburgkiana* (Nees) V. A. W. Graham
- 2305. Convolvulaceae: Ipomoea cf. sp.
- 2306. Aspleniaceae: Asplenium serratum L.
- 2307. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 2308. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
- 2309. Rubiaceae: Sipanea cowanii Steyerm.
- 2310. Compositae: Centratherum punctatum Cass.
- 2311. Melastomataceae: Indet.
- 2311a. Poaceae: Olyra latifolia L.
- 2312. Commelinaceae: Indet.
- 2313. Melastomataceae: Miconia lasseri Gleason
- 2314. Leguminosae-Caesalpinioideae: *Elizabetha* coccinea M. R. Schomb. ex Benth. var. coccinea
- 2315. Cucurbitaceae: Indet.
- 2316. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 2317. Rubiaceae: Psychotria polycephala Benth.
- 2318. Zingiberaceae: Renealmia floribunda K. Schum.
- 2319. Gentianaceae: Voyria parviflora (Miq.) Miq.
- 2320. Cyperaceae: Calyptrocarya bicolor (H. Pfeiff.) T. Koyama
- 2321. Sapotaceae: *Micropholis guyanensis* (A. DC.)
- 2322. Boraginaceae: Cordia sp.
- 2323. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 2324. Polypodiaceae: *Campyloneurum? repens* (Aubl.) C. Presl
- 2325. Bryophyte: Indet.
- 2326. Bryophyte: Indet.
- 2327. Adiantaceae: Adiantum terminatum Kunze ex Miq.
- 2328. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby var. *silvestris*
- 2329. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 2330. Rubiaceae: Perama hirsuta Aubl.
- 2331. Lentibulariaceae: *Utricularia* sp.

2332	. Lythraceae: Cuphea sp.	2380.	Parmeliaceae: Parmotrema sp.
2333	. Ochnaceae: Sauvagesia sp.	2381.	Orchidaceae: Indet.
2334	. Melastomataceae: Indet.	2382.	Orchidaceae: Indet.
2335	. Orchidaceae: Catasetum sp.	2383.	Sphenocleaceae: Sphenoclea cf. sp.
2336	. Gentianaceae: Irlbachia sp.	2384.	Orchidaceae: Indet.
2337	. Bryophyte: Indet.	2385.	Rubiaceae: Pagamea sp.
2338	. Cladoniaceae: Cladonia polyscypha Ahti and	2386.	Cyperaceae: Indet.
	Xavier Filho	2387.	Lentibulariaceae: Utricularia sp.
2339	. Cladoniaceae: Cladonia corallifera (Kunze) Nyl.	2388.	Rubiaceae: Indet.
2340	. Cyperaceae: Indet.	2389.	Rubiaceae: Indet.
2341	Rubiaceae: Indet.	2390.	Araceae: Monstera sp.
2342	. Asclepiadaceae: Indet.	2391.	Combretaceae: Combretum sp.
2343	. Arecaceae: Indet.	2392.	Bryophyte: Indet.
2344	. Lentibulariaceae: Utricularia sp.	2393.	Hippocrateaceae: Indet.
2345		2394.	Orchidaceae: Indet.
2346	* * *	2395.	Orchidaceae: Indet.
2347	Eriocaulaceae: Indet.	2396.	Orchidaceae: Indet.
2348		2397.	Rubiaceae: Hillia cf. sp.
2349	*	2398.	Rubiaceae: Hillia cf. sp.
2351	·	2399.	Not Received at US: Indet.
2352		2400.	Chrysobalanaceae: Indet.
2353	. Haemodoraceae: Indet.	2401.	Not Received at US: Indet.
2354		2402.	Rubiaceae: Psychotria ligularis (Rudge) Steyerm.
2355	1	2403.	Leguminosae-Mimosoideae: <i>Inga</i> sp.
2356		2404.	Leguminosae-Caesalpinioideae: Hymenaea
	Müll. Arg.		courbaril L.
2357		2405.	Piperaceae: Piper bartlingianum (Miq.) C. DC.
2358		2406.	Ebenaceae: Diospyros sp.
2359	•	2407.	Annonaceae: Duguetia yeshidan Sandwith
2360	-	2408.	Araceae: Anthurium clavigerum Poepp.
2361	. Lythraceae: Cuphea sp.	2409.	Leguminosae-Caesalpinioideae: Dialium
2362	· · ·		guianense (Aubl.) Sandwith
2363	. Xyridaceae: Xyris jupicai Rich.	2410.	Ochnaceae: Ouratea fasciculata Maguire and
2364			Steyerm.
2365	Pteridophyte: Indet.	2411.	Lichen-Incert. sed.: Indet.
2366	. Eriocaulaceae: Indet.	2412.	Lobariaceae: Sticta weigelii (Ach.) Vain.
2367	. Lythraceae: Indet.	2413.	Vittariaceae: Antrophyum guayanense Hieron.
2368	. Melastomataceae: Tibouchina sp.	2414.	Piperaceae: Pothomorphe peltata (L.) Miq.
2369	. Cyperaceae: Indet.	2415.	Rubiaceae: Gonzalagunia dicocca Cham. and
2370	· =		Schltdl.
2371		2416.	Orchidaceae: Polystachya sp.
2372	Orchidaceae: Catasetum sp.	2417.	Boraginaceae: Cordia nodosa Lam.
2373	. Burmanniaceae: Burmannia sp.	2418.	Rubiaceae: Palicourea guianensis Aubl.
2374		2419.	Apocynaceae: Lacmellea aculeata (Ducke)
2375	. Viscaceae: Phoradendron racemosum (Aubl.)		Monach.
	Krug and Urb.	2420.	Gentianaceae: Voyria rosea Aubl.
2376		2421.	Hymenophyllaceae: Trichomanes pedicellatum
2377	. Poaceae: Indet.		Desv.
2378	. Orchidaceae: Indet.	2422.	Triuridaceae: Sciaphila purpurea Benth.
2379	. Lichen-Incert. sed.: Indet.	2423.	Gentianaceae: Voyria parviflora (Miq.) Miq.

- 2424. Gyalectaceae: Coenogonium sp.
- 2425. Lichen-Incert. sed.: Indet.
- 2426. Adiantaceae: Adiantum phyllitidis J. Sm.
- 2427. Rubiaceae: Psychotria apoda Steyerm.
- 2428. Cyperaceae: Calyptrocarya bicolor (H. Pfeiff.)
 T. Kovama
- 2429. Burmanniaceae: *Apteria aphylla* (Nutt.) Barnhart ex Small
- 2430. Poaceae: Ichnanthus panicoides P. Beauv.
- 2431. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 2432. Rubiaceae: *Declieuxia tenuiflora* (Willd. ex Roem. and Schult.) Steyerm. and J. H. Kirkbr.
- 2433. Melastomataceae: Comolia sp.
- 2434. Poaceae: Panicum pyrularium Hitchc. and Chase
- 2435. Araceae: Philodendron solimoesense A. C. Sm.
- 2436. Polypodiaceae: *Phlebodium pseudoaureum* (Cav.) Lellinger
- 2437. Solanaceae: Solanum oocarpum Sendtn.
- 2438. Cyperaceae: Rhynchospora sanariapensis Steyerm.
- 2439. Marantaceae: *Ischnosiphon leucophaeus* (Poepp. and Endl.) Körn. ssp. *leucophaeus*
- 2440. Gesneriaceae: *Chrysothemis villosa* (Benth.) Leeuwenb.
- 2441. Poaceae: Paspalum altsonii Chase
- 2442. Convolvulaceae: Evolvulus alsinoides (L.) L.
- 2443. Lauraceae: Ocotea neesiana (Miq.) Kosterm.
- 2444. Loranthaceae: Oryctanthus occidentalis (L.) Eichler
- 2445. Clusiaceae: Clusia minor L.
- 2446. Schizaeaceae: Anemia flexuosa (Sav.) Sw.
- 2447. Euphorbiaceae: Cnidoscolus urens (L.) Arthur
- 2448. Orchidaceae: Cyrtopodium sp.
- 2449. Araceae: Caladium bicolor (Aiton) Vent.
- 2450. Leguminosae-Faboideae: Clitoria falcata Lam.
- 2451. Orchidaceae: Catasetum sp.
- 2452. Gesneriaceae: Sinningia incarnata (Aubl.) D. L. Denham
- 2453. Eriocaulaceae: Indet.
- 2454. Leguminosae-Faboideae: Dioclea guianensis Benth.
- 2455. Melastomataceae: Comolia sp.
- 2456. Adiantaceae: Doryopteris sagittifolia (Raddi) J. Sm.
- 2457. Marcgraviaceae: *Norantea guianensis* Aubl. ssp. *japurensis* (Mart.) Bedell
- 2458. Leguminosae-Mimosoideae: *Zygia ampla* (Benth.) Pittier
- 2459. Rubiaceae: Sipanea hispida Benth. ex Wernham
- 2460. Rubiaceae: Mitracarpus hirtus (L.) DC.
- 2461. Melastomataceae: *Clidemia hirta* (L.) D. Don var. *elegans* (Aubl.) Griseb.
- 2462. Lichen-Incert. sed.: Indet.

- 2463. Cladoniaceae: Cladonia corallifera (Kunze) Nyl.
- 2464. Cladoniaceae: Cladonia corallifera (Kunze) Nyl.
- 2465. Orchidaceae: Epidendrum cf. saxatile Lindl.
- 2466. Leguminosae-Caesalpinioideae: *Chamaecrista* nictitans (L.) Moench var. disadena (Steud.) H. S. Irwin and Barneby
- 2467. Lentibulariaceae: Utricularia sp.
- 2468. Leguminosae-Mimosoideae: *Anadenanthera* peregrina (L.) Speg.
- 2469. Alismataceae: Sagittaria guayanensis Kunth
- 2469a. Liliaceae: *Hippeastrum solandriflorum* (Lindl.) Herb.
- 2470. Poaceae: *Ichnanthus nemoralis* (Schrad. ex Schult.) Hitchc. and Chase
- 2471. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
- 2472. Chrysobalanaceae: *Licania alba* (Bernoulli) Cuatrec.
- 2473. Adiantaceae: Adiantum tomentosum Klotzsch
- 2474. Burseraceae: *Protium decandrum* (Aubl.) Marchand
- 2475. Bryophyte: Indet.
- 2476. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 2477. Lauraceae: Aniba hostmanniana (Nees) Mez
- 2478. Dichapetalaceae: Tapura guianensis Aubl.
- 2479. Chrysobalanaceae: *Licania alba* (Bernoulli) Cuatrec.
- 2480. Annonaceae: Duguetia neglecta Sandwith
- 2481. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 2482. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 2483. Heliconiaceae: Heliconia acuminata Rich.
- 2484. Boraginaceae: Cordia cf. sp.
- 2485. Rapateaceae: Rapatea paludosa Aubl.
- 2486. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 2487. Loganiaceae: Spigelia hamelioides Kunth
- 2488. Zingiberaceae: Renealmia orinocensis Rusby
- 2489. Piperaceae: Piper insipiens Trel. and Yunck.
- 2490. Poaceae: Olyra micrantha Kunth
- 2491. Araceae: Spathiphyllum cuspidatum Schott
- 2492. Rubiaceae: Rudgea hostmanniana Benth.
- 2493. Bryophyte: Indet.
- 2494. Melastomataceae: Clidemia involucrata DC.
- 2495. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 2496. Annonaceae: Guatteria wachenheimi Benoist
- 2497. Piperaceae: Piper arboreum Aubl.
- 2498. Erythroxylaceae: *Erythroxylum* cf. *mucronatum* Benth.

- 2499. Hymenophyllaceae: Trichomanes pinnatum Hedw.
- 2500. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
- 2501. Araceae: Rhodospatha oblongata Poepp.
- 2502. Oleandraceae: Nephrolepis biserrata (Sw.) Schott
- 2503. Tectariaceae: *Tectaria? plantaginea* (Jacq.) Maxon
- 2504. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 2505. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 2506. Orchidaceae: Bollea violacea (Lindl.) Rchb. f.
- 2507. Melastomataceae: *Leandra* cf. *micropetala* (Naudin) Cogn.
- 2508. Rubiaceae: Psychotria mapourioides DC.
- 2509. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 2510. Araceae: Anthurium expansum Gleason
- 2511. Leguminosae-Mimosoideae: Inga sp.
- 2512. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 2513. Piperaceae: Piper arboreum Aubl.
- 2514. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 2515. Annonaceae: Guatteria wachenheimi Benoist
- 2516. Rubiaceae: Rudgea hostmanniana Benth.
- 2517. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 2518. Annonaceae: Duguetia calycina Benoist
- 2519. Rubiaceae: Psychotria apoda Steyerm.
- 2520. Gesneriaceae: *Paradrymonia densa* (C. H. Wright) Wiehler
- 2521. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 2522. Orchidaceae: Dichaea sp.
- 2523. Rubiaceae: Psychotria uliginosa Sw.
- 2524. Burseraceae: *Protium opacum* Swart ssp. *rabelianum* Daly
- 2525. Gesneriaceae: Besleria laxiflora Benth.
- 2526. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 2527. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
- 2528. Smilacaceae: Smilax schomburgkiana Kunth
- 2529. Cyperaceae: Mapania surinamensis Uittien
- 2530. Boraginaceae: Cordia nodosa Lam.
- 2531. Bryophyte: Indet.
- 2532. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 2533. Bryophyte: Indet.
- 2534. Bryophyte: Indet.
- 2535. Vittariaceae: Vittaria graminifolia Kaulf.

- 2536. Grammitidaceae: Cochlidium furcatum (Hook. and Grev.) C. Chr.
- 2537. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 2538. Euphorbiaceae: *Mabea? speciosa* Müll. Arg. ssp. obovata
- 2539. Picramniaceae: Picramnia latifolia Tul.
- 2540. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 2541. Leguminosae-Mimosoideae: *Abarema jupunba* (Willd.) Britton and Killip var. *trapezifolia* (Vahl) Barneby and J. W. Grimes
- 2542. Melastomataceae: *Adelobotrys ciliata* (Naudin) Triana
- 2543. Passifloraceae: Passiflora glandulosa Cav.
- 2544. Monimiaceae: Mollinedia laurina Tul.
- 2545. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 2546. Clusiaceae: Clusia columnaris Engl.
- 2547. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 2548. Bryophyte: Indet.
- 2549. Orchidaceae: Epidendrum s.l. nocturnum Jacq.
- 2550. Orchidaceae: Polystachya stenophylla Schltr.
- 2551. Poaceae: *Thrasya scandens* (Tutin) Soderstr. ex A. G. Burm.
- 2552. Poaceae: Panicum rivale Swallen
- 2553. Cyperaceae: Rhynchospora tenella (Nees) Böck.
- 2554. Rubiaceae: Sipanea wilson-brownei R. S. Cowan
- 2555. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 2556. Lentibulariaceae: Utricularia sp.
- 2557. Araceae: Stenospermation sp.
- 2558. Bryophyte: Indet.
- 2559. Bryophyte: Indet.
- 2560. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 2561. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne. ex Planch. and Linden
- 2562. Lauraceae: Indet.
- 2563. Rubiaceae: Malanea hypoleuca Steyerm.
- 2564. Leguminosae-Faboideae: *Swartzia* aff. *tillettii* R. S. Cowan
- 2565. Verbenaceae: Petrea bracteata Steud.
- 2566. Annonaceae: Duguetia surinamensis R. E. Fr.
- 2567. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 2568. Clusiaceae: Tovomita carinata Eyma
- 2569. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 2570. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 2571. Gentianaceae: Voyria corymbosa Splitg.
- 2572. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.

- 2573. Apocynaceae: Bonafousia undulata (Vahl) A. DC. 2613. Leguminosae-Caesalpinioideae: Eperua falcata 2574. Apocynaceae: Bonafousia undulata (Vahl) A. DC. Aubl. Myrtaceae: Eugenia cf. mimus McVaugh 2575. 2614. Moraceae: Brosimum guianense (Aubl.) Huber 2576. Annonaceae: Annona haematantha Miq. Myristicaceae: Irvanthera macrophylla (Benth.) Cyperaceae: *Mapania sylvatica* Aubl. 2577. 2578. Bryophyte: Indet. 2616. Leguminosae-Faboideae: Swartzia benthamiana 2579. Lauraceae: Licaria debilis (Mez) Kosterm. Mig. var. benthamiana Clusiaceae: Garcinia benthamiana (Planch. and 2580. 2617. Bryophyte: Indet. Triana) Pipoly 2618. Myrtaceae: Eugenia anastomosans DC. 2581. Euphorbiaceae: Sandwithia guyanensis Lanj. Leucobryaceae: Leucobryum sp. 2619. 2582. Bryophyte: Indet. 2620. Leguminosae-Caesalpinioideae: Cassia cowanii Monimiaceae: Mollinedia grazielae Peixoto H. S. Irwin and Barneby var. guianensis 2583. 2584. Bryophyte: Indet. (Sandwith) H. S. Irwin and Barneby 2585. Bryophyte: Indet. 2621. Gentianaceae: Voyria corymbosa Splitg. Hymenophyllaceae: Hymenophyllum polyanthos 2622. 2586. Gentianaceae: Voyria rosea Aubl. (Sw.) Sw. 2623. Leguminosae-Faboideae: Swartzia panacoco 2587. Araceae: Stenospermation maguirei A. M. E. (Aubl.) R. S. Cowan var. cardonae (R. S. Cowan) Jonker and Jonker R. S. Cowan 2588. Balanophoraceae: Helosis cayennensis (Sw.) 2624. Verbenaceae: Petrea macrostachya Benth. 2625. Violaceae: Rinorea pubiflora (Benth.) Sprague 2589. Meliaceae: Trichilia schomburgkii C. DC. ssp. and Sandwith schomburgkii 2626. Celastraceae: Maytenus sp. 2590. Bryophyte: Indet. 2627. Rubiaceae: Gonzalagunia dicocca Cham. and 2591. Bryophyte: Indet. Schltdl. 2592. Bryophyte: Indet. 2628. Euphorbiaceae: Pausandra martinii Baill. 2593. Hepaticae: Indet. 2629. Annonaceae: Anaxagorea dolichocarpa Sprague 2594. Meliaceae: Guarea pubescens (Rich.) A. Juss. and Sandwith ssp. pubescens 2630. Apocynaceae: Bonafousia undulata (Vahl) 2595. Leguminosae-Faboideae: Swartzia aff. tillettii R. S. Cowan 2631. Arecaceae: Bactris simplicifrons Mart. 2596. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst. Vittariaceae: Antrophyum jenmanii Benedict 2632. 2597. Arecaceae: Bactris ptariana Steyerm. 2633. Lichen-Incert, sed.: Indet. 2598. Chrysobalanaceae: Couepia parillo DC. 2634. Lichen-Incert. sed.: Indet. 2599. Rhizophoraceae: Cassipourea guianensis Aubl. 2635. Euphorbiaceae: Mabea aff. speciosa Müll. Arg. 2600. Lecythidaceae: Eschweilera coriacea (DC.) S. A. 2636. Lauraceae: Indet. Mori 2637. Orchidaceae: Rudolfiella aurantiaca (Lindl.) 2601. Rhizophoraceae: Cassipourea guianensis Aubl. Hoehne 2602. Violaceae: Rinorea pubiflora (Benth.) Sprague 2638. Araceae: Anthurium trinervium Mig. and Sandwith 2639. Orchidaceae: Maxillaria venezuelana 2603. Leguminosae-Faboideae: Swartzia sp. (C. Schweinf.) Carnevali 2604. Elaeocarpaceae: Sloanea grandiflora Sm. 2640. Cecropiaceae: Coussapoa viridifolia Cuatrec. 2605. Meliaceae: Trichilia sp. 2641. Rubiaceae: Duroia genipoides Hook. f. ex 2606. Euphorbiaceae: Pausandra martinii Baill. K. Schum.
- Flacourtiaceae: Casearia singularis Eichler 2642. Lauraceae: Licaria cannella (Meisn.) Kosterm. 2607. 2608. Adiantaceae: Adiantum cajennense Willd. ex 2643. Vochysiaceae: Vochysia surinamensis Stafleu var. Klotzsch surinamensis 2609. Costaceae: Costus scaber Ruiz and Pav. 2644. Annonaceae: Annona symphyocarpa Sandwith 2610. Chrysobalanaceae: Hirtella silicea Griseb. 2645. Monimiaceae: Mollinedia grazielae Peixoto 2611. Rubiaceae: Ixora ferrea (Jacq.) Benth. Leguminosae-Faboideae: Swartzia aff. 2646. 2612. Lecythidaceae: Eschweilera decolorans Sandwith benthamiana Mig.

- 2647. Meliaceae: *Trichilia schomburgkii* C. DC. ssp. *schomburgkii*
- 2648. Rubiaceae: Isertia cf. hypoleuca Benth.
- 2649. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 2650. Lauraceae: Aiouea laevis (Mart.) Kosterm.
- 2651. Flacourtiaceae: Casearia sylvestris Sw.
- 2652. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 2653. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 2654. Humiriaceae: Humiria balsamifera Aubl.
- 2655. Chrysobalanaceae: Licania incana Aubl.
- 2656. Apocynaceae: Odontadenia nitida (Vahl) Müll. Arg.
- 2657. Lentibulariaceae: Utricularia juncea Vahl
- 2658. Eriocaulaceae: Syngonanthus umbellatus (Lam.) Ruhland
- 2659. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 2660. Lycopodiaceae: *Lycopodiella caroliniana* (L.) Pic. Serm. var. *meridionalis* (Underw. and F. E. Lloyd) B. Øllg. and P. G. Windisch
- 2661. Xyridaceae: Abolboda grandis Griseb. var. grandis
- 2662. Myrsinaceae: Cybianthus fulvopulverulentus (Mez) G. Agostini ssp. magnoliifolius (Mez) Pipoly
- 2663. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
- 2664. Melastomataceae: Comolia villosa (Aubl.) Triana
- 2664a. Melastomataceae: *Acisanthera uniflora* (Vahl) Gleason
- 2665. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm.
- 2666. Cyperaceae: Cyperus haspan L.
- 2667. Malpighiaceae: Byrsonima eugeniifolia Sandwith
- 2668. Rubiaceae: Pagamea capitata Benth.
- 2669. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
- 2670. Bryophyte: Indet.
- 2671. Bryophyte: Indet.
- 2672. Orchidaceae: Epidendrum nocturnum Jacq.
- 2673. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 2674. Ramalinaceae: Ramalina anceps Nyl.
- 2675. Orchidaceae: Epidendrum nocturnum Jacq.
- 2676. Orchidaceae: Scaphyglottis sickii Pabst
- 2677. Proteaceae: Roupala montana Aubl. var. montana
- 2678. Clusiaceae: Clusia nemorosa G. Mey.
- 2679. Orchidaceae: Epidendrum s.l. nocturnum Jacq.
- 2680. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 2681. Leguminosae-Mimosoideae: *Abarema mataybifolia* (Sandwith) Barneby and J. W. Grimes

- 2682. Euphorbiaceae: Pausandra martinii Baill.
- 2683. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
- 2684. Lauraceae: Ocotea guianensis Aubl.
- 2685. Compositae: Wulffia baccata (L.) Kuntze
- 2686. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 2687. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 2688. Olacaceae: Heisteria cauliflora Sm.
- 2689. Lauraceae: *Rhodostemonodaphne morii* Madriñán
- 2690. Rubiaceae: Genipa spruceana Steyerm.
- 2691. Boraginaceae: Cordia grandiflora (Desv.) Kunth
- 2692. Solanaceae: Solanum monachophyllum Dunal
- 2693. Boraginaceae: Tournefortia hirsutissima L.
- 2694. Leguminosae-Faboideae: Lonchocarpus sp.
- 2695. Lauraceae: Nectandra amazonum Nees
- 2696. Melastomataceae: Mouriri guianensis Aubl.
- 2697. Bignoniaceae: *Paragonia* cf. *pyramidata* (Rich.) Bureau
- 2698. Hippocrateaceae: Hippocratea volubilis L.
- 2699. Leguminosae-Mimosoideae: Inga disticha Benth.
- 2700. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 2701. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 2702. Menispermaceae: Orthomene schomburgkii (Miers) Barneby and Krukoff
- 2703. Rubiaceae: Chomelia obtusa Cham. and Schltdl.
- 2704. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 2705. Rutaceae: *Zanthoxylum* cf. *compactum* (Huber ex Albuq.) P. G. Waterman
- 2706. Rubiaceae: Uncaria guianensis (Aubl.) J. F. Gmel.
- 2707. Myrtaceae: Psidium acutangulum DC.
- 2708. Leguminosae-Mimosoideae: Inga sp.
- 2709. Leguminosae-Caesalpinioideae: Campsiandra sp.
- 2710. Olacaceae: Heisteria cauliflora Sm.
- 2711. Clusiaceae: Garcinia macrophylla Mart.
- 2712. Sapindaceae: Talisia carinata Radlk.
- 2713. Sapotaceae: *Pouteria? rigidopsis* Monach. ex T. D. Penn.
- 2714. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 2715. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 2716. Cyclanthaceae: *Thoracocarpus bissectus* (Vell.) Harling
- 2717. Dichapetalaceae: Tapura guianensis Aubl.
- 2718. Sapotaceae: Pouteria speciosa (Ducke) Baehni
- 2719. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.

- 2720. Leguminosae-Mimosoideae: *Abarema mataybifolia* (Sandwith) Barneby and J. W. Grimes
- 2721. Picramniaceae: Picramnia latifolia Tul.
- 2722. Boraginaceae: Cordia nodosa Lam.
- 2723. Menispermaceae: *Curarea candicans* (Rich. ex DC.) Barneby and Krukoff
- 2724. Dichapetalaceae: Tapura guianensis Aubl.
- 2725. Flacourtiaceae: Casearia singularis Eichler
- 2726. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
- 2727. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 2728. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
- 2729. Annonaceae: Unonopsis stipitata Diels
- 2730. Apocynaceae: *Malouetia tamaquarina* (Aubl.) A. DC.
- 2731. Malpighiaceae: Tetrapterys mucronata Cav.
- 2732. Rubiaceae: Psychotria lupulina Benth.
- 2733. Melastomataceae: Miconia longifolia (Aubl.) DC.
- 2734. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 2735. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
- 2736. Bignoniaceae: Pleonotoma clematis (Kunth) Miers
- 2737. Bignoniaceae: Adenocalymna inundatum Mart.
- 2738. Leguminosae-Mimosoideae: *Zygia latifolia* (L.) Fawc. and Rendle
- 2739. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 2740. Melastomataceae: Mouriri acutiflora Naudin
- 2741. Sapindaceae: Matayba macrostylis Radlk.
- 2742. Bignoniaceae: Indet.
- 2743. Leguminosae-Caesalpinioideae: *Eperua schomburgkiana* Benth.
- 2744. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
- 2745. Myrtaceae: *Myrciaria vismeifolia* (Benth.) O. Berg
- 2746. Chrysobalanaceae: Licania coriacea Benth.
- 2747. Rubiaceae: Chomelia obtusa Cham. and Schltdl.
- 2748. Boraginaceae: Cordia grandiflora (Desv.) Kunth
- 2749. Combretaceae: Combretum rotundifolium Rich.
- 2750. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
- 2751. Sterculiaceae: *Byttneria divaricata* Benth. var. *divaricata*
- 2752. Bixaceae: Bixa orellana L.
- 2753. Leguminosae-Faboideae: Machaerium sp.
- 2754. Leguminosae-Faboideae: Ormosia sp.

- 2755. Chrysobalanaceae: Hirtella paniculata Sw.
- 2756. Turneraceae: Turnera aurantiaca Benth.
- 2757. Combretaceae: *Buchenavia megalophylla* van Heurck and Müll. Arg.
- 2758. Sapotaceae: *Pradosia surinamensis* (Eyma) T. D. Penn.
- 2759. Oxalidaceae: Oxalis frutescens L.
- 2760. Orchidaceae: Brassavola sp.
- 2761. Myrtaceae: Myrcia calycampa Amshoff
- 2762. Polygalaceae: Securidaca marginata Benth.
- 2762a Malpighiaceae: Indet.
- 2763. Apocynaceae: Malouetia gracilis (Benth.) A. DC.
- 2764. Clusiaceae: Clusia panapanari (Aubl.) Choisy
- 2765. Caryocaraceae: Anthodiscus trifoliatus G. Mey.
- 2766. Bromeliaceae: *Ananas parguazensis* L. A. Camargo and L. B. Sm.
- 2767. Orchidaceae: Polystachya stenophylla Schltr.
- 2768. Euphorbiaceae: Phyllanthus caroliniensis Walter
- 2769. Celastraceae: *Maytenus guyanensis* Klotzsch ex Reissek
- 2770. Chrysobalanaceae: *Hirtella racemosa* Lam. var. racemosa
- 2771. Clusiaceae: Garcinia madruno (Kunth) Hammel
- 2772. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 2773. Malpighiaceae: Byrsonima arthropoda A. Juss.
- 2774. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 2775. Euphorbiaceae: Croton pakaraimae Jabl.
- 2776. Rubiaceae: Psychotria lupulina Benth.
- 2777. Rubiaceae: Psychotria bahiensis DC.
- 2778. Vitaceae: Cissus erosa Rich.
- 2779. Melastomataceae: Tococa guianensis Aubl.
- 2780. Rubiaceae: Psychotria polycephala Benth.
- 2781. Heliconiaceae: Heliconia acuminata Rich.
- 2782. Melastomataceae: *Aciotis purpurascens* (Aubl.) Triana
- 2783. Amaranthaceae: Indet.
- 2784. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 2785. Hymenophyllaceae: *Trichomanes* hostmannianum (Klotzsch) Kunze
- 2786. Solanaceae: Solanum rugosum Dunal
- 2787. Poaceae: Pariana s.l. radiciflora Sagot ex Döll
- 2788a. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 2788b. Poaceae: Paspalum conjugatum P. J. Bergius
- 2789. Marcgraviaceae: Souroubea guianensis Aubl.
- 2790. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 2791. Dennstaedtiaceae: Lindsaea divaricata Klotzsch

- 2792. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
- 2793. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
- 2794. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 2795. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 2796. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 2797. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
- 2798. Araceae: Anthurium clavigerum Poepp.
- 2799. Piperaceae: Peperomia rotundifolia (L.) Kunth
- 2800. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 2801. Vittariaceae: Antrophyum guayanense Hieron.
- 2802. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
- 2803. Violaceae: Paypayrola longifolia Tul.
- 2804. Rubiaceae: Psychotria apoda Steyerm.
- 2805. Piperaceae: Piper liesneri Steyerm.
- 2806. Hymenophyllaceae: *Trichomanes diaphanum* Kunth
- 2807. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
- 2808. Piperaceae: Piper consanguineum (Kunth) C. DC.
- 2809. Piperaceae: Peperomia blanda (Jacq.) Kunth
- 2810. Piperaceae: Peperomia elongata Kunth
- 2811. Annonaceae: Anaxagorea brevipes Benth.
- 2812. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 2813. Cyperaceae: Bisboeckelera irrigua (Nees) Kuntze
- 2814. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f. var. *caricifolia*
- 2815. Lecythidaceae: Eschweilera pedicellata (Rich.) S. A. Mori
- 2816. Marantaceae: Calathea zingiberina Körn.
- 2817. Araceae: Anthurium? friedrichsthalii Schott
- 2818. Lomariopsidaceae: Lomariopsis japurensis (Mart.) I. Sm.
- 2819. Orchidaceae: Pleurothallis sp.
- 2820. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 2821. Hymenophyllaceae: *Trichomanes vandenboschii* P. G. Windisch
- 2822. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 2823. Annonaceae: Anaxagorea brevipes Benth.
- 2824. Humiriaceae: Indet.
- 2825. Euphorbiaceae: *Rhodothyrsus macrophyllus* (Ducke) Esser

- 2826. Melastomataceae: Miconia navioensis Wurdack
- 2827. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
- 2828. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
- 2829. Burseraceae: Protium giganteum Engl.
- 2830. Arecaceae: Geonoma deversa (Poit.) Kunth
- 2831. Arecaceae: Bactris elegans Barb. Rodr.
- 2832. Hippocrateaceae: Indet.
- 2833. Euphorbiaceae: Conceveiba martiana Baill.
- 2834. Burseraceae: Crepidospermum sp.
- 2835. Sapindaceae: Vouarana guianensis Aubl.
- 2836. Euphorbiaceae: Sagotia racemosa Baill. ssp. racemosa
- 2837. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
- 2838. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 2839. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 2840. Hippocrateaceae: Salacia multiflora (Lam.) DC.
- 2841. Lecythidaceae: Gustavia hexapetala (Aubl.) Sm.
- 2842. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 2843. Araceae: Anthurium trinervium Miq.
- 2844. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
- 2845. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 2846. Hymenophyllaceae: Trichomanes bicorne Hook.
- 2847. Aspleniaceae: Asplenium serratum L.
- 2848. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
- 2849. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 2850. Triuridaceae: Sciaphila purpurea Benth.
- 2851. Chrysobalanaceae: Hirtella duckei Huber
- 2852. Bromeliaceae: *Tillandsia monadelpha* (E. Morren) Baker
- 2853. Burseraceae: Trattinnickia burserifolia Mart.
- 2854. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
- 2855. Myristicaceae: Osteophloeum platyspermum (Spruce ex A. DC.) Warb.
- 2856. Orchidaceae: Octomeria surinamensis H. Focke
- 2857. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 2858. Melastomataceae: Mouriri collocarpa Ducke
- 2859. Chrysobalanaceae: *Licania latifolia* Benth. ex Hook. f.

- 2860. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 2861. Cyatheaceae: Cyathea traillii (Baker) Domin
- 2862. Melastomataceae: Miconia platypoda Gleason
- 2863. Rubiaceae: *Palicourea nitidella* (Müll. Arg.) Standl.
- 2864. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 2865. Lauraceae: Endlicheria pyriformis (Nees) Mez
- 2866. Hymenophyllaceae: *Hymenophyllum decurrens* (Jacq.) Sw.
- 2867. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 2868. Araceae: Anthurium? friedrichsthalii Schott
- 2869. Melastomataceae: Clidemia involucrata DC.
- 2870. Araceae: *Philodendron muricatum* Willd. ex Schott
- 2871. Chrysobalanaceae: Hirtella silicea Griseb.
- 2872. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 2873. Poaceae: Olyra micrantha Kunth
- 2874. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 2875. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
- 2876. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
- 2877. Hymenophyllaceae: Trichomanes elegans Rich.
- 2878. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
- 2879. Dryopteridaceae: Cyclodium guianense (Klotzsch) van der Werff ex L. D. Gómez
- 2880. Clusiaceae: Chrysochlamys weberbaueri Engl.
- 2881. Annonaceae: Anaxagorea sp.
- 2882. Dichapetalaceae: Tapura guianensis Aubl.
- 2883. Rubiaceae: Rudgea stipulacea (DC.) Steverm.
- 2884. Bryophyte: Indet.
- 2885. Melastomataceae: Miconia nervosa (Sm.) Triana
- 2886. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 2887. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 2888. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
- 2889. Dennstaedtiaceae: Lindsaea dubia Spreng.
- 2890. Cyperaceae: Mapania sp. nov.
- 2891. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 2892. Rubiaceae: Morinda calycina (Benth.) Steyerm.
- 2893. Lauraceae: Licaria cannella (Meisn.) Kosterm.
- 2894. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan

- 2895. Rubiaceae: Remijia roraimae (Benth.) K. Schum.
- 2896. Clusiaceae: *Clusia obovata* (Spruce ex Planch. and Triana) Pipoly
- 2897. Ochnaceae: Indet.
- 2898. Clusiaceae: Clusia columnaris Engl.
- 2899. Araceae: Anthurium? friedrichsthalii Schott
- 2900. Rutaceae: Indet.
- 2901. Myrtaceae: Eugenia arawakorum Sandwith
- 2902. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 2903. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
- 2904. Passifloraceae: Passiflora coccinea Aubl.
- 2905. Melastomataceae: Ernestia granvillei Wurdack
- 2906. Solanaceae: Solanum semotum M. Nee
- 2907. Araceae: Anthurium pentaphyllum (Aubl.) G. Don
- 2908. Araceae: Caladium bicolor (Aiton) Vent.
- 2909. Marcgraviaceae: Souroubea guianensis Aubl.
- 2910. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 2911. Euphorbiaceae: Hevea? sp.
- 2912. Humiriaceae: Sacoglottis guianensis Benth.
- 2913. Rubiaceae: Psychotria astrellantha Wernham
- 2914. Myrtaceae: Myrcia sp.
- 2915. Arecaceae: Iriartella setigera (Mart.) H. Wendl.
- 2916. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
- 2917. Orchidaceae: Scaphyglottis sp.
- 2918. Orchidaceae: Epidendrum purpurascens H. Focke
- 2919. Rubiaceae: Chomelia malaneoides Müll. Arg.
- 2920. Bryophyte: Indet.
- 2921. Orchidaceae: *Pleurothallis revoluta* (Ruiz and Pav.) Garay
- 2922. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 2923. Orchidaceae: *Myoxanthus parvilabius* (C. Schweinf.) Luer
- 2924. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 2925. Orchidaceae: Platystele sp.
- 2926. Melastomataceae: *Macrocentrum fruticosum* Gleason
- 2927. Rubiaceae: *Cordiera myrciifolia* (Spruce ex K. Schum.) C. Perss. and Delprete var. *myrciifolia*
- 2928. Melastomataceae: *Miconia chrysophylla* (Rich.) Urb.
- 2929. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 2930. Bombacaceae: *Pachira insignis* (Sw.) Sw. ex Savigny
- 2931. Gesneriaceae: Besleria laxiflora Benth.
- 2932. Gesneriaceae: Besleria laxiflora Benth.
- 2933. Bryophyte: Indet.

- 2934. Piperaceae: Piper augustum Rudge
- 2935. Piperaceae: Piper hispidum Sw.
- 2936. Polypodiaceae: Polypodium dulce Poir.
- 2937. Orchidaceae: Wullschlaegelia calcarata Benth.
- 2938. Dennstaedtiaceae: Saccoloma inaequale (Kunze) Mett.
- 2939. Myrtaceae: Eugenia sp.
- 2940. Myrtaceae: Eugenia tetramera (McVaugh) M. L. Kawas, and B. Holst
- 2941. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
- 2942. Cecropiaceae: Pourouma minor Benoist
- 2943. Bryophyte: Indet.
- 2944. Hymenophyllaceae: Indet.
- 2945. Bryophyte: Indet.
- 2946. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 2947. Piperaceae: Piper adenandrum (Miq.) C. DC.
- 2948. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 2949. Gentianaceae: *Tachia* cf. *smithii* Maguire and Weaver
- 2950. Euphorbiaceae: Gavarretia terminalis Baill.
- 2951. Melastomataceae: Miconia prasina (Sw.) DC.
- 2952. Olacaceae: Heisteria cauliflora Sm.
- 2953. Heliconiaceae: *Heliconia silvestris* (Gleason) L. B. Sm.
- 2954. Solanaceae: Markea coccinea Rich.
- 2955. Sterculiaceae: Theobroma subincanum Mart.
- 2956. Passifloraceae: Passiflora glandulosa Cav.
- 2957. Aristolochiaceae: Aristolochia sp.
- 2958. Ochnaceae: Ouratea sp.
- 2959. Gentianaceae: *Tachia* cf. *smithii* Maguire and Weaver
- 2960. Rubiaceae: Psychotria platypoda DC.
- 2961. Gesneriaceae: Nautilocalyx pictus (Hook.) Sprague
- 2962. Adiantaceae: Adiantopsis radiata (L.) Fée
- 2963. Moraceae: *Trymatococcus amazonicus* Poepp. and Endl.
- 2964. Annonaceae: Anaxagorea brevipes Benth.
- 2965. Caryocaraceae: Caryocar glabrum (Aubl.) Pers.
- 2966. Sapotaceae: Pouteria cladantha Sandwith
- 2967. Connaraceae: Rourea frutescens Aubl.
- 2967a. Araceae: Philodendron hylaeae G. S. Bunting
- 2968. Rutaceae: Indet.
- 2969. Orchidaceae: Scaphyglottis sp.
- 2970. Lecythidaceae: Eschweilera parviflora (Aubl.) Miers
- 2971. Melastomataceae: Mouriri collocarpa Ducke
- 2972. Leguminosae-Faboideae: *Swartzia brachyrachis* Harms var. *glabrata* R. S. Cowan

- 2973. Orchidaceae: Epidendrum purpurascens H. Focke
- 2974. Viscaceae: Phoradendron strongyloclados Eichler
- 2975. Orchidaceae: Bulbophyllum sp.
- 2976. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 2977. Ochnaceae: Elvasia schomburgkii Tiegh.
- 2978. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 2979. Leguminosae-Mimosoideae: Calliandra surinamensis Benth.
- 2980. Myrtaceae: Myrcia calycampa Amshoff
- 2981. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
- 2982. Apocynaceae: *Himatanthus bracteatus* (A. DC.) Woodson
- 2983. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 2984. Myrtaceae: Myrcia fallax (Rich.) DC.
- 2985. Ochnaceae: Ouratea sp.
- 2986. Rubiaceae: Chiococca nitida Benth.
- 2987. Passifloraceae: Dilkea clarkei Feuillet
- 2988. Rubiaceae: Malanea macrophylla Griseb.
- 2989. Orchidaceae: *Solenidium lunatum* (Lindl.) Kraenzl.
- 2990. Orchidaceae: Solenidium cf. sp.
- 2991. Rubiaceae: Ixora ulei K. Krause
- 2992. Rubiaceae: Sipanea wilson-brownei R. S. Cowan
- 2993. Cyperaceae: *Rhynchospora rupicola* M. T. Strong
- 2994. Triuridaceae: Sciaphila purpurea Benth.
- 2995. Orchidaceae: *Pleurothallis miqueliana* (H. Focke) Lindl.
- 2996. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 2997. Chrysobalanaceae: Couepia guianensis Aubl. ssp. guianensis
- 2998. Araceae: Philodendron solimoesense A. C. Sm.
- 2999. Olacaceae: *Chaunochiton kappleri* (Sagot ex Engl.) Ducke
- 3000. Clusiaceae: Moronobea coccinea Aubl.
- 3001. Sapotaceae: Chrysophyllum prieurii A. DC.
- 3002. Leguminosae-Faboideae: *Machaerium quinatum* (Aubl.) Sandwith
- 3003. Euphorbiaceae: Mabea sp.
- 3004. Rubiaceae: Manettia alba (Aubl.) Wernham
- 3005. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 3006. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 3007. Melastomataceae: Miconia splendens (Sw.) Griseb.
- 3008. Solanaceae: Solanum monachophyllum Dunal
- 3009. Melastomataceae: Mouriri francavillana Cogn.

3010. Leguminosae-Caesalpinioideae: Paloue induta Sandwith Myrtaceae: *Myrcia inaequiloba* (DC.) 3011. D. Legrand Styracaceae: Styrax sp. 3012. 3013. Combretaceae: Combretum cf. laxum Jacq. Meliaceae: Trichilia cipo (A. Juss.) C. DC. 3014. Euphorbiaceae: Phyllanthus caroliniensis Walter 3015. Cyperaceae: Cyperus miliifolius Poepp. and 3016. Kunth Cyperaceae: *Hypolytrum longifolium* (Rich.) 3017. Nees ssp. sylvaticum (Poepp. and Kunth) T. Kovama 3018. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. sylvaticum (Poepp. and Kunth) T. Koyama 3019. Meliaceae: Trichilia quadrijuga Kunth Lauraceae: Nectandra amazonum Nees 3020. 3021. Leguminosae-Caesalpinioideae: Macrolobium acaciifolium (Benth.) Benth. 3022. Chrysobalanaceae: Licania sp. Viscaceae: Phoradendron piperoides (Kunth) Trel. 3023. Bignoniaceae: Paragonia pyramidata (Rich.) 3024. Bureau 3025. Polygalaceae: Indet. 3026. Leguminosae-Mimosoideae: Zygia cataractae (Kunth) L. Rico 3027. Chrysobalanaceae: Parinari campestris Aubl. 3028. Leguminosae-Faboideae: Ormosia sp. Leguminosae-Mimosoideae: *Inga disticha* Benth. 3029. Myrtaceae: Myrciaria cf. dubia (Kunth) McVaugh 3030. 3031. Lecythidaceae: Lecythis corrugata Poit. ssp. corrugata 3032. Melastomataceae: Mouriri acutiflora Naudin 3033. Leguminosae-Faboideae: Dioclea virgata (Rich.) Amshoff 3034. Chrysobalanaceae: Licania heteromorpha Benth. var. heteromorpha 3035. Leguminosae-Faboideae: Swartzia benthamiana 3036. Clusiaceae: Caraipa densifolia Mart. 3037. Leguminosae-Faboideae: Dalbergia sp. Melastomataceae: Henriettea succosa (Aubl.) DC. 3038. 3039. Malpighiaceae: Byrsonima arthropoda A. Juss.

Leguminosae-Mimosoideae: Zygia cataractae

Lauraceae: Ocotea schomburgkiana (Nees) Mez

Violaceae: Paypayrola longifolia Tul.

Leguminosae-Faboideae: Ormosia sp.

Rubiaceae: Duroia eriopila L. f.

3078.

3079.

3080.

Marc.-Berti

Bonpl. ex Willd.

Rubiaceae: Isertia hypoleuca Benth.

Smilacaceae: Smilax syphilitica Humb. and

3040.

3041.

3042.

3043.

3044.

(Kunth) L. Rico

3045. Leucobryaceae: Leucobryum sp. 3046. Bryophyte: Indet. 3047. Lacistemataceae: Lacistema aggregatum (P. J. Bergius) Rusby 3048. Chrysobalanaceae: Licania granvillei Prance 3049. Sapindaceae: Vouarana guianensis Aubl. Melastomataceae: Mouriri francavillana Cogn. 3050. 3051. Menispermaceae: Abuta grandifolia (Mart.) Sandwith 3052. Erythroxylaceae: Erythroxylum mucronatum Benth. 3053. Lauraceae: Ocotea nigra Benoist 3054. Clusiaceae: Clusia nemorosa G. Mev. 3055. Burseraceae: Tetragastris hostmannii (Engl.) 3056. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton 3057. Rubiaceae: Hillia illustris (Vell.) K. Schum. 3058. Aspleniaceae: Asplenium auritum Sw. 3059. Piperaceae: Peperomia glabella (Sw.) A. Dietr. 3060. Polygalaceae: Securidaca rivinifolia A. St.-Hil. and Moq. var. parvifolia A. W. Benn. Lecythidaceae: Eschweilera pedicellata (Rich.) 3061. S. A. Mori 3062. Myristicaceae: Virola surinamensis (Rol. ex Rottb.) Warb. 3063. Clusiaceae: Vismia cayennensis (Jacq.) Pers. 3064. Myrtaceae: Eugenia lambertiana DC. 3065. Leguminosae-Faboideae: Swartzia panacoco (Aubl.) R. S. Cowan var. panacoco Rubiaceae: Psychotria mapourioides DC. 3066. 3067. Rubiaceae: Borreria cf. prostrata (Aubl.) Miq. 3068. Leguminosae-Faboideae: Vigna luteola (Jacq.) Benth. 3069. Annonaceae: Pseudoxandra lucida R. E. Fr. 3070. Myrtaceae: Psidium striatulum DC. 3071. Melastomataceae: Tococa subciliata (DC.) Triana 3072. Orchidaceae: Pleurothallis picta Lindl. 3073. Orchidaceae: Epidendrum nocturnum Jacq. 3074. Orchidaceae: Encyclia vespa (Vell.) Dressler Bromeliaceae: Aechmea mertensii (G. Mey.) 3075. Schult, and Schult, f. Apocynaceae: Odontadenia macrantha (Roem. 3076. and Schult.) Markgr. Vochysiaceae: Erisma uncinatum Warm. 3077. Vochysiaceae: Ruizterania albiflora (Warm.)

- 3081. Rubiaceae: Psychotria pacimonica Müll. Arg.
- 3082. Hymenophyllaceae: Trichomanes crispum L.
- 3083. Clusiaceae: Clusia amazonica Planch. and Triana
- 3084. Malpighiaceae: *Byrsonima formosa* W. R. Anderson
- 3085. Orchidaceae: *Pleurothallis miqueliana* (H. Focke) Lindl.
- 3086. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 3087. Sapotaceae: Micropholis guyanensis (A. DC.)
- 3088. Malpighiaceae: *Byrsonima formosa* W. R. Anderson
- 3089. Rubiaceae: *Palicourea nitidella* (Müll. Arg.) Standl.
- 3090. Clusiaceae: Caraipa densifolia Mart.
- 3091. Clusiaceae: Clusia nemorosa G. Mey.
- 3092. Hymenophyllaceae: *Trichomanes spruceanum* Hook.
- 3093. Dennstaedtiaceae: *Lindsaea semilunata* (C. Chr.) C. Chr.
- 3094. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
- 3095. Bombacaceae: *Pachira flaviflora* (Pulle) Fern. Alonso
- 3096. Aquifoliaceae: *Ilex* cf. *abscondita* Steyerm.
- 3097. Chrysobalanaceae: *Licania latifolia* Benth. ex Hook. f.
- 3098. Lauraceae: Ocotea guianensis Aubl.
- 3099. Melastomataceae: *Miconia hypoleuca* (Benth.) Triana
- 3100. Piperaceae: *Piper? consanguineum* (Kunth) C. DC.
- 3101. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 3102. Burseraceae: Indet.
- 3103. Hugoniaceae: *Hebepetalum roraimense* Secco and S. M. B. Silva
- 3104. Rubiaceae: Psychotria polycephala Benth.
- 3105. Melastomataceae: Miconia prasina (Sw.) DC.
- 3106. Piperaceae: Piper crassinervium Kunth
- 3107. Cyperaceae: Bisboeckelera irrigua (Nees) Kuntze
- 3108. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 3109. Lecythidaceae: *Lecythis alutacea* (A. C. Sm.) S. A. Mori
- 3110. Vochysiaceae: Ruizterania sp.
- 3111. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *panacoco*
- 3112. Chrysobalanaceae: *Licania longistyla* (Hook. f.) Fritsch

- 3113. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
- 3114. Myristicaceae: Indet.
- 3115. Violaceae: Rinorea flavescens (Aubl.) Kuntze
- 3116. Lichen-Incert. sed.: Indet.
- 3117. Chrysobalanaceae: Licania micrantha Mig.
- 3118. Chrysobalanaceae: *Licania parvifructa* Fanshawe and Maguire
- 3119. Connaraceae: Indet.
- 3120. Sapindaceae: Vouarana guianensis Aubl.
- 3121. Melastomataceae: Mouriri duckeana Morley
- 3122. Annonaceae: Unonopsis stipitata Diels
- 3123. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
- 3124. Erythroxylaceae: *Erythroxylum mucronatum* Benth.
- 3125. Moraceae: *Brosimum melanopotamicum* C. C. Berg
- 3126. Sapotaceae: Chrysophyllum prieurii A. DC.
- 3127. Lauraceae: Ocotea sp.
- 3128. Lauraceae: Aiouea longipetiolata van der Werff
- 3129. Apocynaceae: Odontadenia puncticulosa (Rich.) Pulle
- 3130. Cecropiaceae: Pourouma villosa Trécul
- 3131. Elaeocarpaceae: Sloanea sp.
- 3132. Meliaceae: Guarea scabra A. Juss.
- 3133. Flacourtiaceae: Carpotroche surinamensis Uittien
- 3134. Passifloraceae: Passiflora glandulosa Cav.
- 3135. Piperaceae: Piper cililimbum Yunck.
- 3136. Rubiaceae: Psychotria pacimonica Müll. Arg.
- 3137. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 3138. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 3139. Hymenophyllaceae: Trichomanes bicorne Hook.
- 3140. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 3141. Polypodiaceae: Microgramma baldwinii Brade
- 3142. Clusiaceae: *Clusia renggerioides* Planch. and Triana
- 3143. Piperaceae: Piper consanguineum (Kunth) C. DC.
- 3144. Piperaceae: Piper piscatorum Trel. and Yunck.
- 3145. Apocynaceae: Odontadenia puncticulosa (Rich.) Pulle
- 3146. Euphorbiaceae: Mabea taquari Aubl.
- 3147. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
- 3148. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
- 3149. Burseraceae: Crepidospermum sp.

- 3150. Leguminosae-Faboideae: *Dioclea macrocarpa* Huber
- 3151. Leguminosae-Faboideae: *Swartzia* cf. *panacoco* (Aubl.) R. S. Cowan var. *panacoco*
- 3152. Melastomataceae: Clidemia silvicola Gleason
- 3153. Violaceae: Rinorea riana Kuntze
- 3154. Boraginaceae: Cordia nodosa Lam.
- 3155. Orchidaceae: *Scaphyglottis stellata* Lodd. ex Lindl.
- 3156. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 3157. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 3158. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 3159. Bryophyte: Indet.
- 3160. Hymenophyllaceae: *Trichomanes krausii* Hook. and Grev.
- 3161. Rutaceae: Ertela trifolia (L.) Kuntze
- 3162. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 3163. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 3164. Bixaceae: Cochlospermum orinocense (Kunth) Steud.
- 3165. Sapotaceae: Chrysophyllum prieurii A. DC.
- 3166. Lecythidaceae: *Eschweilera micrantha* (O. Berg) Miers
- 3167. Bombacaceae: Catostemma fragrans Benth.
- 3168. Caryocaraceae: Caryocar sp.
- 3169. Piperaceae: Piper alatabaccum Trel. and Yunck.
- 3170. Annonaceae: Duguetia cauliflora R. E. Fr.
- 3171. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 3172. Apocynaceae: Aspidosperma sp.
- 3173. Leguminosae-Faboideae: *Dioclea macrocarpa* Huber
- 3174. Euphorbiaceae: Conceveiba hostmannii Benth.
- 3175. Humiriaceae: Endopleura uchi (Huber) Cuatrec.
- 3176. Euphorbiaceae: Hevea guianensis Aubl.
- 3177. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *maxima*
- 3178. Lauraceae: Aniba sp.
- 3179. Piperaceae: Piper cililimbum Yunck.
- 3180. Marcgraviaceae: Souroubea guianensis Aubl.
- 3181. Apocynaceae: Aspidosperma excelsum Benth.
- 3182. Marcgraviaceae: Indet.
- 3183. Dioscoreaceae: *Dioscorea* aff. *quinquefoliolata* R. Knuth
- 3184. Bryophyte: Indet.

- 3185. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
- 3186. Polygonaceae: Coccoloba cf. lucidula Benth.
- 3187. Burseraceae: *Protium giganteum* Engl. var. *giganteum*
- 3188. Lecythidaceae: *Eschweilera micrantha* (O. Berg) Miers
- 3189. Orchidaceae: Epidendrum nocturnum Jacq.
- 3190. Orchidaceae: *Scaphyglottis fusiformis* (Griseb.) R. E. Schult.
- 3191. Clusiaceae: Clusia nemorosa G. Mey.
- 3192. Leguminosae-Mimosoideae: Calliandra surinamensis Benth.
- 3193. Myristicaceae: Iryanthera sp.
- 3194. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 3195. Sapotaceae: Pouteria cladantha Sandwith
- 3196. Myrtaceae: Myrcia fallax (Rich.) DC.
- 3197. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 3198. Ochnaceae: Ouratea sp.
- 3199. Cyperaceae: Diplasia karatifolia Rich.
- 3200. Bryophyte: Indet.
- 3201. Marcgraviaceae: *Marcgravia* cf. *sororopaniana* Steyerm.
- 3202. Siparunaceae: *Siparuna cristata* (Poepp. and Endl.) A. DC.
- 3203. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl
- 3204. Rubiaceae: Psychotria apoda Steverm.
- 3205. Lauraceae: Indet.
- 3206. Myrtaceae: Eugenia pseudopsidium Jacq.
- 3207. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
- 3208. Marcgraviaceae: Souroubea guianensis Aubl.
- 3209. Lecythidaceae: Eschweilera grandiflora (Aubl.) Sandwith
- 3210. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
- 3211. Aspleniaceae: Asplenium auritum Sw.
- 3212. Celastraceae: Maytenus oblongata Reissek
- 3213. Myristicaceae: Virola elongata (Benth.) Warb.
- 3214. Violaceae: Paypayrola longifolia Tul.
- 3215. Cyperaceae: *Becquerelia cymosa* Brongn. ssp. *merkeliana* (Nees) T. Koyama
- 3216. Hepaticae: Indet.
- 3217. Melastomataceae: Miconia aff. argyrophylla DC.
- 3218. Anacardiaceae: Tapirira? sp.
- 3219. Ochnaceae: Ouratea sp.
- 3220. Euphorbiaceae: Mabea pulcherrima Müll. Arg.
- 3221. Compositae: Mikania parviflora (Aubl.) H. Karst.
- 3222. Clusiaceae: Vismia? schultesii N. Robson

- 3223. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 3224. Annonaceae: *Guatteria anthracina* Scharf and Maas
- 3225. Siparunaceae: Siparuna guianensis Aubl.
- 3226. Leguminosae-Faboideae: *Swartzia brachyrachis* Harms var. *glabrata* R. S. Cowan
- 3227. Orchidaceae: Octomeria cf. surinamensis H. Focke
- 3228. Myristicaceae: Iryanthera sp.
- 3229. Sapotaceae: Indet.
- 3230. Hugoniaceae: *Hebepetalum humiriifolium* (Planch.) Benth.
- 3231. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
- 3232. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 3233. Cecropiaceae: Pourouma bicolor Mart. ssp. bicolor
- 3234. Malpighiaceae: Indet.
- 3235. Chrysobalanaceae: *Licania pallida* Spruce ex Sagot
- 3236. Meliaceae: Trichilia schomburgkii C. DC.
- 3237. Burseraceae: *Protium decandrum* (Aubl.)
 Marchand
- 3238. Marantaceae: Ischnosiphon arouma (Aubl.) Körn.
- 3239. Cyclanthaceae: Indet.
- 3240. Annonaceae: Duguetia calycina Benoist
- 3241. Rapateaceae: Rapatea paludosa Aubl.
- 3242. Sapotaceae: Pouteria sp., sect. Pouteria
- 3243. Celastraceae: Goupia glabra Aubl.
- 3244. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 3245. Bryophyte: Indet.
- 3246. Bryophyte: Indet.
- 3247. Grammitidaceae: *Lellingeria suspensa* (L.) A. R. Sm. and R. C. Moran
- 3248. Orchidaceae: Scaphyglottis sp.
- 3249. Ochnaceae: Ouratea sp.
- 3250. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
- 3251. Marcgraviaceae: Souroubea dasystachya Gilg and Werderm.
- 3252. Myrtaceae: Indet.
- 3253. Viscaceae: Phoradendron perrottetii (DC.) Eichler
- 3254. Cyperaceae: Mapaniopsis effusa C. B. Clarke
- 3255. Orchidaceae: Stelis sp.
- 3256. Orchidaceae: *Pleurothallis polygonoides* Griseb.
- 3257. Euphorbiaceae: Drypetes variabilis Uittien
- 3258. Malpighiaceae: Byrsonima altissima DC.
- 3259. Loganiaceae: Strychnos sp.
- 3260. Dichapetalaceae: Tapura guianensis Aubl.
- 3261. Polygonaceae: Indet.

- 3262. Bombacaceae: Catostemma fragrans Benth.
- 3263. Rubiaceae: *Palicourea longistipulata* (Müll. Arg.) Standl.
- 3264. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
- 3265. Melastomataceae: Tococa subciliata (DC.) Triana
- 3266. Malpighiaceae: Byrsonima arthropoda A. Juss.
- 3267. Polygonaceae: Coccoloba parimensis Benth.
- 3268. Styracaceae: *Styrax oblongus* (Ruiz and Pav.) A. DC.
- 3269. Ebenaceae: Diospyros sp.
- 3270. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 3271. Clusiaceae: Caraipa densifolia Mart.
- 3272. Vochysiaceae: Vochysia ferruginea Mart.
- 3273. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 3274. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 3275. Compositae: Lepidaploa gracilis (Kunth) H. Rob.
- 3276. Euphorbiaceae: Phyllanthus caroliniensis Walter
- 3277. Gentianaceae: Coutoubea ramosa Aubl. var. ramosa
- 3278. Solanaceae: Solanum monachophyllum Dunal
- 3279. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby
- 3280. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
- 3281. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 3282. Myrtaceae: Eugenia egensis DC.
- 3283. Myrtaceae: Psidium striatulum DC.
- 3284. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
- 3285. Boraginaceae: Cordia cf. sp.
- 3286. Leguminosae-Mimosoideae: Inga nobilis Willd.
- 3287. Chrysobalanaceae: *Licania apetala* (E. Mey.) Fritsch var. *aperta* (Benth.) Prance
- 3288. Euphorbiaceae: Mabea taquari Aubl.
- 3289. Leguminosae-Caesalpinioideae: *Paloue guianensis* Aubl.
- 3290. Podostemaceae: Mourera fluviatilis Aubl.
- 3291. Leguminosae-Faboideae: *Taralea oppositifolia* Aubl.
- 3292. Connaraceae: Indet.
- 3293. Chrysobalanaceae: *Licania sprucei* (Hook. f.) Fritsch
- 3294. Euphorbiaceae: Amanoa guianensis Aubl.
- 3295. Chrysobalanaceae: Indet.
- 3296. Leguminosae-Faboideae: Ormosia coarctata Jacks.
- 3297. Celastraceae: Goupia glabra Aubl.
- 3298. Leguminosae-Faboideae: Machaerium sp.

- 3299. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 3300. Verbenaceae: Vitex triflora Vahl
- 3301. Leguminosae-Faboideae: *Swartzia* cf. *panacoco* (Aubl.) R. S. Cowan var. *panacoco*
- 3302. Annonaceae: Pseudoxandra lucida R. E. Fr.
- 3303. Combretaceae: Combretum pyramidatum Desv.
- 3304. Proteaceae: Panopsis rubescens (Pohl) Rusby
- 3305. Polygalaceae: Securidaca paniculata Rich. var. lasiocarpa Oort
- 3306. Caryocaraceae: Caryocar microcarpum Ducke
- 3307. Hippocrateaceae: *Salacia impressifolia* (Miers) A. C. Sm.
- 3308. Melastomataceae: *Henriettea stellaris* O. Berg ex Triana
- 3309. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 3310. Euphorbiaceae: Alchornea discolor Poepp.
- 3311. Connaraceae: Connarus perrottetii (DC.) Planch. var. perrottetii
- 3312. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 3313. Moraceae: *Trymatococcus amazonicus* Poepp. and Endl.
- 3314. Vochysiaceae: Qualea paraensis Ducke
- 3315. Melastomataceae: Miconia argyrophylla DC.
- 3316. Ochnaceae: Ouratea scottii Sastre
- 3317. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 3318. Burseraceae: Protium s.l. sagotianum Marchand
- 3319. Lauraceae: Ocotea sp.
- 3320. Rubiaceae: *Psychotria podocephala* (Müll. Arg.) Standl.
- 3321. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 3322. Lauraceae: Ocotea guianensis Aubl.
- 3323. Rhabdodendraceae: *Rhabdodendron amazonicum* (Spruce ex Benth.) Huber
- 3324. Chrysobalanaceae: *Licania latifolia* Benth. ex Hook. f.
- 3325. Hippocrateaceae: *Cheiloclinium hippocrateoides* (Peyr.) A. C. Sm.
- 3326. Melastomataceae: Mouriri sagotiana Triana
- 3327. Sapotaceae: Pouteria aff. rostrata (Huber) Baehni
- 3328. Lecythidaceae: *Eschweilera grandiflora* (Aubl.) Sandwith
- 3329. Leguminosae-Mimosoideae: *Inga* sp.
- 3330. Burseraceae: *Protium decandrum* (Aubl.)
 Marchand
- 3331. Melastomataceae: Miconia navioensis Wurdack
- 3332. Elaeocarpaceae: Sloanea sp.

- 3333. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 3334. Melastomataceae: Miconia prasina (Sw.) DC.
- 3335. Ebenaceae: Diospyros sp.
- 3336. Annonaceae: Pseudoxandra lucida R. E. Fr.
- 3337. Sapindaceae: Pseudima sp.
- 3338. Rubiaceae: Psychotria lupulina Benth.
- 3339. Rubiaceae: Psychotria bahiensis DC.
- 3340. Bryophyte: Indet.
- 3341. Lauraceae: Nectandra sp.
- 3342. Convolvulaceae: Maripa scandens Aubl.
- 3343. Violaceae: Corynostylis arborea (L.) S. F. Blake
- 3344. Melastomataceae: *Bellucia grossularioides* (L.) Triana
- 3345. Melastomataceae: Clidemia pustulata DC.
- 3346. Lecythidaceae: *Eschweilera grandiflora* (Aubl.) Sandwith
- 3347. Chrysobalanaceae: Indet. ?
- 3348. Melastomataceae: Miconia poeppigii Triana
- 3349. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 3350. Bignoniaceae: *Jacaranda copaia* (Aubl.) D. Don ssp. *spectabilis* (Mart. ex DC.) A. H. Gentry
- 3351. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 3352. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 3353. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 3354. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 3355. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steverm.
- 3356. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 3357. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 3358. Leguminosae-Faboideae: Lonchocarpus s.l. sp.
- 3359. Menispermaceae: Orthomene sp.
- 3360. Clusiaceae: Vismia japurensis Reichardt
- 3361. Boraginaceae: Tournefortia bicolor Sw.
- 3362. Lauraceae: Licaria armeniaca (Nees) Kosterm.
- 3363. Melastomataceae: Miconia prasina (Sw.) DC.
- 3364. Rhizophoraceae: Cassipourea guianensis Aubl.
- 3365. Lauraceae: Nectandra amazonum Nees
- 3366. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 3367. Bignoniaceae: *Distictella magnoliifolia* (Kunth) Sandwith
- 3368. Leguminosae-Mimosoideae: *Calliandra surinamensis* Benth.
- 3369. Dioscoreaceae: Dioscorea sp.
- 3370. Marcgraviaceae: Souroubea guianensis Aubl.

- 3371. Leguminosae-Mimosoideae: *Mimosa microcephala* Humb. and Bonpl. ex Willd. var. *cataractae* (Ducke) Barneby
- 3372. Cladoniaceae: Cladonia didyma (Fée) Vain.
- 3373. Melastomataceae: Comolia microphylla Benth.
- 3374. Smilacaceae: *Smilax syphilitica* Humb. and Bonpl. ex Willd.
- 3375. Malpighiaceae: Tetrapterys fimbripetala A. Juss.
- 3376. Polygonaceae: Coccoloba cf. conduplicata Maguire
- 3377. Vochysiaceae: Vochysia guianensis Aubl.
- 3378. Vittariaceae: Hecistopteris pumila (Spreng.) J. Sm.
- 3379. Amaranthaceae: Indet.
- 3380. Verbenaceae: Petrea macrostachya Benth.
- 3381. Melastomataceae: Clidemia hirta (L.) D. Don
- 3382. Leguminosae-Faboideae: Desmodium sp.
- 3383. Convolvulaceae: Indet.
- 3384. Convolvulaceae: Indet.
- 3385. Solanaceae: Solanum oocarpum Sendtn.
- 3386. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. var. *rhombifolia* (G. Mey.) A. H. Gentry
- 3387. Asclepiadaceae: Indet.
- 3388. Dioscoreaceae: Dioscorea sp.
- 3389. Myristicaceae: Iryanthera sp.
- 3390. Rubiaceae: Faramea capillipes Müll. Arg.
- 3391. Costaceae: Costus scaber Ruiz and Pav.
- 3392. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 3393. Leguminosae-Faboideae: *Pterocarpus* santalinoides L'Hér. ex DC.
- 3394. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 3395. Rhamnaceae: Gouania sp.
- 3396. Sapotaceae: Chrysophyllum argenteum Jacq.
- 3397. Melastomataceae: Miconia albicans (Sw.) Triana
- 3398. Violaceae: Rinorea brevipes (Benth.) S. F. Blake
- 3399. Meliaceae: Trichilia surumuensis C. DC.
- 3400. Orchidaceae: Maxillaria camaridii Rchb. f.
- 3401. Cyperaceae: Cyperus simplex Kunth
- 3402. Piperaceae: Peperomia elongata Kunth
- 3403. Adiantaceae: Adiantum pulverulentum L.
- 3404. Tectariaceae: Cyclopeltis semicordata (Sw.) J. Sm.
- 3405. Adiantaceae: Adiantum latifolium Lam.
- 3406. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 3407. Rubiaceae: Psychotria astrellantha Wernham
- 3408. Leguminosae-Caesalpinioideae: *Elizabetha* coccinea M. R. Schomb. ex Benth. var. coccinea
- 3409. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 3410. Myrtaceae: Indet.
- 3411. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.

- 3412. Annonaceae: Duguetia yeshidan Sandwith
- 3413. Orchidaceae: *Myoxanthus trachychlamys* (Schltr.) Luer
- 3414. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 3415. Dichapetalaceae: Tapura guianensis Aubl.
- 3416. Araceae: Syngonium podophyllum Schott
- 3417. Meliaceae: Trichilia sp.
- 3418. Hippocrateaceae: Salacia maburensis Mennega
- 3419. Euphorbiaceae: *Jablonskia congesta* (Benth. ex Müll. Arg.) G. L. Webster
- 3420. Annonaceae: Klarobelia sp. nov.
- 3421. Marantaceae: Calathea zingiberina Körn.
- 3422. Euphorbiaceae: *Chaetocarpus schomburgkianus* (Kuntze) Pax and K. Hoffm.
- 3423. Leguminosae-Faboideae: *Swartzia grandifolia* Bong. ex Benth.
- 3424. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 3425. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 3426. Marantaceae: Calathea elliptica (Roscoe) K. Schum.
- 3427. Arecaceae: Geonoma deversa (Poit.) Kunth
- 3428. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 3429. Bromeliaceae: Guzmania lingulata (L.) Mez
- 3430. Araceae: Anthurium gracile (Rudge) Schott
- 3431. Oxalidaceae: Oxalis frutescens L.
- 3432. Euphorbiaceae: Caperonia stenophylla Müll. Arg.
- 3433. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 3434. Lecythidaceae: Gustavia augusta L.
- 3435. Chrysobalanaceae: Licania leptostachya Benth.
- 3436. Apocynaceae: *Tabernaemontana heterophylla* Vahl
- 3437. Rubiaceae: Psychotria lupulina Benth.
- 3438. Piperaceae: Peperomia elongata Kunth
- 3439. Connaraceae: Connarus coriaceus G. Schellenb.
- 3440. Trigoniaceae: Trigonia villosa Aubl.
- 3441. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 3442. Malpighiaceae: Bunchosia mollis Benth.
- 3443. Ochnaceae: Ouratea sp.
- 3444. Myrtaceae: Calyptranthes sp.
- 3445. Myrtaceae: Eugenia sp.
- 3446. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 3447. Myrtaceae: Eugenia sp.
- 3448. Solanaceae: Markea coccinea Rich.
- 3449. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 3450. Piperaceae: Peperomia pellucida (L.) Kunth
- 3451. Piperaceae: *Peperomia quadrangularis* (J. V. Thomps.) A. Dietr.

- 3452. Orchidaceae: Brassia sp.
- 3453. Costaceae: Costus scaber Ruiz and Pav.
- 3454. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 3455. Orchidaceae: Epidendrum strobiliferum Rchb. f.
- 3456. Marantaceae: Maranta protracta Mig.
- 3457. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 3458. Orchidaceae: Dichaea sp.
- 3459. Gentianaceae: Irlbachia alata (Aubl.) Maas
- 3460. Orchidaceae: Rodriguezia lanceolata Ruiz and Pav.
- 3461. Rubiaceae: Spermacoce remota Lam.
- 3462. Bignoniaceae: *Tabebuia serratifolia* (Vahl) G. Nicholson
- 3463. Combretaceae: Combretum pyramidatum Desv.
- 3464. Rubiaceae: Psychotria polycephala Benth.
- 3465. Cactaceae: *Rhipsalis* cf. *baccifera* (J. S. Muell.) Stearn
- 3466. Hippocrateaceae: Hippocratea volubilis L.
- 3467. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
- 3468. Aspleniaceae: Asplenium serratum L.
- 3469. Bryophyte: Indet.
- 3470. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 3471. Cyperaceae: *Rhynchospora comata* (Link) Roem. and Schult.
- 3472. Rubiaceae: Genipa spruceana Steyerm.
- 3473. Polypodiaceae: Campyloneurum phyllitidis (L.)
- 3474. Orchidaceae: Polystachya sp.
- 3475. Liliaceae: Hymenocallis tubiflora Salisb.
- 3476. Combretaceae: Combretum rotundifolium Rich.
- 3477. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
- 3478. Tiliaceae: Vasivaea alchorneoides Baill.
- 3479. Compositae: *Piptocarpha triflora* (Aubl.) Benn. ex Baker
- 3480. Hippocrateaceae: Hippocratea volubilis L.
- 3481. Adiantaceae: Adiantum latifolium Lam.
- 3482. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 3483. Cyperaceae: Cyperus simplex Kunth
- 3484. Rubiaceae: Borreria cf. prostrata (Aubl.) Miq.
- 3485. Cyperaceae: Scleria microcarpa Nees ex Kunth
- 3486. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 3487. Orchidaceae: *Maxillaria crassifolia* (Lindl.) Rchb. f.
- 3488. Acanthaceae: Justicia potarensis (Bremek.) Wassh.
- 3489. Cyperaceae: Rhynchospora cephalotes (L.) Vahl

- 3490. Leguminosae-Faboideae: *Swartzia dipetala* Willd. ex Vogel
- 3491. Anacardiaceae: Spondias mombin L.
- 3492. Cyperaceae: Cyperus simplex Kunth
- 3493. Euphorbiaceae: Conceveiba guianensis Aubl.
- 3494. Gentianaceae: Coutoubea ramosa Aubl. var. ramosa
- 3495. Euphorbiaceae: Mabea taquari Aubl.
- 3496. Myrtaceae: Calyptranthes fasciculata O. Berg
- 3497. Orchidaceae: Maxillaria camaridii Rchb. f.
- 3498. Poaceae: Paspalum melanospermum Desv. ex Poir.
- 3499. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
- 3500. Orchidaceae: Epidendrum rigidum Jacq.
- 3501. Orchidaceae: Epidendrum strobiliferum Rchb. f.
- 3502. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
- 3503. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 3504. Bryophyte: Indet.
- 3505. Leguminosae-Faboideae: *Pterocarpus* santalinoides L'Hér. ex DC.
- 3506. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
- 3507. Heliconiaceae: Heliconia acuminata Rich.
- 3508. Marcgraviaceae: Norantea guianensis Aubl.
- 3509. Verbenaceae: *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber
- 3510. Lecythidaceae: Gustavia augusta L.
- 3511. Leguminosae-Faboideae: *Machaerium quinatum* (Aubl.) Sandwith
- 3512. Sapindaceae: Cupania sp.
- 3513. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 3514. Bignoniaceae: *Arrabidaea bilabiata* (Sprague) Sandwith
- 3515. Orchidaceae: Epidendrum rigidum Jacq.
- 3516. Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.
- 3517. Bixaceae: Bixa orellana L.
- 3518. Lecythidaceae: Gustavia augusta L.
- 3519. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
- 3520. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 3521. Leguminosae-Faboideae: Machaerium sp.
- 3522. Bignoniaceae: Callichlamys latifolia (Rich.) K. Schum.
- 3523. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
- 3524. Bignoniaceae: Arrabidaea nigrescens Sandwith
- 3525. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.

3526.	Vitaceae: Cissus erosa Rich.	3566.	Celastraceae: Maytenus guyanensis Klotzsch ex
3527.	Malpighiaceae: Stigmaphyllon sinuatum (DC.)		Reissek
002.	A. Juss.	3567.	Orchidaceae: Prosthechea vespa (Vell.) W. E.
3528.	Bignoniaceae: Callichlamys latifolia (Rich.)		Higgins
	K. Schum.	3568.	Orchidaceae: Brassia sp.
3529.	Sterculiaceae: Sterculia pruriens (Aubl.)	3569.	Rubiaceae: Psychotria polycephala Benth.
	K. Schum.	3570.	Annonaceae: Anaxagorea sp.
3530.	Poaceae: Paspalum melanospermum Desv. ex	3571.	Rubiaceae: Duroia eriopila L. f.
	Poir.	3572.	Tiliaceae: Mollia glabrescens Benth.
3531.	Combretaceae: Combretum pyramidatum Desv.	3573.	Annonaceae: Fusaea longifolia (Aubl.) Saff.
3532.	Lecythidaceae: Eschweilera subglandulosa	3574.	Burseraceae: Crepidospermum rhoifolium
	(Steud. ex O. Berg) Miers		(Benth.) Triana and Planch.
3533.	Sapotaceae: Pouteria surumuensis Baehni	3575.	Orchidaceae: Cattleya violacea (Kunth) Rolfe
3534.	Combretaceae: Buchenavia viridiflora Ducke	3576.	Orchidaceae: Epidendrum prostratum (Lindl.)
3535.	Euphorbiaceae: Conceveiba guianensis Aubl.		Cogn.
3536.	Leguminosae-Caesalpinioideae: Macrolobium	3577.	Bryophyte: Indet.
	acaciifolium (Benth.) Benth.	3578.	Moraceae: Ficus schumacheri (Liebm.) Griseb.
3537.	Solanaceae: Solanum monachophyllum Dunal	3579.	Araceae: Philodendron muricatum Willd. ex Schott
3538.	Leguminosae-Mimosoideae: Inga sp.	3580.	Araceae: Anthurium pentaphyllum (Aubl.)
3539.	Capparaceae: Cleome parviflora Kunth		G. Don
3540.	Sapindaceae: Paullinia dasygonia Radlk.	3581.	Myrtaceae: Calyptranthes sp.
3541.	Leguminosae-Mimosoideae: <i>Inga</i> sp.	3582.	Myrtaceae: Indet.
3542.	Leguminosae-Faboideae: Dalbergia monetaria L. f.	3583.	Meliaceae: Carapa surinamensis Miq. Stirp.
3543.	Marcgraviaceae: Norantea guianensis Aubl. ssp.	3584.	Orchidaceae: Zygosepalum labiosum (Rich.)
	guianensis		Garay
3544.	Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.	3585.	Orchidaceae: Caularthron sp.
3545.	Leguminosae-Mimosoideae: <i>Inga</i> sp.	3586.	Orchidaceae: Orleanesia amazonica Barb. Rodr.
3546.	Ochnaceae: Sauvagesia erecta L.	3587.	Orchidaceae: Stelis sp.
3547.	Bignoniaceae: Tabebuia serratifolia (Vahl)	3588.	Bromeliaceae: Tillandsia paraensis Mez
2.5.40	G. Nicholson	3589.	Orchidaceae: Cattleya violacea (Kunth) Rolfe
3548.	Violaceae: Rinorea pubiflora (Benth.) Sprague	3590.	Menispermaceae: Abuta imene (Mart.) Eichler
2540	and Sandwith	3591.	Rubiaceae: Oldenlandia lancifolia
3549.	Meliaceae: Trichilia pallida Sw.	2.502	(Schumach.) DC.
3550.	Scrophulariaceae: Lindernia diffusa (L.) Wettst.	3592.	Malpighiaceae: Heteropterys s.l. macradena
3551.	Turneraceae: Indet.	2502	(DC.) W. R. Anderson
3552. 3553.	Bromeliaceae: Tillandsia bulbosa Hook.	3593.	Incertae sedis: Indet.
3554.	Bromeliaceae: <i>Tillandsia paraensis</i> Mez Orchidaceae: <i>Caularthron</i> sp.	3594.	Meliaceae: <i>Trichilia surumuensis</i> C. DC. Dilleniaceae: <i>Davilla kunthii</i> A. StHil.
3555.	Solanaceae: Markea coccinea Rich.	3595.	
3556.		3596.	Podostemaceae: Mourera fluviatilis Aubl.
3557.	Solanaceae: Markea longiflora Miers Ochnaceae: Ouratea schomburgkii (Planch.) Engl.	3597. 3598.	Siparunaceae: Siparuna guianensis Aubl.
3558.	Celastraceae: Maytenus sp.	3599.	Leguminosae-Caesalpinioideae: <i>Bauhinia</i> sp. Orchidaceae: <i>Orleanesia amazonica</i> Barb. Rodr.
3559.	Clusiaceae: Clusia minor L.	3600.	Bignoniaceae: Adenocalymna inundatum Mart.
3560.	Elaeocarpaceae: Indet.	3000.	ex DC. var. <i>surinamense</i> Bureau and K. Schum.
3561.	Myrtaceae: <i>Psidium striatulum</i> DC.	3601.	Rubiaceae: <i>Psychotria</i> cf. <i>lupulina</i> Benth.
3562.	Rubiaceae: Posoqueria cf. panamensis (Walp.	3602.	Annonaceae: Duguetia neglecta Sandwith
	and Duchass.) Walp.	3603.	Arecaceae: Hyospathe elegans Mart.
3563.	Clusiaceae: Clusia leprantha Mart.	3604.	Boraginaceae: Cordia nodosa Lam.
2561	Moliococa Correct today and A Jose	2605	Markette Coram robotow Editi

3605. Myrtaceae: Marlierea umbraticola (Kunth)

O. Berg

3564. Meliaceae: Guarea pubescens (Rich.) A. Juss.

3565. Malpighiaceae: Tetrapterys styloptera A. Juss.

- 3606. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 3607. Selaginellaceae: Selaginella pedata Klotzsch
- 3608. Meliaceae: Trichilia sp.
- 3609. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 3610. Meliaceae: Guarea sp.
- 3611. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 3612. Sterculiaceae: Theobroma subincanum Mart.
- 3613. Dichapetalaceae: Tapura guianensis Aubl.
- 3614. Flacourtiaceae: Casearia singularis Eichler
- 3615. Bignoniaceae: *Memora* cf. *schomburgkii* (DC.) Miers
- 3616. Lecythidaceae: *Eschweilera micrantha* (O. Berg) Miers
- 3617. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 3618. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
- 3619. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 3620. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik
- 3621. Rubiaceae: *Psychotria* cf. *podocephala* (Müll. Arg.) Standl.
- 3622. Annonaceae: Anaxagorea sp.
- 3623. Rubiaceae: Psychotria barbiflora DC.
- 3624. Melastomataceae: *Clidemia japurensis* DC. var. *heterobasis* (DC.) Wurdack
- 3625. Meliaceae: Guarea gomma Pulle
- 3626. Moraceae: Perebea guianensis Aubl. ssp. guianensis
- 3627. Meliaceae: Guarea trunciflora C. DC.
- 3628. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 3629. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
- 3630. Piperaceae: Piper arboreum Aubl.
- 3631. Leguminosae-Mimosoideae: *Parkia velutina* Benoist
- 3632. Myristicaceae: Iryanthera juruensis Warb.
- 3633. Malpighiaceae: Byrsonima laevigata (Poir.) DC.
- 3634. Orchidaceae: Epidendrum purpurascens H. Focke
- 3635. Aspleniaceae: Asplenium serratum L.
- 3636. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 3637. Hymenophyllaceae: *Trichomanes krausii* Hook. and Grev.
- 3638. Hippocrateaceae: Salacia maburensis Mennega
- 3639. Piperaceae: Peperomia rotundifolia (L.) Kunth
- 3640. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 3641. Orchidaceae: Maxillaria camaridii Rchb. f.
- 3642. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.

- 3643. Vittariaceae: Antrophyum guayanense Hieron.
- 3644. Sapindaceae: Cupania hirsuta Radlk.
- 3645. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 3646. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 3647. Araceae: Philodendron rudgeanum Schott
- 3648. Leguminosae-Mimosoideae: Inga sp.
- 3649. Bryophyte: Indet.
- 3650. Bryophyte: Indet.
- 3651. Araceae: Caladium bicolor (Aiton) Vent.
- 3652. Quiinaceae: Lacunaria jenmanii (Oliv.) Ducke
- 3653. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 3654. Selaginellaceae: Selaginella producta Baker
- 3655. Boraginaceae: Cordia nodosa Lam.
- 3656. Menispermaceae: Cissampelos andromorpha DC.
- 3657. Euphorbiaceae: *Rhodothyrsus macrophyllus* (Ducke) Esser
- 3658. Sapindaceae: Indet.
- 3659. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
- 3660. Cecropiaceae: Coussapoa microcephala Trécul
- 3661. Myristicaceae: Virola elongata (Benth.) Warb.
- 3662. Araceae: Philodendron myrmecophilum Engl.
- 3663. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 3664. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 3665. Euphorbiaceae: *Rhodothyrsus macrophyllus* (Ducke) Esser
- 3666. Verbenaceae: Petrea macrostachya Benth.
- 3667. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 3668. Triuridaceae: Sciaphila purpurea Benth.
- 3669. Orchidaceae: Rodriguezia lanceolata Ruiz and Pav.
- 3670. Bombacaceae: Catostemma fragrans Benth.
- 3671. Bryophyte: Indet.
- 3672. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 3673. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 3674. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
- 3675. Apocynaceae: Plumeria rubra L.
- 3676. Cyperaceae: Rhynchospora rupicola M. T. Strong
- 3677. Poaceae: *Ichnanthus nemoralis* (Schrad. ex Schult.) Hitchc. and Chase
- 3678. Parmeliaceae: Rimelia sp.
- 3679. Lichenized basidiomycete: *Dictyonema* glabratum (Spreng.) D. Hawksw.
- 3680. Bryophyte: Indet.
- 3681. Hymenophyllaceae: *Trichomanes cristatum* Kaulf.

- 3682. Bryophyte: Indet.
- 3683. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
- 3684. Hymenophyllaceae: *Hymenophyllum polyanthos* (Sw.) Sw.
- 3685. Grammitidaceae: *Micropolypodium nanum* (Fée) A. R. Sm.
- 3686. Schizaeaceae: Anemia flexuosa (Sav.) Sw.
- 3687. Orchidaceae: Epidendrum purpurascens H. Focke
- 3688. Orchidaceae: Maxillaria rufescens Lindl.
- 3689. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
- 3690. Dichapetalaceae: Tapura guianensis Aubl.
- 3691. Violaceae: Rinorea riana Kuntze
- 3692. Dennstaedtiaceae: Lindsaea stricta (Sw.) Dryand.
- 3693. Cyperaceae: *Rhynchospora comata* (Link) Roem. and Schult.
- 3694. Orchidaceae: Rodriguezia lanceolata Ruiz and Pav.
- 3695. Lauraceae: Endlicheria reflectens (Nees) Mez
- 3696. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
- 3697. Bromeliaceae: Vriesea platvnema Gaudich.
- 3698. Orchidaceae: Cattleya violacea (Kunth) Rolfe
- 3699. Rubiaceae: Isertia parviflora Vahl
- 3700. Polygonaceae: Coccoloba cf. excelsa Benth.
- 3701. Myrsinaceae: Cybianthus prieurii A. DC.
- 3702. Polygonaceae: Coccoloba striata Benth.
- 3703. Bromeliaceae: Guzmania lingulata (L.) Mez
- 3704. Orchidaceae: Maxillaria camaridii Rchb. f.
- 3705. Orchidaceae: *Zygosepalum lindeniae* (Rolfe) Garav and Dunst.
- 3706. Orchidaceae: Maxillaria superflua Rchb. f.
- 3707. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 3708. Polypodiaceae: Polypodium triseriale Sw.
- 3709. Lomariopsidaceae: *Elaphoglossum plumosum* (Fée) T. Moore
- 3710. Marantaceae: Maranta rupicola L. Andersson
- 3711. Bromeliaceae: Aechmea tocantina Baker
- 3712. Melastomataceae: Mouriri sp.
- 3713. Rubiaceae: Sabicea aspera Aubl.
- 3714. Myrtaceae: Myrcia calycampa Amshoff
- 3715. Myrtaceae: Eugenia tapacumensis O. Berg
- 3716. Dioscoreaceae: Indet.
- 3717. Polygonaceae: Coccoloba lucidula Benth.
- 3718. Marcgraviaceae: Norantea guianensis Aubl.
- 3719. Leguminosae-Mimosoideae: Calliandra sp.
- 3720. Clusiaceae: Clusia nemorosa G. Mey.
- 3721. Euphorbiaceae: Croton galeopsifolius Lanj.
- 3722. Burseraceae: *Protium* s.l. *tenuifolium* (Engl.) Engl.

- 3723. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 3724. Piperaceae: Piper nematanthera (Miq.) C. DC.
- 3725. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 3726. Orchidaceae: Palmorchis sp.
- 3727. Orchidaceae: *Epidendrum nocturnum* Jacq. var. *tumuc-humaciense* Veyret
- 3728. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 3729. Loranthaceae: *Struthanthus* aff. *phyllyraeoides* (Kunth) Blume
- 3730. Leguminosae-Mimosoideae: *Zygia* cf. *ampla* (Benth.) Pittier
- 3731. Melastomataceae: Ernestia pullei Gleason
- 3732. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 3733. Dichapetalaceae: *Dichapetalum rugosum* (Vahl) Prance
- 3734. Sapindaceae: Cupania rubiginosa (Poir.) Radlk.
- 3735. Rubiaceae: Chomelia malaneoides Müll. Arg.
- 3736. Connaraceae: Connarus sp.
- 3737. Bromeliaceae: *Tillandsia monadelpha* (E. Morren) Baker
- 3738. Myrtaceae: Myrcia inaequiloba (DC.) D. Legrand
- 3739. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
- 3740. Orchidaceae: Epidendrum purpurascens H. Focke
- 3741. Lomariopsidaceae: *Elaphoglossum herminieri* (Bory and Fée ex Fée) T. Moore
- 3742. Myrtaceae: Eugenia florida DC.
- 3743. Marcgraviaceae: Souroubea guianensis Aubl.
- 3744. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 3745. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 3746. Vittariaceae: Vittaria lineata (L.) Sm.
- 3747. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult. ssp. *latifolia*
- 3748. Polygalaceae: Securidaca paniculata Rich. var. lasiocarpa Oort
- 3749. Melastomataceae: Miconia prasina (Sw.) DC.
- 3750. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 3751. Melastomataceae: Henriettea succosa (Aubl.) DC.
- 3752. Dilleniaceae: *Doliocarpus brevipedicellatus* Garcke
- 3753. Myrtaceae: Psidium acutangulum DC.
- 3754. Viscaceae: *Phoradendron piperoides* (Kunth) Trel.
- 3755. Leguminosae-Faboideae: Lonchocarpus s.l. sp.
- 3756. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.

- 3757. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 3758. Euphorbiaceae: Mabea pulcherrima Müll. Arg.
- 3759. Leguminosae-Mimosoideae: *Inga* sp.
- 3760. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 3761. Orchidaceae: Brassia sp.
- 3762. Orchidaceae: *Heterotaxis superflua* (Rchb. f.) F. Barros
- 3763. Lomariopsidaceae: *Elaphoglossum minutum* (Pohl ex Fée) T. Moore
- 3764. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 3765. Clusiaceae: Indet.
- 3766. Polypodiaceae: Campyloneurum latum T. Moore
- 3767. Aspleniaceae: Asplenium auritum Sw.
- 3768. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 3769. Leguminosae-Faboideae: *Taralea oppositifolia* Aubl.
- 3770. Cyperaceae: *Scleria flagellum-nigrorum* P. J. Bergius
- 3771. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 3772. Bignoniaceae: *Memora schomburgkii* (DC.) Miers
- 3773. Orchidaceae: Pleurothallis sp.
- 3774. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
- 3775. Piperaceae: Peperomia elongata Kunth
- 3776. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 3777. Leguminosae-Faboideae: *Swartzia grandifolia* Bong, ex Benth.
- 3778. Sapotaceae: *Pouteria cuspidata* (A. DC.) Baehni ssp. *dura* (Eyma) T. D. Penn.
- 3779. Euphorbiaceae: Amanoa guianensis Aubl.
- 3780. Rubiaceae: Faramea irwinii Steyerm.
- 3781. Orchidaceae: Dichaea sp.
- 3782. Orchidaceae: Maxillaria uncata Lindl.
- 3783. Orchidaceae: Dichaea sp.
- 3784. Leguminosae-Mimosoideae: Inga sp.
- 3785. Myristicaceae: *Virola surinamensis* (Rol. ex Rottb.) Warb.
- 3786. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 3787. Combretaceae: Combretum pyramidatum Desv.
- 3788. Meliaceae: Carapa guianensis Aubl.
- 3789. Chrysobalanaceae: Indet.
- 3790. Lauraceae: Ocotea sp.
- 3791. Melastomataceae: Mouriri guianensis Aubl.
- 3792. Menispermaceae: Indet.

- 3793. Meliaceae: Trichilia sp.
- 3794. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
- 3795. Lauraceae: Ocotea sp.
- 3796. Orchidaceae: Stelis sp.
- 3797. Bryophyte: Indet.
- 3798. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.
- 3799. Marantaceae: Calathea zingiberina Körn.
- 3800. NO RECORD
- 3801. Meliaceae: Guarea gomma Pulle
- 3802. Sapotaceae: *Pouteria brachyandra* (Aubrév. and Pellegr.) T. D. Penn.
- 3803. Bromeliaceae: *Tillandsia monadelpha* (E. Morren) Baker
- 3804. Araceae: Philodendron linnaei Kunth
- 3805. Polygonaceae: Coccoloba gymnorrhachis Sandwith
- 3806. Hippocrateaceae: Tontelea sp.
- 3807. Combretaceae: Buchenavia viridiflora Ducke
- 3808. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 3809. Annonaceae: Duguetia calycina Benoist
- 3810. Melastomataceae: Clidemia pustulata DC.
- 3811. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 3812. Chrysobalanaceae: Parinari campestris Aubl.
- 3813. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
- 3814. Bignoniaceae: Arrabidaea nigrescens Sandwith
- 3815. Vitaceae: Cissus sp.
- 3816. Anacardiaceae: Tapirira guianensis Aubl.
- 3817. Thelypteridaceae: *Thelypteris serrata* (Cav.) Alston
- 3818. Myrtaceae: Eugenia egensis DC.
- 3819. Loranthaceae: Struthanthus sp.
- 3820. Moraceae: Ficus paraensis (Miq.) Miq.
- 3821. Leguminosae-Caesalpinioideae: *Vouacapoua macropetala* Sandwith
- 3822. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
- 3823. Rubiaceae: *Palicourea crocea* (Sw.) Roem. and Schult.
- 3824. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 3825. Vitaceae: Cissus erosa Rich.
- 3826. Lecythidaceae: Gustavia hexapetala (Aubl.) Sm.
- 3827. Chrysobalanaceae: Licania ovalifolia Kleinhoonte
- 3828. Annonaceae: Xylopia sp.
- 3829. Euphorbiaceae: Sagotia racemosa Baill. ssp. brachysepala Müll. Arg.

- 3830. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 3831. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 3832. Verbenaceae: *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber
- 3833. Passifloraceae: Passiflora leptopoda Harms
- 3834. Bixaceae: Bixa orellana L.
- 3835. Leguminosae-Faboideae: Lonchocarpus s.l. sp.
- 3836. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby var. *multijuga*
- 3837. Leguminosae-Mimosoideae: Mimosa sp.
- 3838. Leguminosae-Faboideae: *Swartzia reticulata* Ducke
- 3839. Ochnaceae: Ouratea schomburgkii (Planch.) Engl.
- 3840. Orchidaceae: Cattleya violacea (Kunth) Rolfe
- 3841. Theophrastaceae: Clavija cf. lancifolia Desf.
- 3842. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 3843. Onagraceae: Ludwigia hyssopifolia (G. Don) Exell
- 3844. Scrophulariaceae: Scoparia dulcis L.
- 3845. Cyperaceae: Fimbristylis miliacea (L.) Vahl
- 3846. Lamiaceae: Hyptis cf. recurvata Poit.
- 3847. Cyperaceae: Cyperus sphacelatus Rottb.
- 3848. Compositae: *Trichospira verticillata* (L.) S. F. Blake
- 3849. Poaceae: Panicum hylaeicum Mez
- 3850. Molluginaceae: *Glinus radiatus* (Ruiz and Pav.) Rohrb.
- 3851. Melastomataceae: Aciotis aequatorialis Cogn.
- 3852. Begoniaceae: Begonia humilis Dryand.
- 3853. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
- 3854. Leguminosae-Mimosoideae: Inga sp.
- 3855. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 3856. Apocynaceae: *Bonafousia siphilitica* (L. f.) L. Allorge
- 3857. Cyperaceae: Scleria microcarpa Nees ex Kunth
- 3858. Rubiaceae: Oldenlandia lancifolia (Schumach.) DC.
- 3859. Poaceae: Panicum laxum Sw.
- 3860. Poaceae: Panicum pyrularium Hitchc. and Chase
- 3861. Verbenaceae: Lippia betulifolia Kunth
- 3862. Rubiaceae: *Borreria ovalifolia* M. Martens and Galeotti
- 3863. Poaceae: Digitaria lanuginosa (Nees) Henrard
- 3864. Compositae: Xiphochaeta aquatica Poepp.
- 3865. Vitaceae: Cissus sp.
- 3866. Bignoniaceae: *Paragonia pyramidata* (Rich.)
- 3867. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.

- 3868. Solanaceae: Solanum monachophyllum Dunal
- 3869. Turneraceae: Indet.
- 3870. Rubiaceae: Spermacoce latifolia Aubl.
- 3871. Leguminosae-Faboideae: *Vigna luteola* (Jacq.) Benth.
- 3872. Poaceae: Setaria parviflora (Poir.) Kerguélen
- 3873. Combretaceae: Combretum rotundifolium Rich.
- 3874. Poaceae: Acroceras zizanioides (Kunth) Dandy
- 3875. Tiliaceae: Vasivaea alchorneoides Baill.
- 3876. Cyperaceae: Cyperus miliifolius Poepp. and Kunth
- 3877. Cyperaceae: Fimbristylis littoralis Gaudich.
- 3878. Annonaceae: Annona hypoglauca Mart.
- 3879. Rubiaceae: Psychotria lupulina Benth.
- 3880. Flacourtiaceae: Indet. ?
- 3881. Sterculiaceae: Herrania sp.
- 3882. Costaceae: Costus scaber Ruiz and Pav.
- 3883. Poaceae: Olyra latifolia L.
- 3884. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 3885. Compositae: Wulffia baccata (L.) Kuntze
- 3886. Vittariaceae: Antrophyum guayanense Hieron.
- 3887. Marantaceae: Ischnosiphon arouma (Aubl.) Körn.
- 3888. Euphorbiaceae: Croton pullei Lanj.
- 3889. Araceae: *Philodendron fragrantissimum* (Hook.) G. Don
- 3890. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 3891. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
- 3892. Tectariaceae: *Ctenitis refulgens* (Klotzsch ex Mett.) C. Chr. ex Vareschi
- 3893. Melastomataceae: Miconia nervosa (Sm.) Triana
- 3894. Marcgraviaceae: Indet.
- 3895. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 3896. Poaceae: Pharus parvifolius Nash
- 3897. Leguminosae-Faboideae: Desmodium sp.
- 3898. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 3899. Tiliaceae: Apeiba albiflora Ducke
- 3900. Leguminosae-Mimosoideae: Inga nobilis Willd.
- 3901. Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.
- 3902. Euphorbiaceae: Mabea taquari Aubl.
- 3903. Leguminosae-Faboideae: *Machaerium* floribundum Benth. var. floribundum
- 3904. Sapindaceae: Cupania rubiginosa (Poir.) Radlk.
- 3905. Bignoniaceae: *Cydista* cf. *aequinoctialis* (L.) Miers
- 3906. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 3907. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 3908. Polygalaceae: Indet.

- 3909. Leguminosae-Faboideae: *Dalbergia intermedia* A. M. Carvalho
- 3910. Compositae: *Piptocarpha triflora* (Aubl.) Benn. ex Baker
- 3911. Araceae: Anthurium gracile (Rudge) Schott
- 3912. Cactaceae: Epiphyllum phyllanthus (L.) Haw.
- 3913. Hippocrateaceae: Cheiloclinium brevipetiolatum Lombardi
- 3914. Boraginaceae: Cordia sp.
- 3915. Menispermaceae: Indet.
- 3916. Leguminosae-Caesalpinioideae: *Elizabetha coccinea* M. R. Schomb. ex Benth.
- 3917. Tiliaceae: Apeiba petoumo Aubl.
- 3918. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 3919. Myrsinaceae: Indet. ?
- 3920. Leguminosae-Mimosoideae: Inga sp.
- 3921. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 3922. Violaceae: Corynostylis arborea (L.) S. F. Blake
- 3923. Vitaceae: Cissus sp.
- 3924. Combretaceae: Combretum rotundifolium Rich.
- 3925. Myrtaceae: Eugenia patrisii Vahl
- 3926. Combretaceae: Combretum pyramidatum Desv.
- 3927. Sapotaceae: Pouteria surumuensis Baehni
- 3928. Leguminosae-Caesalpinioideae: *Macrolobium multijugum* (DC.) Benth.
- 3929. Vitaceae: Cissus erosa Rich.
- 3930. Leguminosae-Faboideae: *Lonchocarpus* ? *densiflorus* Benth.
- 3931. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
- 3932. Passifloraceae: Passiflora capparidifolia Killip
- 3933. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
- 3934. Convolvulaceae: Indet.
- 3935. Euphorbiaceae: Dalechampia affinis Müll. Arg.
- 3936. Humiriaceae: Sacoglottis cydonioides Cuatrec.
- 3937. Cecropiaceae: Cecropia latiloba Miq.
- 3938. Hymenophyllaceae: *Trichomanes krausii* Hook. and Grev.
- 3939. Myristicaceae: Virola elongata (Benth.) Warb.
- 3940. Bombacaceae: Catostemma fragrans Benth.
- 3941. Chrysobalanaceae: Hirtella silicea Griseb.
- 3942. Meliaceae: Trichilia sp.
- 3943. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 3944. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 3945. Burseraceae: *Tetragastris panamensis* (Engl.)
- 3946. Verbenaceae: Petrea macrostachya Benth.
- 3947. Annonaceae: Duguetia surinamensis R. E. Fr.

- 3948. Incertae sedis: Indet.
- 3949. Burseraceae: Protium sagotianum Marchand
- 3950. Burseraceae: Crepidospermum sp.
- 3951. Piperaceae: Piper? nematanthera (Miq.) C. DC.
- 3952. Araceae: Philodendron rudgeanum Schott
- 3953. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 3954. Araceae: Philodendron myrmecophilum Engl.
- 3955. Chrysobalanaceae: *Hirtella macrosepala* Sandwith
- 3956. Adiantaceae: *Adiantum adiantoides* (J. Sm.) C. Chr.
- 3957. Dichapetalaceae: Tapura guianensis Aubl.
- 3958. Sapotaceae: Pouteria hispida Eyma
- 3959. Rubiaceae: Psychotria astrellantha Wernham
- 3960. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 3961. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 3962. Lauraceae: Indet.
- 3963. Meliaceae: Trichilia sp.
- 3964. Sapindaceae: *Thinouia myriantha* Triana and Planch.
- 3965. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 3966. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
- 3967. Sapindaceae: Paullinia dasygonia Radlk.
- 3968. Leguminosae-Faboideae: Dioclea reflexa Hook. f.
- 3969. Melastomataceae: *Bellucia grossularioides* (L.) Triana
- 3970. Malpighiaceae: *Excentradenia propinqua* (W. R. Anderson) W. R. Anderson
- 3971. Lygodiaceae: Lygodium volubile Sw.
- 3972. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 3973. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 3974. Leguminosae-Mimosoideae: Inga nobilis Willd.
- 3975. Chrysobalanaceae: Licania leptostachya Benth.
- 3976. Trigoniaceae: Trigonia villosa Aubl.
- 3977. Boraginaceae: Cordia sp.
- 3978. Malpighiaceae: Tetrapterys discolor (G. Mey.) DC.
- 3979. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
- 3980. Bignoniaceae: *Arrabidaea bilabiata* (Sprague) Sandwith
- 3981. Leguminosae-Mimosoideae: Inga splendens Willd.
- 3982. Myrtaceae: Eugenia tapacumensis O. Berg
- 3983. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 3984. Siparunaceae: Siparuna guianensis Aubl.
- 3985. Melastomataceae: *Clidemia novemnervia* (DC.) Triana var. *affinis* (Naudin) Wurdack

- 3986. Dilleniaceae: *Doliocarpus brevipedicellatus* Garcke
- 3987. Chrysobalanaceae: Licania majuscula Sagot
- 3988. Leguminosae-Faboideae: *Andira inermis* (W. Wright) DC.
- 3989. Sapindaceae: Toulicia guianensis Aubl.
- 3990. Hippocrateaceae: Hylenaea comosa (Sw.) Miers
- 3991. Verbenaceae: Vitex compressa Turcz.
- 3992. Orchidaceae: Quekettia sp.
- 3993. Orchidaceae: Notylia sp.
- 3994. Orchidaceae: Dichaea sp.
- 3995. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
- 3996. Orchidaceae: Cattleya violacea (Kunth) Rolfe
- 3997. Polypodiaceae: *Microgramma tecta* (Kaulf.) Alston
- 3998. Rubiaceae: Bertiera guianensis Aubl.
- 3999. Sterculiaceae: Sterculia rugosa R. Br.
- 4000. Celastraceae: Goupia glabra Aubl.
- 4001. Oleandraceae: Nephrolepis biserrata (Sw.) Schott
- 4002. Oleandraceae: Oleandra pilosa Hook.
- 4003. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 4004. Aspleniaceae: Asplenium pearcei Baker
- 4005. Bryophyte: Indet.
- 4006. Bryophyte: Indet.
- 4007. Zingiberaceae: Renealmia alpinia (Rottb.) Maas
- 4008. Heliconiaceae: Heliconia bihai (L.) L.
- 4009. Flacourtiaceae: Casearia sylvestris Sw.
- 4010. Euphorbiaceae: Margaritaria nobilis L. f.
- 4011. Orchidaceae: Psygmorchis sp.
- 4012. Cyperaceae: Cyperus simplex Kunth
- 4013. Menispermaceae: Cissampelos andromorpha DC.
- 4014. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 4015. Tectariaceae: Cyclopeltis semicordata (Sw.) J. Sm.
- 4016. Aspleniaceae: Asplenium serratum L.
- 4017. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 4018. Humiriaceae: Sacoglottis? sp.
- 4019. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 4020. Elaeocarpaceae: Sloanea sp.
- 4021. Myrtaceae: Indet.
- 4022. Ebenaceae: Diospyros lissocarpoides Sandwith
- 4023. Polypodiaceae: *Polypodium polypodioides* (L.) Watt
- 4024. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 4025. Flacourtiaceae: Casearia commersoniana Cambess.

- 4026. Rubiaceae: Faramea capillipes Müll. Arg.
- 4027. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
- 4028. Rubiaceae: Duroia eriopila L. f.
- 4029. Clusiaceae: Clusia nemorosa G. Mey.
- 4030. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
- 4031. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 4032. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
- 4033. Leguminosae-Mimosoideae: *Calliandra laxa* (Willd.) Benth. var. *stipulacea* (Benth.) Barneby
- 4034. Compositae: Mikania parviflora (Aubl.) H. Karst.
- 4035. Apocynaceae: Secondatia densiflora A. DC.
- 4036. Celastraceae: Maytenus kanukuensis A. C. Sm.
- 4037. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
- 4038. Orchidaceae: Orleanesia amazonica Barb. Rodr.
- 4039. Leguminosae-Faboideae: *Swartzia apiculata* R. S. Cowan
- 4040. Lauraceae: Endlicheria reflectens (Nees) Mez
- 4041. Leguminosae-Faboideae: Ormosia sp.
- 4042. Myrtaceae: Plinia sp.
- 4042b. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 4043. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 4044. Orchidaceae: Aspasia variegata Lindl.
- 4045. Malpighiaceae: Byrsonima sp.
- 4046. Bignoniaceae: *Tabebuia serratifolia* (Vahl) G. Nicholson
- 4047. Boraginaceae: Cordia toqueve Aubl.
- 4048. Sapindaceae: Cupania rubiginosa (Poir.) Radlk.
- 4049. Passifloraceae: Passiflora sp.
- 4050. Smilacaceae: Smilax schomburgkiana Kunth
- 4051. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
- 4052. Lecythidaceae: *Lecythis alutacea* (A. C. Sm.) S. A. Mori
- 4053. Orchidaceae: Maxillaria uncata Lindl.
- 4054. Orchidaceae: Maxillaria camaridii Rchb. f.
- 4055. Vochysiaceae: Vochysia tetraphylla (G. Mey.) DC.
- 4056. Alismataceae: *Echinodorus subalatus* (Mart.) Griseb. ssp. *subalatus*
- 4057. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 4058. Chrysobalanaceae: Hirtella paniculata Sw.
- 4059. Connaraceae: Connarus lambertii (DC.) Sagot
- 4060. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne

- 4061. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
- 4062. Quiinaceae: Quiina pteridophylla (Radlk.) Pires
- 4063. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 4064. Malpighiaceae: Heteropterys subhelicina Nied.
- 4065. Polygonaceae: Coccoloba marginata Benth.
- 4066. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 4067. Erythroxylaceae: *Erythroxylum macrophyllum* Cav.
- 4068. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
- 4069. Marantaceae: Ischnosiphon arouma (Aubl.) Körn.
- 4070. Lecythidaceae: Eschweilera boltenii S. A. Mori
- 4071. Onagraceae: Ludwigia latifolia (Benth.) H. Hara
- 4072. Loganiaceae: Strychnos sp.
- 4073. Quiinaceae: Quiina pteridophylla (Radlk.) Pires
- 4074. Meliaceae: Trichilia sp.
- 4075. Melastomataceae: Miconia albicans (Sw.) Triana
- 4076. Rubiaceae: Isertia parviflora Vahl
- 4077. Sapotaceae: Pouteria surumuensis Baehni
- 4078. Tiliaceae: Indet.
- 4079. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 4080. Verbenaceae: Petrea macrostachya Benth.
- 4081. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 4082. Aspleniaceae: Asplenium serratum L.
- 4083. Aspleniaceae: Asplenium angustum Sw.
- 4084. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 4085. Araceae: Anthurium gracile (Rudge) Schott
- 4086. Leguminosae-Faboideae: *Clathrotropis macrocarpa* Ducke
- 4087. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
- 4088. Lecythidaceae: *Lecythis confertiflora* (A. C. Sm.) S. A. Mori
- 4089. Clusiaceae: Caraipa punctulata Ducke
- 4090. Melastomataceae: *Miconia lappacea* (DC.) Triana
- 4091. Hippocrateaceae: Salacia maburensis Mennega
- 4092. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 4093. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 4094. Passifloraceae: Passiflora cirrhiflora Juss.
- 4095. Elaeocarpaceae: Sloanea guianensis (Aubl.) Benth.
- 4096. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
- 4097. Orchidaceae: Scaphyglottis cf. sickii Pabst
- 4098. Araceae: Anthurium trinervium Mig.

- 4099. Araceae: Stenospermation? maguirei A. M. E. Ionker and Ionker
- 4100. Orchidaceae: Epidendrum ramosum Jacq.
- 4101. Hymenophyllaceae: *Trichomanes pedicellatum* Desy.
- 4102. Orchidaceae: *Reichenbachanthus reflexus* (Lindl.) Brade
- 4103. Bryophyte: Indet.
- 4104. Orchidaceae: Elleanthus caravata (Aubl.) Rchb. f.
- 4105. Orchidaceae: Maxillaria porrecta Lindl.
- 4106. Grammitidaceae: Cochlidium linearifolium (Desv.) Maxon ex C. Chr.
- 4107. Orchidaceae: Dichaea sp.
- 4108. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 4109. Orchidaceae: *Xerorchis trichorhiza* (Kraenzl.) Garay
- 4110. Rubiaceae: Psychotria barbiflora DC.
- 4111. Rubiaceae: Psychotria apoda Steverm.
- 4112. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
- 4113. Lauraceae: *Rhodostemonodaphne scandens* Madriñán
- 4114. Myrtaceae: Eugenia sp.
- 4115. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 4116. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 4117. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 4118. Hymenophyllaceae: *Trichomanes diversifrons* (Bory) Mett. ex Sadeb.
- 4119. Marcgraviaceae: Marcgravia parviflora Rich. ex Wittm.
- 4120. Cyatheaceae: Cyathea pungens (Willd.) Domin
- 4121. Myrtaceae: Calycorectes bergii Sandwith
- 4122. Flacourtiaceae: *Ryania speciosa* Vahl var. *subuliflora* (Sandwith) Monach.
- 4123. Picramniaceae: Picramnia magnifolia J. F. Macbr.
- 4124. Smilacaceae: Smilax latipes Gleason
- 4125. Araceae: Stenospermation maguirei A. M. E. Jonker and Jonker
- 4126. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 4127. Chrysobalanaceae: Hirtella silicea Griseb.
- 4128. Piperaceae: Peperomia ouabianae C. DC.
- 4129. Melastomataceae: *Adelobotrys ciliata* (Naudin) Triana
- 4130. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.

- 4131. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
- 4132. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
- 4133. Burseraceae: Protium opacum Swart ssp. opacum
- 4134. Sterculiaceae: Sterculia rugosa R. Br.
- 4135. Lomariopsidaceae: *Elaphoglossum strictum* (Raddi) T. Moore
- 4136. Piperaceae: Peperomia vs. obtusifolia (L.) A. Dietr.
- 4137. Rubiaceae: Palicourea guianensis Aubl.
- 4138. Rubiaceae: *Psychotria microbotrys* Ruiz ex Standl.
- 4139. Annonaceae: Guatteria wachenheimi Benoist
- 4140. Rubiaceae: Psychotria uliginosa Sw.
- 4141. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 4142. Melastomataceae: Miconia mariae Wurdack
- 4143. Gesneriaceae: Besleria flavovirens Nees and Mart.
- 4144. Piperaceae: Piper insipiens Trel. and Yunck.
- 4145. Zingiberaceae: *Renealmia thyrsoidea* (Ruiz and Pav.) Poepp. ssp. *chrysantha* Maas
- 4146. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
- 4147. Orchidaceae: Palmorchis sp.
- 4148. Marattiaceae: Danaea elliptica Sm.
- 4149. Heliconiaceae: Heliconia bihai (L.) L.
- 4150. Lauraceae: Ocotea sp.
- 4151. Violaceae: Rinorea riana Kuntze
- 4152. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 4153. Araceae: Anthurium expansum Gleason
- 4154. Myrsinaceae: Cybianthus microbotrys A. DC.
- 4155. Orchidaceae: Cheiradenia cuspidata Lindl.
- 4156. Tectariaceae: Tectaria plantaginea (Jacq.) Maxon
- 4157. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook, and Grev.
- 4158. Rubiaceae: Sipanea wilson-brownei R. S. Cowan
- 4159. Melastomataceae: Aciotis sp.
- 4160. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
- 4161. Rubiaceae: Faramea occidentalis (L.) A. Rich.
- 4162. Sapotaceae: Pouteria surumuensis Baehni
- 4163. Araceae: Heteropsis flexuosa (Kunth) G. S. Bunting
- 4164. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 4165. Bignoniaceae: *Parabignonia steyermarkii* Sandwith
- 4166. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 4167. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.

- 4168. Boraginaceae: Cordia nodosa Lam.
- 4169. Chrysobalanaceae: Indet.
- 4170. Apocynaceae: Forsteronia sp.
- 4171. Connaraceae: Connarus megacarpus S. F. Blake
- 4172. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 4173. Sapotaceae: Pouteria? torta (Mart.) Radlk.
- 4174. Rubiaceae: Chimarrhis turbinata DC.
- 4175. Orchidaceae: Cryptarrhena kegelii Rchb. f.
- 4176. Piperaceae: Peperomia obtusifolia (L.) A. Dietr.
- 4177. Myristicaceae: Iryanthera lancifolia Ducke
- 4178. Piperaceae: *Piper obliquum* Ruiz and Pav. vel *cernuum* Vell.
- 4179. Piperaceae: Piper insipiens Trel. and Yunck.
- 4180. Tectariaceae: *Tectaria heracleifolia* (Willd.) Underw.
- 4181. Gesneriaceae: *Paradrymonia maculata* (Hook. f.) Wiehler
- 4182. Solanaceae: Cestrum megalophyllum Dunal
- 4183. Verbenaceae: Aegiphila membranacea Turcz.
- 4184. Melastomataceae: Miconia mariae Wurdack
- 4185. Solanaceae: Solanum schlechtendalianum Walp.
- 4186. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 4187. Marattiaceae: Danaea simplicifolia Rudge
- 4188. Solanaceae: Lycianthes pauciflora (Vahl) Bitter
- 4189. Verbenaceae: Aegiphila membranacea Turcz.
- 4190. Melastomataceae: *Loreya spruceana* Benth. ex Triana
- 4191. Passifloraceae: Passiflora coccinea Aubl.
- 4192. Asclepiadaceae: Indet.
- 4193. Sapindaceae: Talisia megaphylla Sagot ex Radlk.
- 4194. Annonaceae: Unonopsis rufescens (Baill.) R. E. Fr.
- 4195. Annonaceae: Guatteria wachenheimi Benoist
- 4196. Rubiaceae: Ixora graciliflora Benth.
- 4197. Dichapetalaceae: Tapura guianensis Aubl.
- 4198. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 4199. Bryophyte: Indet.
- 4200. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 4201. Euphorbiaceae: Pausandra martinii Baill.
- 4202. Leguminosae-Caesalpinioideae: *Elizabetha princeps* M. R. Schomb. ex Benth.
- 4203. Sapindaceae: Paullinia latifolia Benth. ex Radlk.
- 4204. Orchidaceae: Stelis sp.
- 4205. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 4206. Compositae: Mikania gleasonii B. L. Rob.
- 4207. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.

- 4208. Menispermaceae: Abuta sp.
- 4209. Lecythidaceae: Eschweilera coriacea (DC.) S. A. Mori
- 4210. Chrysobalanaceae: *Licania licaniiflora* (Sagot) S. F. Blake
- 4211. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 4212. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 4213. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 4214. Gesneriaceae: Episcia xantha Leeuwenb.
- 4215. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 4216. Leguminosae-Faboideae: *Dioclea megacarpa* Rolfe
- 4217. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 4218. Flacourtiaceae: Casearia pitumba Sleumer
- 4219. Meliaceae: Trichilia schomburgkii C. DC.
- 4220. Rubiaceae: Faramea occidentalis (L.) A. Rich.
- 4221. Solanaceae: Cestrum megalophyllum Dunal
- 4222. Thelypteridaceae: *Thelypteris pennata* (Poir.) C. V. Morton
- 4223. Pteridaceae: Pteris pungens Willd.
- 4224. Heliconiaceae: Heliconia acuminata Rich.
- 4225. Aspleniaceae: Asplenium serratum L.
- 4226. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
- 4227. Sapindaceae: Talisia mollis Kunth ex Cambess.
- 4228. Rubiaceae: Amaioua guianensis Aubl.
- 4229. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 4230. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 4231. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
- 4232. Polygonaceae: *Coccoloba gymnorrhachis* Sandwith
- 4233. Bryophyte: Indet.
- 4234. Vittariaceae: Anetium citrifolium (L.) Splitg.
- 4235. Solanaceae: Solanum uncinellum Lindl.
- 4236. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
- 4237. Caricaceae: Jacaratia spinosa (Aubl.) A. DC.
- 4238. Bignoniaceae: *Memora tanaeciicarpa* A. H. Gentry
- 4239. Sapindaceae: Paullinia rugosa Benth. ex Radlk.
- 4240. Orchidaceae: Cheiradenia cuspidata Lindl.
- 4241. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon

- 4242. Verbenaceae: Aegiphila membranacea Turcz.
- 4243. Araceae: Spathiphyllum cuspidatum Schott
- 4244. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
- 4245. Poaceae: Panicum pilosum Sw.
- 4246. Loganiaceae: Spigelia hamelioides Kunth
- 4247. Rubiaceae: Gonzalagunia cf. dicocca Cham. and Schltdl.
- 4248. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 4249. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 4250. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 4251. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 4252. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 4253. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 4254. Myrsinaceae: Ardisia guianensis (Aubl.) Mez
- 4255. Piperaceae: Peperomia serpens (Sw.) Loudon
- 4256. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
- 4257. Aspleniaceae: Asplenium salicifolium L.
- 4258. Gesneriaceae: Besleria laxiflora Benth.
- 4259. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
- 4260. Gesneriaceae: Episcia xantha Leeuwenb.
- 4261. Tectariaceae: Tectaria trifoliata (L.) Cav.
- 4262. Arecaceae: Bactris corossilla H. Karst.
- 4263. Apocynaceae: Tabernaemontana heterophylla Vahl
- 4264. Araceae: Monstera adansonii Schott
- 4265. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 4266. Arecaceae: Socratea exorrhiza (Mart.) H. Wendl.
- 4267. Ebenaceae: Diospyros ierensis Britton
- 4268. Flacourtiaceae: Casearia sylvestris Sw.
- 4269. Araceae: Spathiphyllum cuspidatum Schott
- 4270. Elaeocarpaceae: Sloanea grandiflora Sm.
- 4271. Burseraceae: Protium opacum Swart ssp. opacum
- 4272. Zingiberaceae: Renealmia monosperma Miq.
- 4273. Cyclanthaceae: Asplundia maguirei Harling
- 4274. Poaceae: Ichnanthus leiocarpus (Spreng.) Kunth
- 4275. Marcgraviaceae: *Marcgravia parviflora* Rich. ex Wittm.
- 4276. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 4277. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
- 4278a. Cyatheaceae: Cyathea pungens (Willd.) Domin

- 4278b. Picramniaceae: Picramnia latifolia Tul.
- 4279. Flacourtiaceae: Casearia javitensis Kunth
- 4280. Adiantaceae: *Adiantum* aff. *terminatum* Kunze ex Miq.
- 4281. Selaginellaceae: Selaginella epirrhizos Spring
- 4282. Cucurbitaceae: Gurania lobata (L.) Pruski
- 4283. Piperaceae: Piper hispidum Sw.
- 4284. Orchidaceae: Bollea violacea (Lindl.) Rchb. f.
- 4285. Orchidaceae: Dichaea brachypoda Rchb. f.
- 4285b. Orchidaceae: *Dichaea venezuelensis* Carnevali and I. Ramírez
- 4286. Clusiaceae: Vismia sessilifolia (Aubl.) Choisy
- 4287. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 4288. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 4289. Araceae: Syngonium podophyllum Schott
- 4290. Lomariopsidaceae: *Elaphoglossum luridum* (Fée) H. Christ
- 4291. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 4292. Sapotaceae: Pouteria hispida Eyma
- 4293. Cyperaceae: Mapania sylvatica Aubl.
- 4294. Piperaceae: Piper demeraranum (Mig.) C. DC.
- 4295. Polypodiaceae: Campyloneurum phyllitidis (L.)
- 4296. Leguminosae-Mimosoideae: *Inga pezizifera*
- 4297. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 4298. Orchidaceae: Palmorchis sp.
- 4299. Solanaceae: Solanum schlechtendalianum Walp.
- 4300. Solanaceae: Cestrum megalophyllum Dunal
- 4301. Marcgraviaceae: Souroubea guianensis Aubl.
- 4302. Bromeliaceae: Guzmania roezlii (E. Morren) Mez
- 4303. Orchidaceae: Palmorchis sp.
- 4304. Leguminosae-Mimosoideae: *Inga leiocalycina* Benth.
- 4305. Leguminosae-Mimosoideae: Inga capitata Desv.
- 4306. Piperaceae: Peperomia ouabianae C. DC.
- 4307. Adiantaceae: Adiantum phyllitidis J. Sm.
- 4308. Annonaceae: Unonopsis stipitata Diels
- 4309. Lauraceae: Aniba panurensis (Meisn.) Mez
- 4310. Orchidaceae: Bollea violacea (Lindl.) Rchb. f.
- 4311. Bromeliaceae: Guzmania lingulata (L.) Mez
- 4312. Orchidaceae: Scaphyglottis cf. sickii Pabst
- 4313. Melastomataceae: Aciotis laxa (DC.) Cogn.
- 4314. Lauraceae: Licaria debilis (Mez) Kosterm.
- 4315. Araceae: Philodendron pedatum (Hook.) Kunth
- 4316. Annonaceae: Duguetia neglecta Sandwith

- 4317. Tectariaceae: *Tectaria* cf. *plantaginea* (Jacq.) Maxon
- 4318. Annonaceae: Duguetia calycina Benoist
- 4319. Melastomataceae: Clidemia? sp.
- 4320. Melastomataceae: Leandra solenifera Cogn.
- 4321. Melastomataceae: *Leandra micropetala* (Naudin) Cogn.
- 4322. Boraginaceae: Cordia sp.
- 4323. Marantaceae: Ischnosiphon arouma (Aubl.) Körn.
- 4324. Annonaceae: Duguetia inconspicua Sagot
- 4325. Polypodiaceae: Polypodium dulce Poir.
- 4326. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 4327. Flacourtiaceae: Casearia javitensis Kunth
- 4328. Meliaceae: Trichilia schomburgkii C. DC.
- 4329. Rubiaceae: Morinda calycina (Benth.) Steyerm.
- 4330. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 4331. Verbenaceae: Citharexylum macrophyllum Poir.
- 4332. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 4333. Lecythidaceae: *Eschweilera simiorum* (Benoist) Eyma
- 4334. Leguminosae-Mimosoideae: *Inga auristellae* Harms
- 4335. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
- 4336. Arecaceae: Geonoma deversa (Poit.) Kunth
- 4337. Arecaceae: Bactris corossilla H. Karst.
- 4338. Flacourtiaceae: Laetia procera (Poepp.) Eichler
- 4339. Burseraceae: *Protium decandrum* (Aubl.) Marchand
- 4340. Myrtaceae: Eugenia latifolia Aubl.
- 4341. Lomariopsidaceae: *Lomariopsis japurensis* (Mart.) J. Sm.
- 4342. Euphorbiaceae: Sapium montanum Lanj.
- 4343. Bignoniaceae: *Memora tanaeciicarpa* A. H. Gentry
- 4344. Araceae: Philodendron solimoesense A. C. Sm.
- 4345. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
- 4346. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 4347. Convolvulaceae: *Ipomoea phillomega* (Vell.) House
- 4348. Apocynaceae: Mesechites sp.
- 4349. Poaceae: Olyra latifolia L.
- 4350. Rubiaceae: Sipanea gleasonii Steyerm.
- 4351. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 4352. Orchidaceae: Sarcoglottis simplex (Griseb.) Schltr.
- 4352a. Orchidaceae: Habenaria sp.

- 4353. Haemodoraceae: Xiphidium caeruleum Aubl.
- 4354. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 4355. Menispermaceae: Cissampelos pareira L.
- 4356. Leguminosae-Faboideae: Dioclea reflexa Hook. f.
- 4357. Ulmaceae: Trema micrantha (L.) Blume
- 4358. Compositae: Bidens cynapiifolia Kunth
- 4359. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
- 4360. Solanaceae: Solanum subinerme Jacq.
- 4361. Lygodiaceae: Lygodium volubile Sw.
- 4362. Annonaceae: Duguetia yeshidan Sandwith
- 4363. Marantaceae: *Monotagma laxum* (Poepp. and Endl.) K. Schum.
- 4364. Rubiaceae: *Psychotria ligularis* (Rudge) Steyerm. var. *carapichea* (Poir.) Steyerm.
- 4365. Flacourtiaceae: Casearia singularis Eichler
- 4366. Rubiaceae: *Psychotria ligularis* (Rudge) Steyerm. var. *carapichea* (Poir.) Steyerm.
- 4367. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.
- 4368. Cyperaceae: *Calyptrocarya bicolor* (H. Pfeiff.) T. Koyama
- 4369. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 4370. Rubiaceae: Psychotria polycephala Benth.
- 4371. Flacourtiaceae: Casearia commersoniana Cambess.
- 4372. Lauraceae: Indet.
- 4373. Piperaceae: Piper consanguineum (Kunth) C. DC.
- 4374. Rubiaceae: Palicourea calophylla DC.
- 4375. Heliconiaceae: *Heliconia lourteigiae* Emygdio and E. Santos
- 4376. Melastomataceae: Aciotis purpurascens (Aubl.)
- 4377. Zingiberaceae: Renealmia floribunda K. Schum.
- 4378. Melastomataceae: Miconia lateriflora Cogn. ssp. lateriflora
- 4379. Zingiberaceae: Renealmia monosperma Miq.
- 4380. Piperaceae: Piper oblongifolium (Klotzsch) C. DC.
- 4381. Rubiaceae: Psychotria polycephala Benth.
- 4382. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
- 4383. Rubiaceae: Psychotria acuminata Benth.
- 4384. Rubiaceae: Psychotria racemosa Rich.
- 4385. Piperaceae: Piper duckei C. DC.
- 4386. Acanthaceae: Gynocraterium guianense Bremek.
- 4387. Rubiaceae: Psychotria s.l. astrellantha Wernham
- 4388. Adiantaceae: Adiantum terminatum Kunze ex Miq.
- 4389. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 4390. Arecaceae: Geonoma macrostachys Mart. var. poiteauana (Kunth) A. J. Hend.

- 4391. Piperaceae: Piper hirtilimbum Trel. and Yunck.
- 4392. Gesneriaceae: Nautilocalyx punctatus Wiehler
- 4393. Arecaceae: Bactris simplicifrons Mart.
- 4394. Lichen-Incert. sed.: Indet.
- 4395. Lecythidaceae: Eschweilera subglandulosa (Steud. ex O. Berg) Miers
- 4396. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 4397. Myristicaceae: Virola calophylla (Spruce) Warb.
- 4398. Dichapetalaceae: Tapura guianensis Aubl.
- 4399. Rubiaceae: Palicourea guianensis Aubl.
- 4400. Loranthaceae: *Psittacanthus grandifolius* (Mart.) Mart.
- 4401. Polygonaceae: Coccoloba cf. marginata Benth.
- 4402. Rubiaceae: Psychotria lupulina Benth.
- 4403. Rubiaceae: Psychotria acuminata Benth.
- 4404. Melastomataceae: Miconia lasseri Gleason
- 4405. Boraginaceae: Cordia nodosa Lam.
- 4406. Commelinaceae: *Dichorisandra hexandra* (Aubl.) Standl.
- 4407. Lamiaceae: Indet.
- 4408. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 4409. Araceae: Philodendron placidum Schott
- 4410. Melastomataceae: Mouriri grandiflora DC.
- 4411. Apocynaceae: Odontadenia geminata (Hoffmanns. ex Roem. and Schult.) Müll. Arg.
- 4412. Sapotaceae: Chrysophyllum argenteum Jacq.
- 4413. Quiinaceae: Quiina pteridophylla (Radlk.) Pires
- 4414. Lauraceae: Endlicheria gracilis Kosterm.
- 4415. Rubiaceae: Sabicea aspera Aubl.
- 4416. Leguminosae-Faboideae: *Desmodium adscendens* (Sw.) DC.
- 4417. Bryophyte: Indet.
- 4418. Bryophyte: Indet.
- 4419. Orchidaceae: Quekettia sp.
- 4420. Leguminosae-Caesalpinioideae: *Senna latifolia* (G. Mey.) H. S. Irwin and Barneby
- 4421. Myrtaceae: Calycolpus surinamensis McVaugh
- 4422. Costaceae: Costus arabicus L.
- 4423. Incertae sedis: Indet.
- 4424. Sapindaceae: Indet.
- 4425. Annonaceae: Guatteria scandens Ducke
- 4426. Leguminosae-Caesalpinioideae: Hymenaea sp.
- 4427. Parmeliaceae: Rimelia sp.
- 4428. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 4429. Bryophyte: Indet.
- 4430. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
- 4431. Bryophyte: Indet.

- 4432. Leguminosae-Mimosoideae: Inga sp.
- 4433. Chrysobalanaceae: Parinari campestris Aubl.
- 4434. Clusiaceae: Indet.
- 4435. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 4436. Flacourtiaceae: Casearia singularis Eichler
- 4437. Bryophyte: Indet.
- 4438. Sapotaceae: Pouteria hispida Eyma
- 4439. Melastomataceae: Miconia traillii Cogn.
- 4440. Dichapetalaceae: *Tapura capitulifera* Spruce ex Baill.
- 4441. Sapotaceae: Pouteria cuspidata (A. DC.) Baehni
- 4442. Lauraceae: Indet.
- 4443. Myristicaceae: Virola elongata (Benth.) Warb.
- 4444. Siparunaceae: Siparuna guianensis Aubl.
- 4445. Burseraceae: *Protium unifoliolatum* Spruce ex Engl.
- 4446. Flacourtiaceae: Casearia pitumba Sleumer
- 4447. Rutaceae: *Conchocarpus ucayalinus* (Huber) Kallunki and Pirani
- 4448. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 4449. Araceae: Philodendron brevispathum Schott
- 4450. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 4451. Sterculiaceae: Theobroma subincanum Mart.
- 4452. Adiantaceae: Adiantum terminatum Kunze ex Mig.
- 4453. Rutaceae: *Conchocarpus ucayalinus* (Huber) Kallunki and Pirani
- 4454. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 4455. Marantaceae: Calathea micans (Mathieu) Körn.
- 4456. Orchidaceae: Cryptarrhena guatemalensis Schltr.
- 4457. Araceae: Monstera spruceana (Schott) Engl.
- 4458. Myristicaceae: Virola michelii Heckel
- 4459. Sapotaceae: Pouteria reticulata (Engl.) Eyma
- 4460. Connaraceae: *Pseudoconnarus macrophyllus* (Poepp.) Radlk.
- 4461. Meliaceae: Guarea juglandiformis T. D. Penn.
- 4462. Sapindaceae: Pseudima frutescens (Aubl.) Radlk.
- 4463. Convolvulaceae: Maripa scandens Aubl.
- 4464. Siparunaceae: Siparuna guianensis Aubl.
- 4465. Orchidaceae: *Maxillaria* cf. *villosa* (Barb. Rodr.) Cogn.
- 4466. Rutaceae: Galipea davisii Sandwith
- 4467. Marantaceae: Ischnosiphon hirsutus Petersen
- 4468. Rubiaceae: Capirona decorticans Spruce
- 4469. Violaceae: Rinorea melanodonta S. F. Blake
- 4470. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 4471. Myrtaceae: Myrcia minutiflora Sagot
- 4472. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring

- 4473. Boraginaceae: Cordia nodosa Lam.
- 4474. Aspleniaceae: Asplenium serratum L.
- 4475. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 4476. Quiinaceae: Quiina parvifolia Lanj. and Heerdt
- 4477. Lichen-Incert. sed.: Indet.
- 4478. Poaceae: Ichnanthus panicoides P. Beauv.
- 4479. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 4480. Annonaceae: Duguetia macrocalyx R. E. Fr.
- 4481. Piperaceae: Piper gleasonii Yunck.
- 4482. Araceae: Heteropsis spruceana Schott
- 4483. Verbenaceae: Aegiphila racemosa Vell.
- 4484. Passifloraceae: Passiflora glandulosa Cav.
- 4485. Bacidiaceae: Crocynia sp.
- 4486. Malpighiaceae: *Mascagnia macrodisca* (Triana and Planch.) Nied.
- 4487. Mendonciaceae: *Mendoncia hoffmannseggiana* Nees
- 4488. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 4489. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
- 4490. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 4491. Clavicipitaceae: Cordyceps sp.
- 4492. Vittariaceae: Anetium citrifolium (L.) Splitg.
- 4493. Rubiaceae: Psychotria platypoda DC.
- 4494. Araceae: Monstera spruceana (Schott) Engl.
- 4495. Myrtaceae: Myrcia minutiflora Sagot
- 4496. Melastomataceae: Miconia sp.
- 4497. Humiriaceae: Sacoglottis cydonioides Cuatrec.
- 4498. Euphorbiaceae: Indet.
- 4499. Leguminosae-Mimosoideae: Inga splendens Willd.
- 4500. Piperaceae: Piper augustum Rudge
- 4501. Meliaceae: Carapa guianensis Aubl.
- 4502. Orchidaceae: Pleurothallis pruinosa Lindl.
- 4503. Orchidaceae: *Encyclia aemula* (Lindl.) Carnevali and I. Ramírez
- 4504. Graphidaceae: Graphis sp.
- 4505. Coccocarpiaceae: Coccocarpia sp.
- 4506. Arecaceae: Hyospathe elegans Mart. ssp. elegans
- 4507. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 4508. Leguminosae-Mimosoideae: *Inga auristellae* Harms
- 4509. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 4510. Flacourtiaceae: Casearia singularis Eichler
- 4511. Rafflesiaceae: Indet.
- 4512. Araceae: Philodendron placidum Schott
- 4513. Rubiaceae: *Psychotria microbotrys* Ruiz ex Standl.

- 4514. Rubiaceae: Psychotria brachybotrya Müll. Arg.
- 4515. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 4516. Piperaceae: Piper pulleanum Yunck.
- 4517. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
- 4518. Zingiberaceae: Renealmia monosperma Miq.
- 4519. Piperaceae: Piper cililimbum Yunck.
- 4520. Melastomataceae: Clidemia dentata D. Don
- 4521. Melastomataceae: Clidemia dentata D. Don
- 4522. Hymenophyllaceae: *Trichomanes punctatum* Poir. ssp. *labiatum* (Jenman) Wess. Boer
- 4523. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 4524. Melastomataceae: Miconia traillii Cogn.
- 4525. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 4526. Adiantaceae: Adiantum asperum (Poir.) Desv.
- 4527. Marantaceae: Ischnosiphon hirsutus Petersen
- 4528. Rubiaceae: Coussarea sp.
- 4529. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
- 4530. Clusiaceae: Garcinia macrophylla Mart.
- 4531. Elaeocarpaceae: Sloanea sp.
- 4532. Hymenophyllaceae: Trichomanes pinnatum Hedw.
- 4533. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 4534. Piperaceae: Piper paramaribense C. DC.
- 4535. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 4536. Bryophyte: Indet.
- 4537. Vittariaceae: Hecistopteris pumila (Spreng.) J. Sm.
- 4538. Piperaceae: Piper consanguineum (Kunth) C. DC.
- 4539. Piperaceae: Piper sp.
- 4540. Bacidiaceae: Crocynia sp.
- 4541. Lichen-Incert. sed.: Indet.
- 4542. Myrtaceae: Myrcia minutiflora Sagot
- 4543. Olacaceae: Indet.
- 4544. Annonaceae: Bocageopsis multiflora (Mart.) R. F. Fr
- 4545. Léguminosae-Mimosoideae: *Inga marginata* Willd.
- 4546. Clusiaceae: Tovomita brevistaminea Engl.
- 4547. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
- 4548. Euphorbiaceae: Indet.
- 4549. Myristicaceae: Virola calophylla (Spruce) Warb.
- 4550. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 4551. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
- 4552. Icacinaceae: Pleurisanthes flava Sandwith
- 4553. Melastomataceae: *Miconia gratissima* Benth. ex Triana

- 4554. Cyperaceae: Scleria latifolia Sw.
- 4555. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.
- 4556. Annonaceae: Duguetia cauliflora R. E. Fr.
- 4557. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 4558. Arecaceae: Geonoma leptospadix Trail
- 4559. Araceae: Monstera spruceana (Schott) Engl.
- 4560. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 4561. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 4562. Annonaceae: Duguetia calycina Benoist
- 4563. Moraceae: Ficus maroniensis Benoist
- 4564. Hippocrateaceae: *Cheiloclinium hippocrateoides* (Peyr.) A. C. Sm.
- 4565. Bromeliaceae: Guzmania lingulata (L.) Mez
- 4566. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 4567. Vittariaceae: Hecistopteris pumila (Spreng.) J. Sm.
- 4568. Araceae: Philodendron brevispathum Schott
- 4569. Malpighiaceae: Byrsonima laevigata (Poir.) DC.
- 4570. Myristicaceae: Virola elongata (Benth.) Warb.
- 4571. Melastomataceae: Miconia lateriflora Cogn.
- 4572. Thelypteridaceae: *Thelypteris arborescens* (Humb. and Bonpl. ex Willd.) C. V. Morton
- 4573. Annonaceae: Pseudoxandra sp.
- 4574. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 4575. Lecythidaceae: Lecythis zabucajo Aubl.
- 4576. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 4577. Chrysobalanaceae: Hirtella hispidula Miq.
- 4578. Apocynaceae: Ambelania acida Aubl.
- 4579. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 4580. Annonaceae: Duguetia macrocalyx R. E. Fr.
- 4581. Vittariaceae: Antrophyum guayanense Hieron.
- 4582. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook, and Grev.
- 4583. Piperaceae: Piper augustum Rudge
- 4584. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 4585. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 4586. Meliaceae: Guarea sp.
- 4587. Flacourtiaceae: Casearia commersoniana Cambess.
- 4588. Marantaceae: *Monotagma secundum* (Petersen) K. Schum.
- 4589. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 4590. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
- 4591. Siparunaceae: Siparuna guianensis Aubl.
- 4592. Siparunaceae: Siparuna reginae (Tul.) A. DC.

- 4593. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 4594. Meliaceae: Guarea velutina A. Juss.
- 4595. Bromeliaceae: *Aechmea tillandsioides* (Mart. ex Schult. f.) Baker
- 4596. Orchidaceae: Epidendrum smaragdinum Lindl.
- 4597. Meliaceae: Guarea silvatica C. DC.
- 4598. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 4599. Moraceae: *Trymatococcus oligandrus* (Benoist) Lani.
- 4600. Rubiaceae: Psychotria s.l. astrellantha Wernham
- 4601. Rubiaceae: Psychotria acuminata Benth.
- 4602. Compositae: Wulffia baccata (L.) Kuntze
- 4603. Icacinaceae: Leretia cordata Vell.
- 4604. Collemataceae: Leptogium sp.
- 4605. Passifloraceae: Passiflora glandulosa Cav.
- 4606. Rhamnaceae: Gouania sp.
- 4607. Araceae: Dieffenbachia sp.
- 4608. Flacourtiaceae: Casearia commersoniana Cambess.
- 4609. Malpighiaceae: Byrsonima aerugo Sagot
- 4610. Loranthaceae: *Struthanthus phyllyraeoides* (Kunth) Blume
- 4611. Melastomataceae: *Miconia radulaefolia* (Benth.)
 Naudin
- 4612. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
- 4613a. Bryophyte: Indet.
- 4613b. Bryophyte: Indet.
- 4614. Rubiaceae: Psychotria lupulina Benth.
- 4615. Flacourtiaceae: Casearia pitumba Sleumer
- 4616. Gesneriaceae: *Drymonia coccinea* (Aubl.) Wiehler
- 4617. Violaceae: Rinorea riana Kuntze
- 4618. Rubiaceae: Randia sp.
- 4619. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 4620. Commelinaceae: *Aneilema umbrosum* (Vahl) Kunth ssp. *ovato-oblongum* (P. Beauv.) J. K. Morton
- 4621. Marantaceae: Calathea cf. mansonis Körn.
- 4622. Melastomataceae: Miconia pubipetala Miq.
- 4623. Monimiaceae: Mollinedia sp.
- 4624. Rubiaceae: Palicourea guianensis Aubl.
- 4625. Sapindaceae: Vouarana guianensis Aubl.
- 4626. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
- 4627. Bryophyte: Indet.
- 4628. Araceae: Anthurium gracile (Rudge) Schott
- 4629. Sapindaceae: Vouarana guianensis Aubl.

- 4630. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 4631. Rutaceae: Ertela trifolia (L.) Kuntze
- 4632. Melastomataceae: *Bellucia grossularioides* (L.) Triana
- 4633. Annonaceae: Duguetia latifolia R. E. Fr.
- 4634. Vitaceae: Indet.
- 4635. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 4636. Apocynaceae: *Bonafousia muelleriana* (Mart. ex Müll. Arg.) Boiteau and L. Allorge
- 4637. Arecaceae: Hyospathe elegans Mart. ssp. elegans
- 4638. Clavicipitaceae: Cordyceps sp.
- 4639. Myrtaceae: Myrcia cf. splendens (Sw.) DC.
- 4640. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
- 4641. Poaceae: Olyra caudata Trin.
- 4642. Ochnaceae: Ouratea fasciculata Maguire and Steverm.
- 4643. Apocynaceae: Indet.
- 4644. Piperaceae: Piper consanguineum (Kunth) C. DC.
- 4645. Araceae: Philodendron linnaei Kunth
- 4646. Menispermaceae: Abuta rufescens Aubl.
- 4647. Rubiaceae: Psychotria s.l. astrellantha Wernham
- 4648. Rhizophoraceae: Cassipourea guianensis Aubl.
- 4649. Flacourtiaceae: Casearia pitumba Sleumer
- 4650. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 4651. Sapindaceae: Serjania clematidifolia Camb.
- 4652. Rubiaceae: Psychotria racemosa Rich.
- 4653. Begoniaceae: Begonia prieurii A. DC.
- 4654. Heliconiaceae: *Heliconia lourteigiae* Emygdio and E. Santos
- 4655. Rubiaceae: Psychotria ulviformis Steyerm.
- 4656. Mendonciaceae: *Mendoncia hoffmannseggiana* Nees
- 4657. Turneraceae: Turnera sp.
- 4658. Rubiaceae: Sipanea cowanii Steyerm.
- 4659. Leguminosae-Faboideae: Canavalia sp.
- 4660. Rutaceae: Galipea davisii Sandwith
- 4661. Myrtaceae: Calyptranthes fasciculata O. Berg
- 4662. Orchidaceae: Wullschlaegelia calcarata Benth.
- 4663. Myrtaceae: Eugenia trinervia Vahl
- 4664. Sapindaceae: Paullinia verrucosa Radlk.
- 4665. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
- 4666. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
- 4667. Commelinaceae: *Dichorisandra hexandra* (Aubl.) Standl.

- 4668. Meliaceae: Trichilia surumuensis C. DC.
- 4669. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 4670. Olacaceae: Heisteria scandens Ducke
- 4671. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 4672. Solanaceae: Solanum oocarpum Sendtn.
- 4673. Araceae: Monstera adansonii Schott
- 4674. Araceae: Monstera adansonii Schott
- 4675. Orchidaceae: Stanhopea grandiflora (Lodd.) Lindl.
- 4676. Orchidaceae: Stelis sp.
- 4677. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
- 4678. Orchidaceae: Cryptarrhena kegelii Rchb. f.
- 4679. Orchidaceae: Batemannia colleyi Lindl.
- 4680. Euphorbiaceae: *Jablonskia congesta* (Benth. ex Müll. Arg.) G. L. Webster
- 4681. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
- 4682. Adiantaceae: Adiantum argutum Splitg.
- 4683. Polypodiaceae: Polypodium dulce Poir.
- 4684. Aspleniaceae: Asplenium cuneatum Lam.
- 4685. Tectariaceae: *Triplophyllum dicksonioides* (Fée) Holttum
- 4686. Vittariaceae: Vittaria lineata (L.) Sm.
- 4687. Piperaceae: Piper arboreum Aubl.
- 4688. Poaceae: Streptogyna americana C. E. Hubb.
- 4689. Bryophyte: Indet.
- 4690. Bryophyte: Indet.
- 4691. Leguminosae-Caesalpinioideae: *Chamaecrista nictitans* (L.) Moench var. *disadena* (Steud.) H. S. Irwin and Barneby
- 4692. Trigoniaceae: Trigonia villosa Aubl. var. villosa
- 4693. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 4694. Apocynaceae: Indet. ?
- 4695. Myrtaceae: Eugenia sp.
- 4696. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 4697. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 4698. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
- 4699. Lauraceae: Indet.
- 4700. Passifloraceae: Passiflora auriculata Kunth
- 4701. Adiantaceae: Adiantum asperum (Poir.) Desv.
- 4702. Melastomataceae: Myriaspora egensis DC.
- 4703. Adiantaceae: Adiantopsis radiata (L.) Fée
- 4704. Vittariaceae: Antrophyum guayanense Hieron.
- 4705. Melastomataceae: Clidemia dentata D. Don
- 4706. Bryophyte: Indet.

- 4707. Gyalectaceae: Coenogonium sp.
- 4708. Ochnaceae: Ouratea fasciculata Maguire and Steyerm.
- 4709. Clusiaceae: Clusia amazonica Planch. and Triana
- 4710. Rubiaceae: Psychotria callithrix (Miq.) Steyerm.
- 4711. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *stricta*
- 4712. Hippocrateaceae: *Cheiloclinium belizense* (Standl.) A. C. Sm.
- 4713. Sapotaceae: *Pouteria torta* (Mart.) Radlk. ssp. *glabra* T. D. Penn.
- 4714. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
- 4715. Leguminosae-Mimosoideae: *Pseudopiptadenia* suaveolens (Miq.) J. W. Grimes
- 4716. Lauraceae: Indet.
- 4717. Araceae: *Philodendron grandifolium* (Jacq.) Schott
- 4718. Melastomataceae: Miconia crassinervia Cogn.
- 4719. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
- 4720. Lichen-Incert. sed.: Indet.
- 4721. Graphidaceae: Fissurina sp.
- 4722. Melastomataceae: Myriaspora egensis DC.
- 4723. Hippocrateaceae: Hylenaea unguiculata Mennega
- 4724. Tiliaceae: Apeiba macropetala Ducke
- 4725. Aquifoliaceae: *Ilex* sp.
- 4726. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
- 4727. Connaraceae: Rourea ligulata Baker
- 4728. Bryophyte: Indet.
- 4729. Myrtaceae: Myrcia sp.
- 4730. Burseraceae: *Protium polybotryum* (Turcz.) Engl. ssp. *blackii* (Swart) Daly
- 4731. Bryophyte: Indet.
- 4732. Bryophyte: Indet.
- 4733. Bryophyte: Indet.
- 4734. Bryophyte: Indet.
- 4735. Bryophyte: Indet.
- 4736. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 4737. Melastomataceae: *Miconia radulaefolia* (Benth.) Naudin
- 4738. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 4739. Meliaceae: Trichilia sp.
- 4740. Euphorbiaceae: *Sapium glandulosum* (L.) Morong
- 4741. Orchidaceae: Brassia sp.
- 4742. Vittariaceae: Vittaria lineata (L.) Sm.

- 4743. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
- 4744. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 4745. Adiantaceae: Adiantopsis radiata (L.) Fée
- 4746. Orchidaceae: Pleurothallis consimilis Ames
- 4747. Solanaceae: Markea coccinea Rich.
- 4748. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 4749. Aspleniaceae: Asplenium juglandifolium Lam.
- 4750. Aspleniaceae: Asplenium auritum Sw.
- 4751. Araceae: Philodendron linnaei Kunth
- 4752. Araceae: *Philodendron grandifolium* (Jacq.) Schott
- 4753. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 4754. Orchidaceae: Bollea hemixantha Rchb. f.
- 4755. Melastomataceae: Miconia lasseri Gleason
- 4756. Combretaceae: Combretum laurifolium Mart.
- 4757. Hippocrateaceae: Hippocratea volubilis L.
- 4758. Loranthaceae: Phthirusa pyrifolia (Kunth) Eichler
- 4759. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 4760. Annonaceae: Guatteria sp.
- 4761. Apocynaceae: Malouetia sp.
- 4762. Sapotaceae: Pouteria plicata T. D. Penn.
- 4763. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 4764. Loranthaceae: Oryctanthus florulentus (Rich.) Tiegh.
- 4765. Dilleniaceae: Doliocarpus spraguei Cheesman
- 4766. Euphorbiaceae: Croton cuneatus Klotzsch
- 4767. Melastomataceae: Mouriri sp.
- 4768. Myrtaceae: Myrcia grandis McVaugh
- 4769. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 4770. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 4771. Combretaceae: Buchenavia viridiflora Ducke
- 4772. Leguminosae-Caesalpinioideae: Macrolobium sp.
- 4773. Hippocrateaceae: Hippocratea volubilis L.
- 4774. Myrtaceae: Myrciaria dubia (Kunth) McVaugh
- 4775. Rubiaceae: Uncaria guianensis (Aubl.) J. F. Gmel.
- 4776. Menispermaceae: Orthomene schomburgkii (Miers) Barneby and Krukoff
- 4777. Passifloraceae: Passiflora costata Mast.
- 4778. Combretaceae: *Combretum fruticosum* (Loefl.) Stuntz
- 4779. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke ssp. *guianensis*
- 4780. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 4781. Polypodiaceae: Campyloneurum phyllitidis (L.) C. Presl
- 4782. Sapotaceae: Indet.

- 4783. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 4784. Euphorbiaceae: Indet.
- 4785. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 4786. Erythroxylaceae: Erythroxylum sp.
- 4787. Leguminosae-Mimosoideae: Inga disticha Benth.
- 4788. Rubiaceae: Faramea sessilifolia (Kunth) DC.
- 4789. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
- 4790. Melastomataceae: *Henriettea stellaris* O. Berg ex Triana
- 4791. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 4792. Annonaceae: Duguetia quitarensis Benth.
- 4793. Myrtaceae: Myrcia splendens (Sw.) DC.
- 4794. Melastomataceae: Miconia longifolia (Aubl.) DC.
- 4795. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 4796. Lecythidaceae: Gustavia augusta L.
- 4797. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
- 4798. Orchidaceae: Stelis argentata Lindl.
- 4799. Orchidaceae: Pleurothallis archidiaconi Ames
- 4800. Orchidaceae: Dichaea sp.
- 4801. Piperaceae: Peperomia serpens (Sw.) Loudon
- 4802. Flacourtiaceae: Casearia sylvestris Sw.
- 4803. Violaceae: Rinorea riana Kuntze
- 4804. Annonaceae: Duguetia cauliflora R. E. Fr.
- 4805. Sapindaceae: Talisia sp.
- 4806. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
- 4807. Apocynaceae: *Mandevilla rugellosa* (Rich.) L. Allorge
- 4808. Orchidaceae: Brassia sp.
- 4809. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby var. *silvestris*
- 4810. Myrtaceae: Eugenia sp.
- 4811. Apocynaceae: *Tabernaemontana heterophylla* Vahl
- 4812. Myrtaceae: Indet.
- 4813. Ochnaceae: Ouratea fasciculata Maguire and Steyerm.
- 4814. Orchidaceae: *Rudolfiella aurantiaca* (Lindl.) Hoehne
- 4815. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 4816. Rubiaceae: Randia sp.
- 4817. Annonaceae: Anaxagorea sp.
- 4818. Leguminosae-Mimosoideae: *Inga auristellae* Harms

- 4819. Loranthaceae: *Psittacanthus grandifolius* (Mart.)
- 4820. Ochnaceae: Ouratea takutuensis Sastre
- 4821. Sterculiaceae: Theobroma subincanum Mart.
- 4822. Hippocrateaceae: *Tontelea mauritioides* (A. C. Sm.) A. C. Sm.
- 4823. Annonaceae: Xylopia benthamii R. E. Fr.
- 4824. Malpighiaceae: Byrsonima stipulacea A. Juss.
- 4825. Orchidaceae: *Psygmorchis pusilla* (L.) Dodson and Dressler
- 4826. Orchidaceae: Polystachya stenophylla Schltr.
- 4827. Myrtaceae: Myrcia calycampa Amshoff
- 4828. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
- 4829. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
- 4830. Vitaceae: Cissus erosa Rich.
- 4831. Myrtaceae: Eugenia feijoi O. Berg
- 4832. Lauraceae: Indet.
- 4833. Chrysobalanaceae: Indet. ?
- 4834. Lauraceae: Cryptocarya guianensis Meisn.
- 4835. Caricaceae: Indet.
- 4836. Leguminosae-Faboideae: *Swartzia* cf. *anomala* R. S. Cowan
- 4837. Dilleniaceae: Doliocarpus sp.
- 4838. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 4839. Cucurbitaceae: Cayaponia cruegeri (Naudin) Cogn.
- 4840. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 4841. Myrtaceae: Eugenia sp.
- 4842. Compositae: *Piptocarpha triflora* (Aubl.) Benn. ex Baker
- 4843. Orchidaceae: Epidendrum rigidum Jacq.
- 4844. Sapindaceae: Matayba macrostylis Radlk.
- 4845. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 4846. Rubiaceae: Borreria latifolia (Aubl.) K. Schum.
- 4847. Adiantaceae: Pityrogramma calomelanos (L.)
- 4848. Melastomataceae: *Clidemia hirta* (L.) D. Don var. *heterobasis*
- 4849. Melastomataceae: Clidemia pustulata DC.
- 4850. Turneraceae: Indet.
- 4851. Clusiaceae: Vismia glaziovii Ruhland
- 4852. Sapindaceae: Paullinia tricornis Radlk.
- 4853. Leguminosae-Mimosoideae: *Inga* sp.
- 4854. Polygonaceae: Coccoloba excelsa Benth.
- 4855. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*

- 4856. Connaraceae: Rourea ligulata Baker
- 4857. Boraginaceae: Tournefortia sp.
- 4858. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 4859. Araceae: Anthurium gracile (Rudge) Schott
- 4860. Loranthaceae: Phthirusa stelis (L.) Kuijt
- 4861. Styracaceae: Styrax sp.
- 4862. Thelotremataceae: Indet.
- 4862a. Graphidaceae: Indet.
- 4863. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
- 4864. Lichen-Incert. sed.: Indet.
- 4865. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
- 4866. Sapindaceae: Cupania hirsuta Radlk.
- 4867. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 4868. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
- 4869. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 4870. Apocynaceae: *Bonafousia angulata* (Müll. Arg.) Boiteau and L. Allorge
- 4871. Myrtaceae: Myrcia graciliflora Sagot
- 4872. Euphorbiaceae: Jablonskia sp.
- 4873. Apocynaceae: *Bonafousia macrocalyx* (Müll. Arg.) Boiteau and L. Allorge
- 4874. Melastomataceae: *Clidemia japurensis* DC. var. *heterobasis* (DC.) Wurdack
- 4875. Myrtaceae: Myrcia minutiflora Sagot
- 4876. Solanaceae: Indet. ?
- 4877. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 4878. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 4879. Ochnaceae: Ouratea sp.
- 4880. Clavicipitaceae: Cordyceps sp.
- 4881. Araceae: Heteropsis flexuosa (Kunth) G. S. Bunting
- 4882. Annonaceae: Fusaea longifolia (Aubl.) Saff.
- 4883. Violaceae: Paypayrola longifolia Tul.
- 4884. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
- 4885. Lauraceae: Indet.
- 4886. Sapotaceae: Indet.
- 4887. Poaceae: Panicum stoloniferum Poir.
- 4888. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
- 4889. Apocynaceae: *Bonafousia undulata* (Vahl) A. DC.
- 4890. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 4891. Burseraceae: *Protium aracouchini* (Aubl.) Marchand

- 4892. Vittariaceae: Antrophyum guayanense Hieron.
- 4893. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
- 4894. Arecaceae: Hyospathe elegans Mart. ssp. elegans
- 4895. Arecaceae: Geonoma umbraculiformis Wess. Boer
- 4896. Arecaceae: Geonoma leptospadix Trail
- 4897. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 4898. Grammitidaceae: *Grammitis blanchetii* (C. Chr.) A. R. Sm.
- 4899. Piperaceae: Peperomia ouabianae C. DC.
- 4900. Gyalectaceae: Coenogonium sp.
- 4901. Bryophyte: Indet.
- 4902. Orchidaceae: Masdevallia minuta Lindl.
- 4903. Bryophyte: Indet.
- 4904. Bryophyte: Indet.
- 4905. Leguminosae-Mimosoideae: Parkia nitida Miq.
- 4906. Melastomataceae: Miconia abbreviata Markgr.
- 4907. Melastomataceae: Leandra solenifera Cogn.
- 4908. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 4909. Adiantaceae: Doryopteris sagittifolia (Raddi) J. Sm.
- 4910. Sapotaceae: Pouteria? sp.
- 4911. Rubiaceae: Hillia ulei K. Krause
- 4912. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
- 4913. Chrysobalanaceae: *Licania octandra* (Hoffmanns. ex Roem. and Schult.) Kuntze ssp. *pallida* (Hook. f.) Prance
- 4914. Violaceae: Rinorea riana Kuntze
- 4915. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
- 4916. Hippocrateaceae: *Tontelea laxiflora* (Benth.) A. C. Sm.
- 4917. Meliaceae: Trichilia sp.
- 4918. Clusiaceae: Tovomita grata Sandwith
- 4919. Rubiaceae: Palicourea longiflora DC.
- 4920. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
- 4921. Lauraceae: Indet.
- 4922. Myrtaceae: Indet.
- 4923. Aquifoliaceae: *Ilex* sp.
- 4924. Hippocrateaceae: Salacia insignis A. C. Sm.
- 4925. Quiinaceae: Quiina obovata Tul.
- 4926. Quiinaceae: Quiina amazonica A. C. Sm.
- 4927. Leguminosae-Mimosoideae: Inga stipularis DC.
- 4928. Rubiaceae: Coussarea machadoana Standl.
- 4929. Myrtaceae: Calyptranthes sp.
- 4930. Sapindaceae: Talisia pachycarpa Radlk.
- 4931. Lauraceae: Indet.

- 4932. Icacinaceae: Pleurisanthes flava Sandwith
- 4933. Myrtaceae: Myrcia graciliflora Sagot
- 4934. Quiinaceae: Quiina amazonica A. C. Sm.
- 4935. Sapotaceae: Chrysophyllum prieurii A. DC.
- 4936. Flacourtiaceae: Casearia pitumba Sleumer
- 4937. Solanaceae: Brunfelsia guianensis Benth.
- 4938. Orchidaceae: *Selenipedium palmifolium* (Lindl.) Rchb. f.
- 4939. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
- 4940. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 4941. Apocynaceae: Aspidosperma sp.
- 4942. Bryophyte: Indet.
- 4943. Myrtaceae: Myrcia amazonica DC.
- 4944. Orchidaceae: Polystachya sp.
- 4945. Orchidaceae: Kefersteinia sp.
- 4946. Lauraceae: Indet.
- 4947. Lecythidaceae: *Eschweilera parviflora* (Aubl.) Miers
- 4948. Euphorbiaceae: Indet.
- 4949. Lecythidaceae: Gustavia hexapetala (Aubl.) Sm.
- 4950. Myrtaceae: Myrcia graciliflora Sagot
- 4951. Myrtaceae: Indet.
- 4952. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
- 4953. Connaraceae: Rourea surinamensis Mig.
- 4954. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
- 4955. Parmeliaceae: Usnea sp.
- 4956. Leguminosae-Caesalpinioideae: *Dinizia excelsa* Ducke
- 4957. Rubiaceae: Kutchubaea neblinensis Steverm.
- 4958. Gnetaceae: Gnetum nodiflorum Brongn.
- 4959. Costaceae: Costus spiralis (Jacq.) Roscoe var. spiralis
- 4960. Chrysobalanaceae: *Exellodendron barbatum* (Ducke) Prance
- 4961. Orchidaceae: *Elleanthus cephalotus* Garay and H. R. Sweet
- 4962. Aspleniaceae: Asplenium angustum Sw.
- 4963. Lomariopsidaceae: *Elaphoglossum minutum* (Pohl ex Fée) T. Moore
- 4964. Polypodiaceae: Polypodium triseriale Sw.
- 4965. Orchidaceae: Maxillaria superflua Rchb. f.
- 4966. Orchidaceae: Brassavola martiana Lindl.
- 4967. Orchidaceae: Encyclia fragrans (Sw.) Lemée
- 4968. Polygalaceae: Securidaca sp.
- 4969. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 4970. Myrtaceae: Myrcia subobliqua (Benth.) Nied.
- 4971. Myrtaceae: Myrcia sp.

- 4972. Myrtaceae: Eugenia florida DC.
- 4973. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 4974. Chrysobalanaceae: Licania leptostachya Benth.
- 4975. Chrysobalanaceae: Indet.
- 4976. Smilacaceae: Smilax aff. schomburgkiana Kunth
- 4977. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
- 4978. Celastraceae: Goupia glabra Aubl.
- 4979. Solanaceae: Schwenckia grandiflora Benth.
- 4980. Myrtaceae: Plinia pinnata L.
- 4981. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 4982. Euphorbiaceae: *Discocarpus essequeboensis* Klotzsch
- 4983. Hippocrateaceae: Hippocratea volubilis L.
- 4984. Quiinaceae: Quiina amazonica A. C. Sm.
- 4985. Lecythidaceae: *Eschweilera parvifolia* Mart. ex DC.
- 4986. Melastomataceae: Mouriri sp.
- 4987. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
- 4988. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 4989. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 4990. Leguminosae-Mimosoideae: Inga sp.
- 4991. Leguminosae-Mimosoideae: Inga splendens Willd.
- 4992. Meliaceae: Trichilia cipo (A. Juss.) C. DC.
- 4993. Orchidaceae: Zygosepalum labiosum (Rich.) Garay
- 4994. Orchidaceae: Masdevallia minuta Lindl.
- 4995. Orchidaceae: Dichaea sp.
- 4996. Piperaceae: Peperomia rotundifolia (L.) Kunth
- 4997. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 4998. Lauraceae: Indet.
- 4999. Verbenaceae: Vitex compressa Turcz.
- 5000. Orchidaceae: Ionopsis utricularioides (Sw.) Lindl.
- 5001. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 5002. Sapindaceae: Paullinia tricornis Radlk.
- 5003. Melastomataceae: Miconia sp.
- 5004. Meliaceae: Guarea? trunciflora C. DC.
- 5005. Quiinaceae: Quiina cruegeriana Griseb.
- 5006. Bacidiaceae: Phyllopsora sp.
- 5007. Chrysobalanaceae: Licania majuscula Sagot
- 5008. Pteridophyte: Indet.
- 5009. Bryophyte: Indet.
- 5010. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 5011. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze

- 5012. Elaeocarpaceae: Sloanea sp.
- 5013. Marantaceae: Calathea elliptica (Roscoe) K. Schum.
- 5014. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
- 5015. Chrysobalanaceae: Couepia sandwithii Prance
- 5016. Apocynaceae: Forsteronia sp.
- 5017. Bignoniaceae: Memora tanaeciicarpa A. H. Gentry
- 5018. Lecythidaceae: Lecythis cf. chartacea O. Berg
- 5019. Tiliaceae: Apeiba macropetala Ducke
- 5020. Leguminosae-Faboideae: Swartzia benthamiana Miq. var. benthamiana
- 5021. Aspleniaceae: Asplenium cuneatum Lam.
- 5022. Piperaceae: *Piper pseudoglabrescens* Trel. and Yunck.
- 5023. Moraceae: Ficus paraensis (Miq.) Miq.
- 5024. Annonaceae: Pseudoxandra cuspidata Maas
- 5025. Bombacaceae: Pachira aquatica Aubl.
- 5026. Leguminosae-Faboideae: Dioclea sp.
- 5027. Leguminosae-Caesalpinioideae: *Tachigali* paniculata Aubl.
- 5028. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 5029. Asclepiadaceae: Indet.
- 5030. Vitaceae: Cissus sp.
- 5031. Annonaceae: Annona hypoglauca Mart.
- 5032. Loganiaceae: *Strychnos* cf. *mitscherlichii* M. R. Schomb.
- 5033. Sapindaceae: Pseudima frutescens (Aubl.) Radlk.
- 5034. Sapotaceae: Pouteria elegans (A. DC.) Baehni
- 5035. Leguminosae-Faboideae: *Ormosia coarctata* Jacks.
- 5036. Leguminosae-Faboideae: *Pterocarpus* santalinoides L'Hér. ex DC.
- 5037. Orchidaceae: *Psygmorchis pusilla* (L.) Dodson and Dressler
- 5038. Bignoniaceae: Memora schomburgkii (DC.)
 Miers
- 5039. Passifloraceae: Passiflora vespertilio L.
- 5040. Malpighiaceae: Byrsonima sp.
- 5041. Onagraceae: *Ludwigia quadrangularis* (Micheli) H. Hara
- 5042. Simaroubaceae: Simaba orinocensis Kunth
- 5043. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 5044. Rubiaceae: Faramea sessilifolia (Kunth) DC.
- 5045. Leguminosae-Caesalpinioideae: *Cynometra bauhiniifolia* Benth.
- 5046. Leguminosae-Mimosoideae: Inga nobilis Willd.
- 5047. Loganiaceae: Strychnos sp.

- 5048. Annonaceae: Guatteria rubrinervis R. E. Fr.
- 5049. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
- 5050. Vitaceae: Cissus sp.
- 5051. Myrsinaceae: Stylogyne orinocensis (Kunth) Mez
- 5052. Melastomataceae: Miconia lasseri Gleason
- 5053. Verbenaceae: Vitex compressa Turcz.
- 5054. Menispermaceae: Orthomene schomburgkii (Miers) Barneby and Krukoff
- 5055. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 5056. Annonaceae: Guatteria subsessilis Mart.
- 5057. Lauraceae: Indet.
- 5058. Euphorbiaceae: Croton cuneatus Klotzsch
- 5059. Menispermaceae: Orthomene schomburgkii (Miers) Barneby and Krukoff
- 5060. Combretaceae: Buchenavia viridiflora Ducke
- 5061. Styracaceae: Styrax sp.
- 5062. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 5063. Malpighiaceae: Byrsonima sp.
- 5064. Euphorbiaceae: Indet. ?
- 5065. Melastomataceae: Mouriri grandiflora DC.
- 5066. Viscaceae/Loranth.: Indet.
- 5067. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 5068. Leguminosae-Caesalpinioideae: *Elizabetha* coccinea M. R. Schomb. ex Benth.
- 5069. Rubiaceae: Genipa americana L.
- 5070. Hippocrateaceae: Hippocratea volubilis L.
- 5071. Orchidaceae: Epidendrum rigidum Jacq.
- 5072. Passifloraceae: Passiflora costata Mast.
- 5073. Melastomataceae: Mouriri sp.
- 5074. Combretaceae: Combretum laxum Jacq.
- 5075. Moraceae: Ficus trigona L. f.
- 5076. Sapotaceae: Pouteria elegans (A. DC.) Baehni
- 5077. Melastomataceae: Mouriri sp.
- 5078. Caryocaraceae: Caryocar microcarpum Ducke
- 5079. Polygonaceae: Coccoloba marginata Benth.
- 5080. Sapindaceae: Matayba camptoneura Radlk.
- 5081. Myrtaceae: Myrcia splendens (Sw.) DC.
- 5082. Moraceae: Ficus sp.
- 5082a. Theaceae: Indet.
- 5083. Orchidaceae: Polystachya foliosa (Lindl.) Rchb. f.
- 5084. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
- 5085. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 5086. Cyperaceae: Cyperus sphacelatus Rottb.
- 5087. Cyperaceae: Fimbristylis dichotoma (L.) Vahl

- 5088. Cyperaceae: Rhynchospora barbata (Vahl) Kunth
- 5089. Cyperaceae: Scleria muehlenbergii Steud.
- 5090. Dioscoreaceae: Dioscorea sp.
- 5091. Melastomataceae: *Clidemia* aff. *novemnervia* (DC.) Triana
- 5092. Lythraceae: *Cuphea antisyphilitica* Kunth var. *acutifolia* Benth.
- 5093. Rubiaceae: *Declieuxia fruticosa* (Willd. ex Roem. and Schult.) Kuntze
- 5094. Melastomataceae: Clidemia sericea D. Don
- 5095. Haemodoraceae: *Schiekia orinocensis* (Kunth) Meisn.
- 5096. Rubiaceae: *Spermacoce ocymifolia* Willd. ex Roem. and Schult.
- 5097. Rubiaceae: Ixora panurensis Müll. Arg.
- 5098. Rubiaceae: *Psychotria cardiomorpha* C. M. Taylor and A. Pool
- 5099. Rubiaceae: Malanea sarmentosa Aubl.
- 5100. Polygonaceae: Coccoloba sp.
- 5101. Rubiaceae: Rudgea crassiloba (Benth.) B. L. Rob.
- 5102. Nyctaginaceae: Indet.
- 5103. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
- 5104. Humiriaceae: Indet.
- 5105. Humiriaceae: Indet.
- 5106. Melastomataceae: Tococa nitens (Benth.) Triana
- 5107. Smilacaceae: Smilax schomburgkiana Kunth
- 5108. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 5109. Rubiaceae: *Sabicea parva* Wernham var. *brachycalyx* (Steyerm.) Liede, Meve and Khan
- 5110. Rubiaceae: Ixora parviflora Vahl
- 5111. Humiriaceae: *Humiria balsamifera* Aubl. var. balsamifera
- 5112. Melastomataceae: Miconia ciliata (Rich.) DC.
- 5113. Rubiaceae: Ixora panurensis Müll. Arg.
- 5114. Compositae: Wulffia baccata (L.) Kuntze
- 5115. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.
- 5116. Poaceae: Paspalum pulchellum Kunth
- 5117. Poaceae: Panicum micranthum Kunth
- 5118. Cyperaceae: Kyllinga odorata Vahl
- 5119. Cyperaceae: Rhynchospora pubera (Vahl) Böck.
- 5120. Cyperaceae: *Rhynchospora barbata* (Vahl) Kunth
- 5121. Poaceae: *Leptocoryphium lanatum* (Kunth) Nees
- 5122. Boraginaceae: Cordia alliodora (Ruiz and Pav.)
- 5123. Burmanniaceae: Burmannia bicolor Mart.
- 5124. Melastomataceae: Comolia villosa (Aubl.) Triana
- 5125. Dennstaedtiaceae: *Lindsaea quadrangularis* Raddi ssp. *antillensis* K. U. Kramer

- 5126. Adiantaceae: *Adiantum serratodentatum* Humb. and Bonpl. ex Willd.
- 5127. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
- 5128. Liliaceae: Bomarea edulis (Tussac) Herb.
- 5129. Clusiaceae: Indet.
- 5130. Leguminosae-Caesalpinioideae: *Senna splendida* (Vogel) H. S. Irwin and Barneby
- 5131. Piperaceae: Piper hispidum Sw.
- 5132. Euphorbiaceae: *Hevea brasiliensis* (Willd. ex A. Juss.) Müll. Arg.
- 5133. Sapotaceae: Manilkara zapota (L.) P. Royen
- 5134. Rhamnaceae: Gouania sp.
- 5135. Leguminosae-Faboideae: *Indigofera* lespedezioides Kunth
- 5136. Asclepiadaceae: Indet.
- 5137. Flacourtiaceae: *Casearia* cf. *tremula* (Griseb.) Griseb. ex Wright
- 5138. Malpighiaceae: Bunchosia mollis Benth.
- 5139. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 5140. Rubiaceae: *Guettarda divaricata* (Humb. and Bonpl. ex Roem. and Schult.) Standl.
- 5141. Theophrastaceae: *Clavija macrophylla* (Link ex Roem. and Schult.) Miq.
- 5142. Erythroxylaceae: Erythroxylum sp.
- 5143. Verbenaceae: Vitex compressa Turcz.
- 5144. Dioscoreaceae: Dioscorea sp.
- 5145. Poaceae: *Lasiacis sorghoidea* (Desv. ex Ham.) Hitchc. and Chase
- 5146. Connaraceae: Rourea grosourdyana Baill. var. grosourdyana
- 5147. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 5148. Agavaceae: Furcraea foetida (L.) Haw.
- 5149. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
- 5150. Bromeliaceae: Indet.
- 5151. Schizaeaceae: Anemia hirta (L.) Sw.
- 5152. Sterculiaceae: Waltheria indica L.
- 5153. Cyperaceae: Cyperus cuspidatus Kunth
- 5154. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 5155. Bignoniaceae: Lundia corymbifera (Vahl) Sandwith
- 5156. Leguminosae-Mimosoideae: Acacia sp.
- 5157. Gesneriaceae: *Sinningia incarnata* (Aubl.) D. L. Denham
- 5158. Hernandiaceae: *Sparattanthelium wonotoboense* Kosterm.
- 5159. Rubiaceae: Tocoyena sp.
- 5160. Adiantaceae: Doryopteris collina (Raddi) J. Sm.
- 5161. Verbenaceae: Stachytarpheta sprucei Moldenke

- 5162. Marantaceae: Maranta arundinacea L.
- 5163. NO RECORD
- 5164. NO RECORD
- 5165. Hippocrateaceae: Indet.
- 5166. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 5167. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 5168. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 5169. Bryophyte: Indet.
- 5170. Hepaticae: Indet.
- 5171. Melastomataceae: Clidemia sp.
- 5172. Rhizophoraceae: Indet.
- 5173. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
- 5174. Boraginaceae: Cordia nodosa Lam.
- 5175. Hymenophyllaceae: *Trichomanes tuerckheimii* H. Christ
- 5176. Rubiaceae: Faramea maguirei Steyerm.
- 5177. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 5178. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
- 5179. Melastomataceae: Clidemia conglomerata DC.
- 5180. Cyatheaceae: Cyathea surinamensis (Miq.)
- 5181. Melastomataceae: Clidemia sp.
- 5182. Apocynaceae: Bonafousia obliqua Miers
- 5183. Melastomataceae: Tococa aristata Benth.
- 5184. Melastomataceae: Leandra purpurea Gleason
- 5185. Rubiaceae: Psychotria uliginosa Sw.
- 5186. Tectariaceae: Triplophyllum acutilobum Holttum
- 5187. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 5187a. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 5188. Zingiberaceae: Renealmia guianensis Maas
- 5189. Rubiaceae: Psychotria apoda Steyerm.
- 5190. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5191. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5192. Arecaceae: Bactris simplicifrons Mart.
- 5193. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br.
- 5194. Leguminosae: Indet.
- 5195. Bromeliaceae: Tillandsia fendleri Griseb.
- 5196. Orchidaceae: Stelis sp.
- 5197. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 5198. Piperaceae: Peperomia rotundifolia (L.) Kunth
- 5199. Parmeliaceae: Rimelia sp.
- 5200. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.

- 5201. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 5202. Thelypteridaceae: *Thelypteris leprieurii* (Hook.) R. M. Tryon
- 5203. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 5204. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 5205. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 5206. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 5207. Marantaceae: *Ischnosiphon enigmaticus* L. Andersson
- 5208. Chrysobalanaceae: Hirtella hispidula Miq.
- 5209. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 5210. Rubiaceae: Psychotria berteroana DC.
- 5211. Rubiaceae: Psychotria s.l. astrellantha Wernham
- 5212. Melastomataceae: Miconia sp.
- 5213. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 5214. Rubiaceae: Psychotria acuminata Benth.
- 5215. Bignoniaceae: Arrabidaea cf. florida DC.
- 5216. Piperaceae: Piper demeraranum (Miq.) C. DC.
- 5217. Aspleniaceae: Asplenium auritum Sw.
- 5218. Polypodiaceae: Polypodium caceresii Sodiro
- 5219. Convolvulaceae: Maripa scandens Aubl.
- 5220. Bignoniaceae: Schlegelia spruceana K. Schum.
- 5221. Rubiaceae: Psychotria acuminata Benth.
- 5222. Melastomataceae: Leandra sp.
- 5223. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 5224. Onagraceae: *Ludwigia foliobracteolata* (Munz) H. Hara
- 5225. Onagraceae: *Ludwigia quadrangularis* (Micheli) H. Hara
- 5226. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 5227. Marantaceae: *Calathea altissima* (Poepp. and Endl.) Körn.
- 5228. Araceae: Xanthosoma sp.
- 5229. Schizaeaceae: Schizaea incurvata Schkuhr
- 5230. Cyperaceae: *Bulbostylis junciformis* (Kunth) C. B. Clarke
- 5231. Schizaeaceae: *Actinostachys pennula* (Sw.) Hook.
- 5232. Asclepiadaceae: Indet.
- 5233. Poaceae: Paspalum orbiculatum Poir.
- 5234. Lobariaceae: Lobaria sp.
- 5235. Lobariaceae: Lobaria sp.

- 5236. Lobariaceae: Lobaria sp.
- 5237. Ericaceae: *Vaccinium* s.l. *puberulum* Klotzsch ex Meisn.
- 5238. Sapindaceae: Matayba ptariana Steyerm.
- 5239. Araceae: *Stenospermation ammiticum* G. S. Bunting
- 5240. Hymenophyllaceae: *Hymenophyllum* aff. *sericeum* (Sw.) Sw.
- 5241. Ericaceae: Cavendishia callista Donn. Sm.
- 5242. Ericaceae: Bejaria sprucei Meisn.
- 5243. Humiriaceae: *Humiria balsamifera* Aubl. var. *floribunda* (Mart.) Cuatrec.
- 5244. Rubiaceae: Psychotria multiramosa Steyerm.
- 5245. Lomariopsidaceae: Elaphoglossum sp.
- 5246. Rubiaceae: Pagamea capitata Benth.
- 5247. Chrysobalanaceae: Hirtella paniculata Sw.
- 5248. Aquifoliaceae: *Ilex* sp.
- 5249. Orchidaceae: Octomeria sp.
- 5250. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 5251. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm.
- 5252. Orchidaceae: *Maxillaria pendula* (Poepp. and Endl.) C. Schweint.
- 5253. Ericaceae: Bejaria sprucei Meisn.
- 5254. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
- 5255. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 5256. Clusiaceae: Clusia sp.
- 5257. Myrtaceae: *Myrcia albidotomentosa* (Amshoff) McVaugh
- 5258. Ericaceae: Vaccinium euryanthum A. C. Sm.
- 5259. Clusiaceae: Indet.
- 5260. Cladoniaceae: Indet.
- 5261. Cladoniaceae: Cladina s.l. rotundata (Ahti) Ahti
- 5262. Cladoniaceae: Cladonia subreticulata Ahti
- 5263. Cladoniaceae: Cladina densissima Ahti
- 5264. Gentianaceae: *Irlbachia cardonae* (Gleason) Maguire
- 5265. Clusiaceae: Indet.
- 5266. Hymenophyllaceae: *Hymenophyllum* cf. *polyanthos* (Sw.) Sw.
- 5267. Araceae: Philodendron linnaei Kunth
- 5268. Bryophyte: Indet.
- 5269. Bryophyte: Indet.
- 5270. Bryophyte: Indet.
- 5271. Bryophyte: Indet.
- 5272. Bryophyte: Indet.
- 5273. Bryophyte: Indet.
- 5274. Bromeliaceae: Guzmania altsonii L. B. Sm.

5312. Gesneriaceae: Alloplectus savannarum C. V.

Morton

5275.	Lomariopsidaceae: <i>Elaphoglossum glabellum</i> J. Sm.	5313.	Dennstaedtiaceae: <i>Lindsaea semilunata</i> (C. Chr.) C. Chr.
5276.	Orchidaceae: Maxillaria auyantepuiensis Foldats	5314.	Orchidaceae: Epidendrum carpophorum Barb.
5277.	Poaceae: Andropogon leucostachyus Kunth		Rodr.
5278.	Orchidaceae: Octomeria sp.	5315.	Viscaceae: Dendrophthora elliptica (Gardner)
5279.	Orchidaceae: Octomeria sp.		Krug and Urb.
5280.	Cladoniaceae: Indet.	5316.	Hymenophyllaceae: Trichomanes crispum L.
5281.	Orchidaceae: Hexisea sp.	5317.	Rubiaceae: Psychotria barbiflora DC.
5282.	Orchidaceae: Elleanthus graminifolius (Barb.	5318.	Melastomataceae: Maieta guianensis Aubl.
	Rodr.) Løjtnant	5319.	Burmanniaceae: Dictyostega orobanchoides
5283.	Cladoniaceae: Cladonia corallifera (Kunze) Nyl.		(Hook.) Miers ssp. orobanchoides
5283a.	Cladoniaceae: Cladonia secundana Nyl.	5320.	Gentianaceae: Voyria aphylla (Jacq.) Pers.
5284.	Cladoniaceae: Indet.	5321.	Bryophyte: Indet.
5285.	Eriocaulaceae: Paepalanthus sp.	5322.	Cladoniaceae: Cladonia sp.
5286.	Cladoniaceae: Cladonia sp.	5323.	Orchidaceae: Elleanthus caravata (Aubl.) Rchb. f.
5287.	Bryophyte: Indet.	5324.	Bromeliaceae: Racinaea spiculosa (Griseb.)
5288.	Rubiaceae: Psychotria crocochlamys Sandwith		M. A. Spencer and L. B. Sm. var. spiculosa
5289.	Araceae: Anthurium roraimense N. E. Br.	5325.	Bacidiaceae: <i>Phyllopsora</i> sp.
5290.	Araliaceae: Oreopanax capitatus (Jacq.) Decne.	5326.	Bryophyte: Indet.
	and Planch. var. capitatus	5327.	Orchidaceae: Epidendrum compressum Griseb.
5291.	Dennstaedtiaceae: Lindsaea tetraptera K. U.	5328.	Aquifoliaceae: <i>Ilex</i> sp.
	Kramer	5329.	Icacinaceae: Emmotum glabrum Benth. ex Miers
5292.	Polypodiaceae: Polypodium caceresii Sodiro	5330.	Viscaceae: Phoradendron crassifolium (Pohl ex
5293.	Orchidaceae: Koellensteinia sp.		DC.) Eichler
5294.	Orchidaceae: Sobralia sp.	5331.	Cyatheaceae: Cyathea macrocarpa (C. Presl)
5295.	Dennstaedtiaceae: Lindsaea schomburgkii		Domin
	Klotzsch f. schomburgkii	5332.	Hymenophyllaceae: Hymenophyllum
5296.	Dennstaedtiaceae: Lindsaea? divaricata Klotzsch		trichomanoides Bosch
5297.	Dennstaedtiaceae: Lindsaea semilunata (C. Chr.)	5333.	Rubiaceae: Psychotria erecta (Aubl.) Standl. and
	C. Chr.		Steyerm.
5298.	Ericaceae: Psammisia coarctata (R. and P.)	5334.	Bryophyte: Indet.
	A. C. Sm.	5335.	Polypodiaceae: Polypodium loriceum L.
5299.	Grammitidaceae: Cochlidium serrulatum (Sw.)	5336.	Orchidaceae: Hexisea sp.
	L. E. Bishop	5337.	Melastomataceae: Tococa aristata Benth.
5300.	Orchidaceae: Elleanthus graminifolius (Barb.	5338.	Rapateaceae: Rapatea fanshawei Maguire
	Rodr.) Løjtnant	5339.	Orchidaceae: Maxillaria mapiriensis (Kraenzl.)
5301.	Orchidaceae: Dichaea sp.		L. O. Williams
5302.	Orchidaceae: Reichenbachanthus reflexus	5340.	Bromeliaceae: Tillandsia complanata Benth.
	(Lindl.) Brade	5341.	Orchidaceae: Maxillaria porrecta Lindl.
5303.	Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.	5342.	Malpighiaceae: Byrsonima carraoana Steyerm.
5304.	Orchidaceae: Scaphyglottis violacea Lindl.	5343.	Orchidaceae: Koellensteinia cf. sp.
5305.	Schizaeaceae: Schizaea elegans (Vahl) Sw.	5344.	Lomariopsidaceae: Elaphoglossum plumosum
5306.	Araceae: Philodendron tatei K. Krause		(Fée) T. Moore
5307.	Bryophyte: Indet.	5345.	Myrsinaceae: Cybianthus surinamensis (Spreng.)
5308.	Polypodiaceae: Polypodium sessilifolium Desv.		G. Agostini
5309.	Dennstaedtiaceae: <i>Lindsaea schomburgkii</i> Klotzsch	5346.	Aspleniaceae: Asplenium serra Langsd. and Fisch.
5310.	Orchidaceae: Stelis sp.	5347.	Araceae: Stenospermation? ammiticum G. S.
5311.	Orchidaceae: Koellensteinia sp.		Bunting
5212	C ' All 1	5240	Committed and Misson belong the second (Fée)

5348. Grammitidaceae: Micropolypodium nanum (Fée)

A. R. Sm.

- 5349. Orchidaceae: Maxillaria nasuta Rchb. f. 5387. Clusiaceae: Clusia myriandra (Benth.) Planch. and Triana 5350. Orchidaceae: Stelis sp. Orchidaceae: Maxillaria mapiriensis (Kraenzl.) 5388. Sapotaceae: Pouteria cayennensis (A. DC.) Eyma 5351. L. O. Williams 5389. Chrysobalanaceae: Licania heteromorpha Benth. Thelotremataceae: Indet. var. heteromorpha 5352. Lichen-Incert. sed.: Indet. 5390. Rubiaceae: Malanea sarmentosa Aubl. 5353. 5391. Rubiaceae: Ferdinandusa goudotiana K. Schum. Bryophyte: Indet. 5354. Orchidaceae: Myoxanthus aspasicensis (Rchb. f.) 5392. Apocynaceae: Couma rigida Müll. Arg. 5355. 5393. Chrysobalanaceae: Hirtella racemosa Lam. var. 5356. Parmeliaceae: Bulbothrix sp. racemosa 5357. Gyalectaceae: Coenogonium sp. 5394. Rubiaceae: Psychotria capitata Ruiz and Pav. 5358. Euphorbiaceae: Micrandra sp. 5395. Dennstaedtiaceae: Lindsaea reniformis Dryand. Moraceae: Brosimum rubescens Taub. 5396. Zingiberaceae: Renealmia orinocensis Rusby 5359. Bromeliaceae: Tillandsia fendleri Griseb. 5397. Loganiaceae: Spigelia hamelioides Kunth 5360. Melastomataceae: Miconia ciliata (Rich.) DC. Arecaceae: Bactris simplicifrons Mart. 5398. 5361. Piperaceae: Piper cuyunianum Steverm. 5399. Lythraceae: Cuphea sp. 5362. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br. 5400. Cyclanthaceae: Dicranopygium angustissimum 5363. Rubiaceae: Psychotria erecta (Aubl.) Standl. and 5364. (Sandwith) Harling Steverm. 5401. Cyperaceae: Calyptrocarya glomerulata 5365. Melastomataceae: Miconia marginata Triana (Brongn.) Urb. 5366. Rubiaceae: Ixora panurensis Müll. Arg. 5402. Selaginellaceae: Selaginella parkeri (Hook. and Gentianaceae: Tachia schomburgkiana Benth. Grev.) Spring 5367. 5368. Dennstaedtiaceae: Lindsaea guianensis (Aubl.) 5403. Dennstaedtiaceae: Lindsaea dubia Spreng. Dryand. ssp. guianensis 5404. Hymenophyllaceae: Trichomanes trollii Bergdolt 5369. Bignoniaceae: Schlegelia spruceana K. Schum. 5405. Chrysobalanaceae: Licania laxiflora Fritsch Metaxyaceae: Metaxya rostrata (Kunth) C. Presl Bromeliaceae: Vriesea splendens (Brongn.) Lem. 5370. 5406. Rubiaceae: Ferdinandusa goudotiana K. Schum. 5371. 5407. Aspleniaceae: Asplenium auritum Sw. 5372. Flacourtiaceae: Ryania speciosa Vahl var. 5408. Clusiaceae: Tovomita schomburgkii Planch. and tomentosa (Miq.) Monach. Triana 5373. Bromeliaceae: Guzmania retusa L. B. Sm. 5409. Orchidaceae: Campylocentrum fasciola (Lindl.) 5374. Rubiaceae: Palicourea triphylla DC. Cogn. 5375. Orchidaceae: Huntleya meleagris Lindl. 5410. Orchidaceae: Epidendrum paruimense G. A. Melastomataceae: Adelobotrys permixta 5376. Romero and Carnevali Wurdack 5411. Orchidaceae: Epidendrum sp. Orchidaceae: Stelis sp. 5377. Melastomataceae: *Phainantha laxiflora* (Triana) 5412. Gleason 5413. Rubiaceae: Chiococca nitida Benth. 5378. Bryophyte: Indet. Melastomataceae: Miconia lappacea (DC.) Triana 5414. 5379. Bryophyte: Indet. 5415. Rubiaceae: Psychotria mapourioides DC. 5380. Bryophyte: Indet. 5416. Melastomataceae: Leandra purpurea Gleason 5381. Melastomataceae: Miconia lappacea (DC.) 5417. Cyatheaceae: Cyathea surinamensis (Mig.) Domin Triana 5418. Cyatheaceae: Cyathea dissimilis (C. V. Morton) 5382. Heliconiaceae: Heliconia acuminata Rich. Stolze
- 5384. Dryopteridaceae: Cyclodium meniscioides Cyperaceae: Scleria latifolia Sw. 5421. (Willd.) C. Presl 5422. Melastomataceae: Clidemia capitellata (Bonpl.) 5385. Grammitidaceae: Lellingeria randallii (Maxon) D. Don A. R. Sm. and R. C. Moran 5423. Gentianaceae: Tapeinostemon spenneroides 5386. Caryocaraceae: Caryocar glabrum (Aubl.) Pers. Benth. ssp. album Prance and M. F. Silva 5424. Myrtaceae: Calycolpus roraimensis Steyerm.

Dryopteridaceae: Cyclodium meniscioides

(Willd.) C. Presl

5383.

Rubiaceae: Manettia sp.

Cyperaceae: Rhynchospora polyphylla Vahl

5419.

5420.

- 5425. Melastomataceae: Miconia dodecandra Cogn.
- 5426. Thurniaceae: *Thurnia sphaerocephala* (Rudge) Hook, f.
- 5427. Orchidaceae: Cheiradenia cuspidata Lindl.
- 5428. Rubiaceae: Psychotria uliginosa Sw.
- 5429. Rubiaceae: Faramea maguirei Steyerm.
- 5430. Melastomataceae: Clidemia sp.
- 5431. Melastomataceae: Miconia plukenetii Naudin
- 5432. Boraginaceae: Cordia nodosa Lam.
- 5433. Piperaceae: Piper perstipulare Steyerm.
- 5434. Gesneriaceae: Columnea guianensis C. V. Morton
- 5435. Rubiaceae: Psychotria variegata Steyerm.
- 5436. Rubiaceae: Psychotria variegata Steyerm.
- 5437. Bryophyte: Indet.
- 5438. Cyperaceae: Eleocharis debilis Kunth
- 5439. Poaceae: Panicum laxum Sw.
- 5440. Poaceae: Paspalum petilum Chase
- 5441. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
- 5442. Ochnaceae: Sauvagesia erecta L.
- 5443. Melastomataceae: Miconia ciliata (Rich.) DC.
- 5444. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 5445. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
- 5446. Poaceae: Olyra micrantha Kunth
- 5447. Cyperaceae: Scleria secans (L.) Urb.
- 5448. Chrysobalanaceae: Licania micrantha Mig.
- 5449. Grammitidaceae: *Grammitis melanosticta* (Kunze) F. Seym.
- 5450. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
- 5451. Melastomataceae: Macrocentrum droseroides
 Triana
- 5452. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 5453. Lomariopsidaceae: *Elaphoglossum nigrescens* (Hook.) T. Moore ex Diels
- 5454. Orchidaceae: Liparis nervosa (Thunb.) Lindl.
- 5455. Rubiaceae: Psychotria crocochlamys Sandwith
- 5456. Leguminosae-Caesalpinioideae: Dicymbe sp.
- 5457. Aquifoliaceae: *Ilex* sp.
- 5458. Bryophyte: Indet.
- 5459. Compositae: Stenopadus talaumifolius S. F. Blake
- 5460. Araceae: Anthurium roraimense N. E. Br.
- 5461. Orchidaceae: Sarcoglottis metallica (Rolfe) Schltr.
- 5462. Bignoniaceae: Tabebuia sp. nov.
- 5463. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 5464. Bryophyte: Indet.

- 5465. Orchidaceae: *Epidendrum strobiloides* Garay and Dunst.
- 5466. Araceae: Anthurium ptarianum Steyerm.
- 5467. Hymenophyllaceae: Trichomanes arbuscula Desv.
- 5468. Hymenophyllaceae: Trichomanes crispum L.
- 5469. Orchidaceae: Ponthieva ovatilabia C. Schweinf.
- 5470. Hymenophyllaceae: Trichomanes crispum L.
- 5471. Dryopteridaceae: *Arachniodes macrostegia* (Hook.) R. M. Tryon and D. S. Conant
- 5472. Cyperaceae: Rhynchospora bolivarana Steyerm.
- 5473. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 5474. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 5475. Araceae: Spathiphyllum cuspidatum Schott
- 5476. Piperaceae: Piper bolivaranum Yunck.
- 5477. Hymenophyllaceae: Trichomanes arbuscula Desv.
- 5478. Melastomataceae: Clidemia heptamera Wurdack
- 5479. Bryophyte: Indet.
- 5480. Selaginellaceae: Selaginella sp.
- 5481. Selaginellaceae: *Selaginella* cf. *hirsuta* Alston ex Crabbe and Jermy
- 5482. Hymenophyllaceae: *Trichomanes diaphanum* Kunth
- 5483. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
- 5484. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
- 5485. Clusiaceae: Clusia cuneata Benth.
- 5486. Clusiaceae: *Tovomita weddelliana* Planch. and Triana
- 5487. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *heteromorpha*
- 5488. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
- 5489. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
- 5490. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 5491. Araceae: Rhodospatha oblongata Poepp.
- 5492. Piperaceae: Piper wachenheimii Trel.
- 5493. Ochnaceae: Ouratea microcalyx (Engl.) Sastre
- 5494. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *heteromorpha*
- 5495. Bryophyte: Indet.
- 5496. Selaginellaceae: Selaginella porelloides (Lam.) Spring
- 5497. Melastomataceae: Tococa aristata Benth.
- 5498. Hymenophyllaceae: *Trichomanes cellulosum* Klotzsch

- 5499. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 5500. Rubiaceae: Psychotria barbiflora DC.
- 5501. Lentibulariaceae: Utricularia pubescens Sm.
- 5502. Orchidaceae: Octomeria sp.
- 5503. Euphorbiaceae: Omphalea diandra L.
- 5504. Theaceae: Indet.
- 5505. Gentianaceae: Chorisepalum aff. psychotrioides
- 5506. Schizaeaceae: *Schizaea fluminensis* Miers ex J. W. Sturm
- 5507. Rubiaceae: Psychotria multiramosa Steyerm.
- 5508. Rubiaceae: Psychotria barbiflora DC.
- 5509. Clusiaceae: Clusia sp.
- 5510. Icacinaceae: Emmotum glabrum Benth. ex Miers
- 5511. Orchidaceae: Sobralia sp.
- 5512. Leguminosae-Caesalpinioideae: *Dimorphandra macrostachya* Benth.
- 5513. Clavicipitaceae: Cordyceps sp.
- 5514. Euphorbiaceae: Adenophaedra grandifolia (Klotzsch) Müll. Arg.
- 5515. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
- 5516. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
- 5517. Hymenophyllaceae: *Hymenophyllum decurrens* (Jacq.) Sw.
- 5518. Schizaeaceae: *Schizaea fluminensis* Miers ex J. W. Sturm
- 5519. Lomariopsidaceae: *Elaphoglossum decoratum* (Kunze) T. Moore
- 5520. Balanophoraceae: *Helosis cayennensis* (Sw.) Spreng.
- 5521. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steyerm.
- 5522. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
- 5523. Gesneriaceae: Besleria penduliflora Fritsch
- 5524. Grammitidaceae: *Lellingeria subsessilis* (Baker) A. R. Sm. and R. C. Moran
- 5525. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
- 5526. Gesneriaceae: Corytoplectus deltoideus (C. V. Morton) Wiehler
- 5527. Monimiaceae: Mollinedia grazielae Peixoto
- 5528. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 5529. Melastomataceae: Miconia sp.
- 5530. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 5531. Melastomataceae: Leandra francavillana Cogn.

- 5532. Melastomataceae: Miconia fragrans Cogn.
- 5533. Rubiaceae: Psychotria parvibractea Steyerm.
- 5534. Orchidaceae: *Dichaea venezuelensis* Carnevali and I. Ramírez
- 5535. Tectariaceae: *Lastreopsis amplissima* (C. Presl) Tindale
- 5536. Lauraceae: Indet.
- 5537. Melastomataceae: *Miconia pseudocapsularis* Wurdack
- 5538. Melastomataceae: Miconia sp.
- 5539. Piperaceae: Piper obliquum Ruiz and Pav.
- 5540. Rubiaceae: Chiococca nitida Benth.
- 5541. Melastomataceae: Clidemia minutiflora (Triana) Cogn.
- 5542. Rubiaceae: Psychotria sp.
- 5543. Dennstaedtiaceae: Ormoloma imrayanum (Hook.) Maxon
- 5544. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
- 5544a. Hymenophyllaceae: *Hymenophyllum kaieteurum* Jenman
- 5545. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 5546. Rubiaceae: Schradera cf. polycephala DC.
- 5547. Orchidaceae: *Psilochilus dusenianus* Kraenzl. ex Garay and Dunst.
- 5548. Myrtaceae: *Myrcia? bolivarensis* (Steyerm.) McVaugh
- 5549. Gesneriaceae: Besleria penduliflora Fritsch
- 5550. Cyatheaceae: Cyathea sp.
- 5551. Woodsiaceae: Diplazium lechleri (Mett.) T. Moore
- 5552. Flacourtiaceae: *Ryania speciosa* Vahl var. *subuliflora* (Sandwith) Monach.
- 5553. Cyclanthaceae: Indet.
- 5554. Lentibulariaceae: Utricularia sp.
- 5555. Orchidaceae: Scaphyglottis sp.
- 5556. Araceae: Anthurium expansum Gleason
- 5557. Marantaceae: Calathea casupito (Jacq.) Schult.
- 5558. Marattiaceae: Danaea elliptica Sm.
- 5559. Blechnaceae: Blechnum divergens (Kunze) Mett.
- 5560. Gentianaceae: *Symbolanthus* comp. *calygonus* (Ruiz and Pav.) Griseb.
- 5561. Rapateaceae: Stegolepis angustata Gleason
- 5562. Orchidaceae: Stelis sp.
- 5563. Orchidaceae: *Houlletia odoratissima* Linden ex Lindl.
- 5564. Rubiaceae: Psychotria tapajozensis Standl.
- 5565. Nyctaginaceae: *Guapira salicifolia* (Heimerl) Lundell
- 5566. Clusiaceae: Moronobea ptaritepuiana Steyerm.

5567. Orchidaceae: Epidendrum urichianum Carnevali, Foldats and I. Ramírez 5568. Gentianaceae: Chorisepalum psychotrioides 5569. Melastomataceae: Phainantha maguirei Wurdack 5570. Orchidaceae: Elleanthus sp. 5571. Grammitidaceae: Micropolypodium taenifolium (Jenman) A. R. Sm. 5572. Melastomataceae: Macrocentrum repens (Gleason) Wurdack 5573. Bryophyte: Indet. 5574. Bryophyte: Indet. 5575. Bryophyte: Indet. 5576. Hymenophyllaceae: Trichomanes arbuscula Desv. 5577. Bryophyte: Indet. 5578. Bryophyte: Indet. 5579. Lycopodiaceae: Lycopodiella caroliniana (L.) Pic. Serm. var. meridionalis (Underw. and F. E. Lloyd) B. Øllg. and P. G. Windisch 5580. Lichen-Incert. sed.: Indet. 5581. Cyperaceae: Didymiandrum stellatum (Böck.) 5582. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm. 5583. Cyperaceae: Rhynchocladium steyermarkii (T. Koyama) T. Koyama 5584. Hymenophyllaceae: Trichomanes sprucei Baker 5585. Euphorbiaceae: Phyllanthus vacciniifolius (Müll. Arg.) Müll. Arg. 5586. Clusiaceae: Clusia cardonae Maguire 5587. Melastomataceae: Phainantha myrteoloides Wurdack 5588. Rubiaceae: Psychotria (subg. Heteropsychotria) 5589. Dennstaedtiaceae: Lindsaea tenuis Klotzsch Ebenaceae: Diospyros guianensis (Aubl.) Gürke 5590. ssp. coriacea F. White 5591. Physciaceae: Heterodermia sp. 5592. Piperaceae: Peperomia hernandiifolia (Vahl) A. Dietr. 5593. Hymenophyllaceae: Trichomanes egleri P. G. Windisch 5594. Orchidaceae: Lepanthes sp. Orchidaceae: Epidendrum urichianum Carnevali, 5595. Foldats and I. Ramírez 5596. Orchidaceae: Stelis sp. 5597. Orchidaceae: Scaphyglottis sp.

> Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa*

Piperaceae: Peperomia tenella (Sw.) A. Dietr.

(L. B. Sm.) M. A. Spencer and L. B. Sm.

5598.

5599.

5600. Grammitidaceae: Micropolypodium taenifolium (Jenman) A. R. Sm. 5601. Bryophyte: Indet. Lichen-Incert. sed.: Indet. 5602. 5603. Lentibulariaceae: Utricularia sp. 5604. Grammitidaceae: Cochlidium tepuiense (A. C. Sm.) L. E. Bishop 5605. Orchidaceae: Indet. 5606. Lentibulariaceae: *Utricularia* sp. 5607. Orchidaceae: Indet. 5608. Cunoniaceae: Weinmannia guyanensis Klotzsch 5609. Loranthaceae: Gaiadendron punctatum (Ruiz and Pav.) G. Don 5610. Gentianaceae: Symbolanthus comp. calygonus (Ruiz and Pav.) Griseb. 5611. Marcgraviaceae: Marcgravia coriacea Vahl 5612. Bromeliaceae: Werauhia hygrometrica (André) I. R. Grant 5613. Ebenaceae: Diospyros guianensis (Aubl.) Gürke ssp. coriacea F. White 5614. Clusiaceae: Clusia cerroana Steyerm. 5615. Rubiaceae: Psychotria ceratantha Standl. 5616. Gesneriaceae: Alloplectus savannarum C. V. Morton 5617. Araceae: Philodendron callosum K. Krause Melastomataceae: Miconia acutifolia Ule 5618. 5619. Apocynaceae: Couma rigida Müll. Arg. 5620. Rutaceae: Raveniopsis ruellioides (Oliv.) R. S. Cowan 5621. Orchidaceae: Maxillaria meridensis Lindl. Rubiaceae: Psychotria crassa Benth. 5622. 5623. Rutaceae: Raveniopsis ruellioides (Oliv.) R. S. Cowan 5624. Bonnetiaceae: Bonnetia paniculata Spruce ex Rubiaceae: Psychotria ceratantha Standl. 5625. Compositae: Chromolaena laevigata (Lam.) 5626. R. M. King and H. Rob. Compositae: Calea lucidivenia Gleason and S. F. 5627. Blake var. *orientalis* (Maguire and Wurdack) Pruski 5628. Polygalaceae: Monnina cacumina N. E. Br. Rubiaceae: Psychotria (subg. Heteropsychotria) 5629. 5630. Bryophyte: Indet. Gentianaceae: Tapeinostemon spenneroides 5631. 5632. Orchidaceae: Odontoglossum naevium Lindl.

Melastomataceae: Clidemia tepuiensis Wurdack

Lentibulariaceae: Utricularia sp.

5633.

5634.

- 5635. Grammitidaceae: *Grammitis kalbreyeri* (Baker) C. V. Morton
- 5636. Orchidaceae: *Pleurothallis tepuiensis* Carnevali and I. Ramírez
- 5637. Hymenophyllaceae: Trichomanes arbuscula Desv.
- 5638. Bryophyte: Indet.
- 5639. Hymenophyllaceae: Trichomanes sprucei Baker
- 5640. Bryophyte: Indet.
- 5641. Hepaticae: Indet.
- 5642. Hepaticae: Indet.
- 5643. Polypodiaceae: Polypodium sessilifolium Desv.
- 5644. Orchidaceae: *Prosthechea tigrina* (Linden ex Lindl.) W. E. Higgins
- 5645. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 5646. Orchidaceae: Dichaea sp.
- 5647. Ericaceae: Cavendishia callista Donn. Sm.
- 5648. Orchidaceae: Braemia vittata (Lindl.) Jenny
- 5649. Apocynaceae: Couma rigida Müll. Arg.
- 5650. Bromeliaceae: Brocchinia acuminata L. B. Sm.
- 5651. Eriocaulaceae: Indet.
- 5652. Ericaceae: Thibaudia formosa (Klotzsch) Hoerold
- 5653. Lentibulariaceae: Utricularia sp.
- 5654. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.
- 5655. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
- 5656. Bryophyte: Indet.
- 5657. Rubiaceae: Psychotria tapajozensis Standl.
- 5658. Podocarpaceae: *Podocarpus tepuiensis*J. Buchholz and N. E. Gray
- 5659. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
- 5660. Dennstaedtiaceae: *Lindsaea ? cultriformis* K. U. Kramer
- 5661. Bryophyte: Indet.
- 5662. Bryophyte: Indet.
- 5663. Bryophyte: Indet.
- 5664. Orchidaceae: Indet.
- 5665. Orchidaceae: Elleanthus sp.
- 5666. Rubiaceae: Malanea gabrielensis Müll. Arg.
- 5667. Melastomataceae: Graffenrieda intermedia Triana
- 5668. Cunoniaceae: *Weinmannia* cf. *laxiramea* Killip and A. C. Sm.
- 5669. Compositae: Mikania sprucei Baker
- 5670. Oleandraceae: Nephrolepis cordifolia (L.) C. Presl
- 5671. Ericaceae: Indet.
- 5672. Dennstaedtiaceae: Ormoloma imrayanum (Hook.) Maxon
- 5673. Orchidaceae: Maxillaria alticola C. Schweinf.

- 5674. Orchidaceae: Prosthechea sp.
- 5675. Orchidaceae: Malaxis sp.
- 5676. Orchidaceae: Maxillaria meridensis Lindl.
- 5677. Orchidaceae: Pleurothallis imraei Lindl.
- 5678. Orchidaceae: *Epidendrum urichianum* Carnevali, Foldats and I. Ramírez
- 5679. Orchidaceae: Myoxanthus sp.
- 5680. Incertae sedis: Indet.
- 5681. Myrtaceae: Myrcia exploratoris McVaugh
- 5682. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 5683. Grammitidaceae: Cochlidium tepuiense (A. C. Sm.) L. E. Bishop
- 5684. Lomariopsidaceae: *Elaphoglossum peltatum* (Sw.) Urb.
- 5685. Clusiaceae: Indet.
- 5686. Lobariaceae: Sticta weigelii (Ach.) Vain.
- 5687. Bryophyte: Indet.
- 5688. Bryophyte: Indet.
- 5689. Bryophyte: Indet.
- 5690. Pteridophyte: Indet.
- 5691. Orchidaceae: Selenipedium steyermarkii Foldats
- 5692. Cladoniaceae: Cladonia signata (Eschw.) Vain.
- 5693. Cladoniaceae: Cladia aggregata (Sw.) Nyl.
- 5694. Lichen-Incert. sed.: Indet.
- 5695. Eriocaulaceae: *Rondonanthus capillaceus* (Klotzsch ex Körn.) Hensold and Giul.
- 5696. Hymenophyllaceae: *Trichomanes roraimense* Jenman
- 5697. Bryophyte: Indet.
- 5698. Bryophyte: Indet.
- 5699. Orchidaceae: Octomeria cordilabia C. Schweinf.
- 5700. Lentibulariaceae: Utricularia sp.
- 5701. Orchidaceae: Epidendrum miserrimum Rchb. f.
- 5702. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5703. Clusiaceae: Clusia maguireana Pipoly
- 5704. Loranthaceae: Phthirusa stelis (L.) Kuijt
- 5705. Clusiaceae: Clusia cardonae Maguire
- 5706. Rubiaceae: Retiniphyllum scabrum Benth.
- 5707. Myrtaceae: Marlierea buxifolia Amshoff
- 5708. Myrsinaceae: *Cybianthus crotonoides* (M. R. Schomb. ex Mez) G. Agostini
- 5709. Melastomataceae: *Phainantha myrteoloides* Wurdack
- 5710. Rubiaceae: Psychotria crocochlamys Sandwith
- 5711. Rubiaceae: Palicourea wurdackiana J. H. Kirkbr.
- 5712. Elaeocarpaceae: Sloanea sp.
- 5713. Thelypteridaceae: *Thelypteris kunthii* (Desv.) C. V. Morton
- 5714. Melastomataceae: Tococa aristata Benth.

- 5715. Grammitidaceae: *Grammitis kalbreyeri* (Baker) C. V. Morton
- 5716. Hymenophyllaceae: *Trichomanes* aff. *cellulosum* Klotzsch
- 5717. Dennstaedtiaceae: *Lindsaea quadrangularis* Raddi ssp. *antillensis* K. U. Kramer
- 5718. Orchidaceae: Indet.
- 5719. Rubiaceae: Psychotria everardii Wernham
- 5720. Bryophyte: Indet.
- 5721. Bryophyte: Indet.
- 5722. Bryophyte: Indet.
- 5723. Lichenized basidiomycete: Dictyonema sp.
- 5724. Orchidaceae: Indet.
- 5725. Vochysiaceae: Vochysia sp.
- 5726. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
- 5727. Grammitidaceae: Enterosora campbellii Baker
- 5728. Myrtaceae: Myrcia sp.
- 5729. Orchidaceae: Cleistes parviflora Lindl.
- 5730. Gentianaceae: Chorisepalum carnosum Ewan
- 5731. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 5732. Myrtaceae: Myrcia sp.
- 5733. Myrtaceae: *Myrcia bolivarensis* (Steyerm.) McVaugh
- 5734. Loranthaceae: *Gaiadendron punctatum* (Ruiz and Pav.) G. Don
- 5735. Myrtaceae: Myrcia exploratoris McVaugh
- 5736. Cunoniaceae: Weinmannia aff. balbisiana Kunth
- 5737. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
- 5738. Orchidaceae: Odontoglossum naevium Lindl.
- 5739. Bryophyte: Indet.
- 5740. Malpighiaceae: Byrsonima carraoana Steyerm.
- 5741. Indet.: Indet.
- 5742. Smilacaceae: Smilax domingensis Willd.
- 5743. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
- 5744. Bonnetiaceae: Archytaea triflora Mart.
- 5745. Malpighiaceae: Byrsonima carraoana Steverm.
- 5746. Eriocaulaceae: Indet.
- 5747. Orchidaceae: Sobralia oliva-estevae Carnevali and I. Ramírez
- 5748. Lentibulariaceae: Utricularia sp.
- 5749. Orchidaceae: *Trichosalpinx roraimensis* (Rolfe) Luer
- 5749a. Lentibulariaceae: Utricularia sp.
- 5750. Compositae: Stenopadus talaumifolius S. F. Blake
- 5751. Ebenaceae: *Diospyros guianensis* (Aubl.) Gürke ssp. *coriacea* F. White
- 5752. Orchidaceae: Epistephium sp.
- 5753. Clusiaceae: Moronobea ptaritepuiana Steyerm.
- 5754. Ericaceae: Notopora schomburgkii Hook. f.

- 5755. Chloranthaceae: *Hedyosmum* sp.
- 5756. Ochnaceae: *Perissocarpa steyermarkii* (Maguire) Steyerm. and Maguire
- 5757. Hymenophyllaceae: *Trichomanes* aff. *cellulosum* Klotzsch
- 5758. Orchidaceae: Epidendrum vincentinum Lindl.
- 5759. Orchidaceae: *Epidendrum pachyphyton* Garay
- 5760. Orchidaceae: Scaphyglottis sp.
- 5761. Viscaceae: Phoradendron chrysocladon A. Gray
- 5762. Bonnetiaceae: Bonnetia sessilis Benth.
- 5763. Bryophyte: Indet.
- 5764. Loranthaceae: Struthanthus syringifolius (Mart.) Mart.
- 5765. Lentibulariaceae: Utricularia sp.
- 5766. Hepaticae: Indet.
- 5767. Euphorbiaceae: Senefelderopsis croizatii Steyerm.
- 5768. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 5769. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5770. Lobariaceae: Sticta sp.
- 5771. Bryophyte: Indet.
- 5772. Marcgraviaceae: Sarcopera tepuiensis (de Roon) Bedell
- 5773. Cladoniaceae: *Cladonia ceratophylla* (Sw.) Spreng.
- 5774. Cladoniaceae: Cladonia didyma (Fée) Vain.
- 5775. Compositae: Stenopadus talaumifolius S. F. Blake
- 5776. Viscaceae: *Dendrophthora tepuiana* (Steyerm.) Kuijt
- 5777. Rubiaceae: Platycarpum rugosum Steyerm.
- 5778. Sapotaceae: *Pouteria rigida* (Mart. and Eichler) Radlk.
- 5779. Orchidaceae: Epistephium sp.
- 5780. Hymenophyllaceae: Trichomanes crinitum Sw.
- 5781. Lomariopsidaceae: *Elaphoglossum lingua* (Raddi) Brack.
- 5782. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 5783. Orchidaceae: Houlletia sp.
- 5784. Melastomataceae: *Graffenrieda intermedia* Triana
- 5785. Monimiaceae: Mollinedia ptariensis Steyerm.
- 5786. Rubiaceae: Schradera nilssonii Steyerm.
- 5787. Piperaceae: Piper cuyunianum Steyerm.
- 5788. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
- 5789. Lichen-Incert. sed.: Indet.
- 5790. Clusiaceae: Indet.
- 5791. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins

- 5792. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 5793. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5794. Melastomataceae: Tococa aristata Benth.
- 5795. Araceae: Anthurium ptarianum Steyerm.
- 5796. Cyrillaceae: Cyrilla racemiflora L.
- 5797. Bryophyte: Indet.
- 5798. Bryophyte: Indet.
- 5799. Grammitidaceae: Cochlidium linearifolium (Desv.) Maxon ex C. Chr.
- 5800. Grammitidaceae: *Grammitis bryophila* (Maxon) F. Seym.
- 5801. Ochnaceae: Poecilandra retusa Tul.
- 5802. Myrtaceae: *Myrcia albidotomentosa* (Amshoff) McVaugh
- 5803. Cyatheaceae: Cyathea aff. simplex R. M. Tryon
- 5804. Orchidaceae: Galeottia jorisiana (Rolfe) Schltr.
- 5805. Bryophyte: Indet.
- 5806. Hepaticae: Indet.
- 5807. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 5808. Rubiaceae: Perama dichotoma Poepp.
- 5809. Rubiaceae: Chalepophyllum guianense Hook. f.
- 5810. Clusiaceae: Clusia pusilla Steyerm.
- 5811. Ochnaceae: Poecilandra pumila Steyerm.
- 5812. Orchidaceae: Sobralia sp.
- 5813. Eriocaulaceae: Indet.
- 5814. Lichen-Incert. sed.: Indet.
- 5815. Myrsinaceae: *Cybianthus crotonoides* (M. R. Schomb. ex Mez) G. Agostini
- 5816. Cladoniaceae: Cladina sp.
- 5817. Grammitidaceae: Cochlidium tepuiense (A. C. Sm.) L. E. Bishop
- 5818. Hymenophyllaceae: *Hymenophyllum apiculatum* Mett. ex Kuhn
- 5819. Bryophyte: Indet.
- 5820. Bryophyte: Indet.
- 5821. Lichen-Incert. sed.: Indet.
- 5822. Lichen-Incert. sed.: Indet.
- 5823. Parmeliaceae: Usnea sp.
- 5824. Lichen-Incert. sed.: Indet.
- 5825. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *jamesoniiformis* K. U. Kramer
- 5826. Orchidaceae: Epidendrum secundum Jacq.
- 5827. Gentianaceae: *Irlbachia nemorosa* (Willd. ex Roem. and Schult.) Merr.
- 5828. Orchidaceae: Epidendrum durum Lindl.
- 5829. Orchidaceae: Epidendrum secundum Jacq.
- 5830. Melastomataceae: Meriania urceolata Triana
- 5831. Icacinaceae: Emmotum glabrum Benth. ex Miers
- 5832. Sarraceniaceae: Heliamphora nutans Benth.

- 5833. Orchidaceae: Pleurothallis sclerophylla Lindl.
- 5834. Melastomataceae: *Tococa bolivarensis* Gleason ssp. *bolivarensis*
- 5835. Aquifoliaceae: Ilex cf. retusa Klotzsch ex Reissek
- 5836. Xyridaceae: Orectanthe sceptrum (Oliv.) Maguire ssp. sceptrum
- 5837. Lichen-Incert. sed.: Indet.
- 5838. Cladoniaceae: Cladonia vareschii Ahti
- 5839. Rapateaceae: Stegolepis ptaritepuiensis Steyerm.
- 5840. Cyperaceae: Everardia glaucifolia Gilly
- 5841. Droseraceae: *Drosera roraimae* (Klotzsch ex Diels) Maguire and J. R. Laundon
- 5841a. Droseraceae: Drosera kaieteurensis Brumm.-Ding.
- 5842. Lichen-Incert. sed.: Indet.
- 5843. Compositae: *Stomatochaeta condensata* (Baker) Maguire and Wurdack
- 5844. Gleicheniaceae: *Dicranopteris nervosa* (Kaulf.) Maxon
- 5845. Clusiaceae: Clusia pusilla Steyerm.
- 5846. Compositae: *Gongylolepis benthamiana* R. H. Schomb.
- 5847. Cladoniaceae: Cladonia corallifera (Kunze) Nyl.
- 5848. Bonnetiaceae: Indet.
- 5849. Apocynaceae: *Mandevilla benthamii* (A. DC.) K. Schum.
- 5850. Malpighiaceae: Byrsonima carraoana Steyerm.
- 5851. Clusiaceae: Clusia guayanae Pipoly
- 5852. Melastomataceae: Clidemia capitata Benth.
- 5853. Orchidaceae: Maxillaria alticola C. Schweinf.
- 5854. Myrsinaceae: Ardisia sp.
- 5855. Liliaceae: *Isidrogalvia schomburgkiana* (Oliv.) Cruden
- 5856. Myrtaceae: Indet.
- 5857. Aquifoliaceae: Indet.
- 5858. Bignoniaceae: Digomphia laurifolia Benth.
- 5859. Bonnetiaceae: Bonnetia sessilis Benth.
- 5860. Viscaceae: Phoradendron chrysocladon A. Gray
- 5861. Melastomataceae: Macairea thyrsiflora DC.
- 5862. Humiriaceae: *Humiria balsamifera* Aubl. var. *coriacea* Cuatrec.
- 5863. Eriocaulaceae: Indet.
- 5864. Lichen-Incert. sed.: Indet.
- 5865. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 5866. Bryophyte: Indet.
- 5867. Bryophyte: Indet.
- 5868. Orchidaceae: Cleistes sp.
- 5869. Lentibulariaceae: Utricularia sp.
- 5870. Eriocaulaceae: *Syngonanthus nitens* (Bong.) Ruhland

- 5871. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *jamesoniiformis* K. U. Kramer
- 5872. Cyperaceae: *Lagenocarpus rigidus* (Kunth) Nees ssp. *tremulus* (Nees) T. Koyama and Maguire
- 5873. Euphorbiaceae: *Phyllanthus vacciniifolius* (Müll. Arg.) Müll. Arg.
- 5874. Melastomataceae: Tibouchina fraterna N. E. Br.
- 5875. Clavicipitaceae: Claviceps sp.
- 5876. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
- 5877. Bryophyte: Indet.
- 5878. Bryophyte: Indet.
- 5879. Cladoniaceae: Cladia aggregata (Sw.) Nyl.
- 5880. Cladoniaceae: Cladonia corallifera (Kunze) Nyl.
- 5881. Myrtaceae: Myrcia sp.
- 5882. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 5883. Euphorbiaceae: Senefelderopsis croizatii Steyerm.
- 5884. Apocynaceae: Allamanda cf. cathartica L.
- 5885. Clusiaceae: Clusia columnaris Engl.
- 5886. Lobariaceae: Pseudocyphellaria sp.
- 5887. Cyperaceae: Scleria cyperina Willd. ex Kunth
- 5888. Clusiaceae: Clusia cardonae Maguire
- 5889. Clusiaceae: Indet.
- 5890. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
- 5891. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 5892. Orchidaceae: *Maxillaria reichenheimiana* Endres and Rohb. f.
- 5893. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 5894. Rubiaceae: Retiniphyllum scabrum Benth.
- 5895. Cyperaceae: *Mapania tepuiana* (Steyerm.) T. Koyama
- 5896. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5897. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5898. Clusiaceae: Clusia cerroana Steverm.
- 5899. Arthoniaceae: *Cryptothecia rubrocincta* (Ehrenb.) Thor
- 5900. Lichen-Incert. sed.: Indet.
- 5901. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 5902. Bryophyte: Indet.
- 5903. Coccocarpiaceae: Coccocarpia sp.
- 5904. Lichen-Incert. sed.: Indet.
- 5905. Orchidaceae: Octomeria sp.
- 5906. Orchidaceae: *Trichosalpinx roraimensis* (Rolfe)
- 5907. Bryophyte: Indet.
- 5908. Lichen-Incert. sed.: Indet.
- 5909. Parmeliaceae: Hypotrachya sp.
- 5910. Lobariaceae: Pseudocyphellaria sp.

- 5911. Hymenophyllaceae: Hymenophyllum fendlerianum I. W. Sturm
- 5912. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *elatior* (Kunze) K. U. Kramer
- 5913. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
- 5914. Grammitidaceae: Cochlidium tepuiense (A. C. Sm.) L. E. Bishop
- 5915. Polypodiaceae: Polypodium sessilifolium Desv.
- 5916. Bromeliaceae: *Aechmea bromeliifolia* (Rudge) Baker
- 5917. NO RECORD
- 5918. Lichen-Incert. sed.: Indet.
- 5919. Grammitidaceae: *Grammitis leptopoda* (C. H. Wright) Copel.
- 5920. Hymenophyllaceae: *Trichomanes steyermarkii* P. G. Windisch and A. R. Sm.
- 5921. Hymenophyllaceae: *Trichomanes cellulosum* Klotzsch
- 5922. Orchidaceae: Galeottia jorisiana (Rolfe) Schltr.
- 5923. Compositae: Mikania sprucei Baker
- 5924. Orchidaceae: Maxillaria meridensis Lindl.
- 5925. Orchidaceae: Scaphyglottis sp.
- 5926. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
- 5927. Hymenophyllaceae: *Hymenophyllum dependens* C. V. Morton
- 5928. Leguminosae-Faboideae: Alexa sp.
- 5929. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
- 5930. Rubiaceae: Psychotria acuminata Benth.
- 5931. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 5932. Compositae: *Calea solidaginea* Kunth ssp. *deltophylla* (R. S. Cowan) Pruski
- 5933. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 5934. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 5935. Melastomataceae: Miconia prasina (Sw.) DC.
- 5936. Melastomataceae: Clidemia ostentata Wurdack
- 5937. Rubiaceae: Psychotria brachybotrya Müll. Arg.
- 5938. Rubiaceae: Psychotria apoda Steyerm.
- 5939. Apocynaceae: Bonafousia obliqua Miers
- 5940. Melastomataceae: Leandra purpurea Gleason
- 5941. Rubiaceae: Psychotria brachybotrya Müll. Arg.
- 5942. Poaceae: Paspalum nutans Lam.
- 5943. Rubiaceae: Faramea maguirei Steyerm.
- 5944. Menispermaceae: Cissampelos andromorpha DC.
- 5945. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*

- 5946. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 5947. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 5948. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 5949. Melastomataceae: Maieta guianensis Aubl.
- 5950. Poaceae: Olyra micrantha Kunth
- 5951. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
- 5952. Orchidaceae: Scaphyglottis sp.
- 5953. Rubiaceae: Palicourea guianensis Aubl.
- 5954. Hymenophyllaceae: Trichomanes pinnatum Hedw.
- 5955. Hymenophyllaceae: *Hymenophyllum* trichomanoides Bosch
- 5956. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 5957. Selaginellaceae: Selaginella seemannii Baker
- 5958. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 5959. Melastomataceae: Clidemia sp.
- 5960. Parmeliaceae: Parmotrema sp.
- 5960a. Physciaceae: Indet.
- 5961. Loranthaceae: Oryctanthus alveolatus (Kunth) Kuijt
- 5962. Bignoniaceae: *Phryganocydia corymbosa* (Vent.) Bureau ex K. Schum.
- 5963. Aspleniaceae: Asplenium serratum L.
- 5964. Melastomataceae: Miconia sp.
- 5965. Moraceae: Ficus maxima Mill.
- 5966. Flacourtiaceae: Casearia grandiflora Cambess.
- 5967. Melastomataceae: Miconia holosericea (L.) DC.
- 5968. Bryophyte: Indet.
- 5969. Melastomataceae: Graffenrieda sp.
- 5970. Rubiaceae: Psychotria anceps Kunth
- 5971. Polygalaceae: *Securidaca pyramidalis* Sprague ex Sandwith
- 5972. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerm.
- 5973. Lauraceae: Indet.
- 5974. Vitaceae: Cissus erosa Rich.
- 5975. Melastomataceae: Miconia ciliata (Rich.) DC.
- 5976. Myrtaceae: Myrcia cf. fallax (Rich.) DC.
- 5977. Bryophyte: Indet.
- 5978. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 5979. Lauraceae: Indet.
- 5980. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana

- 5981. Rubiaceae: Chiococca nitida Benth.
- 5982. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 5983. Rubiaceae: Psychotria (subg. Heteropsychotria)
- 5984. Orchidaceae: Scaphyglottis sp.
- 5985. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 5986. Lauraceae: Indet.
- 5987. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 5988. Lauraceae: Indet.
- 5989. Pteridophyte: Indet.
- 5990. Compositae: Wulffia baccata (L.) Kuntze
- 5991. Adiantaceae: Adiantum obliquum Willd.
- 5992. Cucurbitaceae: Cayaponia racemosa (Mill.) Cogn.
- 5993. Aspleniaceae: Asplenium cristatum Lam.
- 5994. Rubiaceae: Gonzalagunia dicocca Cham. and Schltdl.
- 5995. Piperaceae: Piper aequale Vahl
- 5996. Melastomataceae: Miconia nervosa (Sm.) Triana
- 5997. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 5998. Tectariaceae: *Ctenitis refulgens* (Klotzsch ex Mett.) C. Chr. ex Vareschi
- 5999. Commelinaceae: Tradescantia zanonia (L.) Sw.
- 6000. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
- 6001. Piperaceae: Peperomia alata Ruiz and Pav.
- 6002. Piperaceae: *Peperomia urocarpa* Fisch. and C. A. Mey.
- 6003. Poaceae: *Ichnanthus nemoralis* (Schrad. ex Schult.) Hitchc. and Chase
- 6004. Piperaceae: Peperomia rotundifolia (L.) Kunth
- 6005. Araceae: Anthurium expansum Gleason
- 6006. Rubiaceae: Psychotria racemosa Rich.
- 6007. Gesneriaceae: *Nautilocalyx mimuloides* (Benth.) C. V. Morton
- 6008. Aspleniaceae: Asplenium serratum L.
- 6009. Costaceae: Costus spiralis (Jacq.) Roscoe var. spiralis
- 6010. Heliconiaceae: Heliconia bihai (L.) L.
- 6011. Bryophyte: Indet.
- 6012. Bryophyte: Indet.
- 6013. Begoniaceae: Begonia glabra Aubl.
- 6014. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 6015. Urticaceae: *Urera caracasana* (Jacq.) Gaudich. ex Griseb.
- 6016. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
- 6017. Adiantaceae: Hemionitis rufa (L.) Sw.
- 6018. Rubiaceae: Gonzalagunia dicocca Cham. and Schltdl.

- 6019. Blechnaceae: Blechnum occidentale L.
- 6020. Adiantaceae: *Adiantum tetraphyllum* Humb. and Bonpl. ex Willd. var. *tetraphyllum*
- 6021. Piperaceae: Piper aduncum L.
- 6022. Thelypteridaceae: *Thelypteris pennata* (Poir.) C. V. Morton
- 6023. Menispermaceae: Cissampelos pareira L.
- 6024. Gentianaceae: Voyria caerulea Aubl.
- 6025. Gentianaceae: Voyria aurantiaca Splitg.
- 6026. Bryophyte: Indet.
- 6027. Malvaceae: *Pavonia castaneifolia* A. St.-Hil. and Naudin
- 6028. Ulmaceae: Trema micrantha (L.) Blume
- 6029. Melastomataceae: *Clidemia octona* (Bonpl.) L. O. Williams ssp. *guayanensis* Wurdack
- 6030. Marantaceae: Maranta gibba Sm.
- 6031. Tectariaceae: Tectaria incisa Cav.
- 6032. Adiantaceae: Hemionitis rufa (L.) Sw.
- 6033. Leguminosae-Faboideae: *Dioclea* cf. *violacea* Mart. ex Benth.
- 6034. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
- 6035. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 6036. Lichen-Incert. sed.: Indet.
- 6037. Orchidaceae: *Koellensteinia graminea* (Lindl.) Rchb. f.
- 6038. Orchidaceae: Scaphyglottis sp.
- 6039. Orchidaceae: Pleurothallis spiculifera Lindl.
- 6040. Grammitidaceae: Cochlidium furcatum (Hook. and Grev.) C. Chr.
- 6041. Smilacaceae: Smilax sp.
- 6042. Rubiaceae: Psychotria uliginosa Sw.
- 6043. Leguminosae-Mimosoideae: Inga sertulifera DC.
- 6044. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
- 6045. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerm.
- 6046. Melastomataceae: Miconia prasina (Sw.) DC.
- 6047. Myrtaceae: Myrcia fallax (Rich.) DC.
- 6048. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 6049. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 6050. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 6051. Leguminosae-Mimosoideae: *Hydrochorea*? *corymbosa* (Rich.) Barneby and J. W. Grimes
- 6052. Orchidaceae: *Ligeophila clavigera* (Rchb. f.)
 Garay
- 6053. Apocynaceae: *Bonafousia sananho* (Ruiz and Pav.) Markgr.

- 6054. Moraceae: *Ficus piresiana* Vázq. Avila and C. C. Berg
- 6055. Orchidaceae: Dichaea sp.
- 6056. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 6057. Myrsinaceae: Ardisia guianensis (Aubl.) Mez
- 6058. Polypodiaceae: Campyloneurum latum T. Moore
- 6059. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 6060. Piperaceae: Peperomia alata Ruiz and Pav.
- 6061. Rubiaceae: Psychotria platypoda DC.
- 6062. Leguminosae-Caesalpinioideae: *Brownea* coccinea Jacq. ssp. capitella (Jacq.) D. Velázq. and Agostini
- 6063. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
- 6064. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 6065. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 6066. Rubiaceae: *Psychotria microbotrys* Ruiz ex Standl.
- 6067. Rubiaceae: Psychotria cf. mapourioides DC.
- 6068. Selaginellaceae: Selaginella seemannii Baker
- 6069. Selaginellaceae: Selaginella seemannii Baker
- 6070. Aspleniaceae: Asplenium auritum Sw.
- 6071. Melastomataceae: Maieta guianensis Aubl.
- 6072. Bryophyte: Indet.
- 6073. Cyclanthaceae: *Dicranopygium angustissimum* (Sandwith) Harling
- 6074. Woodsiaceae: Diplazium riedelianum Kunze
- 6075. Piperaceae: Piper obliquum Ruiz and Pav.
- 6076. Boraginaceae: Cordia nodosa Lam.
- 6077. Araceae: Monstera obliqua Miq.
- 6078. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 6079. Melastomataceae: *Miconia bubalina* (D. Don) Naudin
- 6080. Gyalectaceae: Coenogonium sp.
- 6081. Dichapetalaceae: Tapura guianensis Aubl.
- 6082. Burseraceae: Protium sagotianum Marchand
- 6083. Burseraceae: *Protium decandrum* (Aubl.) Marchand
- 6084. Annonaceae: Guatteria punctata (Aubl.) R. A. Howard
- 6085. Flacourtiaceae: Casearia singularis Eichler
- 6086. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
- 6087. Leguminosae: Indet.
- 6088. Malpighiaceae: Byrsonima stipulacea A. Juss.

- 6089. Cyperaceae: *Bulbostylis junciformis* (Kunth) C. B. Clarke
- 6090. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 6091. Schizaeaceae: Schizaea incurvata Schkuhr
- 6092. Rubiaceae: Spermacoce verticillata L.
- 6093. Rubiaceae: Borreria capitata (Ruiz and Pav.) DC.
- 6094. Poaceae: Panicum? sp.
- 6095. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 6096. Melastomataceae: Miconia holosericea (L.) DC.
- 6097. Burseraceae: Trattinnickia burserifolia Mart.
- 6098. Anacardiaceae: Anacardium occidentale L.
- 6099. Rubiaceae: Remijia sp.
- 6100. Compositae: Mikania sprucei Baker
- 6101. Melastomataceae: *Miconia gratissima* Benth. ex
- 6102. Compositae: Calea solidaginea Kunth ssp. deltophylla (R. S. Cowan) Pruski
- 6103. Myrsinaceae: *Cybianthus surinamensis* (Spreng.) G. Agostini
- 6104. Melastomataceae: *Clidemia capitellata* (Bonpl.) D. Don
- 6105. Gentianaceae: Irlbachia alata (Aubl.) Maas
- 6106. Compositae: Achyrocline vargasiana DC.
- 6107. Myrsinaceae: Cybianthus prieurii A. DC.
- 6108. Cactaceae: Epiphyllum phyllanthus (L.) Haw.
- 6109. Araceae: Anthurium gracile (Rudge) Schott
- 6110. Melastomataceae: Clidemia capitata Benth.
- 6111. Bombacaceae: Indet.
- 6112. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 6113. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 6114. Melastomataceae: Tococa aristata Benth.
- 6115. Lythraceae: Cuphea sp.
- 6116. Araceae: Anthurium gracile (Rudge) Schott
- 6117. Melastomataceae: Miconia alata (Aubl.) DC.
- 6118. Malpighiaceae: Byrsonima stipulacea A. Juss.
- 6119. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
- 6120. Compositae: Piptocarpha leprosa (Less.) Baker
- 6121. Smilacaceae: Smilax sp.
- 6122. Myristicaceae: Virola sebifera Aubl.
- 6123. Orchidaceae: *Galeandra stylomisantha* (Vell.) Hoehne
- 6124. Rubiaceae: Isertia hypoleuca Benth.
- 6125. Burseraceae: Trattinnickia burserifolia Mart.
- 6126. Anacardiaceae: Loxopterygium sagotii Hook. f.
- 6127. Leguminosae-Faboideae: *Paramachaerium* ormosioides (Ducke) Ducke
- 6128. Rubiaceae: Chiococca nitida Benth.
- 6129. Leguminosae-Mimosoideae: Stryphnodendron sp.

- 6130. Eriocaulaceae: *Paepalanthus bifidus* (Schrad.) Kunth
- 6131. Bryophyte: Indet.
- 6132. Poaceae: Trachypogon spicatus (L. f.) Kuntze
- 6133. Apocynaceae: Himatanthus sp.
- 6134. Clusiaceae: *Clusia schomburgkiana* (Planch. and Triana) Benth. ex Engl.
- 6135. Clusiaceae: Clusia grandiflora Splitg.
- 6136. Erythroxylaceae: *Erythroxylum citrifolium* A. St.-Hil.
- 6137. Orchidaceae: Sobralia liliastrum Lindl.
- 6138. Schizaeaceae: Schizaea incurvata Schkuhr
- 6139. Leguminosae-Caesalpinioideae: *Dimorphandra* s.l. *macrostachya* Benth.
- 6140. Bombacaceae: Pachira minor (Sims) Hemsl.
- 6141. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 6142. Myrtaceae: Myrcia fallax (Rich.) DC.
- 6143. Melastomataceae: Miconia sp.
- 6144. Malpighiaceae: Hiraea fagifolia (DC.) A. Juss.
- 6145. Polygalaceae: Bredemeyera floribunda Willd.
- 6146. Apocynaceae: Indet.
- 6147. Lauraceae: Indet.
- 6148. Myrsinaceae: Ardisia guianensis (Aubl.) Mez
- 6149. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 6150. Polygonaceae: Coccoloba ascendens Duss ex Lindau
- 6151. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
- 6152. Lecythidaceae: Eschweilera coriacea (DC.) S. A. Mori
- 6153. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 6154. Bignoniaceae: *Tabebuia chrysantha* (Jacq.) G. Nicholson
- 6155. Lauraceae: Indet.
- 6156. Leguminosae-Mimosoideae: *Calliandra* surinamensis Benth.
- 6157. Myrtaceae: *Myrciaria floribunda* (West ex Willd.) O. Berg
- 6158. Leguminosae-Mimosoideae: Inga sp.
- 6159. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
- 6160. Myrtaceae: Myrcia cf. paivae O. Berg
- 6161. Rubiaceae: Psychotria mapourioides DC.
- 6162. Ochnaceae: Sauvagesia erecta L.
- 6163. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 6164. Rubiaceae: Cosmibuena grandiflora (Ruiz and Pav.) Rusby

- 6165. Leguminosae-Faboideae: Dioclea guianensis Benth.
- 6166. Humiriaceae: Indet.
- 6167. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 6168. Compositae: *Lepidaploa bolivarensis* (V. M. Badillo) H. Rob.
- 6169. Humiriaceae: Indet.
- 6170. Liliaceae: Hymenocallis tubiflora Salisb.
- 6171. Flacourtiaceae: Banara guianensis Aubl.
- 6172. Verbenaceae: Lantana camara L.
- 6173. Flacourtiaceae: Banara guianensis Aubl.
- 6174. Rubiaceae: *Spermacoce ocymifolia* Willd. ex Roem. and Schult.
- 6175. Leguminosae-Faboideae: *Dioclea guianensis*Benth.
- 6176. Clusiaceae: Clusia minor L.
- 6177. Myrtaceae: Eugenia eurycheila O. Berg
- 6178. Hernandiaceae: *Sparattanthelium wonotoboense* Kosterm.
- 6179. Asclepiadaceae: Indet.
- 6180. Rubiaceae: Faramea crassifolia Benth.
- 6181. Heliconiaceae: Heliconia psittacorum L. f.
- 6182. Leguminosae-Mimosoideae: *Mimosa camporum* Benth.
- 6183. Verbenaceae: Lippia origanoides Kunth
- 6184. Melastomataceae: *Clidemia* aff. *novemnervia* (DC.) Triana
- 6185. Melastomataceae: Miconia sp.
- 6186. Polygalaceae: Securidaca paniculata Rich.
- 6187. Polygalaceae: Securidaca paniculata Rich.
- 6188. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
- 6189. Malpighiaceae: Heteropterys subhelicina Nied.
- 6190. Compositae: Mikania cf. guaco Bonpl.
- 6191. Combretaceae: Terminalia dichotoma G. Mey.
- 6192. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 6193. Piperaceae: Piper hostmannianum (Miq.) C. DC.
- 6194. Dioscoreaceae: Dioscorea sp.
- 6195. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
- 6196. Melastomataceae: Miconia pubipetala Mig.
- 6197. Meliaceae: Trichilia surinamensis (Mig.) C. DC.
- 6198. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 6199. Malvaceae: Indet.
- 6200. Annonaceae: Duguetia yeshidan Sandwith
- 6201. Leguminosae-Mimosoideae: Inga capitata Desv.
- 6202. Rubiaceae: Psychotria racemosa Rich.
- 6203. Tectariaceae: *Ctenitis refulgens* (Klotzsch ex Mett.) C. Chr. ex Vareschi

- 6204. Bignoniaceae: Arrabidaea conjugata (Vell.) Mart.
- 6205. Acanthaceae: Justicia guianensis (N. E. Br.) Wassh.
- 6206. Rubiaceae: Psychotria brachybotrya Müll. Arg.
- 6207. Compositae: Wulffia baccata (L.) Kuntze
- 6208. Passifloraceae: Passiflora foetida L. var. foetida
- 6209. Orchidaceae: Epidendrum anceps Jacq.
- 6210. Leguminosae-Caesalpinioideae: *Senna obtusifolia* (L.) H. S. Irwin and Barneby
- 6211. Sterculiaceae: *Byttneria divaricata* Benth. var. *divaricata*
- 6212. Sapotaceae: Pouteria surumuensis Baehni
- 6213. Chrysobalanaceae: Hirtella hispidula Miq.
- 6214. Melastomataceae: Myriaspora egensis DC.
- 6215. Leguminosae-Caesalpinioideae: *Tachigali paniculata* Aubl.
- 6216. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 6217. Leguminosae-Mimosoideae: Inga edulis Mart.
- 6218. Meliaceae: Trichilia pleeana (A. Juss.) C. DC.
- 6219. Euphorbiaceae: Croton schiedeanus Schltdl.
- 6220. Leguminosae-Mimosoideae: Inga sp.
- 6221. Polypodiaceae: Microgramma tecta (Kaulf.) Alston
- 6222. Adiantaceae: Adiantum argutum Splitg.
- 6223. Adiantaceae: Adiantum pulverulentum L.
- 6224. Leguminosae: Indet.
- 6225. Myrtaceae: Eugenia sp.
- 6226. Dryopteridaceae: *Didymochlaena truncatula* (Sw.) J. Sm.
- 6227. Piperaceae: Piper hostmannianum (Mig.) C. DC.
- 6228. Piperaceae: Pothomorphe peltata (L.) Miq.
- 6229. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 6230. Sapindaceae: Talisia sp.
- 6231. Meliaceae: Trichilia sp.
- 6232. Meliaceae: Trichilia sp.
- 6233. Flacourtiaceae: Casearia sylvestris Sw. var. sylvestris
- 6234. Bryophyte: Indet.
- 6235. Bryophyte: Indet.
- 6236. Bryophyte: Indet.
- 6237. Rubiaceae: Psychotria racemosa Rich.
- 6238. Arecaceae: Geonoma deversa (Poit.) Kunth
- 6239. Passifloraceae: Passiflora glandulosa Cav.
- 6240. Heliconiaceae: Heliconia spathocircinata Aristeg.
- 6241. Euphorbiaceae: Croton schiedeanus Schltdl.
- 6242. Annonaceae: Duguetia yeshidan Sandwith
- 6243. Myristicaceae: Virola elongata (Benth.) Warb.
- 6244. Myrtaceae: Calyptranthes fasciculata O. Berg
- 6245. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly

- 6246. Rubiaceae: Alseis longifolia Ducke
- 6247. Nyctaginaceae: Indet.
- 6248. Poaceae: Olyra longifolia Kunth
- 6249. Apocynaceae: *Aspidosperma macrophyllum* Müll. Arg.
- 6250. Bryophyte: Indet.
- 6251. Apocynaceae: Aspidosperma macrophyllum Müll. Arg.
- 6252. Sapotaceae: Pouteria melanopoda Eyma
- 6253. Chrysobalanaceae: *Licania densiflora* Kleinhoonte
- 6254. Chrysobalanaceae: Licania majuscula Sagot
- 6255. Euphorbiaceae: Omphalea diandra L.
- 6256. Apocynaceae: Indet.
- 6257. Chrysobalanaceae: Hirtella hispidula Miq.
- 6258. Sapotaceae: Pouteria bilocularis (H. Winkl.) Baehni
- 6259. Myrtaceae: Psidium acutangulum DC.
- 6260. Apocynaceae: Indet.
- 6261. Rubiaceae: Genipa spruceana Steyerm.
- 6262. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 6263. Leguminosae-Mimosoideae: *Calliandra laxa* (Willd.) Benth. var. *stipulacea* (Benth.) Barneby
- 6264. Leguminosae-Faboideae: *Swartzia apiculata* R. S. Cowan
- 6265. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
- 6266. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 6267. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 6268. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 6269. Connaraceae: Connarus lambertii (DC.) Sagot
- 6270. Chrysobalanaceae: Couepia guianensis Aubl. ssp. guianensis
- 6271. Clusiaceae: *Garcinia martinii* (Maguire) Pipoly ined.
- 6272. Chrysobalanaceae: Licania leptostachya Benth.
- 6273. Moraceae: Ficus mathewsii (Miq.) Miq.
- 6274. Bignoniaceae: Pleonotoma clematis (Kunth) Miers
- 6275. Leguminosae-Mimosoideae: *Zygia inaequalis* (Humb. and Bonpl. ex Willd.) Pittier
- 6276. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 6277. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 6278. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
- 6279. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 6280. Malpighiaceae: *Heteropterys macrostachya* A. Juss.

- 6281. Chrysobalanaceae: Hirtella paniculata Sw.
- 6282. Loganiaceae: Strychnos hirsuta Spruce ex Benth.
- 6283. Rubiaceae: Faramea capillipes Müll. Arg.
- 6284. Annonaceae: Duguetia quitarensis Benth.
- 6285. Bryophyte: Indet.
- 6286. Tiliaceae: Apeiba petoumo Aubl.
- 6287. Rubiaceae: Coussarea racemosa A. Rich.
- 6288. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
- 6289. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 6290. Rubiaceae: Psychotria lupulina Benth.
- 6291. Clusiaceae: Platonia insignis Mart.
- 6292. Sapindaceae: Matayba arborescens (Aubl.) Radlk.
- 6293. Sterculiaceae: Theobroma subincanum Mart.
- 6294. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 6295. Siparunaceae: Siparuna reginae (Tul.) A. DC.
- 6296. Chrysobalanaceae: Licania majuscula Sagot
- 6297. Euphorbiaceae: Mabea piriri Aubl.
- 6298. Meliaceae: Trichilia surinamensis (Miq.) C. DC.
- 6299. Apocynaceae: Bonafousia undulata (Vahl) A. DC.
- 6300. Chrysobalanaceae: Licania majuscula Sagot
- 6301. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 6302. Araceae: Philodendron hederaceum (Jacq.) Schott
- 6303. Sapotaceae: Pouteria cuspidata (A. DC.) Baehni
- 6304. Sterculiaceae: Theobroma subincanum Mart.
- 6305. Poaceae: Olyra latifolia L.
- 6306. Siparunaceae: Siparuna reginae (Tul.) A. DC.
- 6307. Aspleniaceae: Asplenium serratum L.
- 6308. Bromeliaceae: *Vriesea heliconioides* (Kunth) Hook. ex Walp.
- 6309. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 6310. Vittariaceae: Antrophyum guayanense Hieron.
- 6311. Meliaceae: Guarea scabra A. Juss.
- 6312. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
- 6313. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 6314. Violaceae: Leonia glycycarpa Ruiz and Pav.
- 6315. Lecythidaceae: Eschweilera sp.
- 6316. Sapotaceae: Pouteria surumuensis Baehni
- 6317. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
- 6318. Chrysobalanaceae: Licania densiflora Kleinhoonte
- 6319. Orchidaceae: Pleurothallis pruinosa Lindl.
- 6320. Orchidaceae: Lockhartia imbricata (Lam.) Hoehne
- 6321. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly

- 6322. Bryophyte: Indet.
- 6323. Bryophyte: Indet.
- 6324. Adiantaceae: Adiantopsis radiata (L.) Fée
- 6325. Araceae: Indet.
- 6326. Sapotaceae: Pouteria bangii (Rusby) T. D. Penn.
- 6327. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 6328. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 6329. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 6330. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby
- 6331. Tiliaceae: Mollia glabrescens Benth.
- 6332. Solanaceae: Markea sp.
- 6333. Bixaceae: Bixa orellana L.
- 6334. Lecythidaceae: Couratari stellata A. C. Sm.
- 6335. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 6336. Bryophyte: Indet.
- 6337. Araceae: Monstera obliqua Miq.
- 6338. Rubiaceae: Psychotria lupulina Benth.
- 6339. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 6340. Euphorbiaceae: Indet.
- 6341. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 6342. Rubiaceae: Psychotria racemosa Rich.
- 6343. Leguminosae-Faboideae: *Dioclea* cf. *virgata* (Rich.) Amshoff
- 6344. Myrtaceae: Indet.
- 6345. Polypodiaceae: Campyloneurum repens (Aubl.)
- 6346. Piperaceae: Peperomia serpens (Sw.) Loudon
- 6347. Moraceae: Ficus sp.
- 6348. Dichapetalaceae: Tapura guianensis Aubl.
- 6349. Adiantaceae: Adiantum lucidum (Cav.) Sw.
- 6350. Adiantaceae: Adiantum glaucescens Klotzsch
- 6351. Rubiaceae: Alseis longifolia Ducke
- 6352. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 6353. Rubiaceae: Chimarrhis microcarpa Standl.
- 6354. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl.
- 6355. Passifloraceae: Passiflora glandulosa Cav.
- 6356. Passifloraceae: Passiflora sp.
- 6357. Boraginaceae: Cordia sp.
- 6358. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
- 6359. Marantaceae: Ischnosiphon arouma (Aubl.) Körn.
- 6360. Elaeocarpaceae: Sloanea grandiflora Sm.

- 6361. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
- 6362. Bryophyte: Indet.
- 6363. Araceae: Dieffenbachia seguine (Jacq.) Schott
- 6364. Chrysobalanaceae: *Hirtella triandra* Sw. ssp. *triandra*
- 6365. Passifloraceae: Passiflora glandulosa Cav.
- 6366. Monimiaceae: Mollinedia sp.
- 6367. Incertae sedis: Indet.
- 6368. Hippocrateaceae: Cheiloclinium cognatum (Miers) A. C. Sm.
- 6369. Passifloraceae: Passiflora amoena L. K. Escobar
- 6370. Erythroxylaceae: *Erythroxylum mucronatum* Benth.
- 6371. Nyctaginaceae: Indet.
- 6372. Elaeocarpaceae: Sloanea sp.
- 6373. Cecropiaceae: Pourouma minor Benoist
- 6374. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 6375. Moraceae: Ficus albert-smithii Standl.
- 6376. Bryophyte: Indet.
- 6377. Bryophyte: Indet.
- 6378. Bryophyte: Indet.
- 6379. Bryophyte: Indet.
- 6380. Bryophyte: Indet.
- 6381. Bryophyte: Indet.
- 6382. Bignoniaceae: Indet.
- 6383. Olacaceae: Dulacia cf. guianensis (Engl.) Kuntze
- 6384. Flacourtiaceae: Casearia sylvestris Sw.
- 6385. Lauraceae: Indet.
- 6386. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 6387. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 6388. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
- 6389. Orchidaceae: Epidendrum ramosum Jacq.
- 6390. Loranthaceae: Oryctanthus spicatus (Jacq.) Eichler
- 6391. Rubiaceae: Malanea sipapoensis Steyerm.
- 6392. Convolvulaceae: Dicranostyles sp.
- 6393. Araceae: Monstera adansonii Schott
- 6394. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 6395. Ebenaceae: Diospyros sp.
- 6396. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 6397. Rubiaceae: Psychotria deflexa DC.
- 6398. Aspleniaceae: Asplenium angustum Sw.
- 6399. Boraginaceae: Cordia nodosa Lam.
- 6400. Rubiaceae: Bertiera guianensis Aubl.

- 6401. Moraceae: *Naucleopsis guianensis* (Mildbr.) C. C. Berg
- 6402. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 6403. Rubiaceae: Faramea capillipes Müll. Arg.
- 6404. Cucurbitaceae: *Helmontia leptantha* (Schltdl.) Cogn.
- 6405. Flacourtiaceae: Carpotroche surinamensis Uittien
- 6406. Marcgraviaceae: Norantea guianensis Aubl.
- 6407. Cyperaceae: *Scleria melaleuca* Rchb. ex Schltdl. and Cham.
- 6408. Myrtaceae: Calyptranthes fasciculata O. Berg
- 6409. Poaceae: Pharus latifolius L.
- 6410. Clusiaceae: Clusia nemorosa G. Mey.
- 6411. Hymenophyllaceae: *Trichomanes longifolium* Desv.
- 6412. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 6413. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 6414. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl
- 6415. Dennstaedtiaceae: Saccoloma inaequale (Kunze)
- 6416. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
- 6417. Heliconiaceae: Heliconia acuminata Rich.
- 6418. Anacardiaceae: Tapirira cf. guianensis Aubl.
- 6419. Clusiaceae: Clusia melchiori Gleason
- 6420. Meliaceae: Guarea pubescens (Rich.) A. Juss.
- 6421. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult, and Schult, f.
- 6422. Burseraceae: Indet.
- 6423. Hippocrateaceae: Hippocratea volubilis L.
- 6424. Flacourtiaceae: Casearia aculeata Jacq.
- 6425. Flacourtiaceae: Casearia mariguitensis Kunth
- 6426. Leguminosae-Mimosoideae: Acacia sp.
- 6427. Annonaceae: Duguetia quitarensis Benth.
- 6428. Myrtaceae: Indet.
- 6429. Myrtaceae: Indet.
- 6430. Passifloraceae: Passiflora securiclata Mast.
- 6431. Leguminosae-Mimosoideae: Inga sp.
- 6432. Gentianaceae: Coutoubea ramosa Aubl. var. ramosa
- 6433. Combretaceae: Combretum rotundifolium Rich.
- 6434. Violaceae: Corynostylis arborea (L.) S. F. Blake
- 6435. Bignoniaceae: *Memora flavida* (DC.) Bureau and K. Schum,
- 6436. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 6437. Combretaceae: Combretum laxum Jacq.
- 6438. Flacourtiaceae: Homalium racemosum Jacq.

- 6439. Leguminosae-Mimosoideae: *Abarema jupunba* (Willd.) Britton and Killip var. *trapezifolia* (Vahl) Barneby and J. W. Grimes
- 6440. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 6441. Rubiaceae: Uncaria guianensis (Aubl.) J. F. Gmel.
- 6442. Sapotaceae: Pouteria surumuensis Baehni
- 6443. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
- 6444. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 6445. Myrtaceae: Psidium acutangulum DC.
- 6446. Melastomataceae: Clidemia pustulata DC.
- 6447. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 6448. Leguminosae-Faboideae: *Dioclea virgata* (Rich.) Amshoff
- 6449. Violaceae: Hybanthus oppositifolius (L.) Taub.
- 6450. Leguminosae-Mimosoideae: Inga nobilis Willd.
- 6451. Sterculiaceae: *Byttneria divaricata* Benth. var. *divaricata*
- 6452. Vitaceae: Cissus sp.
- 6453. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 6454. Bixaceae: Bixa orellana L.
- 6455. Adiantaceae: Adiantum latifolium Lam.
- 6456. Turneraceae: *Piriqueta cistoides* (L.) Griseb. var. *cistoides*
- 6457. Myrtaceae: Plinia pinnata L.
- 6458. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 6459. Rubiaceae: Coussarea racemosa A. Rich.
- 6460. Passifloraceae: Passiflora coccinea Aubl.
- 6461. Convolvulaceae: Dicranostyles sp.
- 6462. Anacardiaceae: Tapirira guianensis Aubl.
- 6463. Clusiaceae: Clusia melchiori Gleason
- 6464. Myrtaceae: Eugenia arawakorum Sandwith
- 6465. Rhizophoraceae: Cassipourea guianensis Aubl.
- 6466. Smilacaceae: Smilax sp.
- 6467. Sapotaceae: *Chrysophyllum sparsiflorum* Klotzsch ex Miq.
- 6468. Orchidaceae: Cyclopogon cf. sp.
- 6469. Boraginaceae: Indet.
- 6470. Selaginellaceae: Selaginella epirrhizos Spring
- 6471. Piperaceae: Peperomia ouabianae C. DC.
- 6472. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 6473a. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 6473b. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 6474. Annonaceae: Guatteria wachenheimi Benoist
- 6475. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler

- 6476. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
- 6477. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
- 6478. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
- 6479. Lecythidaceae: Eschweilera pedicellata (Rich.) S. A. Mori
- 6480. Piperaceae: Piper cernuum Vell.
- 6481. Araceae: Philodendron rudgeanum Schott
- 6482. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 6483. Convolvulaceae: Ipomoea sp.
- 6484. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
- 6485. Myristicaceae: Virola sebifera Aubl.
- 6486. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 6487. Menispermaceae: Abuta obovata Diels
- 6488. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 6489. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 6490. Melastomataceae: Henriettella caudata Gleason
- 6491. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 6492. Araliaceae: Dendropanax sp.
- 6493. Sapotaceae: Chrysophyllum argenteum Jacq.
- 6494. Meliaceae: Guarea guidonia (L.) Sleumer
- 6495. Leguminosae-Caesalpinioideae: Eperua cf. sp.
- 6496. Melastomataceae: Clidemia pustulata DC.
- 6497. Combretaceae: Combretum fruticosum (Loefl.) Stuntz
- 6498. Polygonaceae: Coccoloba ascendens Duss ex Lindau
- 6499. Lecythidaceae: Gustavia augusta L.
- 6500. Leguminosae-Faboideae: Pterocarpus sp.
- 6501. Convolvulaceae: Dicranostyles sp.
- 6502. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f.
- 6503. Leguminosae-Faboideae: Swartzia arborescens (Aubl.) Pittier
- 6504. Lauraceae: Nectandra sp.
- 6505. Leguminosae-Mimosoideae: Inga sp.
- 6506. Leguminosae-Mimosoideae: *Inga* sp.
- 6507. Apocynaceae: *Prestonia quinquangularis* (Jacq.) Spreng.
- 6508. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
- 6509. Compositae: Lepidaploa gracilis (Kunth) H. Rob.
- 6510. Leguminosae-Mimosoideae: Inga nobilis Willd.
- 6511. Leguminosae-Faboideae: *Mucuna urens* (L.) Medik.
- 6512. Sapindaceae: Matayba arborescens (Aubl.) Radlk.

- 6513. Leguminosae-Caesalpinioideae: Senna latifolia (G. Mey.) H. S. Irwin and Barneby
- 6514. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
- 6515. Meliaceae: Guarea pubescens (Rich.) A. Juss.
- 6516. Polypodiaceae: *Microgramma persicariifolia* (Schrad.) C. Presl
- 6517. Acanthaceae: Lepidagathis alopecuroidea (Vahl) R. Br. ex Griseb.
- 6518. Chrysobalanaceae: Licania leptostachya Benth.
- 6519. Cyperaceae: Cyperus miliifolius Poepp. and Kunth
- 6520. Flacourtiaceae: Casearia mariquitensis Kunth
- 6521. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 6522. Orchidaceae: Polystachya foliosa (Lindl.) Rchb. f.
- 6523. Annonaceae: Duguetia quitarensis Benth.
- 6524. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 6525. Annonaceae: Annona hypoglauca Mart.
- 6526. Rubiaceae: Indet.
- 6527. Orchidaceae: Maxillaria superflua Rchb. f.
- 6528. Orchidaceae: Maxillaria camaridii Rchb. f.
- 6529. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
- 6530. Loranthaceae: Oryctanthus florulentus (Rich.) Tiegh.
- 6531. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
- 6532. Costaceae: Costus arabicus L.
- 6533. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
- 6534. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 6535. Sapindaceae: Matayba camptoneura Radlk.
- 6536. Rubiaceae: Psychotria lupulina Benth.
- 6537. Violaceae: Leonia glycycarpa Ruiz and Pav.
- 6538. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 6539. Collemataceae: Leptogium sp.
- 6540. Convolvulaceae: *Ipomoea* sp.
- 6541. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
- 6542. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
- 6543. Myrtaceae: Calyptranthes fasciculata O. Berg
- 6544. Gentianaceae: Irlbachia sp.
- 6545. Orchidaceae: Sobralia sp.
- 6546. Bromeliaceae: *Pitcairnia caricifolia* Mart. ex Schult. f. var. *caricifolia*
- 6547. Liliaceae: Hymenocallis tubiflora Salisb.
- 6548. Sterculiaceae: Melochia melissifolia Benth.

- 6549. Malyaceae: Sida urens L.
- 6550. Clusiaceae: Clusia minor L.
- 6551. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Rayen
- 6552. Orchidaceae: *Prosthechea vespa* (Vell.) W. E. Higgins
- 6553. Orchidaceae: Brassia sp.
- 6554. Melastomataceae: Aciotis ornata (Mig.) Gleason
- 6555. Lycopodiaceae: *Huperzia dichotoma* (Jacq.) Trevis.
- 6556. Marantaceae: Maranta protracta Mig.
- 6557. Rubiaceae: *Spermacoce ocymifolia* Willd. ex Roem. and Schult.
- 6558. Euphorbiaceae: *Manihot surinamensis* D. J. Rogers and Appan
- 6559. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 6560. Podostemaceae: *Apinagia corymbosa* (Tul.) Engl.
- 6561. Aspleniaceae: Asplenium auritum Sw.
- 6562. Meliaceae: Trichilia surumuensis C. DC.
- 6563. Leguminosae-Caesalpinioideae: Tachigali sp.
- 6564. Leguminosae-Caesalpinioideae: Bauhinia glabra
- 6565. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
- 6566. Bryophyte: Indet.
- 6567. Poaceae: Paspalum melanospermum Desv. ex Poir.
- 6568. Cyperaceae: Cyperus laxus Lam.
- 6569. Rubiaceae: *Spermacoce hyssopifolia* Willd. ex Roem. and Schult.
- 6570. Oxalidaceae: Oxalis frutescens L.
- 6571. Haemodoraceae: Xiphidium caeruleum Aubl.
- 6572. Moraceae: Ficus schumacheri (Liebm.) Griseb.
- 6573. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
- 6574. Bromeliaceae: Tillandsia paraensis Mez
- 6575. Orchidaceae: Epidendrum rigidum Jacq.
- 6576. Cyperaceae: Rhynchospora reptans (Rich.) Böck.
- 6577. Orchidaceae: Maxillaria camaridii Rchb. f.
- 6578. Celastraceae: Maytenus pruinosa Reissek
- 6579. Lauraceae: Indet.
- 6580. Myrtaceae: Eugenia pseudopsidium Jacq.
- 6581. Sapindaceae: Cupania cf. latifolia Kunth
- 6582. Rubiaceae: Duroia eriopila L. f.
- 6583. Selaginellaceae: *Selaginella parkeri* (Hook, and Grev.) Spring
- 6584. Vittariaceae: Antrophyum guayanense Hieron.
- 6585. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price

- 6586. Rubiaceae: Genipa spruceana Steyerm.
- 6587. Bignoniaceae: *Jacaranda obtusifolia* Bonpl. ssp. *rhombifolia* (G. Mey.) A. H. Gentry
- 6588. Marcgraviaceae: Souroubea guianensis Aubl.
- 6589. Myrtaceae: Calyptranthes fasciculata O. Berg
- 6590. Moraceae: Ficus broadwayi Urb.
- 6591. Leguminosae-Mimosoideae: *Hydrochorea* corymbosa (Rich.) Barneby and J. W. Grimes
- 6592. Clusiaceae: Clusia nemorosa G. Mey.
- 6593. Rubiaceae: Amaioua guianensis Aubl.
- 6594. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 6595. Annonaceae: Pseudoxandra lucida R. E. Fr.
- 6596. Clusiaceae: Clusia leprantha Mart.
- 6597. Connaraceae: Indet.
- 6598. Araceae: Philodendron solimoesense A. C. Sm.
- 6599. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
- 6600. Bombacaceae: Indet.
- 6601. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
- 6602. Orchidaceae: Cattleya violacea (Kunth) Rolfe
- 6603. Orchidaceae: Maxillaria uncata Lindl.
- 6604. Leguminosae-Mimosoideae: Inga disticha Benth.
- 6605. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 6606. Orchidaceae: *Heterotaxis violaceopunctata* (Rchb. f.) F. Barros
- 6607. Sapindaceae: Matayba macrostylis Radlk.
- 6608. Euphorbiaceae: *Sagotia racemosa* Baill. ssp. *brachysepala* Müll. Arg.
- 6609. Sapindaceae: Matayba macrostylis Radlk.
- 6610. Celastraceae: Goupia glabra Aubl.
- 6611. Rubiaceae: Psychotria lupulina Benth.
- 6612. Vitaceae: Cissus sp.
- 6613. Orchidaceae: Prosthechea sp.
- 6614. Hippocrateaceae: Hippocratea volubilis L.
- 6615. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
- 6616. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 6617. Orchidaceae: Scaphyglottis sickii Pabst
- 6618. Piperaceae: *Peperomia magnoliifolia* (Jacq.)
 A. Dietr.
- 6619. Malpighiaceae: *Banisteriopsis lucida* (Rich.) Small
- 6620. Cyperaceae: Cyperus miliifolius Poepp. and Kunth
- 6621. Lauraceae: Nectandra sp.
- 6622. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau

- 6623a Bignoniaceae: Memora schomburgkii (DC.) Miers
- 6623b Bignoniaceae: Indet.
- 6624. Myrtaceae: Eugenia lambertiana DC.
- 6625. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC. var. *surinamense* Bureau and K. Schum.
- 6626. Malpighiaceae: Indet.
- 6627. Leguminosae-Caesalpinioideae: Senna multijuga (Rich.) H. S. Irwin and Barneby
- 6628. Bignoniaceae: Cydista aequinoctialis (L.) Miers
- 6629. Costaceae: Costus arabicus L.
- 6630. Bignoniaceae: *Callichlamys latifolia* (Rich.) K. Schum.
- 6631. Sapindaceae: Paullinia dasygonia Radlk.
- 6632. Bixaceae: Bixa orellana L.
- 6633. Myrtaceae: Psidium striatulum DC.
- 6634. Leguminosae-Caesalpinioideae: *Cynometra spruceana* Benth.
- 6635. Leguminosae-Mimosoideae: Inga sp.
- 6636. Leguminosae-Mimosoideae: *Parkia pendula* (Willd.) Benth. ex Walp.
- 6637. Chrysobalanaceae: Parinari campestris Aubl.
- 6638. Leguminosae-Faboideae: Pterocarpus sp.
- 6639. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
- 6640. Bignoniaceae: Anemopaegma sp.
- 6641. Euphorbiaceae: Mabea pulcherrima Müll. Arg.
- 6642. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 6643. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 6644. Cecropiaceae: Coussapoa asperifolia Trécul
- 6645. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 6646. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
- 6647. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
- 6648. Verbenaceae: Vitex compressa Turcz.
- 6649. Bryophyte: Indet.
- 6650. Araceae: Anthurium pentaphyllum (Aubl.) G. Don
- 6651. Leguminosae-Mimosoideae: Inga sp.
- 6652. Zingiberaceae: Zingiber purpureum Roscoe
- 6653. Melastomataceae: Clidemia hirta (L.) D. Don
- 6654. Polygonaceae: Coccoloba excelsa Benth.
- 6655. Araceae: Monstera adansonii Schott
- 6656. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 6657. Leguminosae-Faboideae: *Swartzia dipetala* Willd. ex Vogel
- 6658. Melastomataceae: Myriaspora egensis DC.

- 6659. Rubiaceae: Psychotria racemosa Rich.
- 6660. Orchidaceae: Epidendrum anceps Jacq.
- 6661. Combretaceae: Terminalia dichotoma G. Mey.
- 6662. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 6663. Passifloraceae: Passiflora glandulosa Cav.
- 6664. Myristicaceae: Iryanthera sp.
- 6665. Apocynaceae: *Bonafousia lorifera* (Miers) Boiteau and L. Allorge
- 6666. Poaceae: Lasiacis ligulata Hitchc. and Chase
- 6667. Poaceae: Orthoclada laxa (Rich.) P. Beauv.
- 6668. Piperaceae: Piper arboreum Aubl.
- 6669. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 6670. Acanthaceae: *Polylychnis radicans* (Nees) Wassh.
- 6671. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 6672. Araceae: Philodendron solimoesense A. C. Sm.
- 6673. Cyperaceae: *Scleria splitgerberiana* Henrard ex Uittien
- 6674. Poaceae: Olyra longifolia Kunth
- 6675. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 6676. Orchidaceae: Brassia caudata (L.) Lindl.
- 6677. Cyperaceae: Hypolytrum longifolium (Rich.) Nees ssp. longifolium
- 6678. Hippocrateaceae: Hippocratea volubilis L.
- 6679. Connaraceae: Connarus lambertii (DC.) Sagot
- 6680. Ebenaceae: Diospyros lissocarpoides Sandwith
- 6681. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 6682. Meliaceae: Trichilia surinamensis (Mig.) C. DC.
- 6683. Lauraceae: *Kubitzkia mezii* (Kosterm.) van der Werff
- 6684. Annonaceae: Duguetia yeshidan Sandwith
- 6685. Rubiaceae: *Rudgea cornifolia* (Kunth ex Roem. and Schult.) Standl.
- 6686. Leguminosae-Caesalpinioideae: *Tachigali* guianensis (Benth.) Zarucchi and Herend.
- 6687. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
- 6688. Solanaceae: Markea coccinea Rich.
- 6689. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 6690. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 6691. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 6692. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 6693. Poaceae: Olyra latifolia L.
- 6694. Adiantaceae: *Adiantum* aff. *terminatum* Kunze ex Miq.

- 6695. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.
- 6696. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.
- 6697. Melastomataceae: Mouriri guianensis Aubl.
- 6698. Turneraceae: Turnera sp.
- 6699. Leguminosae-Mimosoideae: Inga sertulifera DC.
- 6700. Bignoniaceae: Cydista lilacina A. H. Gentry
- 6701. Rubiaceae: Uncaria guianensis (Aubl.) J. F. Gmel.
- 6702. Rubiaceae: Chomelia obtusa Cham. and Schltdl.
- 6703. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 6704. Passifloraceae: Passiflora sp.
- 6705. Rubiaceae: Alibertia acuminata (Benth.) Sandwith
- 6706. Poaceae: *Digitaria laxa* (Rchb. ex A. Spreng.) Parodi
- 6707. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 6708. Boraginaceae: Tournefortia hirsutissima L.
- 6709. Violaceae: Corynostylis arborea (L.) S. F. Blake
- 6710. Apocynaceae: *Prestonia quinquangularis* (Jacq.) Spreng.
- 6711. Hippocrateaceae: Hippocratea volubilis L.
- 6712. Bignoniaceae: *Paragonia pyramidata* (Rich.) Bureau
- 6713. Myrtaceae: Psidium acutangulum DC.
- 6714. Connaraceae: Connarus coriaceus G. Schellenb.
- 6715. Clusiaceae: Vismia cayennensis (Jacq.) Pers.
- 6716. Celastraceae: Maytenus sp.
- 6717. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
- 6718. Leguminosae-Faboideae: *Dioclea virgata* (Rich.)
 Amshoff
- 6719. Costaceae: Costus arabicus L.
- 6720. Lauraceae: Nectandra sp.
- 6721. Rubiaceae: Ixora parviflora Vahl
- 6722. Myrtaceae: Eugenia egensis DC.
- 6723. Poaceae: Panicum stoloniferum Poir.
- 6724. Leguminosae-Caesalpinioideae: *Cynometra bauhiniifolia* Benth.
- 6725. Myristicaceae: Virola sebifera Aubl.
- 6726. Leguminosae-Caesalpinioideae: *Macrolobium multijugum* (DC.) Benth. var. *multijugum*
- 6727. Bignoniaceae: Adenocalymna inundatum Mart. ex DC. var. surinamense Bureau and K. Schum.
- 6728. Polygonaceae: *Triplaris weigeltiana* (Rchb.) Kuntze
- 6729. Rubiaceae: Genipa spruceana Steyerm.
- 6730. Ochnaceae: Ouratea superba Engl.
- 6731. Polygonaceae: Coccoloba ovata Benth.
- 6732. Lecythidaceae: Gustavia augusta L.
- 6733. Leguminosae-Faboideae: Swartzia latifolia Benth.

- 6734. Leguminosae-Faboideae: *Machaerium ferox* (Mart. ex Benth.) Ducke
- 6735. Leguminosae-Mimosoideae: *Albizia subdimidiata* (Splitg.) Barneby and J. W. Grimes
- 6736. Melastomataceae: Mouriri acutiflora Naudin
- 6737. Rubiaceae: *Bothriospora corymbosa* (Benth.) Hook. f.
- 6738. Meliaceae: Guarea guidonia (L.) Sleumer
- 6739. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby
- 6740. Leguminosae-Mimosoideae: Inga sp.
- 6741. Poaceae: Olyra latifolia L.
- 6742. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
- 6743. Poaceae: Ichnanthus pallens (Sw.) Munro ex Benth.
- 6744. Bryophyte: Indet.
- 6745. Piperaceae: Piper marginatum Jacq.
- 6746. Adiantaceae: Adiantum petiolatum Desv.
- 6747. Cyperaceae: Scleria latifolia Sw.
- 6748. Leguminosae-Faboideae: Desmodium sp.
- 6749. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 6750. Annonaceae: Klarobelia sp.
- 6751. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 6752. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev.
- 6753. Bryophyte: Indet.
- 6754. Apocynaceae: Himatanthus sp.
- 6755. Sapotaceae: Pouteria filipes Eyma
- 6756. Chrysobalanaceae: Hirtella hispidula Mig.
- 6757. Adiantaceae: Adiantum pulverulentum L.
- 6758. Clusiaceae: Garcinia macrophylla Mart.
- 6759. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 6760. Adiantaceae: Adiantum latifolium Lam.
- 6761. Poaceae: Olyra micrantha Kunth
- 6762. Tiliaceae: Apeiba schomburgkii Szyszyl.
- 6763. Myrtaceae: Plinia sp.
- 6764. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 6765. Poaceae: Streptogyna americana C. E. Hubb.
- 6766. Melastomataceae: Clidemia hirta (L.) D. Don
- 6767. Erythroxylaceae: Erythroxylum sp.
- 6768. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
- 6769. Orchidaceae: Aspasia variegata Lindl.
- 6770. Orchidaceae: *Prosthechea aemula* (Lindl.) W. E. Higgins
- 6771. Poaceae: Oplismenus hirtellus (L.) P. Beauv.
- 6772. Compositae: *Condylidium iresinoides* (Kunth) R. M. King and H. Rob.

- 6773. Poaceae: Setaria tenax (Rich.) Desv.
- 6774. Orchidaceae: Epidendrum aff. nocturnum Jacq.
- 6775. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
- 6776. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 6777. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 6778. Chrysobalanaceae: *Licania octandra* (Hoffmanns. ex Roem. and Schult.) Kuntze ssp. octandra
- 6779. Leguminosae-Mimosoideae: Acacia sp.
- 6780. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
- 6781. Poaceae: Streptogyna americana C. E. Hubb.
- 6782. Sapotaceae: Pouteria eugeniifolia (Pierre) Baehni
- 6783. Leguminosae-Caesalpinioideae: *Peltogyne* floribunda (Kunth) Pittier
- 6784. Celastraceae: *Maytenus guyanensis* Klotzsch ex Reissek
- 6785. Trigoniaceae: Trigonia villosa Aubl. var. villosa
- 6786. Melastomataceae: Clidemia laevifolia Gleason
- 6787. Flacourtiaceae: Casearia sylvestris Sw.
- 6788. Bignoniaceae: *Pyrostegia dichotoma* Miers ex K. Schum.
- 6789. Burseraceae: Protium llanorum Cuatrec.
- 6790. Loranthaceae: Cladocolea micrantha (Eichler) Kuijt
- 6791. Anacardiaceae: Astronium ulei Mattick
- 6792. Trigoniaceae: Trigonia cf. subcymosa Benth.
- 6793. Orchidaceae: Prescottia stachyodes (Sw.) Lindl.
- 6794. Rubiaceae: Morinda tenuiflora (Benth.) Steverm.
- 6795. Lauraceae: Endlicheria reflectens (Nees) Mez
- 6796. Leguminosae-Mimosoideae: *Inga* sp.
- 6797. Viscaceae: Phoradendron inaequidentatum Rusby
- 6798. Clusiaceae: Clusia nemorosa G. Mey.
- 6799. Leguminosae: Indet.
- 6800. Bromeliaceae: *Aechmea bromeliifolia* (Rudge) Baker
- 6801. Celastraceae: Maytenus kanukuensis A. C. Sm.
- 6802. Celastraceae: Maytenus kanukuensis A. C. Sm.
- 6803. Humiriaceae: Indet.
- 6804. Clusiaceae: Clusia nemorosa G. Mey.
- 6805. Erythroxylaceae: *Erythroxylum vernicosum* O. E. Schulz
- 6806. Orchidaceae: Epidendrum purpurascens H. Focke
- 6807. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 6808. Rubiaceae: *Alibertia myrciifolia* Spruce ex K. Schum.
- 6809. Gentianaceae: Voyria corymbosa Splitg.

- 6810. Lecythidaceae: *Eschweilera parvifolia* Mart. ex DC.
- 6811. Flacourtiaceae: Ryania speciosa Vahl var. tomentosa (Miq.) Monach.
- 6812. Clusiaceae: *Tovomita spruceana* Planch. and Triana
- 6813. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
- 6814. Sapindaceae: Paullinia isoptera Radlk.
- 6815. Lacistemataceae: *Lacistema polystachyum* W. Schnizl.
- 6816. Melastomataceae: Miconia ciliata (Rich.) DC.
- 6817. Passifloraceae: Passiflora glandulosa Cav.
- 6818. Cyclanthaceae: Indet.
- 6819. Myrsinaceae: Cybianthus guyanensis (A. DC.) Miq. ssp. multipunctatus (A. DC.) Pipoly
- 6820. Passifloraceae: Mitostemma sp.
- 6821. Elaeocarpaceae: Sloanea sp.
- 6822. Hymenophyllaceae: Hymenophyllum hirsutum (L.) Sw.
- 6823. Cecropiaceae: Coussapoa microcephala Trécul
- 6824. Rubiaceae: Ferdinandusa goudotiana K. Schum.
- 6825. Convolvulaceae: Dicranostyles sp.
- 6826. Myrtaceae: Myrcia amazonica DC.
- 6827. Bryophyte: Indet.
- 6828. Bryophyte: Indet.
- 6829. Bryophyte: Indet.
- 6830. Orchidaceae: Epidendrum ramosum Jacq.
- 6831. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 6832. Orchidaceae: Sobralia sp.
- 6833. Gentianaceae: *Chelonanthus purpurascens* (Aubl.) Struwe, S. Nilsson and V. A. Albert
- 6834. Cladoniaceae: Cladonia sp.
- 6835. Clusiaceae: *Clusia palmicida* Rich. ex Planch. and Triana
- 6836. Melastomataceae: *Ernestia* cf. *blackii* Brade and Markgr.
- 6837. Smilacaceae: Smilax sp.
- 6838. Bromeliaceae: Indet.
- 6839. Grammitidaceae: Cochlidium furcatum (Hook. and Grev.) C. Chr.
- 6840. Poaceae: Olyra micrantha Kunth
- 6841. Dennstaedtiaceae: *Lindsaea sagittata* (Aubl.) Dryand.
- 6842. Bryophyte: Indet.
- 6843. Myrsinaceae: Cybianthus guyanensis (A. DC.) Miq. ssp. multipunctatus (A. DC.) Pipoly
- 6844. Leguminosae-Mimosoideae: *Abarema jupunba* (Willd.) Britton and Killip var. *trapezifolia* (Vahl) Barneby and J. W. Grimes

- 6845. Melastomataceae: *Miconia gratissima* Benth. ex Triana
- 6846. Orchidaceae: Dichaea sp.
- 6847. Orchidaceae: Polystachya foliosa (Lindl.) Rchb. f.
- 6848. Lichen-Incert. sed.: Indet.
- 6849. Lauraceae: Indet.
- 6850. Boraginaceae: Cordia nodosa Lam.
- 6851. Myrsinaceae: Cybianthus surinamensis (Spreng.) G. Agostini
- 6852. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 6853. Flacourtiaceae: Carpotroche? sp.
- 6854. Hymenophyllaceae: *Hymenophyllum decurrens* (Jacq.) Sw.
- 6855. Anacardiaceae: Tapirira guianensis Aubl.
- 6856. Gnetaceae: Gnetum nodiflorum Brongn.
- 6857. Smilacaceae: Smilax sp.
- 6858. Myrsinaceae: *Myrsine coriacea* (Sw.) R. Br. ex Roem, and Schult.
- 6859. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 6860. Lomariopsidaceae: *Elaphoglossum* macrophyllum (Mett. ex Kuhn) H. Christ
- 6861. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 6862. Melastomataceae: Adelobotrys sp.
- 6863. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *elatior* (Kunze) K. U. Kramer
- 6864. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 6865. Cyatheaceae: Cyathea cyatheoides (Desv.) K. U. Kramer
- 6866. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 6867. Orchidaceae: *Epidendrum carpophorum* Barb.
- 6868. Hymenophyllaceae: *Trichomanes pedicellatum*
- 6869. Rubiaceae: *Duroia micrantha* (Ladbr.) Zarucchi and J. H, Kirkbr.
- 6870. Clusiaceae: Clusia nemorosa G. Mev.
- 6871. Heliconiaceae: Heliconia hirsuta L. f.
- 6872. Sphagnaceae: Sphagnum sp.
- 6873. Bryophyte: Indet.
- 6874. Lichen-Incert. sed.: Indet.
- 6875. Lichen-Incert. sed.: Indet.
- 6876. Hymenophyllaceae: Trichomanes crispum L.
- 6877. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 6878. Rubiaceae: Cosmibuena grandiflora (Ruiz and Pav.) Rusby
- 6879. Bromeliaceae: Indet.

- 6880. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 6881. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
- 6882. Sphagnaceae: Sphagnum sp.
- 6883. Marcgraviaceae: *Marcgravia* cf. *sororopaniana* Steyerm.
- 6884. Marcgraviaceae: Souroubea guianensis Aubl.
- 6885. Oleandraceae: *Nephrolepis cordifolia* (L.) C. Presl
- 6886. Lentibulariaceae: Utricularia sp.
- 6887. Cyperaceae: Rhynchospora exaltata Kunth
- 6888. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 6889. Melastomataceae: *Ernestia* cf. *blackii* Brade and Markgr.
- 6890. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
- 6891. Schizaeaceae: Anemia flexuosa (Sav.) Sw.
- 6892. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 6893. Compositae: Lepidaploa gracilis (Kunth) H. Rob.
- 6894. Orchidaceae: Brassia sp.
- 6895. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne, ex Planch, and Linden
- 6896. Rubiaceae: Indet.
- 6897. Cecropiaceae: Coussapoa microcephala Trécul
- 6898. Cyatheaceae: Cyathea surinamensis (Miq.) Domin
- 6899. Rubiaceae: Palicourea guianensis Aubl.
- 6900. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
- 6901. Rubiaceae: Isertia parviflora Vahl
- 6902. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 6903. Rubiaceae: Ferdinandusa goudotiana K. Schum.
- 6904. Nyctaginaceae: Indet.
- 6905. Thelypteridaceae: *Thelypteris opulenta* (Kaulf.) Fosberg
- 6906. Poaceae: Oplismenus hirtellus (L.) P. Beauv.
- 6907. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
- 6908. Ebenaceae: Diospyros lissocarpoides Sandwith
- 6909. Adiantaceae: Adiantum petiolatum Desv.
- 6910. Clusiaceae: Garcinia macrophylla Mart.
- 6911. Leguminosae-Caesalpinioideae: *Senna multijuga* (Rich.) H. S. Irwin and Barneby
- 6912. Anacardiaceae: Spondias mombin L.
- 6913. Compositae: Wulffia baccata (L.) Kuntze
- 6914. Apocynaceae: Forsteronia acouci (Aubl.) A. DC.
- 6915. Solanaceae: Solanum subinerme Jacq.
- 6916. Leguminosae-Faboideae: Desmodium sp.
- 6917. Cyperaceae: Scleria latifolia Sw.

- 6918. Thelypteridaceae: *Thelypteris abrupta* (Desv.) Proctor
- 6919. Adiantaceae: Adiantum argutum Splitg.
- 6920. Sterculiaceae: Guazuma ulmifolia Lam.
- 6921. Rubiaceae: *Psychotria bracteocardia* (DC.) Müll. Arg.
- 6922. Leguminosae-Faboideae: Dioclea reflexa Hook. f.
- 6923. Orchidaceae: Aspasia variegata Lindl.
- 6924. Compositae: Conyza bonariensis (L.) Cronquist
- 6925. Solanaceae: Solanum leucocarpon Dunal
- 6926. Ulmaceae: Trema micrantha (L.) Blume
- 6927. Sapotaceae: Chrysophyllum argenteum Jacq.
- 6928. Dilleniaceae: *Doliocarpus dentatus* (Aubl.) Standl. ssp. *esmeraldae* (Steyerm.) Kubitzki
- 6929. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 6930. Amaranthaceae: Indet.
- 6931. Rubiaceae: *Sabicea glabrescens* (K. Schum.)
- 6932. Leguminosae-Faboideae: *Rhynchosia phaseoloides* (Sw.) DC.
- 6933. Poaceae: Indet.
- 6934. Leguminosae-Mimosoideae: Inga sp.
- 6935. Flacourtiaceae: Casearia commersoniana Cambess.
- 6936. Leguminosae-Caesalpinioideae: *Senna undulata* (Benth.) H. S. Irwin and Barneby
- 6937. Melastomataceae: Clidemia hirta (L.) D. Don
- 6938. Rubiaceae: Geophila gracilis (Ruiz and Pav.) DC.
- 6939. Bignoniaceae: *Tabebuia insignis* (Miq.) Sandwith var. *monophylla* Sandwith
- 6940. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 6941. Chrysobalanaceae: Chrysobalanus icaco L.
- 6942. Polygalaceae: Polygala longicaulis Kunth
- 6943. Rubiaceae: Sipanea pratensis Aubl.
- 6944. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
- 6945. Malpighiaceae: Byrsonima eugeniifolia Sandwith
- 6946. Proteaceae: Roupala suaveolens Klotzsch
- 6947. Compositae: Lepidaploa gracilis (Kunth) H. Rob.
- 6948. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance
- 6949. Scrophulariaceae: *Agalinis hispidula* (Mart.) D'Arcy
- 6950. Clusiaceae: Vismia guianensis (Aubl.) Choisy
- 6951. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 6952. Malpighiaceae: *Byrsonima schomburgkiana* Benth.
- 6953. Rubiaceae: Isertia parviflora Vahl
- 6954. Gnetaceae: Gnetum nodiflorum Brongn.
- 6955. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hexandra* (Willd. ex Roem. and Schult.) Prance

- 6956. Gentianaceae: Coutoubea spicata Aubl.
- 6957. Theaceae: Indet.
- 6958. Bombacaceae: Pachira minor (Sims) Hemsl.
- 6959. Cyperaceae: Scleria bracteata Cav.
- 6960. Euphorbiaceae: *Pera schomburgkiana* (Benth.) Müll. Arg.
- 6961. Chrysobalanaceae: Licania incana Aubl.
- 6962. Chrysobalanaceae: Parinari campestris Aubl.
- 6963. Bryophyte: Indet.
- 6964. Bryophyte: Indet.
- 6965. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 6966. Leguminosae-Mimosoideae: *Parkia ulei* (Harms) Kuhlm. var. *surinamensis* Kleinhoonte
- 6967. Polygonaceae: Coccoloba ascendens Duss ex Lindau
- 6968. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
- 6969. Ebenaceae: Indet.
- 6970. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 6971. Rubiaceae: Psychotria anceps Kunth
- 6972. Lauraceae: Indet.
- 6973. Orchidaceae: Sobralia sp.
- 6974. Clusiaceae: Moronobea coccinea Aubl.
- 6975. Melastomataceae: Mouriri francavillana Cogn.
- 6976. Bryophyte: Indet.
- 6977. Rubiaceae: Malanea hypoleuca Steverm.
- 6978. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 6979. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 6980. Clusiaceae: Tovomita macrophylla (Poepp.) Walp.
- 6981. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 6982. Hippocrateaceae: *Salacia elliptica* (Mart. ex Schult.) G. Don
- 6983. Malpighiaceae: Byrsonima stipulacea A. Juss.
- 6984. Apocynaceae: *Mandevilla lasiocarpa* (A. DC.) Malme
- 6985. Leguminosae-Caesalpinioideae: *Senna undulata* (Benth.) H. S. Irwin and Barneby
- 6986. Leguminosae-Caesalpinioideae: Senna latifolia (G. Mey.) H. S. Irwin and Barneby
- 6987. Anacardiaceae: Tapirira guianensis Aubl.
- 6988. Loranthaceae: Cladocolea micrantha (Eichler) Kuijt
- 6989. Xyridaceae: Xyris jupicai Rich.
- 6990. Sphenocleaceae: Sphenoclea zeylanica Gaertn.
- 6991. Linaceae: Indet.
- 6992. Rubiaceae: Sipanea pratensis Aubl.
- 6993. Oxalidaceae: Oxalis frutescens L.

- 6994. Rubiaceae: Perama hirsuta Aubl.
- 6995. Cyperaceae: Scleria bracteata Cav.
- 6996. Scrophulariaceae: *Buchnera palustris* (Aubl.) Spreng.
- 6997. Ochnaceae: Ouratea sp.
- 6998. Scrophulariaceae: Buchnera rosea Kunth
- 6999. Ochnaceae: Ouratea sp.
- 7000. Rubiaceae: Duroia eriopila L. f.
- 7001. Clusiaceae: *Clusia schomburgkiana* (Planch. and Triana) Benth. ex Engl.
- 7002. Dennstaedtiaceae: Lindsaea portoricensis Desv.
- 7003. Schizaeaceae: Actinostachys pennula (Sw.) Hook.
- 7004. Xyridaceae: Xyris savanensis Miq.
- 7005. Orchidaceae: *Encyclia granitica* (Bateman ex Lindl.) Schltr.
- 7006. Malvaceae: Sida cordifolia L.
- 7007. Polygonaceae: Coccoloba excelsa Benth.
- 7008. Rubiaceae: *Retiniphyllum schomburgkii* (Benth.) Müll. Arg.
- 7009. Humiriaceae: *Humiria balsamifera* Aubl. var. *guianensis* (Benth.) Cuatrec.
- 7010. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 7011. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 7012. Melastomataceae: Clidemia strigillosa (Sw.) DC.
- 7013. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 7014. Melastomataceae: Miconia ciliata (Rich.) DC.
- 7015. Rubiaceae: Coccocypselum guianense (Aubl.) K. Schum. var. patens Steyerm.
- 7016. Myrtaceae: Eugenia punicifolia (Kunth) DC.
- 7017. Orchidaceae: Catasetum discolor (Lindl.) Lindl.
- 7018. Lauraceae: Cassytha filiformis L.
- 7019. Lythraceae: Indet.
- 7020. Melastomataceae: Indet.
- 7021. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 7022. Smilacaceae: Smilax sp.
- 7023. Rubiaceae: Morinda calycina (Benth.) Steyerm.
- 7024. Melastomataceae: Tibouchina aspera Aubl.
- 7025. Cyperaceae: Scleria cyperina Willd. ex Kunth
- 7026. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
- 7027. Leguminosae-Faboideae: Dioclea guianensis Benth.
- 7028. Vochysiaceae: Vochysia glaberrima Warm.
- 7029. Loranthaceae: *Psittacanthus robustus* (Mart.) Mart.
- 7030. Leguminosae-Caesalpinioideae: *Tachigali guianensis* (Benth.) Zarucchi and Herend.
- 7031. Tiliaceae: Mollia globularis Meijer
- 7032. Cyperaceae: Rhynchospora albomarginata Kük.

- 7033. Loganiaceae: Antonia ovata Pohl
- 7034. Cladoniaceae: Cladonia sp.
- 7035. Rubiaceae: *Ferdinandusa uaupensis* Spruce ex K. Schum.
- 7036. Chrysobalanaceae: Licania majuscula Sagot
- 7037. Rubiaceae: Palicourea guianensis Aubl.
- 7038. Burseraceae: Dacryodes nitens Cuatrec.
- 7039. Lecythidaceae: Eschweilera collina Eyma
- 7040. Hippocrateaceae: Salacia multiflora (Lam.) DC.
- 7041. Leguminosae-Faboideae: Swartzia sp.
- 7042. Ochnaceae: Indet.
- 7043. Sapotaceae: Pouteria cuspidata (A. DC.) Baehni
- 7044. Orchidaceae: Epidendrum purpurascens H. Focke
- 7045. Orchidaceae: Epidendrum purpurascens H. Focke
- 7046. Burseraceae: Dacryodes? sp.
- 7047. Euphorbiaceae: *Pera schomburgkiana* (Benth.) Müll. Arg.
- 7048. Leguminosae-Mimosoideae: *Parkia ulei* (Harms) Kuhlm. var. *surinamensis* Kleinhoonte
- 7049. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
- 7050. Lecythidaceae: *Eschweilera parvifolia* Mart. ex DC.
- 7051. Myrtaceae: Eugenia gomesiana O. Berg
- 7052. Sapotaceae: Pouteria sp.
- 7053. Orchidaceae: O*ctomeria yauaperyensis* Barb. Rodr.
- 7054. Combretaceae: Combretum pyramidatum Desv.
- 7055. Incertae sedis: Indet.
- 7056. Combretaceae: Combretum pyramidatum Desv.
- 7057. Rubiaceae: Psychotria acuminata Benth.
- 7058. Ochnaceae: Indet.
- 7059. Piperaceae: Piper adenandrum (Miq.) C. DC.
- 7060. Annonaceae: *Unonopsis stipitata* Diels
- 7061. Sapotaceae: *Micropholis porphyrocarpa* (Baehni) Monach.
- 7062. Chrysobalanaceae: Licania coriacea Benth.
- 7063. Rhizophoraceae: Cassipourea guianensis Aubl.
- 7064. Gentianaceae: Irlbachia purpurascens (Aubl.) Maas
- 7065. Arecaceae: Bactris simplicifrons Mart.
- 7066. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 7067. Euphorbiaceae: Mabea taquari Aubl.
- 7068. Leguminosae-Mimosoideae: *Zygia latifolia* (L.) Fawc. and Rendle var. *lasiopus* (Benth.) Barneby and J. W. Grimes
- 7069. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
- 7070. Malpighiaceae: Byrsonima gymnocalycina A. Juss.
- 7071. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*

- 7072. Ochnaceae: Ouratea sp.
- 7073. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 7074. Melastomataceae: *Clidemia heteroneura* (DC.) Cogn.
- 7075. Melastomataceae: *Miconia splendens* (Sw.) Griseb.
- 7076. Arecaceae: Iriartella setigera (Mart.) H. Wendl.
- 7077. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
- 7078. Lauraceae: Ocotea splendens (Meisn.) Baill.
- 7079. Violaceae: Paypayrola guianensis Aubl.
- 7080. Melastomataceae: Miconia sp.
- 7081. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 7082. Loganiaceae: Strychnos sp.
- 7083. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 7084. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
- 7085. Melastomataceae: Indet.
- 7086. Orchidaceae: Stelis sp.
- 7087. Lauraceae: Licaria debilis (Mez) Kosterm.
- 7088. Leguminosae-Faboideae: Swartzia arborescens (Aubl.) Pittier
- 7089. Euphorbiaceae: *Adenophaedra grandifolia* (Klotzsch) Müll. Arg.
- 7090. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
- 7091. Euphorbiaceae: Hevea guianensis Aubl.
- 7092. Hymenophyllaceae: *Trichomanes pinnatum* Hedw.
- 7093. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 7094. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 7095. Clusiaceae: Symphonia globulifera L. f.
- 7096. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
- 7097. Hymenophyllaceae: Trichomanes rigidum Sw.
- 7098. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 7099. Flacourtiaceae: Carpotroche surinamensis Uittien
- 7100. Leguminosae-Mimosoideae: *Inga* sp.
- 7101. Lauraceae: Ocotea persulcata C. K. Allen
- 7102. Myristicaceae: Virola elongata (Benth.) Warb.
- 7103. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 7104. Annonaceae: Xylopia calophylla R. E. Fr.
- 7105. Orchidaceae: Trichosalpinx sp.

- 7106. Tectariaceae: *Triplophyllum funestum* (Kunze)
- 7107. Adiantaceae: *Adiantum terminatum* Kunze ex Mig.
- 7108. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 7109. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
- 7110. Olacaceae: Heisteria sp.
- 7111. Aspleniaceae: Asplenium auritum Sw.
- 7112. Violaceae: RInorea lindeniana (Tul.) Kuntze
- 7113. Passifloraceae: Passiflora coccinea Aubl.
- 7114. Leguminosae-Faboideae: *Pterocarpus officinalis* Jacq.
- 7115. Chrysobalanaceae: *Licania guianensis* (Aubl.) Griseb. ssp. *guianensis*
- 7116. Myristicaceae: Virola calophylla (Spruce) Warb.
- 7117. Meliaceae: Guarea? trunciflora C. DC.
- 7118. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 7119. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 7120. Cyatheaceae: Cyathea sp.
- 7121. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 7122. Myrtaceae: Eugenia gomesiana O. Berg
- 7123. Sapotaceae: Pouteria sp.
- 7124. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
- 7125. Clusiaceae: Tovomita cephalostigma Vesque
- 7126. Rubiaceae: Isertia spiciformis DC.
- 7127. Leguminosae-Mimosoideae: Inga sp.
- 7128. Orchidaceae: *Maxillaria santanae* Carnevali and I. Ramírez
- 7129. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
- 7130. Violaceae: Leonia cymosa Mart.
- 7131. Orchidaceae: Zygosepalum labiosum (Rich.) Garay
- 7132. Annonaceae: Guatteria sp.
- 7133. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
- 7134. Poaceae: Olyra micrantha Kunth
- 7135. Violaceae: Paypayrola sp.
- 7136. Clusiaceae: Tovomita brasiliensis (Mart.) Walp.
- 7137. Flacourtiaceae: Casearia sylvestris Sw.
- 7138. Burseraceae: Dacryodes nitens Cuatrec.
- 7139. Myrtaceae: Eugenia ferreiraeana O. Berg
- 7140. Loranthaceae: Cladocolea micrantha (Eichler) Kuijt
- 7141. Lacistemataceae: *Lacistema grandifolium* W. Schnizl.

- 7142. Lauraceae: Licaria s.l. cannella (Meisn.) Kosterm.
- 7143. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
- 7144. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 7145. Clusiaceae: Tovomita obovata Engl.
- 7146. Myrtaceae: Indet.
- 7147. Melastomataceae: Miconia sp.
- 7148. Lauraceae: Aniba taubertiana Mez
- 7149. Rubiaceae: Remijia roraimae (Benth.) K. Schum.
- 7150. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
- 7151. Melastomataceae: Miconia diaphanea Gleason
- 7152. Cyperaceae: Rhynchospora exaltata Kunth
- 7153. Annonaceae: Indet.
- 7154. Myristicaceae: Virola sebifera Aubl.
- 7155. Bryophyte: Indet.
- 7156. Myrtaceae: Calycolpus surinamensis McVaugh
- 7157. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 7158. Melastomataceae: *Miconia gratissima* Benth. ex Triana
- 7159. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 7160. Clusiaceae: Lorostemon bombaciflorum Ducke
- 7161. Rubiaceae: Ixora panurensis Müll. Arg.
- 7162. Apocynaceae: Forsteronia sp.
- 7163. Melastomataceae: *Miconia dolichorrhyncha* Naudin
- 7164. Chrysobalanaceae: *Couepia canomensis* (Mart.) Benth. ex Hook. f.
- 7165. Polypodiaceae: Polypodium panorense C. Chr.
- 7166. Cyperaceae: Mapania surinamensis Uittien
- 7167. Flacourtiaceae: Casearia rusbyana Briq.
- 7168. Melastomataceae: *Bellucia grossularioides* (L.) Triana
- 7169. Bryophyte: Indet.
- 7170. Pteridophyte: Indet.
- 7171. Leguminosae-Mimosoideae: Inga sp.
- 7172. Sabiaceae: Meliosma herbertii Rolfe
- 7173. Bryophyte: Indet.
- 7174. Arecaceae: Iriartella setigera (Mart.) H. Wendl.
- 7175. Hymenophyllaceae: *Trichomanes longifolium* Desv.
- 7176. Myrtaceae: Indet.
- 7177. Cyatheaceae: Cyathea traillii (Baker) Domin
- 7178. Bryophyte: Indet.
- 7179. Gentianaceae: Tachia guianensis Aubl.
- 7180. Hippocrateaceae: *Tontelea ovalifolia* (Miers) A. C. Sm.

- 7181. Lauraceae: Licaria s.l. subbullata Kosterm.
- 7182. Siparunaceae: Siparuna guianensis Aubl.
- 7183. Rubiaceae: Malanea sarmentosa Aubl.
- 7184. Rubiaceae: Ferdinandusa sp.
- 7185. Flacourtiaceae: Casearia javitensis Kunth
- 7186. Leguminosae-Mimosoideae: *Stryphnodendron pulcherrimum* (Willd.) Hochr.
- 7187. Lauraceae: Licaria s.l. subbullata Kosterm.
- 7188. Sabiaceae: Meliosma herbertii Rolfe
- 7189. Compositae: Piptocarpha opaca (Benth.) Baker
- 7190. Chrysobalanaceae: Couepia parillo DC.
- 7191. Dennstaedtiaceae: Lindsaea lancea (L.) Bedd.
- 7192. Melastomataceae: *Macrocentrum fruticosum* Gleason
- 7193. Melastomataceae: *Aciotis annua* (Mart. ex DC.) Triana
- 7194. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 7195. Ochnaceae: Ouratea sp.
- 7196. Melastomataceae: Miconia longispicata Triana
- 7197. Rubiaceae: Rudgea sp.
- 7198. Apocynaceae: *Tabernaemontana cerea* (Woodson) Leeuwenb.
- 7199. Burseraceae: Dacryodes nitens Cuatrec.
- 7200. Ochnaceae: Sauvagesia sp.
- 7201. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 7202. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 7203. Rubiaceae: Psychotria astrellantha Wernham
- 7204. Lauraceae: Aniba taubertiana Mez
- 7205. Celastraceae: Maytenus? ficiformis Reissek
- 7206. Gnetaceae: Gnetum nodiflorum Brongn.
- 7207. Flacourtiaceae: Casearia sylvestris Sw.
- 7208. Bryophyte: Indet.
- 7209. Bryophyte: Indet.
- 7210. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
- 7211. Annonaceae: Guatteria procera R. E. Fr.
- 7212. Leguminosae-Caesalpinioideae: Tachigali sp.
- 7213. Annonaceae: Annona ambotay Aubl.
- 7214. Myrtaceae: Indet.
- 7215. Menispermaceae: Indet.
- 7216. Leguminosae-Caesalpinioideae: *Senna lourteigiana* H. S. Irwin and Barneby
- 7217. Lauraceae: Aniba panurensis (Meisn.) Mez
- 7218. Apocynaceae: Forsteronia sp.
- 7219. Rubiaceae: Isertia hypoleuca Benth.
- 7220. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 7221. Euphorbiaceae: *Hevea guianensis* Aubl. var. *lutea* (Spruce ex Benth.) Ducke and R. E. Schult.

- 7222. Rubiaceae: Malanea hypoleuca Steyerm.
- 7223. Clusiaceae: Clusia panapanari (Aubl.) Choisy
- 7224. Clusiaceae: *Tovomita schomburgkii* Planch. and Triana
- 7225. Clusiaceae: Clusia grandiflora Splitg.
- 7226. Sapotaceae: Pouteria hispida Eyma
- 7227. Myristicaceae: Virola elongata (Benth.) Warb.
- 7228. Orchidaceae: Scaphyglottis stellata Lodd. ex Lindl.
- 7229. Triuridaceae: Sciaphila sp.
- 7230. Passifloraceae: Passiflora arta Feuillet
- 7231. Clusiaceae: Lorostemon bombaciflorum Ducke
- 7232. Flacourtiaceae: Carpotroche surinamensis Uittien
- 7233. Rubiaceae: Ferdinandusa sp.
- 7234. Arecaceae: Geonoma leptospadix Trail
- 7235. Violaceae: Rinorea riana Kuntze
- 7236. Rubiaceae: Psychotria astrellantha Wernham
- 7237. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 7238. Clusiaceae: Symphonia globulifera L. f.
- 7239. Lauraceae: *Licaria chrysophylla* (Meisn.) Kosterm.
- 7240. Annonaceae: Anaxagorea brevipes Benth.
- 7241. Picramniaceae: *Picramnia guianensis* (Aubl.) Jans.-Jac.
- 7242. Lauraceae: Licaria aureosericea van der Werff
- 7243. Lauraceae: Rhodostemonodaphne scandens Madriñán
- 7244. Melastomataceae: Miconia myriantha Benth.
- 7245. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 7246. Sapindaceae: Matayba inelegans Spruce ex Radlk.
- 7247. Melastomataceae: Miconia holosericea (L.) DC.
- 7248. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 7249. Lauraceae: Licaria pachycarpa (Meisn.) Kosterm.
- 7250. Orchidaceae: Epidendrum ramosum Jacq.
- 7251. Orchidaceae: Maxillaria cf. kegelii Rchb. f.
- 7252. Bromeliaceae: Vriesea heterandra (André) L. B. Sm.
- 7253. Aspleniaceae: Asplenium salicifolium L.
- 7254. Orchidaceae: Epidendrum aff. nocturnum Jacq.
- 7255. Anacardiaceae: Tapirira guianensis Aubl.
- 7256. Incertae sedis: Indet.
- 7257. Orchidaceae: Maxillaria brachybulbon Schltr.
- 7258. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 7259. Compositae: Mikania gleasonii B. L. Rob.
- 7260. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
- 7261. Orchidaceae: Maxillaria porrecta Lindl.
- 7262. Rubiaceae: Remijia roraimae (Benth.) K. Schum.
- 7263. Hymenophyllaceae: Trichomanes pellucens Kunze
- 7264. Ericaceae: Indet.
- 7265. Incertae sedis: Indet.

- 7266. Hymenophyllaceae: Trichomanes cristatum Kaulf.
- 7267. Myrtaceae: Indet.
- 7268. Myrtaceae: Indet.
- 7269. Simaroubaceae: Indet.
- 7270. Clusiaceae: Tovomita longifolia (Rich.) Hochr.
- 7271. Incertae sedis: Indet.
- 7272. Poaceae: Olyra micrantha Kunth
- 7273. Araceae: Anthurium roraimense N. E. Br.
- 7274. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 7275. Melastomataceae: Miconia lepidota DC.
- 7276. Clusiaceae: Clusia nemorosa G. Mey.
- 7277. Clusiaceae: Clusia flavida (Benth.) Pipoly
- 7278. Myrtaceae: Indet.
- 7279. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 7280. Leguminosae-Mimosoideae: *Abarema ferruginea* (Benth.) Pittier
- 7281. Myrtaceae: Siphoneugena dussii (Krug and Urb.) Proença
- 7282. Rubiaceae: Retiniphyllum chloranthum Ducke
- 7283. Lomariopsidaceae: *Elaphoglossum* praetermissum Mickel
- 7284. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
- 7285. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 7286. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 7287. Clusiaceae: Clusia nemorosa G. Mey.
- 7288. Sphagnaceae: Sphagnum sp.
- 7289. Lauraceae: Aniba taubertiana Mez
- 7290. Bryophyte: Indet.
- 7291. Bryophyte: Indet.
- 7292. Pteridophyte: Indet.
- 7293. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 7294. Ericaceae: Sphyrospermum cordifolium Benth.
- 7295. Myrtaceae: Indet.
- 7296. Myrtaceae: Indet.
- 7297. Rubiaceae: Patima guianensis Aubl.
- 7298. Rubiaceae: Psychotria adderleyi Steyerm.
- 7299. Annonaceae: Guatteria procera R. E. Fr.
- 7300. Leguminosae-Mimosoideae: Inga sp.
- 7301. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
- 7302. Ochnaceae: Ouratea sp.
- 7303. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 7304. Passifloraceae: Passiflora longiracemosa Ducke
- 7304a. Erythroxylaceae: Erythroxylum sp.
- 7305. Flacourtiaceae: Casearia pitumba Sleumer
- 7306. Myrsinaceae: Cybianthus venezuelanus Mez
- 7307. Araceae: Anthurium roraimense N. E. Br.

- 7308. Moraceae: Ficus albert-smithii Standl.
- 7309. Celastraceae: Maytenus cf. ficiformis Reissek
- 7310. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
- 7311. Clusiaceae: Clusia crassifolia Planch. and Triana
- 7312. Melastomataceae: Ernestia pullei Gleason
- 7313. Meliaceae: Guarea pubescens (Rich.) A. Juss.
- 7314. Picramniaceae: *Picramnia guianensis* (Aubl.) Jans.-Jac.
- 7315. Myrtaceae: Indet.
- 7316. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 7317. Rubiaceae: Malanea hypoleuca Steverm.
- 7318. Hippocrateaceae: *Tontelea ovalifolia* (Miers) A. C. Sm.
- 7319. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 7320. Leguminosae-Mimosoideae: *Inga* sp.
- 7321. Sapindaceae: Paullinia ingaefolia Rich. ex Juss.
- 7322. Melastomataceae: Adelobotrys adscendens (Sw.) Triana
- 7323. Myrtaceae: Indet.
- 7324. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
- 7325. Bryophyte: Indet.
- 7326. Araceae: Philodendron surinamense (Miq.) Engl.
- 7327. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
- 7328. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 7329. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
- 7330. Marcgraviaceae: *Marcgravia* cf. *sororopaniana* Steyerm.
- 7331. Polygonaceae: Coccoloba sp.
- 7332. Lauraceae: Ocotea crassifolia (Nees) Mez
- 7333. Boraginaceae: Cordia nodosa Lam.
- 7334. Cyperaceae: Mapania surinamensis Uittien
- 7335. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 7336. Rubiaceae: Isertia hypoleuca Benth.
- 7337. Aspleniaceae: Asplenium serratum L.
- 7338. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
- 7339. Melastomataceae: Henriettella duckeana Hoehne
- 7340. Rubiaceae: *Notopleura multiramosa* (Steyerm.) C. M. Taylor
- 7341. Melastomataceae: Miconia diaphanea Gleason
- 7342. Lauraceae: Endlicheria pyriformis (Nees) Mez
- 7343. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 7344. Rubiaceae: Palicourea calophylla DC.
- 7345. Adiantaceae: Adiantopsis radiata (L.) Fée

- 7346. Myrtaceae: Calycolpus surinamensis McVaugh
- 7347. Apocynaceae: Tabernaemontana sp.
- 7348. Tectariaceae: *Tectaria plantaginea* (Jacq.) Maxon var. *macrocarpa* (Fée) C. V. Morton
- 7349. Solanaceae: Cestrum sp.
- 7350. Malpighiaceae: Indet.
- 7351. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 7352. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 7353. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 7354. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
- 7355. Melastomataceae: *Leandra clidemioides* (Naudin) Wurdack
- 7356. Leguminosae-Caesalpinioideae: *Bocoa alterna* (Benth.) R. S. Cowan
- 7357. Orchidaceae: *Polycycnis surinamensis* C. Schweinf.
- 7358. Orchidaceae: Trichosalpinx sp.
- 7359. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 7360. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 7361. Grammitidaceae: *Grammitis taxifolia* (L.) Proctor
- 7362. Araceae: Philodendron acutatum Schott
- 7363. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 7364. Marattiaceae: Danaea elliptica Sm.
- 7365. Orchidaceae: Huntleya lucida (Rolfe) Rolfe
- 7366. Piperaceae: Piper sp.
- 7367. Melastomataceae: *Miconia bracteata* (DC.) Triana
- 7368. Dryopteridaceae: Cyclodium guianense (Klotzsch) van der Werff ex L. D. Gómez
- 7369. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 7370. Rubiaceae: *Psychotria cupularis* (Müll. Arg.) Standl.
- 7371. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl
- 7372. Gesneriaceae: Besleria cf. sp.
- 7373. Polypodiaceae: Polypodium caceresii Sodiro
- 7374. Bryophyte: Indet.
- 7375. Lichen-Incert. sed.: Indet.
- 7376. Euphorbiaceae: *Mabea speciosa* Müll. Arg. ssp. *guianensis* Esser
- 7377. Passifloraceae: Passiflora glandulosa Cav.
- 7378. Sapindaceae: Paullinia isoptera Radlk.
- 7379. Bryophyte: Indet.

- 7380. Hymenophyllaceae: Indet.
- 7381. Leguminosae-Mimosoideae: *Abarema ferruginea* (Benth.) Pittier
- 7382. Dennstaedtiaceae: *Lindsaea* cf. *lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 7383. Smilacaceae: Smilax sp.
- 7384. Araceae: Anthurium scandens (Aubl.) Engl.
- 7385. Dioscoreaceae: Dioscorea sp.
- 7386. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 7387. Orchidaceae: *Maxillaria parviflora* (Poepp. and Endl.) Garay
- 7388. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
- 7389. Hymenophyllaceae: *Trichomanes? cristatum* Kaulf.
- 7390. Bryophyte: Indet.
- 7391. Orchidaceae: Maxillaria sp.
- 7392. Annonaceae: Guatteria procera R. E. Fr.
- 7393. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
- 7394. Orchidaceae: Sobralia sp.
- 7395. Orchidaceae: Maxillaria porrecta Lindl.
- 7396. Orchidaceae: Octomeria sp.
- 7397. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
- 7398. Anacardiaceae: Tapirira guianensis Aubl.
- 7399. Ericaceae: Sphyrospermum cordifolium Benth.
- 7400. Orchidaceae: Dichaea sp.
- 7401. Orchidaceae: Scaphyglottis sp.
- 7402. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 7403. Melastomataceae: Leandra purpurea Gleason
- 7404. Leguminosae-Caesalpinioideae: Tachigali sp.
- 7405. Rubiaceae: Isertia spiciformis DC.
- 7406. Lauraceae: Licaria debilis (Mez) Kosterm.
- 7407. Poaceae: Ichnanthus panicoides P. Beauv.
- 7408. Melastomataceae: Adelobotrys adscendens (Sw.)
- 7409. Violaceae: Rinorea riana Kuntze
- 7410. Sabiaceae: Meliosma herbertii Rolfe
- 7411. Gesneriaceae: Besleria laxiflora Benth.
- 7412. Melastomataceae: Clidemia involucrata DC.
- 7413. Rubiaceae: *Psychotria paniculata* (Aubl.) Raeusch.
- 7414. Piperaceae: Piper anonifolium (Kunth) C. DC.
- 7415. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
- 7416. Rubiaceae: *Psychotria erecta* (Aubl.) Standl. and Steyerm.
- 7417. Orchidaceae: *Polycycnis surinamensis* C. Schweinf.

- 7418. Olacaceae: Heisteria cauliflora Sm.
- 7419. Sterculiaceae: *Byttneria morii* L. C. Barnett and Dorr
- 7420. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 7421. Vittariaceae: Antrophyum guayanense Hieron.
- 7422. Chrysobalanaceae: Hirtella silicea Griseb.
- 7423. Violaceae: Paypayrola longifolia Tul.
- 7424. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
- 7425. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 7426. Gentianaceae: *Tapeinostemon spenneroides* Benth.
- 7427. Arecaceae: Hyospathe elegans Mart.
- 7428. Araceae: Philodendron wittianum Engl.
- 7429. Blechnaceae: Salpichlaena hookeriana (Kuntze) Alston
- 7430. Apocynaceae: *Tabernaemontana heterophylla* Vahl
- 7431. Hymenophyllaceae: Trichomanes pinnatum Hedw.
- 7432. Passifloraceae: Passiflora glandulosa Cav.
- 7433. Ochnaceae: Ouratea sp.
- 7434. Rubiaceae: Psychotria muscosa (Jacq.) Steverm.
- 7435. Hymenophyllaceae: Trichomanes rigidum Sw.
- 7436. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 7437. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
- 7438. Bryophyte: Indet.
- 7439. Orchidaceae: Maxillaria porrecta Lindl.
- 7440. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
- 7441. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
- 7442. Lycopodiaceae: *Huperzia funiformis* (Cham. ex Spring) Trevis.
- 7443. Sapindaceae: Matayba arborescens (Aubl.) Radlk.
- 7444. Lauraceae: Ocotea neesiana (Miq.) Kosterm.
- 7445. Marcgraviaceae: Marcgravia? coriacea Vahl
- 7446. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 7447. Clusiaceae: Clusia nemorosa G. Mey.
- 7448. Euphorbiaceae: *Aparisthmium cordatum* (A. Juss.) Baill.
- 7449. Passifloraceae: Passiflora glandulosa Cav.
- 7450. Cucurbitaceae: Gurania bignoniacea (Poepp. and Endl.) C. Jeffrey
- 7451. Piperaceae: Piper bartlingianum (Miq.) C. DC.
- 7452. Lauraceae: Ocotea persulcata C. K. Allen

- 7453. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 7454. Siparunaceae: Siparuna guianensis Aubl.
- 7455. Hippocrateaceae: *Peritassa laevigata* (Hoffmanns. ex Link) A. C. Sm.
- 7456. Euphorbiaceae: Indet.
- 7457. Piperaceae: Piper obliquum Ruiz and Pav.
- 7458. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
- 7459. Rubiaceae: Psychotria astrellantha Wernham
- 7460. Araceae: Philodendron sp.
- 7461. Vittariaceae: Vittaria remota Fée
- 7462. Araceae: Philodendron wittianum Engl.
- 7463. Polypodiaceae: Polypodium fraxinifolium Jacq.
- 7464. Piperaceae: Piper sp.
- 7465. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 7466. Picramniaceae: *Picramnia guianensis* (Aubl.) Jans.-Jac.
- 7467. Melastomataceae: *Aciotis annua* (Mart. ex DC.)
- 7468. Grammitidaceae: Grammitis taxifolia (L.) Proctor
- 7469. Araceae: Anthurium gracile (Rudge) Schott
- 7470. Heliconiaceae: Heliconia acuminata Rich.
- 7471. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 7472. Cyperaceae: Pleurostachys sp.
- 7473. Acanthaceae: Justicia sp.
- 7474. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 7475. Piperaceae: Peperomia ouabianae C. DC.
- 7476. Orchidaceae: Dichaea sp.
- 7477. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 7478. Leguminosae-Mimosoideae: Inga sp.
- 7479. Lauraceae: Aniba panurensis (Meisn.) Mez
- 7480. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
- 7481. Polygonaceae: Coccoloba sp.
- 7482. Meliaceae: Cabralea canjerana (Vell.) Mart.
- 7483. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
- 7484. Flacourtiaceae: Casearia javitensis Kunth
- 7485. Solanaceae: Schwenckia grandiflora Benth.
- 7486. Flacourtiaceae: Carpotroche surinamensis Uittien
- 7487. Rubiaceae: Psychotria bahiensis DC.
- 7488. Rubiaceae: *Psychotria paniculata* (Aubl.) Raeusch.
- 7489. Rubiaceae: Coussarea micrococca Bremek.
- 7490. Vittariaceae: Antrophyum guayanense Hieron.

- 7491. Orchidaceae: *Lockhartia imbricata* (Lam.) Hoehne
- 7492. Rubiaceae: Palicourea longiflora DC.
- 7493. Lomariopsidaceae: Elaphoglossum sp.
- 7494. Gesneriaceae: Besleria laxiflora Benth.
- 7495. Solanaceae: Solanum costatum M. Nee
- 7496. Orchidaceae: *Habenaria alterosula* Snuv. and Westra
- 7497. Aspleniaceae: Asplenium auritum Sw.
- 7498. Myrtaceae: Indet.
- 7499. Orchidaceae: Epidendrum ramosum Jacq.
- 7500. Sapindaceae: Paullinia isoptera Radlk.
- 7501. Apocynaceae: *Tabernaemontana heterophylla* Vahl
- 7502. Piperaceae: Peperomia maguirei Yunck.
- 7503. Flacourtiaceae: Carpotroche surinamensis Uittien
- 7504. Dennstaedtiaceae: Saccoloma inaequale (Kunze) Mett.
- 7505. Araceae: Philodendron? sp. nov.
- 7506. Apocynaceae: Tabernaemontana sp.
- 7507. Polypodiaceae: Polypodium dissimile L.
- 7508. Araceae: Anthurium friedrichsthalii Schott
- 7509. Leguminosae-Mimosoideae: Inga sp.
- 7510. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
- 7511. Flacourtiaceae: Casearia pitumba Sleumer
- 7512. Polypodiaceae: Polypodium dulce Poir.
- 7513. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
- 7514. Dryopteridaceae: Cyclodium guianense (Klotzsch) van der Werff ex L. D. Gómez
- 7515. Polypodiaceae: Polypodium caceresii Sodiro
- 7516. Lauraceae: Endlicheria pyriformis (Nees) Mez
- 7517. Sapindaceae: Paullinia cupana Kunth
- 7518. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
- 7519. Solanaceae: Markea coccinea Rich.
- 7520. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 7521. Arecaceae: Hyospathe elegans Mart.
- 7522. Araceae: Syngonium podophyllum Schott
- 7523. Araceae: Rhodospatha latifolia Poepp.
- 7524. Orchidaceae: Xylobium sp.
- 7525. Polypodiaceae: Pecluma pectinata (L.) M. G. Price
- 7526. Smilacaceae: Smilax sp.
- 7527. Marattiaceae: Danaea elliptica Sm.
- 7528. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 7529. Aspleniaceae: Asplenium feei Kunze ex Fée
- 7530. Woodsiaceae: *Diplazium centripetale* (Baker) Maxon

- 7531. Polypodiaceae: Polypodium dulce Poir.
- 7532. Marcgraviaceae: *Marcgravia? pedunculosa* Triana and Planch.
- 7533. Lauraceae: Aniba parviflora (Meisn.) Mez
- 7534. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
- 7535. Sapotaceae: Pouteria guianensis Aubl.
- 7536. Leguminosae-Mimosoideae: *Abarema ferruginea* (Benth.) Pittier
- 7537. Araceae: Monstera sp.
- 7538. Araceae: Philodendron rudgeanum Schott
- 7539. Lomariopsidaceae: *Elaphoglossum flaccidum* (Fée) T. Moore
- 7540. Woodsiaceae: *Diplazium gracilescens* (Mett.) C. Chr.
- 7541. Araceae: Philodendron wittianum Engl.
- 7542. Araceae: Philodendron ornatum Schott
- 7543. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 7544. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon
- 7545. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 7546. Piperaceae: Piper paramaribense C. DC.
- 7547. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
- 7548. Chrysobalanaceae: Couepia guianensis Aubl. ssp. guianensis
- 7549. Menispermaceae: Indet.
- 7550. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 7551. Piperaceae: Piper consanguineum (Kunth) C. DC.
- 7552. Cucurbitaceae: Gurania bignoniacea (Poepp. and Endl.) C. Jeffrey
- 7553. Orchidaceae: Polycycnis surinamensis C. Schweinf.
- 7554. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
- 7555. Flacourtiaceae: Carpotroche surinamensis Uittien
- 7556. Leguminosae-Faboideae: *Swartzia grandifolia* Bong. ex Benth.
- 7557. Asclepiadaceae: Indet.
- 7558. Piperaceae: *Peperomia magnoliifolia* (Jacq.) A. Dietr.
- 7559. Vittariaceae: Antrophyum guayanense Hieron.
- 7560. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
- 7561. Poaceae: Panicum pilosum Sw.
- 7562. Heliconiaceae: Heliconia acuminata Rich.
- 7563. Solanaceae: Solanum leucocarpon Dunal
- 7564. Aspleniaceae: Asplenium salicifolium L.
- 7565. Leguminosae-Mimosoideae: *Calliandra coriacea* (Humb. and Bonpl. ex Willd.) Benth.

- 7566. Bromeliaceae: Guzmania melinonis Regel
- 7567. Rubiaceae: Gonzalagunia cf. dicocca Cham. and Schltdl. var. guianensis Steverm.
- 7568. Dryopteridaceae: Polybotrya caudata Kunze
- 7569. Araceae: Anthurium pentaphyllum (Aubl.) G. Don
- 7570. Clusiaceae: *Chrysochlamys membranacea* Planch. and Triana
- 7571. Apocynaceae: *Tabernaemontana macrocalyx* Müll. Arg.
- 7572. Tiliaceae: Apeiba macropetala Ducke
- 7573. Leguminosae-Caesalpinioideae: Sclerolobium sp.
- 7574. Meliaceae: Guarea silvatica C. DC.
- 7575. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
- 7576. Lacistemataceae: *Lacistema polystachyum* W. Schnizl.
- 7577. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 7578. Lauraceae: Ocotea cernua (Nees) Mez
- 7579. Leguminosae-Faboideae: Swartzia benthamiana Miq. var. benthamiana
- 7580. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 7581. Araceae: Philodendron rudgeanum Schott
- 7582. Loranthaceae: Cladocolea micrantha (Eichler) Kuijt
- 7583. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 7584. Lauraceae: Beilschmiedia curviramea (Meisn.) Kosterm.
- 7585. Araceae: Philodendron ornatum Schott
- 7586. Orchidaceae: Scaphyglottis sp.
- 7587. Solanaceae: Markea longiflora Miers
- 7588. Myristicaceae: Virola elongata (Benth.) Warb.
- 7589. Araliaceae: Schefflera sp.
- 7590. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 7591. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 7592. Moraceae: *Perebea guianensis* Aubl. ssp. *guianensis*
- 7593. Euphorbiaceae: Indet.
- 7594. Boraginaceae: Cordia nodosa Lam.
- 7595. Orchidaceae: Sobralia suaveolens Rchb. f.
- 7596. Piperaceae: Peperomia glabella (Sw.) A. Dietr.
- 7597. Arecaceae: Geonoma macrostachys Mart.
- 7598. Orchidaceae: *Campylocentrum micranthum* (Lindl.) Rolfe
- 7599. Orchidaceae: Bulbophyllum sp.
- 7600. Mendonciaceae: Mendoncia hoffmannseggiana Nees

- 7601. Leguminosae-Mimosoideae: Inga sp.
- 7602. Lauraceae: Licaria aureosericea van der Werff
- 7603. Convolvulaceae: Maripa glabra Choisy
- 7604. Apocynaceae: Couma sp.
- 7605. Myrtaceae: *Eugenia macrocalyx* (Rusby) McVaugh
- 7606. Orchidaceae: *Trigonidium acuminatum* Bateman ex Lindl.
- 7607. Violaceae: Rinorea riana Kuntze
- 7608. Orchidaceae: *Maxillaria* cf. *discolor* (Lodd. ex Lindl.) Rchb. f.
- 7609. Orchidaceae: Stelis sp.
- 7610. Chrysobalanaceae: Hirtella silicea Griseb.
- 7611. Violaceae: *Amphirrhox longifolia* (A. St.-Hil.) Spreng.
- 7612. Clusiaceae: *Garcinia benthamiana* (Planch. and Triana) Pipoly
- 7613. Annonaceae: Unonopsis stipitata Diels
- 7614. Leguminosae-Mimosoideae: Inga sp.
- 7615. Leguminosae-Mimosoideae: Inga sp.
- 7616. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev. ssp. *surinamensis* (Miq.) T. D. Penn.
- 7617. Olacaceae: Heisteria sp.
- 7618. Rubiaceae: Gonzalagunia cf. dicocca Cham. and Schltdl. var. guianensis Steverm.
- 7619. Verbenaceae: Petrea bracteata Steud.
- 7620. Incertae sedis: Indet.
- 7621. Dichapetalaceae: Tapura guianensis Aubl.
- 7622. Leguminosae-Mimosoideae: *Inga* sp.
- 7623. Lauraceae: Endlicheria pyriformis (Nees) Mez
- 7624. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 7625. Adiantaceae: *Adiantum terminatum* Kunze ex Mig.
- 7626. Euphorbiaceae: Pausandra martinii Baill.
- 7627. Rubiaceae: Palicourea calophylla DC.
- 7628. Orchidaceae: Stelis sp.
- 7629. Passifloraceae: Passiflora glandulosa Cav.
- 7630. Poaceae: Ichnanthus panicoides P. Beauv.
- 7631. Melastomataceae: Clidemia conglomerata DC.
- 7632. Euphorbiaceae: Pausandra martinii Baill.
- 7633. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 7634. Malpighiaceae: *Stigmaphyllon sinuatum* (DC.) A. Juss.
- 7635. Araceae: *Dieffenbachia elegans* A. M. E. Jonker and Jonker
- 7636. Leguminosae-Mimosoideae: *Inga* sp.
- 7637. Menispermaceae: Indet.
- 7638. Hippocrateaceae: *Prionostemma aspera* (Lam.) Miers

- 7639. Leguminosae-Caesalpinioideae: *Eperua* grandiflora (Aubl.) Benth. ssp. guyanensis R. S. Cowan
- 7640. Polygalaceae: Securidaca paniculata Rich. var. lasiocarpa Oort
- 7641. Melastomataceae: *Bellucia grossularioides* (L.)
- 7642. Acanthaceae: Polylychnis radicans (Nees) Wassh.
- 7643. Leguminosae-Mimosoideae: *Inga* sp.
- 7644. Humiriaceae: Indet.
- 7645. Myristicaceae: Iryanthera sp.
- 7646. Thelypteridaceae: *Thelypteris decussata* (L.) Proctor
- 7647. Piperaceae: Piper arboreum Aubl.
- 7648. Bryophyte: Indet.
- 7649. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 7650. Melastomataceae: *Miconia ceramicarpa* (DC.) Cogn.
- 7651. Cyclanthaceae: Indet.
- 7652. Araceae: Anthurium clavigerum Poepp.
- 7653. Sterculiaceae: Theobroma subincanum Mart.
- 7654. Tectariaceae: Tectaria incisa Cav.
- 7655. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 7656. Cyperaceae: Calyptrocarya bicolor (H. Pfeiff.) T. Kovama
- 7657. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
- 7658. Annonaceae: Cymbopetalum brasiliense (Vell.) Benth. ex Baill.
- 7659. Solanaceae: Solanum subinerme Jacq.
- 7660. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 7661. Siparunaceae: Siparuna pachyantha A. C. Sm.
- 7662. Annonaceae: Anaxagorea sp.
- 7663. Lauraceae: Aniba citrifolia (Nees) Mez
- 7664. Apocynaceae: Geissospermum argenteum Woodson
- 7665. Heliconiaceae: *Heliconia chartacea* Lane ex Barreiros
- 7666. Apocynaceae: Tabernaemontana sp.
- 7667. Apocynaceae: Geissospermum argenteum Woodson
- 7668. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
- 7669. Piperaceae: Piper trichoneuron (Miq.) C. DC.
- 7670. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
- 7671. Arecaceae: Bactris elegans Barb. Rodr.
- 7672. Passifloraceae: Passiflora garckei Mast.

- 7673. Piperaceae: Piper demeraranum (Miq.) C. DC.
- 7674. Piperaceae: *Peperomia magnoliifolia* (Jacq.) A. Dietr.
- 7675. Moraceae: Perebea guianensis Aubl. ssp. guianensis
- 7676. Piperaceae: Piper pulleanum Yunck.
- 7677. Meliaceae: Guarea kunthiana A. Juss.
- 7678. Myristicaceae: Iryanthera sp.
- 7679. Aspleniaceae: Asplenium angustum Sw.
- 7680. Convolvulaceae: Maripa glabra Choisy
- 7681. Apocynaceae: *Tabernaemontana sananho* Ruiz and Pav.
- 7682. Incertae sedis: Indet.
- 7683. Sapotaceae: *Pouteria* sp. (sect. Pouteria)
- 7684. Clusiaceae: *Chrysochlamys membranacea* Planch, and Triana
- 7685. Lacistemataceae: *Lacistema grandifolium* W. Schnizl.
- 7686. Lomariopsidaceae: *Bolbitis semipinnatifida* (Fée) Alston
- 7687. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
- 7688. Violaceae: Paypayrola guianensis Aubl.
- 7689. Annonaceae: Pseudoxandra lucida R. E. Fr.
- 7690. Orchidaceae: Stelis sp.
- 7691. Orchidaceae: Polystachya foliosa (Lindl.) Rchb. f.
- 7692. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
- 7693. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev. ssp. *surinamensis* (Miq.) T. D. Penn.
- 7694. Malpighiaceae: *Byrsonima gymnocalycina* A. Juss.
- 7695. Arecaceae: Euterpe precatoria Mart.
- 7696. Polygalaceae: Indet.
- 7697. Orchidaceae: Pleurothallis sp.
- 7698. Rubiaceae: Isertia hypoleuca Benth.
- 7699. Marcgraviaceae: Marcgravia coriacea Vahl
- 7700. Araceae: Anthurium gracile (Rudge) Schott
- 7701. Orchidaceae: Batemannia colleyi Lindl.
- 7702. Leguminosae-Faboideae: Machaerium? sp.
- 7703. Leguminosae-Faboideae: Ormosia sp.
- 7704. Orchidaceae: *Dicrypta* sp.
- 7705. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
- 7706. Lichen-Incert. sed.: Indet.
- 7707. Orchidaceae: *Myoxanthus parahybunensis* (Barb. Rodr.) Luer
- 7708. Connaraceae: Connarus cf. lambertii (DC.) Sagot
- 7709. Leguminosae-Caesalpinioideae: Sclerolobium sp.

- 7710. Hymenophyllaceae: Hymenophyllum trichomanoides Bosch
- 7711. Myristicaceae: *Virola* cf. *surinamensis* (Rol. ex Rottb.) Warb.
- 7712. Leguminosae-Caesalpinioideae: *Macrolobium bifolium* (Aubl.) Pers.
- 7713. Cyperaceae: Bisboeckelera irrigua (Nees) Kuntze
- 7714. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
- 7715. Leguminosae-Mimosoideae: Inga sp.
- 7716. Olacaceae: Dulacia guianensis (Engl.) Kuntze
- 7717. Burseraceae: *Dacryodes chimantensis* Steyerm. and Maguire
- 7718. Incertae sedis: Indet.
- 7719. Meliaceae: Guarea? trunciflora C. DC.
- 7720. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 7721. Leguminosae-Faboideae: Swartzia benthamiana Mig.
- 7722. Lauraceae: Aniba parviflora (Meisn.) Mez
- 7723. Loranthaceae: Indet.
- 7724. Connaraceae: Rourea frutescens Aubl.
- 7725. Leguminosae-Mimosoideae: Parkia nitida Miq.
- 7726. Meliaceae: Trichilia quadrijuga Kunth
- 7727. Rubiaceae: Genipa spruceana Steyerm.
- 7728. Rubiaceae: Isertia hypoleuca Benth.
- 7729. Leguminosae-Mimosoideae: Inga sp.
- 7730. Orchidaceae: Epidendrum flexuosum G. Mey.
- 7731. Combretaceae: Combretum laxum Jacq.
- 7732. Incertae sedis: Indet.
- 7733. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 7734. Rubiaceae: Psychotria lupulina Benth.
- 7735. Annonaceae: Anaxagorea brevipes Benth.
- 7736. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
- 7737. Combretaceae: Combretum laxum Jacq.
- 7738. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
- 7739. Polypodiaceae: *Microgramma lycopodioides* (L.) Copel.
- 7740. Incertae sedis: Indet.
- 7741. Polygonaceae: Indet.
- 7742. Loganiaceae: Strychnos sp.
- 7743. Polygalaceae: Securidaca paniculata Rich. var. lasiocarpa Oort
- 7744. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.

- 7745. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 7746. Leguminosae-Faboideae: *Pterocarpus officinalis* Jacq.
- 7747. Leguminosae-Mimosoideae: Inga sp.
- 7748. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 7749. Cyclanthaceae: Indet.
- 7750. Violaceae: Rinorea sp.
- 7751. Lacistemataceae: Lacistema aggregatum (P. J. Bergius) Rusby
- 7752. Orchidaceae: Epidendrum rigidum Jacq.
- 7753. Orchidaceae: *Scaphyglottis amethystina* (Rchb. f.)
- 7754. Leguminosae-Faboideae: *Swartzia benthamiana* Miq.
- 7755. Annonaceae: Pseudoxandra lucida R. E. Fr.
- 7756. Malpighiaceae: *Heteropterys macrostachya* A. Juss.
- 7757. Myrtaceae: Eugenia gomesiana O. Berg
- 7758. Leguminosae-Caesalpinioideae: *Macrolobium* angustifolium (Benth.) R. S. Cowan
- 7759. Melastomataceae: Miconia prasina (Sw.) DC.
- 7760. Ericaceae: Indet.
- 7761. Araceae: Philodendron acutatum Schott
- 7762. Dioscoreaceae: Dioscorea sp.
- 7763. Piperaceae: *Peperomia macrostachya* (Vahl)
 A. Dietr.
- 7764. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC.
- 7764a. Myrtaceae: Indet.
- 7765. Hippocrateaceae: Cheiloclinium brevipetiolatum Lombardi
- 7766. Acanthaceae: Polylychnis radicans (Nees) Wassh.
- 7767. Vittariaceae: Hecistopteris pumila (Spreng.) J. Sm.
- 7768. Bignoniaceae: Jacaranda copaia (Aubl.) D. Don
- 7769. Myrtaceae: Eugenia tetramera (McVaugh) M. L. Kawas. and B. Holst
- 7770. Melastomataceae: Indet. sp.
- 7771. Melastomataceae: Tococa guianensis Aubl.
- 7772. Leguminosae-Mimosoideae: Inga sp.
- 7773. Hippocrateaceae: Cheiloclinium hippocrateoides (Peyr.) A. C. Sm.
- 7774. Melastomataceae: Adelobotrys sp.
- 7775. Sterculiaceae: Theobroma subincanum Mart.
- 7776. Annonaceae: Unonopsis stipitata Diels
- 7777. Apocynaceae: Indet.
- 7778. Annonaceae: Pseudoxandra lucida R. E. Fr.
- 7779. Chrysobalanaceae: Licania kunthiana Hook. f.

- 7780. Rubiaceae: Ferdinandusa sp.
- 7781. Rubiaceae: Indet.
- 7782. Leguminosae: Indet.
- 7783. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
- 7784. Rubiaceae: Ferdinandusa sp.
- 7785. Gentianaceae: Tachia smithii Maguire and Weaver
- 7786. Myristicaceae: Virola elongata (Benth.) Warb.
- 7787. Myristicaceae: Virola calophylla (Spruce) Warb.
- 7788. Icacinaceae: Pleurisanthes flava Sandwith
- 7789. Sapindaceae: Matayba inelegans Spruce ex Radlk.
- 7790. Leguminosae-Caesalpinioideae: *Paloue induta* Sandwith
- 7791. Moraceae: Ficus paraensis (Miq.) Miq.
- 7792. Rubiaceae: Duroia eriopila L. f.
- 7793. Melastomataceae: Mouriri grandiflora DC.
- 7794. Leguminosae-Caesalpinioideae: *Tachigali* paniculata Aubl.
- 7795. Sapindaceae: Matayba camptoneura Radlk.
- 7796. Myristicaceae: Iryanthera juruensis Warb.
- 7797. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
- 7798. Ochnaceae: Ouratea sp.
- 7799. Smilacaceae: Smilax sp.
- 7800. Rubiaceae: Ixora ferrea (Jacq.) Benth.
- 7801. Lomariopsidaceae: *Elaphoglossum lingua* (Raddi) Brack.
- 7802. Asclepiadaceae: Indet.
- 7803. Sapindaceae: Paullinia isoptera Radlk.
- 7804. Melastomataceae: Clidemia japurensis DC, var. japurensis
- 7805. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 7806. Araceae: Philodendron pedatum (Hook.) Kunth
- 7807. Aspleniaceae: Asplenium serratum L.
- 7808. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 7809. Bignoniaceae: *Clytostoma binatum* (Thunb.) Sandwith
- 7810. Aspleniaceae: Asplenium auritum Sw.
- 7811. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 7812. Myrtaceae: Indet.
- 7813. Meliaceae: Carapa guianensis Aubl.
- 7814. Araceae: Anthurium clavigerum Poepp.
- 7815. Bignoniaceae: *Adenocalymna inundatum* Mart. ex DC.
- 7816. Araceae: *Philodendron muricatum* Willd. ex Schott

7853. Connaraceae: Rourea ligulata Baker

7855. Araceae: Monstera? adansonii Schott

7854. Marcgraviaceae: Marcgravia coriacea Vahl

7817.	Araceae: Philodendron grandifolium (Jacq.)	7856.	Malpighiaceae: Byrsonima gymnocalycina
5 040	Schott	50.55	A. Juss.
7818.	Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler	7857.	Ebenaceae: Diospyros sp.
7819.	Sterculiaceae: Theobroma subincanum Mart.	7858.	Marcgraviaceae: Marcgravia purpurea I. W. Bailey
7820.	Araceae: Philodendron solimoesense A. C. Sm.	7859.	Cyperaceae: Scleria flagellum-nigrorum P. J.
7821.	Araceae: Philodendron rudgeanum Schott		Bergius
7822.	Orchidaceae: Maxillaria acutifolia Lindl.	7860.	Violaceae: Corynostylis arborea (L.) S. F. Blake
7823.	Araceae: Heteropsis flexuosa (Kunth) G. S.	7861.	Viscaceae: Phoradendron piperoides (Kunth) Trel.
	Bunting	7862.	Rubiaceae: Psychotria mapourioides DC.
7824.	Lauraceae: Ocotea splendens (Meisn.) Baill.	7863.	Leguminosae-Faboideae: Swartzia benthamiana
7825.	Lauraceae: Licaria aureosericea van der Werff		Miq.
7826.	Leguminosae-Mimosoideae: Inga sp.	7864.	Orchidaceae: Myoxanthus parahybunensis
7827.	Humiriaceae: Humiriastrum cf. sp.		(Barb. Rodr.) Luer
7828.	Myrtaceae: Eugenia tetramera (McVaugh) M. L.	7865.	Clusiaceae: Tovomita spruceana Planch. and
	Kawas. and B. Holst		Triana
7829.	Solanaceae: Markea coccinea Rich.	7866.	Rubiaceae: Palicourea croceoides Desv. ex Ham.
7830.	Piperaceae: <i>Piper hirtilimbum</i> Trel. and Yunck.	7867.	Rubiaceae: Perama galioides (Kunth) Poir.
7831.	Chrysobalanaceae: <i>Hirtella bicornis</i> Mart. and	7868.	Eriocaulaceae: Syngonanthus umbellatus (Lam.)
7031.	Zucc. var. pubescens Ducke	7000.	Ruhland
7832.	Euphorbiaceae: Hevea guianensis Aubl. var. lutea	7869.	Polygalaceae: Polygala appressa Benth.
7032.	-	7870.	
7022	(Spruce ex Benth.) Ducke and R. E. Schult.		Cyperaceae: Exochogyne amazonica C. B. Clarke
7833.	Melastomataceae: Mouriri sp.	7871.	Amaranthaceae: Indet.
7834.	Menispermaceae: Indet.	7872.	Melastomataceae: Pachyloma coriaceum DC.
7835.	Hernandiaceae: Hernandia guianensis Aubl.	7873.	Malpighiaceae: Byrsonima crassifolia (L.) Kunth
7836.	Connaraceae: Rourea ligulata Baker	7874.	Melastomataceae: Tococa nitens (Benth.) Triana
7837.	Annonaceae: Bocageopsis multiflora (Mart.)	7875.	Xyridaceae: Abolboda grandis Griseb.
	R. E. Fr.	7876.	Xyridaceae: Xyris malmeana L. B. Sm.
7838.	Clusiaceae: Tovomita schomburgkii Planch. and	7877.	Cyperaceae: Rhynchospora rugosa (Vahl) Gale
	Triana	7878.	Melastomataceae: Tibouchina aspera Aubl.
7839.	Lacistemataceae: Lacistema aggregatum (P. J.	7879.	Poaceae: Panicum pilosum Sw.
	Bergius) Rusby	7880.	Cyperaceae: Rhynchospora tenella (Nees) Böck.
7840.	Icacinaceae: Pleurisanthes flava Sandwith	7881.	Poaceae: Echinolaena inflexa (Poir.) Chase
7841.	Burseraceae: Protium aracouchini (Aubl.)	7882.	Cyperaceae: Rhynchospora globosa (Kunth)
	Marchand		Roem. and Schult.
7842.	Adiantaceae: Adiantum tomentosum Klotzsch	7883.	Cyperaceae: Rhynchospora barbata (Vahl) Kunth
7843.	Sapotaceae: Pouteria? venosa (Mart.) Baehni	7884.	Eriocaulaceae: Eriocaulon tenuifolium Klotzsch
7844.	Orchidaceae: Brassia cf. neglecta Rchb. f.		ex Körn.
7845.	Incertae sedis: Indet.	7885.	Ochnaceae: Sauvagesia sprengelii A. StHil.
7846.	Bignoniaceae: Indet.	7886.	Xyridaceae: Xyris surinamensis Spreng.
7847.	Bignoniaceae: Clytostoma binatum (Thunb.)	7887.	Cyperaceae: Lagenocarpus rigidus (Kunth) Nees
	Sandwith	, , , ,	ssp. tremulus (Nees) T. Koyama and Maguire
7848.	Gnetaceae: Gnetum nodiflorum Brongn.	7888.	Chrysobalanaceae: Licania incana Aubl.
7849.	Flacourtiaceae: Homalium guianense (Aubl.) Oken	7889.	Lecythidaceae: Eschweilera parvifolia Mart.
7850.	Myrtaceae: Eugenia lambertiana DC.	/ 00/-	ex DC.
7851.	Clusiaceae: Clusia renggerioides Planch. and	7890.	Chrysobalanaceae: Couepia guianensis Aubl. ssp.
7031.	Triana	7090.	glandulosa (Miq.) Prance
7053		7001	
7852.	Malpighiaceae: <i>Hiraea faginea</i> (Sw.) Nied.	7891.	Incertae sedis: Indet.

7892. Chrysobalanaceae: Indet.

7893. Clusiaceae: Caraipa cf. sp.

7894. Violaceae: Rinorea lindeniana (Tul.) Kuntze

- 7895. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
- 7896. Picramniaceae: Picramnia sp.
- 7897. Clusiaceae: Indet.
- 7898. Rubiaceae: *Uncaria guianensis* (Aubl.) J. F. Gmel
- 7899. Sterculiaceae: Theobroma subincanum Mart.
- 7900. Sapindaceae: Cupania sp.
- 7901. Sapotaceae: Pouteria cuspidata (A. DC.) Baehni
- 7902. Burseraceae: Crepidospermum rhoifolium (Benth.) Triana and Planch.
- 7903. Sapindaceae: Indet.
- 7904. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
- 7905. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
- 7906. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 7907. Cecropiaceae: Pourouma villosa Trécul
- 7908. Annonaceae: Duguetia guianensis R. E. Fr.
- 7909. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 7910. Clusiaceae: Caraipa racemosa Cambess.
- 7911. Araceae: Anthurium clavigerum Poepp.
- 7912. Euphorbiaceae: *Sagotia racemosa* Baill. var. *brachysepala* Müll. Arg.
- 7913. Rubiaceae: Psychotria lupulina Benth.
- 7914. Violaceae: Rinorea riana Kuntze
- 7915. Melastomataceae: *Miconia impetiolaris* (Sw.) D. Don ex DC. var. *spruceanum* Cogn.
- 7916. Leguminosae-Mimosoideae: *Inga* sp.
- 7917. Hippocrateaceae: Hippocratea volubilis L.
- 7918. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 7919. Menispermaceae: Indet.
- 7920. Chrysobalanaceae: *Licania heteromorpha* Benth. var. *glabra* (Mart. ex Hook. f.) Prance
- 7921. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 7922. Myrtaceae: Indet.
- 7923. Myristicaceae: Virola calophylla (Spruce) Warb.
- 7924. Chrysobalanaceae: Couepia parillo DC.
- 7925. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 7926. Sabiaceae: Meliosma herbertii Rolfe
- 7927. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
- 7928. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
- 7929. Leguminosae-Caesalpinioideae: *Bauhinia guianensis* Aubl.
- 7930. Myrtaceae: Myrcia minutiflora Sagot

- 7931. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 7932. Meliaceae: Guarea sp.
- 7933. Myristicaceae: Iryanthera sp.
- 7934. Connaraceae: Connarus perrottetii (DC.) Planch. var. rufus Forero
- 7935. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
- 7936. Chrysobalanaceae: Parinari excelsa Sabine
- 7937. Flacourtiaceae: *Ryania speciosa* Vahl var. *subuliflora* (Sandwith) Monach.
- 7938. Sapindaceae: Indet.
- 7939. Aquifoliaceae: *Ilex* sp.
- 7940. Ochnaceae: *Ouratea fasciculata* Maguire and Steyerm.
- 7941. Melastomataceae: *Miconia radulaefolia* (Benth.) Naudin
- 7942. Rubiaceae: Duroia eriopila L. f.
- 7943. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
- 7944. Sterculiaceae: Theobroma subincanum Mart.
- 7945. Selaginellaceae: *Selaginella parkeri* (Hook. and Grev.) Spring
- 7946. Adiantaceae: Adiantum terminatum Kunze ex Miq.
- 7947. Rubiaceae: Psychotria polycephala Benth.
- 7948. Apocynaceae: Tabernaemontana sp.
- 7949. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 7950. Dennstaedtiaceae: Lindsaea? divaricata Klotzsch
- 7951. Arecaceae: Geonoma deversa (Poit.) Kunth
- 7952. Polypodiaceae: *Microgramma thurnii* (Baker) R. M. Tryon and Stolze
- 7953. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
- 7954. Cecropiaceae: Coussapoa trinervia Spruce ex Mildbr.
- 7955. Boraginaceae: Cordia nodosa Lam.
- 7956. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth, and Hook, f. ex Nied.
- 7957. Incertae sedis: Indet.
- 7958. Aspleniaceae: Asplenium serratum L.
- 7959. Euphorbiaceae: Conceveiba martiana Baill.
- 7960. Violaceae: Leonia glycycarpa Ruiz and Pav.
- 7961. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 7962. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 7963. Dioscoreaceae: Dioscorea sp.
- 7964. Myristicaceae: Iryanthera sp.
- 7965. Apocynaceae: Odontadenia puncticulosa (Rich.) Pulle

- 7966. Arecaceae: Iriartella setigera (Mart.) H. Wendl.
- 7967. Melastomataceae: *Clidemia heteroneura* (DC.) Cogn.
- 7968. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq.
- 7969. Xylariaceae: Xylaria sp.
- 7970. Bryophyte: Indet.
- 7971. Bryophyte: Indet.
- 7972. Polyporaceae: Microporellus? sp.
- 7973. Piperaceae: Piper sp.
- 7973b. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 7974. Clusiaceae: Indet.
- 7975. Lauraceae: Endlicheria pyriformis (Nees) Mez
- 7976. Burmanniaceae: Campylosiphon purpurascens Benth.
- 7977. Melastomataceae: Indet.
- 7978. Leguminosae-Faboideae: *Dioclea guianensis* Benth.
- 7979. Piperaceae: Piper sp.
- 7980. Commelinaceae: Indet.
- 7981. Lauraceae: Aniba citrifolia (Nees) Mez
- 7982. Menispermaceae: Indet.
- 7983. Flacourtiaceae: Mayna odorata Aubl.
- 7984. Apocynaceae: Tabernaemontana undulata Vahl
- 7985. Piperaceae: Piper sp.
- 7986. Hippocrateaceae: Indet.
- 7987. Solanaceae: Markea coccinea Rich.
- 7988. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
- 7989. Myrtaceae: *Eugenia tetramera* (McVaugh) M. L. Kawas. and B. Holst
- 7990. Convolvulaceae: Indet.
- 7991. Bryophyte: Indet.
- 7992a. Rubiaceae: Sipanea sp.
- 7992b. Rubiaceae: Geophila sp.
- 7993. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 7994. Orchidaceae: Masdevallia vargasii C. Schweinf.
- 7995. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 7996. Lauraceae: Aniba megaphylla Mez
- 7997. Poaceae: Lasiacis ligulata Hitchc. and Chase
- 7998. Gesneriaceae: Nautilocalyx punctatus Wiehler
- 7999. Dennstaedtiaceae: *Saccoloma inaequale* (Kunze) Mett.
- 8000. Aspleniaceae: Asplenium cuneatum Lam.
- 8001. Olacaceae: Indet.
- 8002. Melastomataceae: Miconia lateriflora Cogn.
- 8003. Leguminosae-Faboideae: Lonchocarpus s.l. sp.

- 8004. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
- 8005. Sapotaceae: Pouteria sp.
- 8006. Meliaceae: Guarea pubescens (Rich.) A. Juss.
- 8007. Rubiaceae: Psychotria gracilenta Müll. Arg.
- 8008. Apocynaceae: *Lacmellea aculeata* (Ducke) Monach.
- 8009. Combretaceae: Combretum sp.
- 8010. Leguminosae-Mimosoideae: Inga sp.
- 8011. Leguminosae-Mimosoideae: Inga sp.
- 8012. Burseraceae: *Protium aracouchini* (Aubl.)
 Marchand
- 8013. Gesneriaceae: *Chrysothemis rupestris* (Benth.) Leeuwenb.
- 8014. Aspleniaceae: Asplenium serratum L.
- 8015. Chrysobalanaceae: Hirtella racemosa Lam.
- 8016. Incertae sedis: Indet.
- 8017. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke
- 8018. Annonaceae: *Guatteria anthracina* Scharf and Maas
- 8019. Apocynaceae: *Tabernaemontana macrocalyx* Müll. Arg.
- 8020. Lauraceae: Ocotea discrepens C. K. Allen
- 8021. Gesneriaceae: Besleria laxiflora Benth.
- 8022. Violaceae: Rinorea brevipes (Benth.) S. F. Blake
- 8023. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze var. *lindeniana*
- 8024. Burseraceae: Indet.
- 8025. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 8026. Zingiberaceae: Renealmia guianensis Maas
- 8027. Rubiaceae: Psychotria racemosa Rich.
- 8028. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
- 8029. Dryopteridaceae: *Stigmatopteris rotundata* (Humb. and Bonpl. ex Willd.) C. Chr.
- 8030. Vittariaceae: Antrophyum guayanense Hieron.
- 8031. Tectariaceae: Tectaria plantaginea (Jacq.) Maxon
- 8032. Costaceae: Costus spiralis (Jacq.) Roscoe var. spiralis
- 8033. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
- 8034. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 8035. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 8036. Annonaceae: Duguetia guianensis R. E. Fr.
- 8037. Apocynaceae: Forsteronia sp.
- 8038. Clusiaceae: Indet.

- 8039. Rubiaceae: Psychotria deflexa DC.
- 8040. Monimiaceae: Indet.
- 8041. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 8042. Flacourtiaceae: Casearia javitensis Kunth
- 8043. Orchidaceae: *Myoxanthus parvilabius* (C. Schweinf.) Luer
- 8044. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 8045. Orchidaceae: *Scaphyglottis fusiformis* (Griseb.) R. E. Schult.
- 8046. Piperaceae: Piper sp.
- 8047. Poaceae: Olyra micrantha Kunth
- 8048. Monimiaceae: Indet.
- 8049. Siparunaceae: Siparuna guianensis Aubl.
- 8050. Anacardiaceae: Tapirira guianensis Aubl.
- 8051. Myristicaceae: Virola calophylla (Spruce) Warb.
- 8052. Rubiaceae: *Palicourea corymbifera* (Müll. Arg.) Standl.
- 8053. Chrysobalanaceae: Hirtella obidensis Ducke
- 8054. Lauraceae: Ocotea oblonga (Meisn.) Mez
- 8055. Myristicaceae: *Virola surinamensis* (Rol. ex Rottb.) Warb.
- 8056. Meliaceae: Guarea velutina A. Juss.
- 8057. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
- 8058. Viscaceae: Phoradendron dipterum Eichler
- 8059. Clusiaceae: Indet.
- 8060. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre ssp. *duckeana* (Baehni) T. D. Penn.
- 8061. Malpighiaceae: *Mascagnia poeppigiana* (A. Juss.) W. R. Anderson
- 8062. Rubiaceae: *Psychotria paniculata* (Aubl.) Raeusch.
- 8063. Parmeliaceae: Usnea sp.
- 8064. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
- 8065. Lauraceae: Aniba megaphylla Mez
- 8066. Bryophyte: Indet.
- 8067. Monimiaceae: Indet.
- 8068. Rubiaceae: Psychotria ulviformis Steverm.
- 8069. Rhamnaceae: Gouania sp.
- 8070. Lauraceae: Endlicheria pyriformis (Nees) Mez
- 8071. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
- 8072. Araceae: Syngonium podophyllum Schott
- 8073. Polypodiaceae: Pecluma pectinata (L.) M. G. Price
- 8074. Costaceae: Costus scaber Ruiz and Pav.
- 8075. Begoniaceae: Begonia semiovata Liebm.
- 8076. Connaraceae: Indet. ?
- 8077. Leguminosae-Mimosoideae: Inga sp.

- 8078. Melastomataceae: Aciotis ornata (Miq.) Gleason
- 8079. Melastomataceae: Henriettella caudata Gleason
- 8080. Poaceae: Panicum stoloniferum Poir.
- 8081. Moraceae: Ficus guianensis Desv. ex Ham.
- 8082. Gentianaceae: Chelonanthus grandiflorus (Aubl.) Chodat and Hassl.
- 8083. Araceae: Monstera? obliqua Miq.
- 8084. Marantaceae: *Hylaeanthe unilateralis* (Poepp. and Endl.) A. M. E. Jonker and Jonker
- 8085. Leguminosae-Mimosoideae: Inga sp.
- 8086. Poaceae: Pharus latifolius L.
- 8087. Heliconiaceae: Heliconia spathocircinata Aristeg.
- 8088. Piperaceae: Piper sp.
- 8089. Cyatheaceae: Cyathea traillii (Baker) Domin
- 8090. Araceae: *Dieffenbachia elegans* A. M. E. Jonker and Jonker
- 8091. Clusiaceae: Indet.
- 8092. Rubiaceae: Sipanea sp.
- 8093. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
- 8094. Apocynaceae: Tabernaemontana undulata Vahl
- 8095. Apocynaceae: Tabernaemontana undulata Vahl
- 8096. Rubiaceae: Indet.
- 8097. Marantaceae: Maranta protracta Miq.
- 8098. Meliaceae: Trichilia surumuensis C. DC.
- 8099. Lauraceae: Ocotea fasciculata (Nees) Mez
- 8100. Loranthaceae: Struthanthus dichotrianthus Eichler
- 8101. Orchidaceae: Brassia caudata (L.) Lindl.
- 8102. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 8103. Sapindaceae: Indet.
- 8104. Araceae: Anthurium clavigerum Poepp.
- 8105. Compositae: Wulffia baccata (L.) Kuntze
- 8106. Rubiaceae: Guettarda aromatica Poepp. and Endl.
- 8107. Hippocrateaceae: Salacia cordata (Miers) Mennega
- 8108. Heliconiaceae: Heliconia pendula Wawra
- 8109. Leguminosae-Mimosoideae: Inga sp.
- 8110. Clusiaceae: Clusia sp.
- 8111. Orchidaceae: *Prescottia* aff. *stachyodes* (Sw.) Lindl.
- 8112. Rubiaceae: Cordiera triflora A. Rich.
- 8113. Gesneriaceae: Kohleria hirsuta (Kunth) Regel var. hirsuta
- 8114. Lycopodiaceae: *Huperzia dichotoma* (Jacq.) Trevis.
- 8115. Verbenaceae: Lantana camara L.
- 8116. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 8117. Bromeliaceae: Catopsis berteroniana (Schult. and Schult. f.) Mez
- 8118. Acanthaceae: Polylychnis radicans (Nees) Wassh.

- 8119. Sterculiaceae: Guazuma ulmifolia Lam.
- 8120. Sapotaceae: Indet.
- 8121. Rubiaceae: Manettia alba (Aubl.) Wernham
- 8122. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
- 8123. Piperaceae: Piper sp.
- 8124. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne, ex Planch, and Linden
- 8125. Solanaceae: Cestrum latifolium Lam.
- 8126. Rubiaceae: Randia armata (Sw.) DC.
- 8127. Urticaceae: Indet.
- 8128. Iridaceae: Indet.
- 8129. Sapindaceae: Indet.
- 8130. Rubiaceae: *Gonzalagunia dicocca* Cham. and Schltdl. var. *guianensis* Steyerm.
- 8131. Leguminosae-Mimosoideae: Inga sp.
- 8132. Marantaceae: Calathea sp.
- 8133. Mendonciaceae: *Mendoncia glabra* (Poepp. and Endl.) Nees
- 8134. Meliaceae: Guarea guidonia (L.) Sleumer
- 8135. Sapindaceae: Indet.
- 8136. Meliaceae: Guarea sp.
- 8137. Araceae: Anthurium pentaphyllum (Aubl.) G. Don
- 8138. Chrysobalanaceae: Hirtella triandra Sw.
- 8139. Leguminosae-Mimosoideae: *Inga* sp.
- 8140. Acanthaceae: Pachystachys coccinea (Aubl.) Nees
- 8141. Orchidaceae: *Mesadenella cuspidata* (Lindl.)
- 8142. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
- 8143. Rubiaceae: Hamelia patens Jacq.
- 8144. Gesneriaceae: Besleria laxiflora Benth.
- 8145. Anacard/Burserac.: Indet.
- 8146. Myristicaceae: *Iryanthera* sp.
- 8147. Apocynaceae: Tabernaemontana sp.
- 8148. Piperaceae: *Piper* sp.
- 8149. Violaceae: *Rinorea pubiflora* (Benth.) Sprague and Sandwith
- 8150. Woodsiaceae: Diplazium cristatum (Desr.) Alston
- 8151. Polypodiaceae: Polypodium bombycinum Maxon
- 8152. Monimiaceae: Mollinedia sp.
- 8153. Tectariaceae: Tectaria incisa Cav.
- 8154. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
- 8155. Adiantaceae: Adiantum latifolium Lam.
- 8156. Urticaceae: *Urera* sp.
- 8157. Acanthaceae: Indet.
- 8158. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 8159. Dryopteridaceae: Polybotrya caudata Kunze
- 8160. Araceae: Syngonium podophyllum Schott

- 8161. Piperaceae: Piper peltatum L.
- 8162. Araceae: Anthurium clavigerum Poepp.
- 8163. Lecythidaceae: Eschweilera pedicellata (Rich.) S. A. Mori
- 8164. Lauraceae: Ocotea discrepens C. K. Allen
- 8165. Chrysobalanaceae: Hirtella triandra Sw.
- 8166. Hymenophyllaceae: Trichomanes radicans Sw.
- 8167. Tectariaceae: Cyclopeltis semicordata (Sw.) J. Sm.
- 8168. Tectariaceae: Lastreopsis effusa (Sw.) Tindale
- 8169. Woodsiaceae: Diplazium cristatum (Desr.) Alston
- 8170. Rubiaceae: Psychotria uliginosa Sw.
- 8171. Arecaceae: Hyospathe elegans Mart.
- 8172. Leguminosae-Faboideae: *Swartzia arborescens* (Aubl.) Pittier
- 8173. Bryophyte: Indet.
- 8174. Sapindaceae: Indet.
- 8175. Theophrastaceae: Clavija lancifolia Desf. ssp. lancifolia
- 8176. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 8177. Sterculiaceae: Herrania kanukuensis R. E. Schult.
- 8178. Piperaceae: Piper sp.
- 8179. Sapindaceae: Indet.
- 8180. Annonaceae: Guatteria sp.
- 8181. Rubiaceae: *Psychotria horizontalis* Sw. var. *glaucescens* (Kunth) Steyerm.
- 8182. Bignoniaceae: Anemopaegma cf. sp.
- 8183. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
- 8184. Sapindaceae: Indet.
- 8185. Gesneriaceae: Kohleria hirsuta (Kunth) Regel var. hirsuta
- 8186. Commelinaceae: Indet.
- 8187. Iridaceae: Indet.
- 8188. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 8189. Malvaceae: Abutilon sp.
- 8190. Convolvulaceae: Indet.
- 8191. Adiantaceae: *Doryopteris pedata* (L.) Fée var. *multipartita* (Fée) R. M. Tryon
- 8192. Marantaceae: Maranta protracta Miq.
- 8193. Lauraceae: Ocotea fasciculata (Nees) Mez
- 8194. Leguminosae: Indet.
- 8195. Adiantaceae: Adiantopsis radiata (L.) Fée
- 8196. Schizaeaceae: Anemia phyllitidis (L.) Sw.
- 8197. Adiantaceae: *Doryopteris sagittifolia* (Raddi) J. Sm.
- 8198. Euphorbiaceae: Omphalea diandra L.
- 8199. Myrtaceae: Eugenia pseudopsidium Jacq.
- 8200. Rubiaceae: Randia armata (Sw.) DC.
- 8201. Clusiaceae: Indet.
- 8202. Meliaceae: Trichilia surumuensis C. DC.

Orchidaceae: Maxillaria bolivarensis 8203. Adiantaceae: Hemionitis palmata L. 8243 C. Schweinf. 82.04. Rubiaceae: Indet. 8205. Amaranthaceae: Indet. 8244. Myrtaceae: Eugenia sp. 8206. Piperaceae: Piper sp. 8245. Orchidaceae: Isochilus linearis (Jacq.) R. Br. 8207. Capparaceae: Capparidastrum sola (J. F. 8246. Orchidaceae: Epidendrum carpophorum Barb. Macbride) Cornejo and Iltis Rodr. 8208. Leguminosae: Indet. 8247. Orchidaceae: Polycycnis surinamensis 8209. Myristicaceae: Virola sebifera Aubl. C. Schweinf. Leguminosae-Mimosoideae: Acacia sp. 8248. Lauraceae: Licaria cannella (Meisn.) Kosterm. 8210. 8211. Adiantaceae: Doryopteris pedata (L.) Fée var. 8249. Leguminosae-Mimosoideae: Abarema jupunba multipartita (Fée) R. M. Tryon (Willd.) Britton and Killip var. trapezifolia (Vahl) 8212. Dioscoreaceae: Dioscorea sp. Barneby and I. W. Grimes 8213. Menispermaceae: Indet. 8250. Melastomataceae: Macrocentrum sp. 8214. Meliaceae: Trichilia sp. 8251. Chrysobalanaceae: Indet. Sterculiaceae: Theobroma obovatum Klotzsch ex 8252. Verbenaceae: Aegiphila membranacea Turcz. 8215. 8253. Bernoulli Myrsinaceae: Indet. 8254. Melastomataceae: Miconia dodecandra Cogn. 8216. Passifloraceae: Passiflora sp. Orchidaceae: Prosthechea vespa (Vell.) W. E. 8217. Flacourtiaceae: Carpotroche surinamensis Uittien 8255. Incertae sedis: Indet. 8218. Higgins 8219. Poaceae: Lasiacis sorghoidea (Desv. ex Ham.) 8256. Orchidaceae: Malaxis maguirei C. Schweinf. Hitchc. and Chase 8257. Hymenophyllaceae: Hymenophyllum 8220. Compositae: Wulffia baccata (L.) Kuntze trichomanoides Bosch 8221. Solanaceae: Solanum rugosum Dunal 8258. Orchidaceae: Sarcoglottis metallica (Rolfe) 8222. Orchidaceae: Pelexia sp. Schltr. 8223. Monimiaceae: Indet. 8259. Orchidaceae: Prosthechea vespa (Vell.) W. E. 8224. Lauraceae: Aniba sp. 8225. Piperaceae: *Piper* sp. 8260. Orchidaceae: *Jacquiniella globosa* (Jacq.) Schltr. 8226. Lauraceae: Ocotea aciphylla (Nees and Mart. ex 8261. Araceae: Anthurium scandens (Aubl.) Engl. Nees) Mez 8262. Myrtaceae: Siphoneugena dussii (Krug and Urb.) 8227. Myrsinaceae: Indet. Proença 8228. Myrtaceae: Myrcia platyclada DC. 8263. Cyatheaceae: Cyathea traillii (Baker) Domin 8229. Orchidaceae: Sobralia macrophylla Rchb. f. 8264. Myrtaceae: Myrcia sylvatica (G. Mey.) DC. 8230. Erythroxylaceae: Indet. 8265. Myrtaceae: Indet. 8231. Aquifoliaceae: *Ilex* sp. 8266. Piperaceae: Piper sp. Grammitidaceae: Micropolypodium taenifolium 8232. 8267. Orchidaceae: *Scaphyglottis bifida* (Rchb. f.) (Jenman) A. R. Sm. C. Schweinf. 8233. Oleandraceae: Oleandra articulata (Sw.) C. Presl 8268. Sapindaceae: Indet. 8234. Lauraceae: Ocotea aff. aciphylla (Nees and 8269. Orchidaceae: Epidendrum carpophorum Barb. Mart. ex Nees) Mez Rodr. 8235. Myrtaceae: Siphoneugena dussii (Krug and Urb.) 8270. Orchidaceae: Pleurothallis tepuiensis Carnevali Proença and I. Ramírez 8236. Anacardiaceae: Tapirira guianensis Aubl. Bromeliaceae: Racinaea spiculosa (Griseb.) 8271. 8237. Melastomataceae: Miconia sp. M. A. Spencer and L. B. Sm. var. spiculosa 8238. Clusiaceae: Indet. 8272. Orchidaceae: *Dichaea* sp. Solanaceae: Solandra longiflora Tussac 8239. 8273. Lomariopsidaceae: Elaphoglossum sp. 8240. Rubiaceae: Hillia parasitica Jacq. 8274. Burmanniaceae: Dictyostega orobanchoides 8241. Acanthaceae: Pachystachys coccinea (Aubl.) (Hook.) Miers ssp. parviflora Snelders and Maas 8275. Ericaceae: Sphyrospermum cordifolium Benth.

8276.

Schltr.

Orchidaceae: Scaphyglottis modesta (Rchb. f.)

8242.

Rodr.) Løjtnant

Orchidaceae: Elleanthus graminifolius (Barb.

and Grev.

8312.

8313.

8314.

Polypodiaceae: Polypodium bombycinum Maxon

Lauraceae: Aniba aff. taubertiana Mez

Aspleniaceae: Asplenium pearcei Baker

8277. Orchidaceae: Scaphyglottis bifida (Rchb. f.) 8315. Piperaceae: Piper sp. C. Schweinf 8316. Piperaceae: Piper sp. 8278. Cecropiaceae: Coussapoa microcephala Trécul 8317. Cyperaceae: Calyptrocarya glomerulata 8279. Dilleniaceae: Doliocarpus macrocarpus Mart. ex (Brongn.) Urb. Eichler 8318. Piperaceae: Piper sp. 8280. Clusiaceae: Indet. 8319. Rubiaceae: *Psychotria paniculata* (Aubl.) 8281. Lycopodiaceae: Huperzia taxifolia (Sw.) Trevis. Raeusch. 8282. Orchidaceae: Elleanthus graminifolius (Barb. 8320. Hippocrateaceae: Indet. Rodr.) Løitnant Araceae: Monstera adansonii Schott 8321. 8283. Orchidaceae: Pleurothallis sp. 8322... Araceae: Philodendron ornatum Schott Celastraceae: Maytenus oblongata Reissek Araceae: Anthurium pentaphyllum (Aubl.) 8284. 8323. Clusiaceae: Indet. 8285. G. Don 8286. Orchidaceae: Sobralia valida Rolfe 8324. Araceae: Anthurium clavigerum Poepp. 8287. Marantaceae: Ischnosiphon cf. enigmaticus 8325. Myrtaceae: Eugenia feijoi O. Berg L. Andersson 8326. Acanthaceae: Aphelandra pulcherrima (Jacq.) 8288. Euphorbiaceae: Sagotia racemosa Baill. var. 8327. racemosa Campanulaceae: Centropogon cornutus (L.) 8289. Lauraceae: Ocotea discrepens C. K. Allen Druce 8290. Solanaceae: Solanum semotum M. Nee 8328. Flacourtiaceae: Casearia sylvestris Sw. 8291. Aspleniaceae: Asplenium abscissum Willd. 8329. Leguminosae-Caesalpinioideae: Macrolobium 8292. Aspleniaceae: Asplenium auritum Sw. angustifolium (Benth.) R. S. Cowan 8293. Adiantaceae: Dorvopteris sagittifolia (Raddi) Myrsinaceae: Indet. 8330. 8331. Leguminosae-Mimosoideae: Stryphnodendron 8294. Orchidaceae: Sobralia suaveolens Rchb. f. polystachyum (Miq.) Kleinhoonte 8295. Lomariopsidaceae: Bolbitis serratifolia (Mert. ex 8332. Leguminosae-Faboideae: Lonchocarpus s.l. sp. Kaulf.) Schott 8333. Burseraceae: Crepidospermum rhoifolium 8296. Rubiaceae: Hillia illustris (Vell.) K. Schum. (Benth.) Triana and Planch. 8297. Cactaceae: Rhipsalis baccifera (J. S. Muell.) Stearn 8334. Lomariopsidaceae: Bolbitis nicotianifolia (Sw.) 8298. Sapotaceae: Indet. Alston 8299. Clusiaceae: Indet. 8335. Orchidaceae: Myoxanthus parahybunensis 8300. Piperaceae: Peperomia macrostachya (Vahl) (Barb, Rodr.) Luer Bromeliaceae: Guzmania lingulata (L.) Mez A. Dietr. 8336. 8301. Orchidaceae: Ligeophila clavigera (Rchb. f.) 8337. Bromeliaceae: Tillandsia anceps Lodd. 8338. Orchidaceae: Bollea violacea (Lindl.) Rchb. f. 8302. Orchidaceae: Polystachya foliosa (Lindl.) Rchb. f. 8339. Malpighiaceae: Stigmaphyllon sinuatum (DC.) Orchidaceae: Heterotaxis villosa (Barb. Rodr.) 8303. A. Juss. 8340. Leguminosae-Faboideae: Swartzia katawa R. S. F. Barros 8304. Cyperaceae: Cyperus simplex Kunth Cowan 8305. Urticaceae: Pilea sp. 8341. Myristicaceae: *Irvanthera* sp. Rubiaceae: Guettarda aromatica Poepp, and Endl. Marantaceae: Calathea elliptica (Roscoe) 8306. 8342. 8307. Myrtaceae: Myrcia minutiflora Sagot K. Schum. Woodsiaceae: Diplazium centripetale (Baker) 8308. Orchidaceae: Bifrenaria steyermarkii (Foldats) 8343. Garay and Dunst. 8309. Commelinaceae: Indet. 8344. Orchidaceae: Heterotaxis violaceopunctata 8310. Aspleniaceae: Asplenium cuneatum Lam. (Rchb. f.) F. Barros Lauraceae: Rhodostemonodaphne praeclara Polypodiaceae: Pleopeltis percussa (Cav.) Hook. 8311. 8345.

(Sandwith) Madriñán

8346.

8347.

Ducke

Orchidaceae: Maxillaria alba (Hook.) Lindl.

Leguminosae-Faboideae: Dioclea malacocarpa

Clusiaceae: Indet. 8348. Moraceae: Perebea guianensis Aubl. ssp. 8389. Melastomataceae: Clidemia minutiflora (Triana) 8390. guianensis 8349. Moraceae: Ficus paraensis (Mig.) Mig. Sapotaceae: Pouteria sp. 8391. Hymenophyllaceae: Trichomanes accedens 8350. Orchidaceae: Stelis sp. C. Presl 8351. 8352. Orchidaceae: Trigonidium acuminatum Bateman 8392. Araceae: Anthurium trinervium Mig. 8393. Melastomataceae: Graffenrieda intermedia ex Lindl. 8353. Orchidaceae: Masdevallia vargasii C. Schweinf. 8394. Urticaceae: Indet. Rubiaceae: Psychotria erecta (Aubl.) Standl. and 8354. 8355. Convolvulaceae: Indet. 8356a. Clusiaceae: Indet. 8395. Rubiaceae: Faramea quadricostata Bremek., 8356b. Cucurbitaceae: Indet. emend. Steverm. 8396. 8357. Flacourtiaceae: Casearia pitumba Sleumer Orchidaceae: Malaxis maguirei C. Schweinf. 8397. Lauraceae: Endlicheria aff. szyszylowiczii Mez 8358. Rafflesiaceae: Apodanthes caseariae Poit. Lauraceae: Rhodostemonodaphne scandens 8359. Bignoniaceae: Arrabidaea prancei A. H. Gentry 8398. Smilacaceae: Smilax sp. Madriñán 8360. 8399. Ericaceae: Satyria panurensis (Benth. ex Meisn.) 8361. Piperaceae: *Piper* sp. Moraceae: Maquira sclerophylla (Ducke) Benth. and Hook. f. ex Nied. 8362. C. C. Berg 8400. Monimiaceae: Mollinedia sp. 8363. Leguminosae-Mimosoideae: Enterolobium 8401. Melastomataceae: Graffenrieda intermedia schomburgkii (Benth.) Benth. Triana 8402. Bryophyte: Indet. 8364. Flacourtiaceae: Casearia rusbyana Briq. 8365. Incertae sedis: Indet. 8403. Bryophyte: Indet. 8404. 8366. Olacaceae: Heisteria sp. Bryophyte: Indet. 8367. Myrtaceae: Indet. 8405. Bryophyte: Indet. Rubiaceae: Psychotria acuminata Benth. 8368. 8406. Bryophyte: Indet. 8369. Araliaceae: Indet. 8407. Bryophyte: Indet. 8370. Clusiaceae: Indet. 8408. Clusiaceae: Symphonia globulifera L. f. Sterculiaceae: Theobroma subincanum Mart. 8371. 8409. Passifloraceae: Passiflora coccinea Aubl. 8372. 8410. Bryophyte: Indet. Rubiaceae: Psychotria poeppigiana Müll. Arg. 8373. Bryophyte: Indet. 8411. Myrtaceae: Calycolpus surinamensis McVaugh 8412. Grammitidaceae: Grammitis taxifolia (L.) Proctor 8374. Bryophyte: Indet. 8375. Euphorbiaceae: Dalechampia aff. triphylla Lam. 8413. Myrtaceae: Indet. 8376. Grammitidaceae: Cochlidium serrulatum (Sw.) 8414. Cyperaceae: Pleurostachys sp. L. E. Bishop 8415. Melastomataceae: Macrocentrum sp. 8377. Grammitidaceae: Micropolypodium taenifolium 8416. Sapindaceae: Indet. (Jenman) A. R. Sm. 8417. Lauraceae: Ocotea aciphylla (Nees and Mart. ex 8378. Myrtaceae: Siphoneugena dussii (Krug and Urb.) Nees) Mez 8418. Anacardiaceae: Tapirira guianensis Aubl. Proença 8379. Incertae sedis: Indet. 8419. Piperaceae: Piper sp. 8380. Rubiaceae: Remijia roraimae (Benth.) K. Schum. 8420. Orchidaceae: Prosthechea vespa (Vell.) W. E. 8381. Lauraceae: Indet. Higgins 8382. Celastraceae: Indet. 8421. Marcgraviaceae: Marcgravia sororopaniana 8383. Sapindaceae: Indet. Steverm. 8384. Lauraceae: Ocotea cujumary Mart. 8422. Compositae: Piptocarpha polycephala Baker 8385. Melastomataceae: Adelobotrys adscendens (Sw.) 8423. Clusiaceae: Indet. 8424. Lecythidaceae: Couratari guianensis Aubl. Triana 8386. Myrtaceae: Calycolpus surinamensis McVaugh 8425. Araceae: Monstera adansonii Schott

8426.

R. E. Fr.

Annonaceae: Bocageopsis multiflora (Mart.)

8387.

8388.

Heliconiaceae: Heliconia acuminata Rich.

Piperaceae: *Piper* sp.

- 8427. Sapotaceae: *Chrysophyllum argenteum* Jacq. ssp. *auratum* (Miq.) T. D. Penn.
- 8428. Flacourtiaceae: Casearia pitumba Sleumer
- 8429. Rubiaceae: Coussarea sp.
- 8430. Leguminosae-Mimosoideae: *Inga* sp.
- 8431. Gesneriaceae: Drymonia coccinea (Aubl.) Wiehler
- 8432. Clusiaceae: Indet.
- 8433. Chrysobalanaceae: Hirtella obidensis Ducke
- 8434. Lauraceae: *Kubitzkia mezii* (Kosterm.) van der Werff
- 8435. Melastomataceae: Miconia sp.
- 8436. Piperaceae: Piper sp.
- 8437. Sapotaceae: Indet.?
- 8438. Lauraceae: Licaria aff. subbullata Kosterm.
- 8439. Malpighiaceae: *Mascagnia poeppigiana* (A. Juss.) W. R. Anderson
- 8440. Orchidaceae: Bollea violacea (Lindl.) Rchb. f.
- 8441. Leguminosae-Caesalpinioideae: *Senna quinquangulata* (Rich.) H. S. Irwin and Barneby
- 8442. Sapotaceae: Pouteria speciosa (Ducke) Baehni
- 8443. Rubiaceae: Coussarea cf. mapourioides Bremek.
- 8444. Ochnaceae: *Ouratea fasciculata* Maguire and Steverm.
- 8445. Malpighiaceae: Indet.
- 8446. Solanaceae: Cestrum latifolium Lam.
- 8447. Araceae: Philodendron hederaceum (Jacq.) Schott
- 8448. Leguminosae-Mimosoideae: Inga sp.
- 8449. Amaranthaceae: Indet.
- 8450. Piperaceae: Piper sp.
- 8451. Araceae: Anthurium pentaphyllum (Aubl.) G. Don
- 8452. Araceae: Dieffenbachia seguine (Jacq.) Schott
- 8453. Melastomataceae: *Clidemia venosa* (Gleason) Wurdack
- 8454. Hymenophyllaceae: Trichomanes radicans Sw.
- 8455. Tiliaceae: Apeiba macropetala Ducke
- 8456. Loganiaceae: Mitreola sp.
- 8457. Dryopteridaceae: Olfersia cervina (L.) Kunze
- 8458. Piperaceae: Piper peltatum L.
- 8459. Dioscoreaceae: Dioscorea sp.
- 8460. Urticaceae: Indet.
- 8461. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 8462. Leguminosae-Mimosoideae: Inga sp.
- 8463. Aspleniaceae: Asplenium serratum L.
- 8464. Arecaceae: Geonoma macrostachys Mart. var. poiteauana (Kunth) A. J. Hend.
- 8465. Araceae: Philodendron linnaei Kunth
- 8466. Olacaceae: Heisteria sp.
- 8467. Incertae sedis: Indet.
- 8468. Orchidaceae: Liparis nervosa (Thunb.) Lindl.

- 8468a. Orchidaceae: Erycina pusilla (L.) N. H. Williams and M. W. Chase
- 8469. Solanaceae: Solanum semotum M. Nee
- 8470. Incertae sedis: Indet.
- 8471. Rubiaceae: Psychotria bahiensis DC.
- 8472. Hymenophyllaceae: *Trichomanes diversifrons* (Bory) Mett. ex Sadeb.
- 8473. Leguminosae-Faboideae: Lonchocarpus sp.
- 8474. Campanulaceae: *Centropogon cornutus* (L.)
 Druce
- 8475. Piperaceae: Peperomia serpens (Sw.) Loudon
- 8476. Acanthaceae: Polylychnis radicans (Nees) Wassh.
- 8477. Nyctaginaceae: Neea? sp.
- 8478. Sapotaceae: *Pouteria venosa* (Mart.) Baehni ssp. *amazonica* T. D. Penn.
- 8479. Lecythidaceae: Gustavia hexapetala (Aubl.) Sm.
- 8480. Annonaceae: Duguetia guianensis R. E. Fr.
- 8481. Annonaceae: Guatteria sp.
- 8482. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
- 8483. Apocynaceae: Condylocarpon sp.
- 8484. Rubiaceae: Psychotria astrellantha Wernham
- 8485. Menispermaceae: Indet.
- 8486. Myrtaceae: Eugenia tetramera (McVaugh) M. L. Kawas. and B. Holst
- 8487. Poaceae: Olyra latifolia L.
- 8488. Euphorbiaceae: Omphalea diandra L.
- 8489. Malpighiaceae: Indet.
- 8490. Rubiaceae: Manettia alba (Aubl.) Wernham
- 8491. Annonaceae: *Cymbopetalum brasiliense* (Vell.) Benth. ex Baill.
- 8492. Piperaceae: Piper sp.
- 8493. Melastomataceae: Miconia pubipetala Miq.
- 8494. Malpighiaceae: Indet.
- 8495. Poaceae: *Lasiacis sorghoidea* (Desv. ex Ham.) Hitchc. and Chase
- 8496. Leguminosae-Mimosoideae: *Inga* sp.
- 8497. Siparunaceae: Siparuna guianensis Aubl.
- 8498. Violaceae: Rinorea brevipes (Benth.) S. F. Blake
- 8499. Rafflesiaceae: Apodanthes caseariae Poit.
- 8500. Piperaceae: Piper sp.
- 8501. Apocynaceae: Forsteronia sp.
- 8502. Olacaceae: Heisteria sp.
- 8503. Meliaceae: Cabralea canjerana (Vell.) Mart.
- 8504. Araceae: Philodendron ornatum Schott
- 8505. Sapindaceae: Indet.
- 8506. Chrysobalanaceae: Indet.
- 8507. Araceae: Philodendron surinamense (Miq.) Engl.
- 8508. Malpighiaceae: *Mascagnia poeppigiana* (A. Juss.) W. R. Anderson

8509.	Marantaceae: Stromanthe tonckat (Aubl.) Eichler	8550.	Orchidaceae: Rudolfiella aurantiaca (Lindl.)
8510.	Siparunaceae: Siparuna decipiens (Tul.) A. DC.		Hoehne
8511.	Poaceae: Olyra micrantha Kunth	8551.	Rubiaceae: Remijia roraimae (Benth.) K. Schum.
8512.	Picramniaceae: Picramnia sp.	8552.	Flacourtiaceae: Casearia aff. duckeana Sleumer
8513.	Flacourtiaceae: Casearia javitensis Kunth	8553.	Menispermaceae: Indet.
8514.	Myrsinaceae: Indet.	8554.	Incertae sedis: Indet.
8515.	Tiliaceae: Indet. ?	8555.	Burseraceae: Dacryodes chimantensis Steyerm.
8516.	Bromeliaceae: Tillandsia anceps Lodd.		and Maguire
8517.	Leguminosae-Faboideae: Swartzia arborescens	8556.	Sapindaceae: Indet.
	(Aubl.) Pittier	8557.	Lauraceae: Rhodostemonodaphne scandens
8518.	Smilacaceae: Smilax sp.		Madriñán
8519.	Flacourtiaceae: Carpotroche surinamensis Uittien	8558.	Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
8520.	Passifloraceae: Passiflora candida (Poepp. and	8559.	Gentianaceae: Tapeinostemon spenneroides Benth.
	Endl.) Mast.	8560.	Incertae sedis: Indet.
8521.	Orchidaceae: Prosthechea crassilabia (Poepp.	8561.	Lauraceae: Aniba cylindriflora Kosterm.
	and Endl.) Carnevali and I. Ramírez	8562.	Orchidaceae: Macroclinium wullschlaegelianum
8522.	Compositae: Vernonanthura brasiliana (L.)		(H. Focke) Dodson
	H. Rob.	8563.	Orchidaceae: Trichosalpinx sp.
8523.	Orchidaceae: Myoxanthus parvilabius (C.	8564.	Gesneriaceae: Nautilocalyx fasciculatus L. E.
	Schweinf.) Luer		Skog and Steyerm.
8524.	Orchidaceae: Scaphyglottis modesta (Rchb. f.)	8565.	Cecropiaceae: Pourouma minor Benoist
	Schltr.	8566.	Piperaceae: Peperomia rhombea Ruiz and Pav.
8525.	Clusiaceae: Indet.	8567.	Blechnaceae: Blechnum nr. gracile Kaulf.
8526.	Bryophyte: Indet.	8568.	Apocynaceae: Forsteronia sp.
8527.	Sphagnaceae: Sphagnum sp.	8569.	Leguminosae: Indet.
8528.	Myrtaceae: Myrcia amazonica DC.	8570.	Myrtaceae: Indet.
8529.	Polygonaceae: Indet.	8571.	Araceae: Philodendron surinamense (Miq.) Engl.
8530.	Hymenophyllaceae: Trichomanes crispum L.	8572.	Melastomataceae: Miconia bubalina (D. Don)
8531.	Oleandraceae: Nephrolepis rivularis (Vahl) Mett.		Naudin
	ex Krug	8573.	Melastomataceae: Miconia centrodesma Naudin
8532.	Ochnaceae: Sauvagesia roraimensis Ule	8574.	Rubiaceae: Psychotria deflexa DC.
8533.	Orchidaceae: Reichenbachanthus reflexus	8575.	Clusiaceae: Indet.
	(Lindl.) Brade	8576.	Passifloraceae: Passiflora coccinea Aubl.
8534.	Aquifoliaceae: <i>Ilex</i> cf. sp. nov.	8577.	Melastomataceae: Clidemia sp.
8535.	Myrtaceae: Indet.	8578.	Leguminosae-Mimosoideae: Inga sp.
8536.	Cyperaceae: Mapania surinamensis Uittien	8579.	Lacistemataceae: Lacistema aggregatum (P. J.
8537.	Rubiaceae: Amaioua guianensis Aubl.		Bergius) Rusby
8538.	Orchidaceae: Pleurothallis stenocardium Schltr.	8580.	Sapindaceae: Vouarana guianensis Aubl.
8539.	Lauraceae: Indet.	8581.	Polygonaceae: Indet.
8540.	Lauraceae: Ocotea sp.	8582.	Apocynaceae: Tabernaemontana sp.
8541.	Lichen-Incert. sed.: Indet.	8583.	Incertae sedis: Indet.
8542.	Orchidaceae: Epidendrum ramosum Jacq.	8584.	Boraginaceae: Cordia nodosa Lam.
8543.	Myrsinaceae: Myrsine guianensis (Aubl.) Kuntze	8585.	Myrtaceae: Indet.
8544.	Clusiaceae: Indet.	8586.	Hippocrateaceae: Salacia cordata (Miers)
8545.	Euphorbiaceae: Senefelderopsis croizatii		Mennega
	Steyerm.	8587.	Orchidaceae: Trichosalpinx sp.
8546.	Sapindaceae: Indet.	8588.	Solanaceae: Solanum costatum M. Nee
8547.	Gnetaceae: Gnetum urens (Aubl.) Blume	8589.	Annonaceae: Duguetia guianensis R. E. Fr.
8548.	Rubiaceae: Ferdinandusa sp.	8590.	Marantaceae: Ischnosiphon puberulus Loes. var.
2510	Lauracca Linguia agunalla (Maion Vactores		and an (Datamann) I Andaman

scaber (Petersen) L. Andersson

8549. Lauraceae: Licaria cannella (Meisn.) Kosterm.

- 8591. Woodsiaceae: Diplazium? celtidifolium Kunze 8633. Lycopodiaceae: Huperzia taxifolia (Sw.) Trevis. 8592. Araceae: *Philodendron panduriforme* (Kunth) 8634. Bignoniaceae: Memora tanaeciicarba A. H. 8593. Rubiaceae: Psychotria uliginosa Sw. 8635. Lygodiaceae: Lygodium volubile Sw. 8594. Melastomataceae: Bellucia grossularioides (L.) 8636. Woodsiaceae: Diplazium? celtidifolium Kunze 8637. Poaceae: Lasiacis ligulata Hitchc. and Chase 8595. Melastomataceae: Miconia brachybotrya Triana 8638. Pteridaceae: Pteris pearcei Baker 8596. Acanthaceae: Justicia pectoralis Jacq. 8639. Adiantaceae: Adiantum obliquum Willd. Melastomataceae: Miconia abbreviata Markgr. 8597. 8640. Poaceae: Ichnanthus tenuis (I. Presl) Hitchc, and 8598. Lauraceae: Ocotea oblonga (Meisn.) Mez Chase 8599. Incertae sedis: Indet. Polypodiaceae: Pecluma pectinata (L.) M. G. Price 8641. Poaceae: Pharus virescens Döll 8600. 8642. Poaceae: Olyra latifolia L. 8601. Simaroubaceae: Indet. 8643. Rubiaceae: Psychotria astrellantha Wernham 8602. Clusiaceae: Symphonia globulifera L. f. 8644. Commelinaceae: Indet. 8603. Marantaceae: Monotagma secundum (Petersen) 8645. Cyperaceae: Cyperus simplex Kunth K. Schum. 8646. Phytolaccaceae: Phytolacca rivinoides Kunth and 8604. Myrtaceae: Eugenia cupulata Amshoff Bouché 8605. Smilacaceae: Smilax sp. 8647. Urticaceae: Indet. Incertae sedis: Indet. 8648. Piperaceae: Piper sp. 8606. Piperaceae: Peperomia elongata Kunth 8607. Hippocrateaceae: Indet. 8649. 8608. Annonaceae: Guatteria sp. 8650. Rubiaceae: Hamelia patens Jacq. 8609. Bromeliaceae: Tillandsia anceps Lodd. Apocynaceae: Tabernaemontana heterophylla Vahl 8651. 8610. Piperaceae: *Piper* sp. 8652. Adiantaceae: Doryopteris sagittifolia (Raddi) Aspleniaceae: Asplenium zamiifolium Willd. 8611. I. Sm. 8612. Anacardiaceae: Tapirira guianensis Aubl. 8653. Rubiaceae: Randia armata (Sw.) DC. 8613. Hippocrateaceae: Cheiloclinium hippocrateoides 8654. Piperaceae: Piper sp. (Peyr.) A. C. Sm. Solanaceae: Markea sessiliflora Ducke 8655. 8614. Carvocaraceae: Indet. Blechnaceae: Blechnum aff. gracile Kaulf. 8656. 8615. Orchidaceae: Rudolfiella aurantiaca (Lindl.) 8657. Adiantaceae: Doryopteris collina (Raddi) J. Sm. Hoehne Dryopteridaceae: Polystichum? platylepis Fée 8658. 8616. Bryophyte: Indet. 8659. Bryophyte: Indet. Combretaceae: Indet. 8617. Bryophyte: Indet. 8660. 8618. Bryophyte: Indet. 8661. Bombacaceae: Catostemma fragrans Benth. 8619. Vittariaceae: Vittaria gardneriana Fée 8662. Sapindaceae: Indet. 8620. Vittariaceae: Vittaria lineata (L.) Sm. 8663. Bignoniaceae: Adenocalymna purpurascens Rusby Orchidaceae: Sarcoglottis sp. 8621. Bombacaceae: Catostemma fragrans Benth. 8664. Orchidaceae: Hylaeorchis petiolaris (Schltr.) 8622. Icacinaceae: Indet. 8665. 8623. Melastomataceae: Macrocentrum fasciculatum Carnevali and G. A. Romero (Rich. ex DC.) Triana 8666. Orchidaceae: Trichosalpinx sp. 8667. Bryophyte: Indet. 8624. Bromeliaceae: Guzmania retusa L. B. Sm. 8625. Moraceae: Brosimum guianense (Aubl.) Huber 8668. Bryophyte: Indet. 8669. 8626. Selaginellaceae: Selaginella flagellata Spring Polypodiaceae: Polypodium triseriale Sw. 8627. Bryophyte: Indet. 8670. Myrsinaceae: Indet. Polypodiaceae: Microgramma tecta (Kaulf.) 8671. Incertae sedis: Indet. 8628. Alston 8672. Rubiaceae: Palicourea corymbifera (Müll. Arg.) 8629. Bryophyte: Indet.
- 8630. Bignoniaceae: Memora schomburgkii (DC.) Miers
 8631. Loranthaceae: Cladocolea micrantha (Eichler)
 Kuijt
 8632. Blechnaceae: Blechnum sp.
 8673. Orchidaceae: Elleanthus graminifolius (Barb. Rodr.) Løjtnant
 8674. Schizaeaceae: Schizaea elegans (Vahl) Sw.
 8675. Hymenophyllaceae: Trichomanes crispum L.

- 8676. Hymenophyllaceae: *Hymenophyllum trichomanoides* Bosch
- 8677. Aspleniaceae: Asplenium serra Langsd. and Fisch.
- 8678. Myrsinaceae: Indet.
- 8679. Anacardiaceae: Tapirira guianensis Aubl.
- 8680. Clusiaceae: Indet.
- 8681. Meliaceae: Guarea silvatica C. DC.
- 8682. Myrtaceae: *Siphoneugena dussii* (Krug and Urb.) Proença
- 8683. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne, ex Planch, and Linden
- 8684. Chrysobalanaceae: *Couepia canomensis* (Mart.) Benth. ex Hook. f.
- 8685. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 8686. Rubiaceae: Remijia roraimae (Benth.) K. Schum.
- 8687. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 8688. Sapindaceae: Indet.
- 8689. Sapindaceae: Matayba arborescens (Aubl.) Radlk.
- 8690. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 8691. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
- 8692. Flacourtiaceae: Casearia javitensis Kunth
- 8693. Loranthaceae: *Cladocolea micrantha* (Eichler) Kuijt
- 8694. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 8695. Grammitidaceae: *Grammitis melanosticta* (Kunze) F. Seym.
- 8696. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 8697. Rubiaceae: Ferdinandusa sp.
- 8698. Smilacaceae: Smilax sp.
- 8699. Cyperaceae: Mapania surinamensis Uittien
- 8700. Melastomataceae: *Miconia tomentosa* (Rich.) D. Don ex DC.
- 8701. Sapindaceae: *Matayba arborescens* (Aubl.) Radlk.
- 8702. Mayacaceae: Indet.
- 8703. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 8704. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 8705. Orchidaceae: Pleurothallis ephemera Lindl.
- 8706. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 8707. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 8708. Cyclanthaceae: Indet.
- 8709. Lomariopsidaceae: *Bolbitis serratifolia* (Mert. ex Kaulf.) Schott
- 8710. Bryophyte: Indet.

- 8711. Cucurbitaceae: Melothria sp. Nov. ined. Cogn.
- 8712. Combretaceae: Indet.
- 8713. Clusiaceae: Indet.
- 8714. Leguminosae-Faboideae: *Dioclea malacocarpa* Ducke
- 8715. Clusiaceae: Vismia sp.
- 8716. Meliaceae: Guarea kunthiana A. Juss.
- 8717. Marantaceae: *Hylaeanthe unilateralis* (Poepp. and Endl.) A. M. E. Jonker and Jonker
- 8718. Leguminosae-Faboideae: Centrosema sp.
- 8719. Caricaceae: Indet.
- 8720. Rutaceae: Zanthoxylum ekmanii (Urb.) Alain
- 8721. Boraginaceae: Tournefortia cuspidata Kunth
- 8722. Moraceae: Ficus paraensis (Miq.) Miq.
- 8723. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 8724. Dryopteridaceae: Polybotrya caudata Kunze
- 8725. Polypodiaceae: *Campyloneurum repens* (Aubl.) C. Presl
- 8726. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 8727. Aspleniaceae: Asplenium pearcei Baker
- 8728. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 8729. Vittariaceae: Antrophyum guayanense Hieron.
- 8730. Piperaceae: Piper sp.
- 8731. Lomariopsidaceae: *Bolbitis nicotianifolia* (Sw.) Alston
- 8732. Sapotaceae: Pouteria sp.
- 8733. Hymenophyllaceae: Trichomanes radicans Sw.
- 8734. Rubiaceae: Hamelia patens Jacq.
- 8735. Marantaceae: *Ischnosiphon obliquus* (Rudge) Körn.
- 8736. Orchidaceae: *Erythrodes* aff. *hirtella* (Sw.) Fawc. and Rendle
- 8737. Aspleniaceae: Asplenium salicifolium L.
- 8738. Orchidaceae: Dichaea splitgerberi Rchb. f.
- 8739. Rubiaceae: Psychotria astrellantha Wernham
- 8740. Adiantaceae: Adiantum macrophyllum Sw.
- 8741. Cucurbitaceae: Gurania nigrescens C. Jeffrey
- 8742. Annonaceae: Duguetia yeshidan Sandwith
- 8743. Hymenophyllaceae: *Trichomanes "longifolium"* Desv.
- 8744. Rubiaceae: Sipanea sp.
- 8745. Incertae sedis: Indet.
- 8746. Violaceae: *Rinorea lindeniana* (Tul.) Kuntze var. *lindeniana*
- 8747. Orchidaceae: *Trichosalpinx orbicularis* (Lindl.) Luer
- 8748. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori

- 8749. Orchidaceae: Trichosalpinx sp.
- 8750. Orchidaceae: Pleurothallis archidiaconi Ames
- 8751. Rubiaceae: Psychotria lupulina Benth.
- 8752. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 8753. Sapindaceae: Indet.
- 8754. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Mog. var. *parvifolia* A. W. Benn.
- 8755. Hymenophyllaceae: *Trichomanes*? hostmannianum (Klotzsch) Kunze
- 8756. Annonaceae: Duguetia latifolia R. E. Fr.
- 8757. Asclepiadaceae: Indet.
- 8758. Sapotaceae: Pouteria cuspidata (A. DC.) Baehni
- 8759. Myrtaceae: Eugenia feijoi O. Berg
- 8760. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvaticum* (Poepp. and Kunth) T. Koyama
- 8761. Rubiaceae: Uncaria guianensis (Aubl.) J. F. Gmel.
- 8762. Chrysobalanaceae: Indet.
- 8763. Melastomataceae: Aciotis sp.
- 8764. Araceae: Philodendron? acutatum Schott
- 8765. Leguminosae-Faboideae: Machaerium sp.
- 8766. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 8767. Aspleniaceae: Asplenium serratum L.
- 8768. Rubiaceae: Coussarea hirticalyx Standl. var. glabrior Steverm.
- 8769. Myristicaceae: *Virola* cf. *surinamensis* (Rol. ex Rottb.) Warb.
- 8770. Leguminosae-Faboideae: *Swartzia apiculata* R. S. Cowan
- 8771. Vittariaceae: Antrophyum guayanense Hieron.
- 8772. Sapotaceae: Indet.
- 8773. Lygodiaceae: Lygodium volubile Sw.
- 8774. Meliaceae: Trichilia quadrijuga Kunth
- 8775. Clusiaceae: Caraipa racemosa Cambess.
- 8776. Hippocrateaceae: Hippocratea volubilis L.
- 8777. Annonaceae: Guatteria megalophylla Diels
- 8778. Annonaceae: Pseudoxandra sp.
- 8779. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 8780. Polygalaceae: Securidaca paniculata Rich.
- 8781. Araceae: Philodendron brevispathum Schott
- 8782. Rubiaceae: Psychotria polycephala Benth.
- 8783. Hippocrateaceae: *Tontelea laxiflora* (Benth.) A. C. Sm.
- 8784. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 8785. Chrysobalanaceae: *Hirtella bicornis* Mart. and Zucc. var. *pubescens* Ducke

- 8786. Violaceae: *Rinorea macrocarpa* (Mart. ex Eichler) Kuntze
- 8787. Sapotaceae: Pouteria sagotiana (Baill.) Eyma
- 8788. Leguminosae-Faboideae: *Acosmium nitens* (Vogel) Yakovlev
- 8789. Cyclanthaceae: Indet.
- 8790. Burseraceae: *Crepidospermum rhoifolium* (Benth.) Triana and Planch.
- 8791. Cyperaceae: Diplasia karatifolia Rich.
- 8792. Arecaceae: Iriartella setigera (Mart.) H. Wendl.
- 8793. Arecaceae: Geonoma deversa (Poit.) Kunth
- 8794. Chrysobalanaceae: Hirtella racemosa Lam.
- 8795. Rubiaceae: Malanea sarmentosa Aubl.
- 8796. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 8797. Violaceae: Rinorea bahiensis (Moric.) Kuntze
- 8798. Myrtaceae: Eugenia lambertiana DC.
- 8799. Rubiaceae: Genipa spruceana Steyerm.
- 8800. Leguminosae-Caesalpinioideae: *Macrolobium acaciifolium* (Benth.) Benth.
- 8801. Humiriaceae: Indet.
- 8802. Leguminosae-Faboideae: *Swartzia katawa* R. S. Cowan
- 8803. Leguminosae-Faboideae: *Swartzia anomala* R. S. Cowan
- 8804. Flacourtiaceae: Homalium racemosum Jacq.
- 8805. Leguminosae-Faboideae: Swartzia anomala R. S. Cowan
- 8806. Leguminosae-Mimosoideae: *Hydrochorea corymbosa* (Rich.) Barneby and J. W. Grimes
- 8807. Leguminosae-Faboideae: *Ormosia coarctata* Jacks.
- 8808. Leguminosae-Mimosoideae: Inga sp.
- 8809. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq.
- 8810. Annonaceae: *Unonopsis guatterioides* (A. DC.) R. E. Fr.
- 8811. Rubiaceae: Psychotria mapourioides DC.
- 8812. Leguminosae-Caesalpinioideae: *Senna silvestris* (Vell.) H. S. Irwin and Barneby var. *silvestris*
- 8813. Leguminosae-Faboideae: *Dioclea* aff. *virgata* (Rich.) Amshoff
- 8814. Clusiaceae: Indet.
- 8815. Leguminosae-Caesalpinioideae: *Macrolobium angustifolium* (Benth.) R. S. Cowan
- 8816. Hippocrateaceae: Hippocratea volubilis L.
- 8817. Chrysobalanaceae: Indet.
- 8818. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 8819. Lecythidaceae: Eschweilera parvifolia Mart. ex DC.

- 8820. Meliaceae: Guarea guidonia (L.) Sleumer
- 8821. Bignoniaceae: Cydista lilacina A. H. Gentry
- 8822. Sapindaceae: Indet.
- 8823. Leguminosae-Mimosoideae: Inga sp.
- 8824. Celastraceae: Goupia glabra Aubl.
- 8825. Rubiaceae: Psychotria astrellantha Wernham
- 8826. Leguminosae-Caesalpinioideae: *Bauhinia guianensis* Aubl.
- 8827. Bignoniaceae: Jacaranda copaia (Aubl.) D. Don
- 8828. Cecropiaceae: Coussapoa trinervia Spruce ex Mildbr.
- 8829. Clusiaceae: Clusia sp.
- 8830. Leguminosae-Mimosoideae: Inga sp.
- 8831. Siparunaceae: *Siparuna cristata* (Poepp. and Endl.) A. DC.
- 8832. Chrysobalanaceae: Couepia parillo DC.
- 8833. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
- 8834. Celastraceae: Goupia glabra Aubl.
- 8835. Flacourtiaceae: Laetia procera (Poepp.) Eichler
- 8836. Poaceae: Ichnanthus panicoides P. Beauv.
- 8837. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
- 8838. Aspleniaceae: Asplenium serratum L.
- 8839. Sapotaceae: *Micropholis guyanensis* (A. DC.) Pierre
- 8840. Rubiaceae: Faramea torquata Müll. Arg.
- 8841. Leguminosae-Faboideae: *Swartzia remiger* Amshoff
- 8842. Myristicaceae: Irvanthera sp.
- 8843. Bombacaceae: Catostemma fragrans Benth.
- 8844. Orchidaceae: Epidendrum ramosum Jacq.
- 8845. Polypodiaceae: Polypodium bombycinum Maxon
- 8846. Euphorbiaceae: *Hevea brasiliensis* (Willd. ex A. Juss.) Müll. Arg.
- 8847. Leguminosae-Mimosoideae: *Enterolobium schomburgkii* (Benth.) Benth.
- 8848. Humiriaceae: Humiriastrum cf. sp.
- 8849. Cecropiaceae: Pourouma villosa Trécul
- 8850. Orchidaceae: Stelis argentata Lindl.
- 8851. Annonaceae: Duguetia cauliflora R. E. Fr.
- 8852. Myrtaceae: Indet.
- 8853. Chrysobalanaceae: Indet.
- 8854. Leguminosae: Indet.
- 8855. Melastomataceae: Mouriri sp.
- 8856. Bombacaceae: Ochroma pyramidale (Cav. ex Lam.) Urb.
- 8857. Polypodiaceae: *Polypodium bombycinum* Maxon
- 8858. Orchidaceae: Bulbophyllum sp.

- 8859. Polypodiaceae: Microgramma baldwinii Brade
- 8860. Araceae: Anthurium gracile (Rudge) Schott
- 8861. Araceae: Philodendron linnaei Kunth
- 8862. Annonaceae: Duguetia yeshidan Sandwith
- 8863. Euphorbiaceae: Mabea pulcherrima Müll. Arg.
- 8864. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
- 8865. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 8866. Polygalaceae: Securidaca paniculata Rich.
- 8867. Orchidaceae: Trigonidium sp.
- 8868. Orchidaceae: *Prosthechea pygmaea* (Hook.) W. E. Higgins
- 8869. Orchidaceae: Maxillaria camaridii Rchb. f.
- 8870. Orchidaceae: *Maxillaria parviflora* (Poepp. and Endl.) Garay
- 8871. Orchidaceae: Epidendrum nocturnum Jacq.
- 8872. Orchidaceae: *Prosthechea calamaria* (Lindl.) W. E. Higgins
- 8873. Orchidaceae: Epidendrum rigidum Jacq.
- 8874. Orchidaceae: *Heterotaxis superflua* (Rchb. f.) F. Barros
- 8875. Combretaceae: Combretum laxum Jacq.
- 8876. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 8877. Loranthaceae: Struthanthus dichotrianthus Eichler
- 8878. Leguminosae: Indet.
- 8879. Araceae: Anthurium clavigerum Poepp.
- 8880. Polygalaceae: *Securidaca rivinifolia* A. St.-Hil. and Moq. var. *parvifolia* A. W. Benn.
- 8881. Clusiaceae: Vismia sp.
- 8882. Rubiaceae: Hillia illustris (Vell.) K. Schum.
- 8883. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult. and Schult. f.
- 8884. Sapotaceae: Pouteria cuspidata (A. DC.) Baehni
- 8885. Polypodiaceae: *Campyloneurum phyllitidis* (L.) C. Presl
- 8886. Rubiaceae: Duroia eriopila L. f.
- 8887. Violaceae: Rinorea lindeniana (Tul.) Kuntze
- 8888. Aspleniaceae: Asplenium serratum L.
- 8889. Lauraceae: Cryptocarya guianensis Meisn.
- 8890. Araceae: Philodendron acutatum Schott
- 8891. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori
- 8892. Rubiaceae: Psychotria lupulina Benth.
- 8893. Chrysobalanaceae: Indet.
- 8894. Loganiaceae: Strychnos sp.
- 8895. Melastomataceae: Mouriri sp.
- 8896. Arecaceae: Desmoncus sp.

- 8897. Gesneriaceae: *Lampadaria rupestris* Feuillet and L. E. Skog
- 8898. Orchidaceae: Habenaria sp.
- 8899. Melastomataceae: *Leandra micropetala* (Naudin) Cogn.
- 8900. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steverm.
- 8901. Rubiaceae: *Psychotria bostrychothyrsus* Sandwith
- 8902. Rubiaceae: Didymochlamys connellii N. E. Br.
- 8903. Cyperaceae: *Mapania macrophylla* (Böck.) H. Pfeiff.
- 8904. Melastomataceae: Miconia plukenetii Naudin
- 8905. Orchidaceae: *Maxillaria reichenheimiana* Endres and Rchb. f.
- 8906. Orchidaceae: Pleurothallis suspensa Luer
- 8907. Lentibulariaceae: Utricularia sp.
- 8908. Clusiaceae: Indet.
- 8909. Melastomataceae: *Phainantha laxiflora* (Triana) Gleason
- 8910. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
- 8911. Piperaceae: Piper insipiens Trel. and Yunck.
- 8912. Hepaticae: Indet.
- 8913. Hepaticae: Indet.
- 8914. Hepaticae: Indet.
- 8915. Polypodiaceae: Polypodium caceresii Sodiro
- 8916. Piperaceae: Piper brasiliense C. DC.
- 8917. Rubiaceae: Psychotria mapourioides DC.
- 8918. Piperaceae: Piper insipiens Trel. and Yunck.
- 8919. Begoniaceae: Begonia jenmanii Tutin
- 8920. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 8921. Boraginaceae: Cordia nodosa Lam.
- 8922. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 8923. Loganiaceae: Spigelia sp.
- 8924. Rubiaceae: *Notopleura* aff. *patria* (Standl. and Steyerm.) C. M. Taylor
- 8925. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
- 8926. Melastomataceae: *Clidemia juruensis* (Pilg.) Gleason
- 8927. Rubiaceae: Faramea quinqueflora Poepp. and Endl.
- 8928. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 8929. Cyclanthaceae: *Dicranopygium angustissimum* (Sandwith) Harling
- 8930. Gentianaceae: Tachia guianensis Aubl.

- 8931. Cyatheaceae: *Cnemidaria roraimensis* (Domin) R. M. Tryon
- 8932. Heliconiaceae: Heliconia stricta Huber
- 8933. Myrsinaceae: Indet.
- 8934. Lomariopsidaceae: *Elaphoglossum crinitum* (L.) H. Christ
- 8935. Marantaceae: Calathea casupito (Jacq.) Schult.
- 8936. Melastomataceae: *Clidemia juruensis* (Pilg.) Gleason
- 8937. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 8938. Lentibulariaceae: Utricularia sp.
- 8939. Lentibulariaceae: Utricularia sp.
- 8940. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
- 8941. Rubiaceae: Psychotria mapourioides DC.
- 8942. Malpighiaceae: Mascagnia arenicola C. Anderson
- 8943. Commelinaceae: Indet.
- 8944. Hymenophyllaceae: Trichomanes elegans Rich.
- 8945. Leguminosae-Caesalpinioideae: Cassia sp.
- 8946. Rubiaceae: Psychotria berteroana DC.
- 8947. Grammitidaceae: *Lellingeria subsessilis* (Baker) A. R. Sm. and R. C. Moran
- 8948. Solanaceae: Lycianthes pauciflora (Vahl) Bitter
- 8949. Myrsinaceae: Ardisia sp.
- 8950. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
- 8951. Solanaceae: Solanum stramoniifolium Jacq.
- 8952. Solanaceae: Solanum proteanthum Bohs
- 8953. Thelypteridaceae: *Thelypteris hispidula* (Decne.) C. F. Reed
- 8954. Cyclanthaceae: Asplundia maguirei Harling
- 8955. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 8956. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 8957. Melastomataceae: Indet.
- 8958. Bromeliaceae: Vriesea splendens (Brongn.) Lem.
- 8959. Clusiaceae: Indet.
- 8960. Piperaceae: Piper rupununianum Trel. and Yunck.
- 8961. Thelypteridaceae: *Thelypteris nesiotica* (Maxon and C. V. Morton) C. V. Morton
- 8962. Annonaceae: Anaxagorea petiolata R. E. Fr.
- 8963. Rubiaceae: Psychotria tillettii Steyerm.
- 8964. Bryophyte: Indet.
- 8965. Bryophyte: Indet.
- 8966. Araceae: Philodendron ornatum Schott
- 8967. Hymenophyllaceae: *Hymenophyllum apiculatum* Mett. ex Kuhn
- 8968. Orchidaceae: Maxillaria bolivarensis C. Schweinf.
- 8969. Begoniaceae: Begonia jenmanii Tutin

- 8970. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
- 8971. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br.
- 8972. Araceae: Rhodospatha venosa Gleason
- 8973. Anthocerophyte: Indet.
- 8974. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
- 8974a. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 8975. Arecaceae: Socratea exorrhiza (Mart.) H. Wendl.
- 8976. Sapindaceae: Paullinia capreolata (Aubl.) Radlk.
- 8977. Orchidaceae: Maxillaria bolivarensis C. Schweinf.
- 8978. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
- 8979. Gesneriaceae: Anetanthus sp.
- 8980. Myrsinaceae: *Cybianthus apiculatus* (Steyerm.) G. Agostini
- 8981. Orchidaceae: Dichaea splitgerberi Rchb. f.
- 8982. Bryophyte: Indet.
- 8983. Bryophyte: Indet.
- 8984. Bryophyte: Indet.
- 8985. Lomariopsidaceae: *Elaphoglossum decoratum* (Kunze) T. Moore
- 8986. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br.
- 8987. Thelypteridaceae: *Thelypteris* aff. *hispidula* (Decne.) C. F. Reed
- 8988. Orchidaceae: Maxillaria bolivarensis C. Schweinf.
- 8989. Leguminosae-Mimosoideae: *Mimosa myriadenia* (Benth.) Benth.
- 8990. Myrsinaceae: Ardisia sp.
- 8991. Passifloraceae: Passiflora sp.
- 8992. Polypodiaceae: Polypodium loriceum L.
- 8993. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 8994. Sapotaceae: Pouteria sp.
- 8995. Bryophyte: Indet.
- 8996. Malpighiaceae: Indet.
- 8997. Arecaceae: *Dictyocaryum ptarianum* (Steyerm.) H. E. Moore and Steyerm.
- 8998. Ochnaceae: Ouratea soderstromii Sastre
- 8999. Grammitidaceae: *Lellingeria randallii* (Maxon) A. R. Sm. and R. C. Moran
- 9000. Melastomataceae: Clidemia heptamera Wurdack
- 9001. Hymenophyllaceae: Trichomanes arbuscula Desv.
- 9002. Rubiaceae: Psychotria plocamipes Wernham
- 9003. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
- 9004. Ochnaceae: Sauvagesia longipes Steverm.
- 9005. Rubiaceae: *Psychotria fanshawei* (Standl.)
- 9006. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog

- 9007. Orchidaceae: *Epidendrum churunense* Garay and Dunst.
- 9008. Melastomataceae: Macrocentrum minus Gleason
- 9009. Bryophyte: Indet.
- 9010. Rubiaceae: Psychotria platypoda DC.
- 9011. Melastomataceae: Miconia bracteata (DC.) Triana
- 9012. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
- 9013. Rubiaceae: Psychotria pakaraimensis Steyerm.
- 9014. Melastomataceae: *Clidemia juruensis* (Pilg.) Gleason
- 9015. Euphorbiaceae: Adenophaedra grandifolia (Klotzsch) Müll. Arg.
- 9016. Arecaceae: Geonoma aspidiifolia Spruce
- 9017. Melastomataceae: Clidemia japurensis DC.
- 9018. Cyperaceae: Mapania sp.
- 9019. Rapateaceae: Rapatea paludosa Aubl.
- 9020. Araceae: Philodendron insigne Schott
- 9021. Bryophyte: Indet.
- 9022. Rubiaceae: Indet.
- 9023. Gentianaceae: Tapeinostemon spenneroides Benth.
- 9024. Myrsinaceae: Indet.
- 9025. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 9026. Melastomataceae: Clidemia involucrata DC.
- 9027. Myrsinaceae: *Cybianthus apiculatus* (Steyerm.) G. Agostini
- 9028. Rubiaceae: Indet.
- 9029. Rubiaceae: Psychotria cincta Standl.
- 9030. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
- 9031. Chrysobalanaceae: Indet.
- 9032. Clusiaceae: Caraipa sp.
- 9033. Piperaceae: Piper rupununianum Trel. and Yunck.
- 9034. Piperaceae: Piper avellanum (Miq.) C. DC.
- 9035. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 9036. Euphorbiaceae: Mabea piriri Aubl.
- 9037. Clusiaceae: Indet.
- 9038. Hymenophyllaceae: Trichomanes arbuscula Desv.
- 9039. Hymenophyllaceae: Trichomanes arbuscula Desv.
- 9040. Hymenophyllaceae: *Trichomanes cellulosum* Klotzsch
- 9041. Gesneriaceae: Anetanthus sp.
- 9042. Flacourtiaceae: Laetia cupulata Spruce ex Benth.
- 9043. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 9044. Clusiaceae: Indet.
- 9045. Myristicaceae: *Iryanthera macrophylla* (Benth.) Warb.
- 9046. Euphorbiaceae: *Adenophaedra grandifolia* (Klotzsch) Müll. Arg.

- 9047. Melastomataceae: Leandra sanguinea Gleason 9083. Hepaticae: Indet. ssp. tepuiensis Wurdack 9084. Bryophyte: Indet. 9048. Verbenaceae: Amasonia campestris (Aubl.) 9085. Bryophyte: Indet. Moldenke 9086. Bryophyte: Indet. 9049. Lentibulariaceae: Utricularia sp. 9087. Bryophyte: Indet. Solanaceae: Solanum leucocarpon Dunal 9088. 9050. Bryophyte: Indet. 9051. Solanaceae: Solanum coriaceum Dunal 9089. 9052. Lentibulariaceae: *Utricularia* sp. Dryand. 9053. Loranthaceae: Psittacanthus leptanthus Sandwith 9090. Humiriaceae: Indet. 9054. Orchidaceae: Indet. 9091. Apocynaceae: Indet. 9055. Meliaceae: Trichilia elegans A. Juss. 9092. Bombacaceae: Indet. Dennstaedtiaceae: Ormoloma imrayanum 9093. 9056. (Hook.) Maxon 9094. Bryophyte: Indet. 9057. 9095. Orchidaceae: Epidendrum churunense Garay Anthocerophyte: Indet. 9096. Bryophyte: Indet. and Dunst. 9097. 9058. Cyperaceae: Didymiandrum stellatum (Böck.) Bryophyte: Indet. Gilly 9098. Bryophyte: Indet. 9059. Rubiaceae: Indet. 9099. Bryophyte: Indet. 9060. Araliaceae: Schefflera marahuacensis (Maguire, 9100. Steyerm. and Frodin) Frodin 9101. 9061. Rubiaceae: Psychotria crocochlamys Sandwith Hágsater 9062. Rubiaceae: Psychotria tillettii Steyerm. 9102. 9063. Rubiaceae: Psychotria transiens Wernham Sodiro) L. B. Sm. and Pittendr. 9103. 9064. Euphorbiaceae: Senefelderopsis croizatii 9104. Viscaceae: Phoradendron crassifolium (Pohl ex 9065. 9105. DC.) Eichler Anderson 9066. Clusiaceae: Indet. 9106. 9067. Melastomataceae: Clidemia ostentata Wurdack L. E. Bishop 9068. Cyperaceae: Scleria cyperina Willd. ex Kunth 9107. Cyperaceae: Mapania sp. 9069. Eriocaulaceae: Rondonanthus capillaceus 9108. Araceae: Philodendron insigne Schott (Klotzsch ex Körn.) Hensold and Giul. 9109. 9070. Verbenaceae: Amasonia campestris (Aubl.) L. E. Bishop Orchidaceae: Stelis guianensis Rolfe 9110.
 - 9071. Rapateaceae: Stegolepis aff. ferruginea Baker f. 9072.
 - Melastomataceae: Adelobotrys sp.
- 9073. Podocarpaceae: Podocarpus steyermarkii J. Buchholz and N. E. Gray
- 9074. Rubiaceae: Calycophyllum merumense Steyerm.
- 9075. Melastomataceae: Clidemia tepuiensis Wurdack
- 9076. Clusiaceae: Indet.
- 9077. Rubiaceae: Indet.
- 9078. Cyclanthaceae: Stelestylis stylaris (Gleason) Harling
- 9079. Nyctaginaceae: Neea ovalifolia Spruce ex J. A. Schmidt
- 9080. Dennstaedtiaceae: Ormoloma imrayanum (Hook.) Maxon
- 9081. Piperaceae: Peperomia tenella (Sw.) A. Dietr.
- 9082. Hepaticae: Indet.

- Dennstaedtiaceae: Lindsaea? guianensis (Aubl.)
- Orchidaceae: Octomeria filifolia C. Schweinf.

- Bromeliaceae: Aechmea politii L. B. Sm.
- Orchidaceae: Epidendrum amazonicoriifolium
- Bromeliaceae: Guzmania squarrosa (Mez and
- Rubiaceae: Psychotria pakaraimensis Steyerm.
- Rubiaceae: Psychotria pakaraimensis Steverm.
- Malpighiaceae: Tetrapterys anomala W. R.
- Grammitidaceae: Cochlidium serrulatum (Sw.)
- Grammitidaceae: Ceradenia kalbreyeri (Baker)
- 9111. Grammitidaceae: Cochlidium furcatum (Hook. and Grev.) C. Chr.
- 9112. Hymenophyllaceae: Trichomanes cellulosum Klotzsch
- 9113. Bryophyte: Indet.
- 9114. Bryophyte: Indet.
- 9115. Lentibulariaceae: *Utricularia* sp.
- 9116. Piperaceae: *Piper* sp.
- 9117. Melastomataceae: Clidemia pakaraimae Wurdack
- Rubiaceae: Psychotria imthurniana Oliv. 9118.
- Bromeliaceae: Racinaea spiculosa (Griseb.) 9119. M. A. Spencer and L. B. Sm. var. spiculosa
- Bromeliaceae: Guzmania sphaeroidea (André) 9120. André ex Mez
- 9121. Myrtaceae: Myrcia sp.

- 9122. Rubiaceae: *Psychotria fanshawei* (Standl.) Steyerm.
- 9123. Solanaceae: Lycianthes pauciflora (Vahl) Bitter
- 9124. Arecaceae: Bactris simplicifrons Mart.
- 9125. Melastomataceae: *Phainantha laxiflora* (Triana)
- 9126. Cyperaceae: Calyptrocarya glomerulata (Brongn.) Urb.
- 9127. Hymenophyllaceae: *Hymenophyllum dependens* C. V. Morton
- 9128. Bryophyte: Indet.
- 9129. Hepaticae: Indet.
- 9130. Dennstaedtiaceae: Lindsaea parkeri (Hook.) Kuhn
- 9131. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
- 9132. Melastomataceae: Macrocentrum minus Gleason
- 9133. Bryophyte: Indet.
- 9134. Arecaceae: Geonoma sp.
- 9135. Cyatheaceae: Cyathea nanna (Barrington) Lellinger
- 9136. Piperaceae: Peperomia tenella (Sw.) A. Dietr.
- 9137. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 9138. Melastomataceae: Clidemia buntingii Wurdack
- 9139. Ericaceae: Indet.
- 9140. Orchidaceae: Habenaria floribunda Lindl.
- 9141. Clusiaceae: Indet.
- 9142. Clusiaceae: Indet.
- 9143. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 9144. Icacinaceae: Emmotum glabrum Benth. ex Miers
- 9145. Zingiberaceae: *Renealmia thyrsoidea* (Ruiz and Pav.) Poepp. ssp. *chrysantha* Maas
- 9146. Clusiaceae: Caraipa punctulata Ducke
- 9147. Rubiaceae: Indet.
- 9148. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 9149. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *lancea*
- 9150. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 9151. Piperaceae: Piper rupununianum Trel, and Yunck.
- 9152. Clusiaceae: Indet.
- 9153. Leguminosae-Mimosoideae: *Inga* sp.
- 9154. Rubiaceae: Faramea morilloi Steyerm.
- 9155. Olacaceae: Heisteria maguirei Sleumer
- 9156. Melastomataceae: Miconia sp.
- 9157. Piperaceae: Piper inaequale C. DC.
- 9158. Myrsinaceae: Myrsine nitida (Mez) Pipoly
- 9159. Ericaceae: *Thibaudia* cf. *formosa* (Klotzsch) Hoerold
- 9160. Melastomataceae: Miconia sp.

- 9161. Myrsinaceae: Myrsine nitida (Mez) Pipoly
- 9162. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steverm.
- 9163. Clusiaceae: Indet.
- 9164. Melastomataceae: *Graffenrieda intermedia* Triana
- 9165. Boraginaceae: Cordia fanchoniae Feuillet
- 9166. Monimiaceae: Mollinedia ovata Ruiz and Pav.
- 9167. Annonaceae: Annona symphyocarpa Sandwith
- 9168. Hepaticae: Indet.
- 9169. Grammitidaceae: *Lellingeria subsessilis* (Baker) A. R. Sm. and R. C. Moran
- 9170. Burseraceae: Protium sp. nov.
- 9171. Solanaceae: Cestrum sp.
- 9172. Clusiaceae: Indet.
- 9173. Clusiaceae: Indet.
- 9174. Melastomataceae: *Macrocentrum* cf. *repens* (Gleason) Wurdack
- 9175. Melastomataceae: *Miconia bracteata* (DC.)
- 9176. Melastomataceae: Miconia ciliata (Rich.) DC.
- 9177. Grammitidaceae: Cochlidium linearifolium (Desv.) Maxon ex C. Chr.
- 9178. Orchidaceae: Epidendrum miserrimum Rchb. f.
- 9179. Selaginellaceae: Selaginella sp.
- 9180. Piperaceae: Peperomia tenella (Sw.) A. Dietr.
- 9181. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
- 9182. Orchidaceae: Dichaea kegelii Rchb. f.
- 9183. Indet.: Indet.
- 9184. Orchidaceae: Epidendrum pseudoramosum Schltr.
- 9185. Orchidaceae: Maxillaria lasallei Foldats
- 9186. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 9187. Lentibulariaceae: Utricularia sp.
- 9188. Piperaceae: Peperomia reptans C. DC.
- 9189. Campanulaceae: Centropogon cornutus (L.)
 Druce
- 9190. Compositae: Mikania sprucei Baker
- 9191. Bignoniaceae: Indet.
- 9192. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 9193. Bryophyte: Indet.
- 9194. Bryophyte: Indet.
- 9194a. Chloranthaceae: Hedyosmum tepuiense Todzia
- 9195. Myrtaceae: Indet.
- 9196. Clusiaceae: Indet.
- 9196a. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.

- 9197. Grammitidaceae: *Micropolypodium taenifolium* (Jenman) A. R. Sm.
- 9198. Orchidaceae: Indet.
- 9199. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
- 9200. Dennstaedtiaceae: Ormoloma imrayanum (Hook.) Maxon
- 9201. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
- 9202. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
- 9203. Gnetaceae: Gnetum paniculatum Spruce ex Benth.
- 9204. Araceae: Anthurium scandens (Aubl.) Engl.
- 9205. Myrtaceae: Calyptranthes pulchella DC.
- 9206. Bignoniaceae: Indet.
- 9207. Myrsinaceae: Indet.
- 9208. Melastomataceae: Clidemia charadrophila Tutin
- 9209. Commelinaceae: Indet.
- 9210. Ericaceae: Sphyrospermum cf. cordifolium Benth.
- 9211. Solanaceae: Cestrum sp.
- 9212. Araceae: Philodendron sp.
- 9213. Arecaceae: Geonoma aspidiifolia Spruce
- 9214. Marcgraviaceae: *Sarcopera tepuiensis* (de Roon) Bedell
- 9215. Piperaceae: Peperomia purpurinervis C. DC.
- 9216. Clusiaceae: Indet.
- 9217. Piperaceae: *Piper rupununianum* Trel. and Yunck.
- 9218. Clusiaceae: Indet.
- 9219. Melastomataceae: Ochthephilus repentinus Wurdack
- 9220. Melastomataceae: Aciotis sp.
- 9221. Melastomataceae: Miconia fragrans Cogn.
- 9222. Myrtaceae: Myrcia sp.
- 9223. Annonaceae: Annona symphyocarpa Sandwith
- 9224. Gentianaceae: *Symbolanthus elisabethae* (M. R. Schomb.) Gilg
- 9225. Orchidaceae: Selenipedium steyermarkii Foldats
- 9226. Orchidaceae: Sobralia sessilis Lindl.
- 9227. Orchidaceae: *Elleanthus arpophyllostachys* (Rchb. f.) Rchb. f.
- 9228. Orchidaceae: Ornithidium aureum Poepp. and Endl.
- 9229. Melastomataceae: Miconia superba Ule
- 9230. Myrtaceae: Myrcia sp.
- 9231. Clusiaceae: Indet.
- 9232. Hepaticae: Indet.
- 9233. Poaceae: Paspalum petilum Chase
- 9234. Cyperaceae: Rhynchospora bolivarana Steyerm.
- 9235. Poaceae: Paspalum petilum Chase

- 9236. Meliaceae: Trichilia sp.
- 9237. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 9238. Burseraceae: *Protium aracouchini* (Aubl.) Marchand
- 9239. Vittariaceae: *Ananthacorus angustifolius* (Sw.) Underw. and Maxon
- 9240. Adiantaceae: Adiantopsis radiata (L.) Fée
- 9241. Lomariopsidaceae: *Elaphoglossum decoratum* (Kunze) T. Moore
- 9242. Myrsinaceae: Indet.
- 9243. Bromeliaceae: Vriesea cf. splendens (Brongn.) Lem.
- 9244. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 9245. Selaginellaceae: *Selaginella* aff. *palmiformis*Alston ex Crabbe and Jermy
- 9246. Picramniaceae: *Picramnia sellowii* Planch. ssp. *spruceana* (Engl.) Pirani
- 9247. Annonaceae: Guatteria alticola Scharf and Maas
- 9248. Loganiaceae: Indet.
- 9249. Gentianaceae: *Tapeinostemon spenneroides* Benth.
- 9250. Dryopteridaceae: *Arachniodes macrostegia* (Hook.) R. M. Tryon and D. S. Conant
- 9251. Orchidaceae: *Epidendrum urichianum* Carnevali, Foldats and I. Ramírez
- 9252. Araceae: Anthurium roraimense N. E. Br.
- 9253. Begoniaceae: Begonia jenmanii Tutin
- 9254. Arecaceae: *Bactris hirta* Mart. var. *jenmanii* A. J. Hend.
- 9255. Gesneriaceae: Rhoogeton viviparus Leeuwenb.
- 9256. Gesneriaceae: *Nautilocalyx coccineus* Feuillet and L. E. Skog
- 9257. Orchidaceae: Octomeria filifolia C. Schweinf.
- 9258. Combretaceae: Buchenavia sp.
- 9259. Orchidaceae: Epidendrum durum Lindl.
- 9260. Melastomataceae: *Tococa* cf. *erythrophylla* (Ule) Wurdack
- 9261. Polygonaceae: Indet.
- 9262. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
- 9263. Orchidaceae: Vanilla wrightii Rchb. f.
- 9264. Malpighiaceae: Indet.
- 9265. Lycopodiaceae: *Lycopodiella camporum* B. Øllg. and P. G. Windisch
- 9266. Cyperaceae: *Rhynchospora ayangannensis* M. T. Strong
- 9267. Cyatheaceae: Cyathea macrosora (Baker) Domin
- 9268. Clusiaceae: Indet.
- 9269. Rapateaceae: *Stegolepis ayangannae* P. E. Berry, sp. nov. ined.

- 9270. Dennstaedtiaceae: *Lindsaea schomburgkii* Klotzsch f. *coriifolia* (Lindeman) K. U. Kramer
- 9270a. Dennstaedtiaceae: Lindsaea portoricensis Desv.
- 9271. Cyatheaceae: *Cyathea nanna* (Barrington) Lellinger
- 9272. Rubiaceae: Indet.
- 9273. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 9274. Rubiaceae: Psychotria platypoda DC.
- 9275. Clusiaceae: Indet.
- 9276. Lichen-Incert. sed.: Indet.
- 9277. Sphagnaceae: Sphagnum sp.
- 9278. Melastomataceae: *Tococa* cf. *erythrophylla* (Ule) Wurdack
- 9279. Marcgraviaceae: *Marcgravia sororopaniana* Steyerm.
- 9280. Melastomataceae: Indet.
- 9281. Melastomataceae: Clidemia tepuiensis Wurdack
- 9282. Polygonaceae: Indet.
- 9283. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 9284. Compositae: Mikania duidensis B. L. Rob.
- 9285. Grammitidaceae: *Lellingeria randallii* (Maxon) A. R. Sm. and R. C. Moran
- 9286. Lentibulariaceae: Utricularia sp.
- 9287. Lentibulariaceae: Utricularia sp.
- 9288. Dennstaedtiaceae: Lindsaea sp.
- 9289. Myrtaceae: *Myrcia bolivarensis* (Steyerm.) McVaugh
- 9289a. Melastomataceae: Indet.
- 9290. Loranthaceae: Psittacanthus leptanthus Sandwith
- 9291. Adiantaceae: *Adiantopsis monticola* (Gardner) T. Moore
- 9292. Cyatheaceae: Cyathea dissimilis (C. V. Morton) Stolze
- 9293. Arecaceae: Bactris ptariana Steverm.
- 9294. Cyperaceae: Scleria s.l. secans (L.) Urb.
- 9295. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 9296. Solanaceae: Solanum leucocarpon Dunal
- 9297. Hymenophyllaceae: *Hymenophyllum hirsutum* (L.) Sw.
- 9298. Bryophyte: Indet.
- 9299. Bryophyte: Indet.
- 9300. Bryophyte: Indet.
- 9301. Araliaceae: Schefflera cf. umbellata (N. E. Br.) R. Vig.
- 9302. Verbenaceae: Aegiphila sp.
- 9303. Rubiaceae: Psychotria transiens Wernham

- 9304. Rubiaceae: Psychotria everardii Wernham
- 9305. Rubiaceae: Indet.
- 9306. Piperaceae: Piper rupununianum Trel. and Yunck.
- 9307. Arecaceae: Geonoma appuniana Spruce
- 9308. Verbenaceae: Aegiphila sp.
- 9309. Cyatheaceae: *Cyathea nanna* (Barrington) Lellinger
- 9310. Bryophyte: Indet.
- 9311. Hepaticae: Indet.
- 9312. Hepaticae: Indet.
- 9313. Hepaticae: Indet.
- 9314. Orchidaceae: *Pleurothallis tepuiensis* Carnevali and I. Ramírez
- 9315. Verbenaceae: Aegiphila sp.
- 9316. Polygalaceae: Indet.
- 9317. Annonaceae: *Annona* aff. *symphyocarpa* Sandwith
- 9318. Lauraceae: Ocotea sp.
- 9319. Aquifoliaceae: Ilex sp.
- 9320. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyerm. and Maguire
- 9321. Rubiaceae: Indet.
- 9322. Gentianaceae: Chorisepalum psychotrioides Ewan
- 9323. Rubiaceae: *Notopleura tapajozensis* (Standl.) Bremek.
- 9324. Rutaceae: *Spathelia ulei* (Engl. ex Harms) R. S. Cowan and Brizicky
- 9325. Melastomataceae: *Meriania crassiramis* (Naudin) Wurdack
- 9326. Xyridaceae: Indet.
- 9327. Ericaceae: Indet.
- 9328. Clusiaceae: Indet.
- 9329. Clusiaceae: Indet.
- 9330. Rubiaceae: Psychotria parvibractea Steyerm.
- 9331. Melastomataceae: Leandra edentula Gleason
- 9332. Melastomataceae: Miconia sp.
- 9333. Rubiaceae: Indet.
- 9334. Compositae: Mikania sprucei Baker
- 9335. Ochnaceae: *Adenanthe bicarpellata* Maguire, Steyerm. and Wurdack
- 9336. Rubiaceae: Psychotria transiens Wernham
- 9337. Hymenophyllaceae: *Trichomanes caliginum* Lellinger
- 9338. Compositae: Stenopadus talaumifolius S. F. Blake
- 9339. Lentibulariaceae: *Utricularia humboldtii* R. H. Schomb.
- 9340. Clusiaceae: Indet.
- 9341. Malpighiaceae: *Byrsonima pachypoda* W. R. Anderson

9380.

9381.

Bedell

Marcgraviaceae: Sarcopera tepuiensis (de Roon)

Compositae: Mikania boomii Pruski

9381a. Dioscoreaceae: Dioscorea sp. 9342. Myrsinaceae: Cybianthus apiculatus (Steyerm.) G. Agostini 9382. Orchidaceae: Epidendrum durum Lindl. 9343. Rubiaceae: Indet. 9383. Elaeocarpaceae: Sloanea crassifolia Earle Sm. 9344. Hepaticae: Indet. 9384. Cyrillaceae: Cyrilla racemiflora L. 9345. Melastomataceae: Macrocentrum cf. 9385. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek brevipedicellatum Wurdack 9386. Clusiaceae: Indet. 9346. 9387. Euphorbiaceae: Phyllanthus vacciniifolius (Müll. Bryophyte: Indet. 9347. Bryophyte: Indet. Arg.) Müll. Arg. 9388. 9348. Sphagnaceae: Sphagnum sp. Ericaceae: Thibaudia sp. 9349. Bryophyte: Indet. 9389. Clusiaceae: Indet. 9350. Rubiaceae: Psychotria tillettii Steverm. 9390. Rutaceae: Raveniopsis ruellioides (Oliv.) R. S. 9351. Dennstaedtiaceae: Lindsaea stricta (Sw.) Dryand. var. jamesoniiformis K. U. Kramer 9391. Ericaceae: Thibaudia sp. 9352. Melastomataceae: Miconia acutifolia Ule 9392. Cyrillaceae: Cyrilla racemiflora L. 9353. 9393. Melastomataceae: Miconia superba Ule Polygonaceae: Indet. 9354. Myrtaceae: Calyptranthes pulchella DC. 9394. Aquifoliaceae: *Ilex theezans* Mart. Lichen-Incert. sed.: Indet. 9355. 9395. Melastomataceae: Blakea/Topobea sp. Sapotaceae: Micropholis cf. venulosa (Mart. and 9396. Melastomataceae: Miconia acutifolia Ule 9356. Eichler) Pierre 9397. Malpighiaceae: Byrsonima chalcophylla Nied. 9357. Loranthaceae: Indet. 9398. Myrtaceae: Calyptranthes sp. 9358. Viscaceae: *Phoradendron inaequidentatum* Rusby 9399. Polygalaceae: Monnina cacumina N. E. Br. 9359. Gleicheniaceae: Sticherus bifidus (Willd.) Ching 9400. Bryophyte: Indet. 9360. Dennstaedtiaceae: Ormoloma imrayanum 9401. Bryophyte: Indet. (Hook.) Maxon 9402. Melastomataceae: Miconia acutifolia Ule 9361. Compositae: Baccharis brachylaenoides DC. 9403. Marcgraviaceae: Marcgravia sororopaniana 9362. Araliaceae: Schefflera cf. marahuacensis (Maguire, Steverm. and Frodin) Frodin 9404. Cyatheaceae: Cyathea dissimilis (C. V. Morton) 9363. Rubiaceae: Psychotria everardii Wernham Stolze 9364. Gentianaceae: Macrocarpaea ayangannae J. R. 9405. Poaceae: Chusquea linearis N. E. Br. Grant, Struwe and J. K. Boggan 9406. Compositae: Indet. 9365. Grammitidaceae: Grammitis sp. A sensu A. R. Viscaceae: Phoradendron inaequidentatum Rusby 9407. Sm., Fl. Venez. Guayana v.2 p.153 9408. Loranthaceae: Phthirusa stelis (L.) Kuijt 9366. Bryophyte: Indet. 9409. Bryophyte: Indet. Melastomataceae: Leandra procumbens Ule 9367. Hepaticae: Indet. 9410. 9411. Myrsinaceae: Cybianthus fabiolae Pipoly 9368. Adiantaceae: Pterozonium terrestre Lellinger 9369. Sapotaceae: Chrysophyllum prieurii A. DC. 9412. Passifloraceae: Indet. 9370. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek 9413. Xvridaceae: Orectanthe sp. 9371. Solanaceae: Indet. 9414. Selaginellaceae: Selaginella? amazonica Spring 9372. Rubiaceae: Psychotria everardii Wernham 9415. Compositae: Stenopadus connellii (N. E. Br.) 9373. Viscaceae: Phoradendron chrysocladon A. Gray S. F. Blake 9374. Clusiaceae: Indet. 9416. Ericaceae: Thibaudia nutans Klotzsch ex Mansf. 9375. Cunoniaceae: Weinmannia velutina O. C. Schmidt 9417. Rubiaceae: Psychotria ayangannensis Steyerm. 9376. Viscaceae: *Dendrophthora elliptica* (Gardner) 9418. Bryophyte: Indet. Krug and Urb. 9419. Rubiaceae: Psychotria everardii Wernham 9377. Rubiaceae: Indet. 9420. Melastomataceae: Miconia sp. Chloranthaceae: Hedyosmum cf. intermedium 9378. Malpighiaceae: Byrsonima tillettii W. R. Anderson 9421. 9379. Compositae: Stenopadus sp. Todzia

9422.

9423.

9424.

Rubiaceae: Indet.

Piperaceae: Piper rupununianum Trel. and Yunck.

Malpighiaceae: Byrsonima concinna Benth.

- 9425. Piperaceae: Peperomia tenella (Sw.) A. Dietr.
- 9426. Blechnaceae: Blechnum violaceum (Fée) C. Chr.
- 9427. Melastomataceae: Miconia sp.
- 9428. Rubiaceae: Psychotria everardii Wernham
- 9429. Gleicheniaceae: *Sticherus remotus* (Kaulf.) Chrysler
- 9430. Incertae sedis: Indet.
- 9431. Orchidaceae: Prescottia stachyodes (Sw.) Lindl.
- 9432. Bryophyte: Indet.
- 9433. Bryophyte: Indet.
- 9434. Gleicheniaceae: Sticherus revolutus (Kunth) Ching
- 9435. Adiantaceae: Eriosorus hispidulus (Kunze) Vareschi
- 9436. Bryophyte: Indet.
- 9437. Bryophyte: Indet.
- 9438. Bryophyte: Indet.
- 9439. Orchidaceae: *Helonoma bifida* (Ridl. ex Thurn) Garav
- 9440. Adiantaceae: Eriosorus flexuosus (Kunth) Copel.
- 9441. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 9442. Ericaceae: Indet.
- 9443. Rubiaceae: *Notopleura tapajozensis* (Standl.) Bremek.
- 9444. Gesneriaceae: *Nautilocalyx coccineus* Feuillet and L. E. Skog
- 9445. Melastomataceae: *Marcetia taxifolia* (A. St.-Hil.) DC.
- 9446. Lentibulariaceae: Utricularia sp.
- 9447. Orchidaceae: *Brachionidium longicaudatum* Ames and C. Schweinf.
- 9448. Compositae: Baccharis schomburgkii Baker
- 9449. Compositae: Indet.
- 9450. Compositae: Indet.
- 9451. Ochnaceae: Sauvagesia imthurniana (Oliv.) Dwyer
- 9452. Myrtaceae: Indet.
- 9453. Melastomataceae: Miconia acutifolia Ule
- 9454. Liliaceae: *Nietneria corymbosa* Klotzsch and M. R. Schomb. ex B. D. Jacks.
- 9455. Compositae: Baccharis schomburgkii Baker
- 9456. Orchidaceae: Octomeria connellii Rolfe
- 9457. Orchidaceae: Epidendrum alsum Ridl. ex Thurn
- 9458. Orchidaceae: Prescottia carnosa C. Schweinf.
- 9459. Myrsinaceae: Indet.
- 9460. Aquifoliaceae: *Ilex retusa* Klotzsch ex Reissek
- 9461. Compositae: *Guayania roupalifolia* (B. L. Rob.) R. M. King and H. Rob.
- 9462. Ericaceae: Indet.
- 9463. Cunoniaceae: *Weinmannia laxiramea* Killip and A. C. Sm.
- 9464. Poaceae: Myriocladus distantiflorus Swallen

- 9465. Cunoniaceae: Weinmannia sp.
- 9466. Myrsinaceae: Cybianthus crotonoides (M. R. Schomb. ex Mez) G. Agostini
- 9467. Myrsinaceae: Indet.
- 9468. Rubiaceae: Psychotria everardii Wernham
- 9469. Eriocaulaceae: Paepalanthus sp.
- 9470. Gentianaceae: Curtia ayangannae L. Cobb and Jans.-Jac.
- 9471. Xyridaceae: Xyris albescens Steyerm.
- 9472. Liliaceae: *Isidrogalvia schomburgkiana* (Oliv.) Cruden
- 9473. Selaginellaceae: Selaginella sp.
- 9474. Myrtaceae: Myrcia sp.
- 9475. Melastomataceae: *Meriania crassiramis* (Naudin) Wurdack
- 9476. Myrtaceae: Myrcia sp.
- 9477. Myrtaceae: Ugni myricoides (Kunth) O. Berg
- 9478. Myrtaceae: Ugni myricoides (Kunth) O. Berg
- 9479. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
- 9480. Orchidaceae: *Helonoma bifida* (Ridl. ex Thurn) Garay
- 9481. Bryophyte: Indet.
- 9482. Bryophyte: Indet.
- 9483. Lichen-Incert. sed.: Indet.
- 9484. Droseraceae: Drosera communis A. St.-Hil.
- 9485. Bryophyte: Indet.
- 9486. Rubiaceae: Psychotria transiens Wernham
- 9487. Dennstaedtiaceae: *Lindsaea stricta* (Sw.) Dryand. var. *jamesoniiformis* K. U. Kramer
- 9488. Blechnaceae: Blechnum atropurpureum A. R. Sm.
- 9489. Ochnaceae: Sauvagesia imthurniana (Oliv.) Dwyer
- 9490. Rubiaceae: Indet.
- 9491. Araliaceae: *Schefflera monosperma* Maguire, Steyerm. and Frodin
- 9492. Compositae: Baccharis brachylaenoides DC.
- 9493. Rubiaceae: Psychotria everardii Wernham
- 9494. Melastomataceae: Miconia acutifolia Ule
- 9495. Clusiaceae: Indet.
- 9496. Clusiaceae: Indet.
- 9497. Podocarpaceae: *Podocarpus steyermarkii* J. Buchholz and N. E. Gray
- 9498. Podocarpaceae: *Podocarpus steyermarkii*J. Buchholz and N. E. Gray
- 9499. Xyridaceae: Orectanthe sceptrum (Oliv.) Maguire
- 9500. Cyperaceae: *Everardia disticha* T. Koyama and Maguire
- 9501. Cyperaceae: *Machaerina ayangannensis* M. T. Strong
- 9502. Cyperaceae: Rhynchospora roraimae Kük.

9542.

Melastomataceae: Miconia acutifolia Ule 9543. Melastomataceae: Tococa nitens (Benth.) Triana

9503. Droseraceae: Drosera kaieteurensis Brumm.-Ding. 9544. Adiantaceae: Eriosorus flexuosus (Kunth) Copel. 9504. Bryophyte: Indet. var. flexuosus 9545. 9505. Arecaceae: Geonoma sp. Cunoniaceae: Weinmannia velutina O. C. Schmidt Bryophyte: Indet. 9506. 9546. Melastomataceae: Miconia? sp. 9507. Rubiaceae: Psychotria concinna Oliv. 9547. Melastomataceae: Miconia sp. 9548. Lycopodiaceae: Lycopodiella cernua (L.) Pic. 9508. Clusiaceae: Indet. 9509. Myrsinaceae: Indet. Serm. 9510. Lentibulariaceae: Utricularia sp. 9549. Orchidaceae: Brachionidium brevicaudatum 9511. Bromeliaceae: Indet. Rolfe 9512. Orchidaceae: Indet. 9550. Podocarpaceae: Podocarpus stevermarkii 9513. Hymenophyllaceae: Trichomanes roraimense I. Buchholz and N. E. Gray 9551. Bryophyte: Indet. 9514. Hepaticae: Indet. 9552. Clusiaceae: Indet. 9515. Hepaticae: Indet. 9553. Gentianaceae: Macrocarpaea rugosa Steverm. 9516. Erythroxylaceae: Erythroxylum oreophilum 9554. Gentianaceae: Chorisepalum psychotrioides Ewan (O. E. Schulz ex Pilg.) Steyerm. and Maguire 9555. Hepaticae: Indet. 9517. Melastomataceae: Miconia theizans (Bonpl.) 9556. Myrsinaceae: Myrsine maguireana Pipoly Cogn. 9557. Melastomataceae: Miconia sp. 9518. 9558. Bromeliaceae: Indet. Compositae: Stenopadus connellii (N. E. Br.) Myrsinaceae: Myrsine minima (Steyerm.) Pipoly 9519. S. F. Blake 9520. Orchidaceae: Epidendrum durum Lindl. 9559. Rubiaceae: Psychotria speluncae Standl. and Steverm. 9521. Podocarpaceae: Podocarpus stevermarkii J. Buchholz and N. E. Gray 9560. Lentibulariaceae: *Utricularia* sp. 9522. Viscaceae: *Dendrophthora elliptica* (Gardner) 9561. Rubiaceae: Psychotria glandulicalyx Steverm. Krug and Urb. 9562. Piperaceae: *Piper* sp. 9523. Aquifoliaceae: Ilex aff. amazonensis Edwin 9563. Rubiaceae: Psychotria transiens Wernham Bonnetiaceae: Bonnetia sp. 9564. Solanaceae: Markea aff. longiflora Miers 9524. 9525. Dioscoreaceae: Dioscorea sororopana Steyerm. 9565. Rubiaceae: Psychotria tillettii Steverm. Blechnaceae: Salpichlaena hookeriana (Kuntze) 9526. Ericaceae: Indet. 9566. 9527. Araliaceae: Schefflera monosperma Maguire, Alston Steverm, and Frodin 9567. Clusiaceae: Indet. 9528. Verbenaceae: Indet. 9568. Scrophulariaceae: Vellosiella spathacea (Oliv.) 9529. Myrtaceae: Myrcia sp. Melch. 9530. Araliaceae: Schefflera monosperma Maguire, 9569. Orchidaceae: Octomeria cordilabia C. Schweinf. Steyerm. and Frodin 9570. Aquifoliaceae: *Ilex* sp. 9531. Myrsinaceae: Indet. 9571. Compositae: Mikania nigropunctulata Hieron. 9532. Malpighiaceae: Byrsonima concinna Benth. Rubiaceae: Palicourea obtusata K. Krause 9572. 9533. Rubiaceae: Notopleura tapajozensis (Standl.) 9573. Erythroxylaceae: Erythroxylum oreophilum Bremek. (O. E. Schulz ex Pilg.) Steyerm. and Maguire 9534. Compositae: Indet. 9574. Nyctaginaceae: Neea sp. 9575. Clusiaceae: Indet. 9535. Bonnetiaceae: Bonnetia sp. Chrysobalanaceae: Licania sp. 9536. Cyrillaceae: Cyrilla racemiflora L. 9576. Melastomataceae: Miconia acutifolia Ule 9577. Rubiaceae: Malanea microphylla Standl. and 9537. 9538. Cunoniaceae: Weinmannia sp. Steverm. 9539. Orchidaceae: Octomeria cf. parvifolia Rolfe 9578. Rubiaceae: Faramea cardonae Standl. and 9540. Clusiaceae: Indet. 9541. Blechnaceae: Blechnum schomburgkii (Klotzsch) 9579. Rubiaceae: Psychotria aubletiana Steverm.

9580.

9581.

Araliaceae: Schefflera cf. marahuacensis

(Maguire, Steverm. and Frodin) Frodin

Rubiaceae: Indet.

- 9582. Rubiaceae: Indet.
- 9583. Myrtaceae: Calyptranthes pulchella DC.
- 9584. Rubiaceae: Pagamea thyrsiflora Spruce ex Benth.
- 9585. Compositae: Mikania duidensis B. L. Rob.
- 9586. Loranthaceae: Psittacanthus brachynema Eichler
- 9587. Clusiaceae: Indet.
- 9588. Rubiaceae: Indet.
- 9589. Clusiaceae: Indet.
- 9590. Malpighiaceae: *Byrsonima pachypoda* W. R. Anderson
- 9591. Melastomataceae: Miconia cf. stenostachya DC.
- 9592. Solanaceae: Solanum leucocarpon Dunal
- 9593. Melastomataceae: Clidemia sandwithii Wurdack
- 9594. Compositae: Mikania psilostachya DC.
- 9595. Bromeliaceae: Vriesea duidae (L. B. Sm.) Gouda
- 9596. Malpighiaceae: Byrsonima chalcophylla Nied.
- 9597. Cyatheaceae: *Cyathea* aff. *nanna* (Barrington) Lellinger
- 9598. Cyperaceae: Scleria s.l. secans (L.) Urb.
- 9599. Clusiaceae: Indet.
- 9600. Clusiaceae: Indet.
- 9601. Leguminosae-Mimosoideae: *Abarema barbouriana* (Standl.) Barneby and J. W. Grimes
- 9602. Melastomataceae: Blakea/Topobea? sp. nov.
- 9603. Piperaceae: Piper vs. nematanthera (Miq.) C. DC.
- 9604. Chrysobalanaceae: Indet.
- 9605. Araceae: Philodendron sp.
- 9606. Orchidaceae: *Psilochilus dusenianus* Kraenzl. ex Garay and Dunst.
- 9607. Melastomataceae: *Miconia bracteata* (DC.)
- 9608. Melastomataceae: Clidemia japurensis DC.
- 9609. Myrsinaceae: Indet.
- 9610. Loranthaceae: Indet.
- 9611. Polypodiaceae: Polypodium sessilifolium Desv.
- 9612. Cyatheaceae: Cyathea dissimilis (C. V. Morton) Stolze
- 9613. Euphorbiaceae: Indet.
- 9614. Orchidaceae: Stelis aviceps Lindl.
- 9615. Bryophyte: Indet.
- 9616. Grammitidaceae: Lellingeria moranii Labiak
- 9617. Piperaceae: Peperomia sp.
- 9618. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
- 9619. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
- 9620. Orchidaceae: Selenipedium steyermarkii Foldats
- 9621. Cyperaceae: Scleria s.l. secans (L.) Urb.
- 9622. Melastomataceae: Clidemia buntingii Wurdack
- 9623. Rapateaceae: Epidryos guayanensis Maguire

- 9624. Annonaceae: Guatteria ayangannae Scharf and Maas
- 9625. Araceae: Philodendron sp.
- 9626. Araceae: Anthurium expansum Gleason
- 9627. Apocynaceae: Indet.
- 9628. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.
- 9629. Orchidaceae: *Aspidogyne robusta* (C. Schweinf.) Garay
- 9630. Commelinaceae: Indet.
- 9631. Simaroubaceae: Indet.
- 9632. Rubiaceae: Indet.
- 9633. Piperaceae: Peperomia tenella (Sw.) A. Dietr.
- 9634. Bryophyte: Indet.
- 9635. Bryophyte: Indet.
- 9636. Humiriaceae: Indet.
- 9637. Rubiaceae: Duroia cf. bolivarensis Steyerm.
- 9638. Clusiaceae: Moronobea sp.
- 9639. Leguminosae-Caesalpinioideae: Indet.
- 9640. Sapindaceae: Indet.
- 9641. Clusiaceae: Indet.
- 9642. Annonaceae: Duguetia rigida R. E. Fr.
- 9643. Bryophyte: Indet.
- 9644. Euphorbiaceae: *Micrandra* aff. *lopezii* R. E. Schult.
- 9645. Piperaceae: Piper obliquum Ruiz and Pav.
- 9646. Orchidaceae: Palmorchis sp.
- 9647. Lomariopsidaceae: *Elaphoglossum longifolium* (Sw.) J. Sm.
- 9647a. Lomariopsidaceae: *Elaphoglossum* cf. *flaccidum* (Fée) T. Moore
- 9648. Rubiaceae: Indet.
- 9649. Rubiaceae: Psychotria mazaruniensis Standl.
- 9650. Lomariopsidaceae: *Elaphoglossum horridulum* (Kaulf.) J. Sm.
- 9651. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
- 9652. Polypodiaceae: *Microgramma fuscopunctata* (Hook.) Vareschi
- 9653. Aspleniaceae: Asplenium salicifolium L.
- 9654. Orchidaceae: Bollea? hemixantha Rchb. f.
- 9655. Piperaceae: Peperomia sp.
- 9656. Menisperm/Euphorb.: Indet.
- 9657. Polypodiaceae: Polypodium caceresii Sodiro
- 9658. Polypodiaceae: Polypodium caceresii Sodiro
- 9659. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 9660. Acanthaceae: Justicia potarensis (Bremek.) Wassh.
- 9661. Leguminosae-Mimosoideae: *Inga* sp.
- 9662. Meliaceae: Guarea scabra A. Juss.

- 9663. Passifloraceae: Passiflora sp.
- 9664. Loganiaceae: Indet.
- 9665. Cucurbitaceae: *Helmontia leptantha* (Schltdl.) Cogn.
- 9666. Rubiaceae: Indet.
- 9667. Araceae: Philodendron rudgeanum Schott
- 9668. Melastomataceae: Maguireanthus ayangannae Wurdack
- 9669. Araceae: Rhodospatha oblongata Poepp.
- 9670. Clusiaceae: Indet.
- 9671. Tectariaceae: Tectaria trifoliata (L.) Cav.
- 9672. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 9673. Annonaceae: Unonopsis glaucopetala R. E. Fr.
- 9674. Melastomataceae: Clidemia conglomerata DC.
- 9675. Nyctaginaceae: Neea floribunda Poepp. and Endl.
- 9676. Zingiberaceae: Renealmia orinocensis Rusby
- 9677. Thelypteridaceae: *Thelypteris nesiotica* (Maxon and C. V. Morton) C. V. Morton
- 9678. Orchidaceae: Microchilus campanulatus Ormerod
- 9679. Melastomataceae: Miconia sp.
- 9680. Rubiaceae: Notopleura uliginosa (Sw.) Bremek.
- 9681. Melastomataceae: Leandra sp.
- 9682. Compositae: Rolandra fruticosa (L.) Kuntze
- 9683. Myrsinaceae: *Cybianthus guyanensis* (A. DC.) Miq.
- 9684. Leguminosae-Faboideae: Desmodium sp.
- 9685. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 9686. Piperaceae: *Piper anonifolium* (Kunth) C. DC. var. *parkerianum* (C. DC.) Steyerm.
- 9687. Melastomataceae: Miconia plukenetii Naudin
- 9688. Gesneriaceae: Columnea guianensis C. V. Morton
- 9689. Hymenophyllaceae: Trichomanes elegans Rich.
- 9690. Marantaceae: Ischnosiphon foliosus Gleason
- 9691. Lomariopsidaceae: *Bolbitis* cf. *nicotianifolia* (Sw.) Alston
- 9692. Nyctaginaceae: Neea floribunda Poepp. and Endl.
- 9693. Melastomataceae: Aciotis sp.
- 9694. Smilacaceae: Smilax sp.
- 9695. Chrysobalanaceae: Hirtella silicea Griseb.
- 9696. Rubiaceae: Indet.
- 9697. Simaroubaceae: Indet.
- 9698. Rapateaceae: *Spathanthus unilateralis* (Rudge) Desv.
- 9699. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
- 9700. Orchidaceae: Octomeria exigua C. Schweinf.
- 9701. Hymenophyllaceae: *Trichomanes diversifrons* (Bory) Mett. ex Sadeb.

- 9702. Solanaceae: Solanum leucocarpon Dunal
- 9703. Piperaceae: *Piper* sp.
- 9704. Piperaceae: Piper rupununianum Trel. and Yunck.
- 9705. Bryophyte: Indet.
- 9706. Marantaceae: *Calathea elliptica* (Roscoe) K. Schum.
- 9707. Annonaceae: *Guatteria punctata* (Aubl.) R. A. Howard
- 9708. Annonaceae: Unonopsis glaucopetala R. E. Fr.
- 9709. Malpighiaceae: *Byrsonima christianeae* W. R. Anderson
- 9710. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 9711. Orchidaceae: Epidendrum miserrimum Rchb. f.
- 9712. Orchidaceae: Trichosalpinx sp.
- 9713. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
- 9714. Rapateaceae: Epidryos guayanensis Maguire
- 9715. Melastomataceae: Henriettea sp.
- 9716. Malpighiaceae: *Byrsonima krukoffii* W. R. Anderson
- 9717. Orchidaceae: *Elleanthus graminifolius* (Barb. Rodr.) Løjtnant
- 9718. Euphorbiaceae: *Micrandra glabra* (R. E. Schult.) R. E. Schult.
- 9719. Orchidaceae: Maxillaria nasuta Rchb. f.
- 9720. Orchidaceae: Polystachya stenophylla Schltr.
- 9721. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *spiculosa*
- 9722. Orchidaceae: Sobralia valida Rolfe
- 9723. Ericaceae: Indet.
- 9724. Orchidaceae: Maxillaria porrecta Lindl.
- 9725. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
- 9726. Orchidaceae: Vanilla wrightii Rchb. f.
- 9727. Lentibulariaceae: Utricularia sp.
- 9728. Ericaceae: Indet.
- 9729. Clusiaceae: Indet.
- 9730. Ochnaceae: Ouratea soderstromii Sastre
- 9731. Chrysobalanaceae: Indet.
- 9732. Rubiaceae: Psychotria mazaruniensis Standl.
- 9733. Orchidaceae: *Scaphyglottis graminifolia* (Ruiz and Pav.) Poepp. and Endl.
- 9734. Bromeliaceae: Vriesea incurva (Griseb.) Read
- 9735. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
- 9736. Rubiaceae: *Notopleura guadalupensis* (DC.) C. M. Taylor
- 9737. Orchidaceae: Stelis sp.
- 9738. Orchidaceae: Octomeria sp.

- 9739. Orchidaceae: *Cryptocentrum dunstervilleorum* Carnevali and G. A. Romero
- 9740. Orchidaceae: Indet.
- 9741. Orchidaceae: *Maxillaria reichenheimiana* Endres and Rchb. f.
- 9742. Grammitidaceae: *Grammitis randallii* (Maxon)
 Proctor
- 9742a. Orchidaceae: Pleurothallidinae sp.
- 9743. Bryophyte: Indet.
- 9744. Olacaceae: Indet.
- 9745. Annonaceae: *Guatteria clusiifolia* D. M. Johnson and N. A. Murray
- 9746. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 9747. Orchidaceae: *Cryptocentrum dunstervilleorum* Carnevali and G. A. Romero
- 9748. Cecropiaceae: Coussapoa microcephala Trécul
- 9749. Clusiaceae: Indet.
- 9750. Euphorbiaceae: *Micrandra glabra* (R. E. Schult.) R. E. Schult.
- 9751. Gentianaceae: Tachia schomburgkiana Benth.
- 9752. Orchidaceae: Maxillaria nasuta Rchb. f.
- 9753. Orchidaceae: Elleanthus caravata (Aubl.) Rchb. f.
- 9754. Ericaceae: Indet.
- 9755. Meliaceae: Trichilia septentrionalis C. DC.
- 9756. Bryophyte: Indet.
- 9757. Clusiaceae: Indet.
- 9758. Compositae: Mikania nigropunctulata Hieron.
- 9759. Gentianaceae: Irlbachia sp.
- 9760. Ochnaceae: Ouratea soderstromii Sastre
- 9761. Passifloraceae: Passiflora fanchonae Feuillet
- 9762. Clusiaceae: Vismia sp.
- 9763. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steyerm.
- 9764. Apocynaceae: Indet.
- 9765. Annonaceae: Duguetia neglecta Sandwith
- 9766. Myrtaceae: Myrcia? sp.
- 9767. Erythroxylaceae: *Erythroxylum mucronatum* Benth.
- 9768. Leguminosae-Mimosoideae: Inga sp.
- 9769. Verbenaceae: Aegiphila sp.
- 9770. Clusiaceae: Indet.
- 9771. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 9772. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *racemosa*
- 9773. Annonaceae: Anaxagorea petiolata R. E. Fr.
- 9774. Clusiaceae: Indet.
- 9775. Leguminosae-Faboideae: *Mucuna sloanei* Fawc. and Rendle

- 9776. Piperaceae: Piper sp.
- 9777. Myristicaceae: Iryanthera sp.
- 9778. Loganiaceae: Strychnos peckii B. L. Rob.
- 9779. Orchidaceae: Vanilla wrightii Rchb. f.
- 9780. Asclepiadaceae: Indet.
- 9781. Clusiaceae: Indet.
- 9782. Euphorbiaceae: *Micrandra glabra* (R. E. Schult.) R. E. Schult.
- 9783. Myrsinaceae: Indet.
- 9784. Dioscoreaceae: Dioscorea sp.
- 9785. Rubiaceae: Indet.
- 9786. Compositae: Mikania psilostachya DC.
- 9787. Orchidaceae: Octomeria exigua C. Schweinf.
- 9788. Malpighiaceae: *Byrsonima christianeae* W. R. Anderson
- 9789. Compositae: Indet.
- 9790. Loranthaceae: Phthirusa stelis (L.) Kuijt
- 9791. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
- 9792. Clusiaceae: Indet.
- 9793. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 9794. Clusiaceae: Indet.
- 9795. Leguminosae-Mimosoideae: Inga sp.
- 9796. Rubiaceae: *Notopleura* cf. *perpapillifera* (Steyerm.) C. M. Taylor
- 9797. Orchidaceae: Maxillaria porrecta Lindl.
- 9798. Orchidaceae: Maxillaria brachybulbon Schltr.
- 9799. Ericaceae: Cavendishia callista Donn. Sm.
- 9800. Clusiaceae: Indet.
- 9801. Myrtaceae: Myrcia sp.
- 9802. Melastomataceae: Aciotis sp.
- 9803. Clusiaceae: Vismia sp.
- 9804. Incertae sedis: Indet.
- 9805. Dilleniaceae: Davilla cf. nitida (Vahl) Kubitzki
- 9806. Loranthaceae: Psittacanthus leptanthus Sandwith
- 9807. Bignoniaceae: *Tabebuia* cf. *chrysantha* (Jacq.) G. Nicholson
- 9808. Araceae: Rhodospatha oblongata Poepp.
- 9809. Melastomataceae: Henriettea cf. multiflora Naudin
- 9810. Melastomataceae: Miconia plukenetii Naudin
- 9811. Rubiaceae: Isertia hypoleuca Benth.
- 9812. Bombacaceae: Indet.
- 9813. Apocynaceae: Indet.
- 9814. Lacistemataceae: *Lacistema aggregatum* (P. J. Bergius) Rusby
- 9815. Sapotaceae: Indet.
- 9816. Clusiaceae: Indet.
- 9817. Loganiaceae: Indet.
- 9818. Lecythidaceae: *Eschweilera pedicellata* (Rich.) S. A. Mori

- 9819. Annonaceae: Guatteria ayangannae Scharf and Maas
- 9820. Orchidaceae: Octomeria integrilabia C. Schweinf.
- 9821. Orchidaceae: Stelis guianensis Rolfe
- 9822. Malpighiaceae: *Pterandra guianensis* W. R. Anderson
- 9823. Orchidaceae: Habenaria sp.
- 9824. Rutaceae: Hortia regia Sandwith
- 9825. Euphorbiaceae: Conceveiba ptariana (Steyerm.) Jabl.
- 9826. Passifloraceae: Passiflora sp.
- 9827. Melastomataceae: Miconia cf. marginata Triana
- 9828. Melastomataceae: Miconia marginata Triana
- 9829. Cecropiaceae: Coussapoa microcephala Trécul
- 9830. Leguminosae-Faboideae: Desmodium sp.
- 9831. Melastomataceae: *Leandra sanguinea* Gleason ssp. *tepuiensis* Wurdack
- 9832. Solanaceae: Solanum stramoniifolium Jacq.
- 9833. Cyperaceae: Cyperus luzulae (L.) Rottb. ex Retz.
- 9834. Eriocaulaceae: *Paepalanthus fasciculatus* (Rottb.) Kunth
- 9835. Melastomataceae: *Pterolepis glomerata* (Rottb.) Miq.
- 9836. Adiantaceae: Pityrogramma calomelanos (L.) Link
- 9837. Poaceae: Andropogon bicornis L.
- 9838. Rubiaceae: Indet.
- 9839. Melastomataceae: Nepsera aquatica (Aubl.)
- 9840. Orchidaceae: Cheiradenia cuspidata Lindl.
- 9841. Leguminosae-Caesalpinioideae: *Chamaecrista adiantifolia* (Spruce ex Benth.) H. S. Irwin and Barneby var. *pteridophylla* (Sandwith) H. S. Irwin and Barneby
- 9842. Orchidaceae: Maxillaria bolivarensis C. Schweinf.
- 9843. Apocynaceae: Indet.
- 9844. Malpighiaceae: Byrsonima carraoana Steyerm.
- 9845. Erythroxylaceae: *Erythroxylum kapplerianum* Pevr.
- 9846. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
- 9847. Poaceae: Panicum polygonatum Schrad.
- 9848. Poaceae: Paspalum cf. altsonii Chase
- 9849. Thelypteridaceae: *Thelypteris hispidula* (Decne.) C. F. Reed
- 9850. Lomariopsidaceae: *Elaphoglossum* macrophyllum (Mett. ex Kuhn) H. Christ
- 9851. Orchidaceae: *Erycina pusilla* (L.) N. H. Williams and M. W. Chase
- 9852. Passifloraceae: Passiflora sp.

- 9853. Leguminosae-Caesalpinioideae: *Macrolobium bifolium* (Aubl.) Pers.
- 9854. Melastomataceae: *Leandra sanguinea* Gleason ssp. *tepuiensis* Wurdack
- 9855. Sapindaceae: Paullinia capreolata (Aubl.) Radlk.
- 9856. Marcgraviaceae: *Marcgravia sororopaniana* Steverm.
- 9857. Viscaceae: *Phoradendron perrottetii* (DC.) Eichler
- 9858. Polygonaceae: Indet.
- 9859. Loranthaceae: Phthirusa stelis (L.) Kuijt
- 9860. Melastomataceae: *Henriettea ramiflora* (Sw.) DC.
- 9861. Euphorbiaceae: Plukenetia polyadenia Müll. Arg.
- 9862. Leguminosae-Caesalpinioideae: *Dicymbe pharangophila* R. S. Cowan
- 9863. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 9864. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
- 9865. Orchidaceae: Octomeria lancipetala C. Schweinf.
- 9866. Araceae: *Stenospermation ammiticum* G. S. Bunting
- 9867. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 9868. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 9869. Leguminosae-Mimosoideae: Acacia sp.
- 9870. Marcgraviaceae: *Marcgravia pedunculosa* Triana and Planch.
- 9871. Clusiaceae: Indet.
- 9872. Dilleniaceae: Davilla nitida (Vahl) Kubitzki
- 9873. Clusiaceae: Vismia sp.
- 9874. Poaceae: Paspalum cf. pilosum Lam.
- 9875. Melastomataceae: Indet.
- 9876. Ochnaceae: Sauvagesia erecta L. ssp. erecta
- 9877. Passifloraceae: Passiflora vespertilio L.
- 9878. Melastomataceae: Tococa aristata Benth.
- 9879. Sapindaceae: Serjania membranacea Splitg.
- 9880. Compositae: Bidens pilosa L.
- 9881. Asclepiadaceae: Indet.
- 9882. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 9883. Araceae: Urospatha sagittifolia (Rudge) Schott
- 9884. Compositae: *Erechtites valerianaefolius* (Wolf) Link ex Spreng.
- 9885. Malpighiaceae: Byrsonima carraoana Steyerm.
- 9886. Araceae: Philodendron ecordatum Schott
- 9887. Leguminosae-Mimosoideae: Calliandra sp.
- 9888. Orchidaceae: Otostylis brachystalix (Rchb. f.) Schltr.

- 9889. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 9890. Rubiaceae: Indet.
- 9891. Scrophulariaceae: Scoparia dulcis L.
- 9892. Orchidaceae: Sobralia valida Rolfe
- 9893. Piperaceae: Piper sp.
- 9894. Rubiaceae: Duroia cf. bolivarensis Steverm.
- 9895. Rubiaceae: Indet.
- 9896. Cyatheaceae: Cyathea microdonta (Desv.) Domin
- 9897. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 9898. Rubiaceae: Psychotria pakaraimensis Steyerm.
- 9899. Selaginellaceae: Selaginella mazaruniense Jenman
- 9900. Solanaceae: Solanum rugosum Dunal
- 9901. Orchidaceae: Sobralia valida Rolfe
- 9902. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 9903. Rubiaceae: Palicourea guianensis Aubl.
- 9904. Leguminosae-Caesalpinioideae: Senna sp.
- 9905. Gesneriaceae: *Paradrymonia ciliosa* (Mart.) Wiehler
- 9906. Boraginaceae: Tournefortia paniculata Cham.
- 9907. Passifloraceae: Passiflora garckei Mast.
- 9908. Passifloraceae: Passiflora sp.
- 9909. Menispermaceae: Cissampelos fasciculata Benth.
- 9910. Myrsinaceae: Indet.
- 9911. Grammitidaceae: Enterosora campbellii Baker
- 9912. Orchidaceae: Octomeria exigua C. Schweinf.
- 9913. Orchidaceae: *Cryptocentrum dunstervilleorum* Carnevali and G. A. Romero
- 9914. Orchidaceae: Maxillaria porrecta Lindl.
- 9915. Orchidaceae: Indet.
- 9916. Melastomataceae: Miconia bracteata (DC.) Triana
- 9917. Melastomataceae: *Leandra* cf. *divaricata* (Naudin) Cogn.
- 9918. Compositae: Ageratum conyzoides L.
- 9919. Cyperaceae: Cyperus luzulae (L.) Rottb. ex Retz.
- 9920. Poaceae: Eleusine indica (L.) Gaertn.
- 9921. Cyperaceae: Cyperus sphacelatus Rottb.
- 9922. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 9922a. Grammitidaceae: Cochlidium linearifolium (Desv.) Maxon ex C. Chr.
- 9923. Melastomataceae: Clidemia sp.
- 9923a. Melastomataceae: Clidemia sp.
- 9924. Cyperaceae: Rhynchospora marisculus Nees
- 9925. Melastomataceae: Henriettea cf. multiflora
- 9926. Leguminosae-Caesalpinioideae: Brownea sp.
- 9927. Melastomataceae: Indet.

- 9928. Clusiaceae: Vismia sp.
- 9929. Araceae: Dieffenbachia seguine (Jacq.) Schott
- 9930. Oleandraceae: *Nephrolepis pendula* (Raddi) I. Smith
- 9931. Oleandraceae: *Nephrolepis rivularis* (Vahl) Mett. ex Krug
- 9932. Passifloraceae: Passiflora kawensis Feuillet
- 9933. Rubiaceae: Palicourea guianensis Aubl.
- 9934. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm.
- 9935. Melastomataceae: *Pterolepis glomerata* (Rottb.) Mig.
- 9936. Orchidaceae: *Sarcoglottis metallica* (Rolfe) Schltr.
- 9937. Solanaceae: Solanum stramoniifolium Jacq.
- 9938. Melastomataceae: Adelobotrys permixta Wurdack
- 9939. Compositae: Mikania psilostachya DC.
- 9940. Poaceae: Paspalum altsonii Chase
- 9941. Pteridophyte: Indet.
- 9942. Poaceae: Panicum pycnoclados Tutin
- 9943. Rubiaceae: Mitracarpus sp.
- 9944. Melastomataceae: Clidemia sericea D. Don
- 9945. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *sylvatica* (Poepp. and Kunth) T. Koyama
- 9946. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
- 9947. Sapindaceae: *Matayba peruviana* Radlk. ssp. *oligandra* (Sandw.) Acev.-Rodr.
- 9948. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 9949. Rubiaceae: Notopleura sp.
- 9950. Myrsinaceae: Indet.
- 9951. Gentianaceae: Tachia schomburgkiana Benth.
- 9952. Clusiaceae: Indet.
- 9953. Lauraceae: Indet.
- 9954. Rubiaceae: Manettia alba (Aubl.) Wernham
- 9955. Ochnaceae: Indet.
- 9956. Melastomataceae: Miconia marginata Triana
- 9957. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steyerm.
- 9958. Myrsinaceae: Indet.
- 9959. Melastomataceae: Miconia ciliata (Rich.) DC.
- 9960. Rubiaceae: Psychotria apoda Steyerm.
- 9961. Gentianaceae: *Tapeinostemon spenneroides*Benth.
- 9962. Cyperaceae: *Mapania macrophylla* (Böck.) H. Pfeiff.
- 9963. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steyerm.
- 9964. Dryopteridaceae: Cyclodium varians (Fée) A. R. Sm.

- 9965. Araceae: Philodendron insigne Schott
- 9966. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 9967. Hymenophyllaceae: Indet.
- 9968. Hymenophyllaceae: Indet. [immature]
- 9969. Compositae: Mikania trinitaria DC.
- 9970. Bromeliaceae: Indet.
- 9971. Bromeliaceae: Guzmania altsonii L. B. Sm.
- 9972. Araceae: *Stenospermation ammiticum* G. S. Bunting
- 9973. Orchidaceae: Jacquiniella globosa (Jacq.) Schltr.
- 9974. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
- 9974a. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
- 9975. Gentianaceae: *Tachia grandiflora* Maguire and Weaver
- 9976. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 9977. Orchidaceae: Indet.
- 9978. Leguminosae-Faboideae: *Cajanus cajan* (L.) Millsp.
- 9979. Poaceae: Panicum pycnoclados Tutin
- 9980. Hymenophyllaceae: Indet.
- 9981. Pteridophyte: Indet.
- 9982. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 9983. Campanulaceae: Indet.
- 9984. Adiantaceae: Pityrogramma calomelanos (L.) Link
- 9985. Poaceae: *Raddiella esenbeckii* (Steud.) C. E. Calderón and Soderstr.
- 9986. Gleicheniaceae: *Sticherus remotus* (Kaulf.) Chrysler
- 9987. Malpighiaceae: Indet.
- 9988. Orchidaceae: Indet.
- 9989. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 9990. Lentibulariaceae: Utricularia sp.
- 9991. Orchidaceae: Indet.
- 9992. Orchidaceae: Indet.
- 9993. Orchidaceae: Indet.
- 9994. Orchidaceae: Indet.
- 9995. Orchidaceae: Indet.
- 9996. Orchidaceae: Indet.
- 9997. Orchidaceae: Indet.
- 9998. Burmanniaceae: Gymnosiphon sp.
- 9999. Boraginaceae: Cordia nodosa Lam.
- 10000. Leguminosae-Caesalpinioideae: Brownea sp.
- 10001. Chrysobalanaceae: Hirtella silicea Griseb.
- 10002. Orchidaceae: Indet.
- 10003. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 10004. Annonaceae: Duguetia decurrens R. E. Fr.

- 10005. Rubiaceae: Psychotria muscosa (Jacq.) Steyerm.
- 10006. Melastomataceae: Macrocentrum minus Gleason
- 10007. Hymenophyllaceae: Indet.
- 10008. Dennstaedtiaceae: *Lindsaea lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 10009. Dennstaedtiaceae: *Lindsaea cyclophylla* K. U. Kramer
- 10010. Pteridophyte: Indet.
- 10011. Hymenophyllaceae: Indet.
- 10012. Orchidaceae: Indet.
- 10013. Orchidaceae: Indet.
- 10014. Grammitidaceae: Cochlidium furcatum (Hook. and Grev.) C. Chr.
- 10015. Lomariopsidaceae: *Elaphoglossum glabellum* J. Sm.
- 10016. Rapateaceae: Epidryos guayanensis Maguire
- 10017. Pteridophyte: Indet.
- 10018. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 10019. Hepaticae: Indet.
- 10020. Rubiaceae: Didymochlamys connellii N. E. Br.
- 10021. Ericaceae: Indet.
- 10022. Rubiaceae: Psychotria bostrychothyrsus Sandwith
- 10023. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
- 10024. Orchidaceae: Indet.
- 10024a. Marantaceae: *Ischnosiphon puberulus* Loes. var. *verruculosus* (J. F. Macbr.) L. Andersson
- 10025. Cyclanthaceae: Indet.
- 10026. Orchidaceae: Elleanthus caravata (Aubl.) Rchb. f.
- 10027. Gesneriaceae: Drymonia sp.
- 10028. Piperaceae: Peperomia? sp. nov.
- 10029. Violaceae: Paypayrola sp.
- 10030. Hymenophyllaceae: Indet.
- 10031. Myrtaceae: Indet.
- 10032. Melastomataceae: Tococa aristata Benth.
- 10033. Rubiaceae: Psychotria iodotricha Müll. Arg.
- 10034. Rubiaceae: Coccocypselum sp.
- 10035. Bryophyte: Indet.
- 10036. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br.
- 10037. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 10038. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 10039. Melastomataceae: Clidemia involucrata DC.
- 10040. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 10041. Zingiberaceae: Renealmia orinocensis Rusby
- 10042. Melastomataceae: Adelobotrys permixta Wurdack
- 10043. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey

- 10044. Clusiaceae: Indet.
- 10045. Cyclanthaceae: Indet.
- 10046. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
- 10047. Ochnaceae: Ouratea superba Engl.
- 10048. Pteridophyte: Indet.
- 10049. Bromeliaceae: Indet.
- 10050. Araceae: Philodendron wittianum Engl.
- 10051. Sapindaceae: Serjania membranacea Splitg.
- 10052. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *spiculosa*
- 10053. Arecaceae: Bactris oligoclada Burret
- 10054. Dryopteridaceae: Cyclodium meniscioides (Willd.) C. Presl
- 10055. Bryophyte: Indet.
- 10056. Lichen-Incert. sed.: Indet.
- 10057. Leguminosae-Caesalpinioideae: Cassia sp.
- 10058. Gesneriaceae: Besleria insolita C. V. Morton
- 10059. Rubiaceae: Indet.
- 10060. Bryophyte: Indet.
- 10061. Piperaceae: Piper sp.
- 10062. Pteridophyte: Indet.
- 10063. Melastomataceae: Leandra purpurea Gleason
- 10064. Begoniaceae: Begonia jenmanii Tutin
- 10065. Tectariaceae: Tectaria plantaginea (Jacq.) Maxon
- 10066. Melastomataceae: Maieta poeppigii Mart. ex Cogn.
- 10067. Bryophyte: Indet.
- 10068. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 10069. Hymenophyllaceae: Trichomanes elegans Rich.
- 10070. Hymenophyllaceae: Trichomanes elegans Rich.
- 10071. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 10072. Orchidaceae: Indet.
- 10073. Orchidaceae: Indet.
- 10074. Cyclanthaceae: Indet.
- 10075. Arecaceae: Bactris simplicifrons Mart.
- 10076. Costaceae: Costus arabicus L.
- 10077. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
- 10078. Pteridophyte: Indet.
- 10079. Leguminosae: Indet.
- 10080. Loganiaceae: Indet.
- 10081. Connaraceae: Indet.
- 10082. Rubiaceae: Psychotria apoda Steyerm.
- 10083. Pteridophyte: Indet.
- 10084. Orchidaceae: Indet.
- 10085. Dryopteridaceae: Polybotrya caudata Kunze
- 10086. Lomariopsidaceae: *Elaphoglossum laminarioides* (Bory ex Fée) T. Moore

- 10087. Polypodiaceae: Polypodium caceresii Sodiro
- 10088. Marantaceae: Calathea casupito (Jacq.) Schult.
- 10089. Orchidaceae: Indet.
- 10090. Cucurbitaceae: Gurania bignoniacea (Poepp. and Endl.) C. Jeffrey
- 10091. Aspleniaceae: Asplenium pteropus Kaulf.
- 10092. Melastomataceae: Aciotis purpurascens (Aubl.) Triana
- 10093. Dryopteridaceae: Olfersia cervina (L.) Kunze
- 10094. Piperaceae: Piper sp.
- 10095. Piperaceae: Piper sp.
- 10096. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 10097. Piperaceae: Peperomia? sp. nov.
- 10098. Melastomataceae: Miconia mariae Wurdack
- 10099. Rubiaceae: Psychotria sp.
- 10100. Polypodiaceae: Polypodium caceresii Sodiro
- 10101. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 10102. Cyperaceae: Mapania sp.
- 10103. Apocynaceae: Bonafousia sp.
- 10104. Euphorbiaceae: Indet.
- 10105. Tectariaceae: Tectaria trifoliata (L.) Cav.
- 10106. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 10107. Leguminosae-Caesalpinioideae: Dicymbe sp.
- 10108. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 10109. Melastomataceae: Miconia plukenetii Naudin
- 10110. Leguminosae: Indet.
- 10111. Piperaceae: Peperomia ouabianae C. DC.
- 10112. Gesneriaceae: *Nautilocalyx pictus* (Hook.) Sprague
- 10113. Hymenophyllaceae: Indet.
- 10114. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
- 10115. Bryophyte: Indet.
- 10116. Hepaticae: Indet.
- 10117. Hymenophyllaceae: Indet.
- 10118. Bryophyte: Indet.
- 10119. Bryophyte: Indet.
- 10120. Bryophyte: Indet.
- 10121. Acanthaceae: *Justicia potarensis* (Bremek.) Wassh.
- 10122. Dichapetalaceae: *Dichapetalum pedunculatum* (DC.) Baill.
- 10123. Malpighiaceae: Byrsonima sp.
- 10124. Poaceae: Ichnanthus panicoides P. Beauv.
- 10125. Rubiaceae: *Psychotria aetantha* (Sandwith) Steverm.

- 10126. Poaceae: Parodiolyra micrantha (Kunth) Davidse and Zuloaga
- 10127. Polypodiaceae: Polypodium dulce Poir.
- 10128. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 10129. Arecaceae: *Geonoma maxima* (Poit.) Kunth var. *ambigua* (Spruce) A. J. Hend.
- 10130. Compositae: Mikania rondonensis V. M. Badillo
- 10131. Rhamnaceae: Ziziphus cinnamomum Triana and Planch.
- 10132. Myrtaceae: Indet.
- 10133. Melastomataceae: Clidemia involucrata DC.
- 10134. Annonaceae: Anaxagorea petiolata R. E. Fr.
- 10135. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 10136. Cyclanthaceae: Indet.
- 10137. Orchidaceae: Indet.
- 10138. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 10139. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 10140. Passifloraceae: Ancistrothyrsus sp.
- 10141. Lichen-Incert. sed.: Indet.
- 10142. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 10143. Orchidaceae: Indet.
- 10144. Orchidaceae: Indet.
- 10145. Orchidaceae: Indet.
- 10146. Piperaceae: Peperomia? sp. nov.
- 10147. Commelinaceae: Indet.
- 10148. Compositae: Mikania banisteriae DC.
- 10149. Melastomataceae: Miconia sp.
- 10150. Melastomataceae: Leandra sanguinea Gleason
- 10151. Leguminosae-Mimosoideae: Inga sp.
- 10152. Lauraceae: Indet.
- 10153. Sapindaceae: Paullinia capreolata (Aubl.) Radlk.
- 10154. Campanulaceae: Centropogon cornutus (L.) Druce
- 10155. Solanaceae: Solanum proteanthum Bohs
- 10156. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
- 10157. Pteridophyte: Indet.
- 10158. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 10159. Melastomataceae: Miconia fragrans Cogn.
- 10160. Begoniaceae: Begonia jenmanii Tutin
- 10161. Heliconiaceae: Heliconia psittacorum L. f.
- 10162. Passifloraceae: Passiflora balbis Feuillet
- 10163. Melastomataceae: Miconia plukenetii Naudin
- 10164. Malpighiaceae: Indet.
- 10165. Clusiaceae: Indet.
- 10166. Rubiaceae: Psychotria bostrychothyrsus Sandwith
- 10167. Gentianaceae: Tachia schomburgkiana Benth.
- 10168. Rubiaceae: Ronabea latifolia Aubl.

- 10169. Euphorbiaceae: Mabea speciosa Müll. Arg.
- 10170. Lichen-Incert. sed.: Indet.
- 10171. Adiantaceae: *Adiantum terminatum* Kunze ex Miq.
- 10172. Gesneriaceae: *Alloplectus cristatus* (L.) Mart. var. *epirotes* Leeuwenb.
- 10173. Orchidaceae: Indet.
- 10174. Sapotaceae: *Manilkara bidentata* (A. DC.) A. Chev. ssp. *surinamensis* (Miq.) T. D. Penn.
- 10175. Clusiaceae: Indet.
- 10176. Myrtaceae: Indet.
- 10177. Sapotaceae: Micropholis longipedicellata Aubrév.
- 10178. Rubiaceae: Psychotria crocochlamys Sandwith
- 10179. Myrsinaceae: Indet.
- 10180. Myrtaceae: Indet.
- 10181. Chloranthaceae: Hedyosmum tepuiense Todzia
- 10182. Melastomataceae: Tococa aristata Benth.
- 10183. Solanaceae: Markea sp.
- 10184. Nyctaginaceae: Indet.
- 10185. Piperaceae: Indet.
- 10186. Piperaceae: Indet.
- 10187. Dennstaedtiaceae: Ormoloma imrayanum (Hook.) Maxon
- 10188. Pteridophyte: Indet.
- 10189. Melastomataceae: Clidemia heptamera Wurdack
- 10190. Myrsinaceae: Indet.
- 10191. Heliconiaceae: Heliconia psittacorum L. f.
- 10192. Piperaceae: Peperomia sp.
- 10193. Melastomataceae: Clidemia ostentata Wurdack
- 10194. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 10195. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
- 10196. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 10197. Melastomataceae: Clidemia pakaraimae Wurdack
- 10198. Ochnaceae: Sauvagesia sp.
- 10199. Myrtaceae: Myrcia aff. fenzliana O. Berg
- 10200. Rubiaceae: Indet.
- 10201. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 10202. Cyperaceae: Mapania sp.
- 10203. Commelinaceae: Indet.
- 10204. Rubiaceae: *Pagamea coriacea* Spruce ex Benth. var. *acuta* Steyerm.
- 10205. Incertae sedis: Indet.
- 10206. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 10207. Smilacaceae: Smilax sp.

- 10208. Polypodiaceae: Polypodium sessilifolium Desv.
- 10209. Hymenophyllaceae: Indet.
- 10210. Pteridophyte: Indet.
- 10211. Dennstaedtiaceae: Lindsaea tenuis Klotzsch
- 10212. Rubiaceae: Indet.
- 10213. Grammitidaceae: *Grammitis kalbreyeri* (Baker) C. V. Morton
- 10214. Melastomataceae: *Macrocentrum droseroides* Triana
- 10215. Grammitidaceae: Cochlidium linearifolium (Desv.) Maxon ex C. Chr.
- 10216. Grammitidaceae: Cochlidium furcatum (Hook. and Grev.) C. Chr.
- 10217. Bryophyte: Indet.
- 10218. Rubiaceae: Didymochlamys connellii N. E. Br.
- 10219. Orchidaceae: Indet.
- 10220. Orchidaceae: Indet.
- 10221. Orchidaceae: Indet.
- 10222. Orchidaceae: Indet.
- 10223. Piperaceae: Peperomia purpurinervis C. DC.
- 10224. Ericaceae: Sphyrospermum cordifolium Benth.
- 10225. Melastomataceae: *Macrocentrum brevipedicellatum* Wurdack
- 10226. Gentianaceae: Chorisepalum psychotrioides Ewan
- 10227. Nyctaginaceae: *Neea ovalifolia* Spruce ex J. A. Schmidt
- 10228. Myrtaceae: Calyptranthes pulchella DC.
- 10229. Apocynaceae: Bonafousia sp.
- 10230. Araceae: Philodendron insigne Schott
- 10231. Bromeliaceae: *Guzmania squarrosa* (Mez and Sodiro) L. B. Sm. and Pittendr.
- 10232. Orchidaceae: Indet.
- 10233. Sapotaceae: Pradosia? sp.
- 10234. Clusiaceae: Indet.
- 10235. Melastomataceae: Phainantha maguirei Wurdack
- 10236. Hymenophyllaceae: Indet.
- 10237. Bromeliaceae: *Guzmania sphaeroidea* (André) André ex Mez
- 10238. Annonaceae: Annona symphyocarpa Sandwith
- 10239. Gesneriaceae: *Paradrymonia ciliosa* (Mart.) Wiehler
- 10240. Piperaceae: Piper sp.
- 10241. Myrsinaceae: Indet. cf.
- 10242. Pteridophyte: Indet.
- 10243. Rapateaceae: Stegolepis steyermarkii Maguire
- 10244. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 10245. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
- 10246. Burmanniaceae: *Gymnosiphon divaricatus* (Benth.) Benth. and Hook. f.

- 10247. Burmanniaceae: Indet.
- 10248. Loranthaceae: Psittacanthus leptanthus Sandwith
- 10249. Myrsinaceae: Indet.
- 10250. Bromeliaceae: Brocchinia micrantha (Baker) Mez
- 10251. Cyclanthaceae: Indet.
- 10252. Gentianaceae: Tapeinostemon spenneroides Benth.
- 10253. Myrtaceae: Indet.
- 10254. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
- 10255. Dennstaedtiaceae: Lindsaea tenuis Klotzsch
- 10256. Verbenaceae: Aegiphila bracteolosa Moldenke
- 10257. Dennstaedtiaceae: Ormoloma imrayanum (Hook.) Maxon
- 10258. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 10259. Orchidaceae: *Epidendrum carpophorum* Barb. Rodr.
- 10260. Araliaceae: Schefflera sp.
- 10261. Lentibulariaceae: Utricularia sp.
- 10262. Melastomataceae: Tococa guianensis Aubl.
- 10263. Piperaceae: Piper sp.
- 10264. Rubiaceae: Rudgea sp.
- 10265. Myrtaceae: Indet.
- 10266. Rubiaceae: Schradera sp.
- 10267. Melastomataceae: Adelobotrys aff. monticola Gleason
- 10268. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 10269. Melastomataceae: Graffenrieda intermedia Triana
- 10270. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 10271. Cyatheaceae: *Cnemidaria roraimensis* (Domin) R. M. Tryon
- 10272. Marattiaceae: Danaea elliptica Sm.
- 10273. Cyclanthaceae: Indet.
- 10274. Rapateaceae: Rapatea paludosa Aubl.
- 10275. Marantaceae: Calathea casupito (Jacq.) Schult.
- 10276. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
- 10277. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steyerm.
- 10278. Erythroxylaceae: *Erythroxylum amazonicum* Peyr.
- 10279. Flacourtiaceae: Indet.
- 10280. Myrtaceae: *Myrcia bolivarensis* (Steyerm.) McVaugh
- 10281. Leguminosae-Mimosoideae: Inga sp.
- 10282. Rubiaceae: Isertia hypoleuca Benth.
- 10283. Orchidaceae: Indet.
- 10284. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 10285. Flacourtiaceae: Indet.
- 10286. Annonaceae: Guatteria wokomungensis Scharf and Maas

- 10287. Boraginaceae: Cordia sp.
- 10288. Bryophyte: Indet.
- 10289. Hymenophyllaceae: Indet.
- 10290. Arecaceae: Geonoma aspidiifolia Spruce
- 10291. Melastomataceae: Miconia sp.
- 10292. Bryophyte: Indet.
- 10293. Melastomataceae: *Graffenrieda intermedia*Triana
- 10294. Polypodiaceae: Polypodium loriceum L.
- 10295. Gesneriaceae: *Nautilocalyx coccineus* Feuillet and L. E. Skog
- 10296. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 10297. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
- 10298. Cyperaceae: Mapania sp.
- 10299. Viscaceae: *Phoradendron crassifolium* (Pohl ex DC.) Eichler
- 10300. Myrtaceae: Indet.
- 10301. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 10302. Piperaceae: Peperomia lancifolia Hook.
- 10303. Annonaceae: Anaxagorea petiolata R. E. Fr.
- 10304. Gesneriaceae: *Napeanthus rupicola* Feuillet and L. E. Skog
- 10305. Hymenophyllaceae: Indet.
- 10306. Orchidaceae: *Psilochilus dusenianus* Kraenzl. ex Garay and Dunst.
- 10307. Pteridophyte: Indet.
- 10308. Sphagnaceae: Sphagnum sp.
- 10309. Sphagnaceae: Sphagnum sp.
- 10310. Melastomataceae: *Tococa erythrophylla* (Ule) Wurdack
- 10311. Melastomataceae: *Macrocentrum stipulaceum* Wurdack
- 10312. Gesneriaceae: Indet.
- 10313. Myrsinaceae: Indet.
- 10314. Rubiaceae: Psychotria aubletiana Steyerm.
- 10315. Compositae: *Guayania roupalifolia* (B. L. Rob.) R. M. King and H. Rob.
- 10316. Poaceae: Isachne rigens (Sw.) Trin.
- 10317. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 10318. Lentibulariaceae: Utricularia sp.
- 10319. Lentibulariaceae: Utricularia sp.
- 10320. Chloranthaceae: Hedyosmum tepuiense Todzia
- 10321. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 10322. Myrsinaceae: Indet.
- 10323. Piperaceae: Piper sp.

- 10324. Melastomataceae: *Graffenrieda intermedia* Triana
- 10325. Pteridophyte: Indet.
- 10326. Adiantaceae: *Doryopteris conformis* K. U. Kramer and R. M. Tryon
- 10327. Blechnaceae: Blechnum lherminieri (Bory) C. Chr.
- 10328. Compositae: Baccharis brachylaenoides DC.
- 10329. Rubiaceae: *Palicourea perquadrangularis* Wernham
- 10330. Melastomataceae: *Miconia bracteata* (DC.) Triana
- 10331. Dennstaedtiaceae: Lindsaea tenuis Klotzsch
- 10332. Bryophyte: Indet.
- 10333. Melastomataceae: *Macrocentrum stipulaceum* Wurdack
- 10334. Anthocerophyte: Indet.
- 10335. Lichen-Incert. sed.: Indet.
- 10336. Bryophyte: Indet.
- 10337. Hepaticae: Indet.
- 10338. Orchidaceae: Indet.
- 10339. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
- 10340. Compositae: Baccharis brachylaenoides DC.
- 10341. Rubiaceae: Psychotria tillettii Steverm.
- 10342. Eriocaulaceae: Indet.
- 10343. Orchidaceae: Indet.
- 10344. Melastomataceae: Boyania ayangannae Wurdack
- 10345. Hymenophyllaceae: Indet.
- 10346. Pteridophyte: Indet.
- 10347. Cyperaceae: Mapania sp.
- 10348. Pteridophyte: Indet.
- 10349. Ochnaceae: Sauvagesia sp.
- 10350. Gesneriaceae: Rhoogeton cyclophyllus Leeuwenb.
- 10351. Gesneriaceae: *Napeanthus rupicola* Feuillet and L. E. Skog
- 10352. Ochnaceae: Indet. cf.
- 10353. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.
- 10354. Piperaceae: Piper sp.
- 10355. Myrtaceae: Indet.
- 10356. Clusiaceae: Indet.
- 10357. Arecaceae: Geonoma appuniana Spruce
- 10358. Hymenophyllaceae: Indet.
- 10359. Bromeliaceae: Vriesea duidae (L. B. Sm.) Gouda
- 10360. Orchidaceae: Indet.
- 10361. Pteridophyte: Indet.
- 10362. Pteridophyte: Indet.
- 10363. Hymenophyllaceae: Indet.
- 10364. Bryophyte: Indet.

- 10365. Rubiaceae: *Faramea cardonae* Standl. and Steyerm.
- 10366. Compositae: Mikania sprucei Baker
- 10367. Myrsinaceae: Indet.
- 10368. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 10369. Chloranthaceae: Hedyosmum tepuiense Todzia
- 10370. Sapotaceae: Pouteria sp.
- 10371. Clusiaceae: Indet.
- 10372. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 10373. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
- 10374. Rubiaceae: Psychotria sp.
- 10375. Melastomataceae: *Leandra sanguinea* Gleason ssp. *tepuiensis* Wurdack
- 10376. Chrysobalanaceae: Indet.
- 10377. Melastomataceae: *Adelobotrys monticola* Gleason
- 10378. Compositae: Mikania micrantha Kunth
- 10379. Rubiaceae: Psychotria apoda Steyerm.
- 10380. Euphorbiaceae: Croton matourensis Aubl.
- 10381. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
- 10382. Melastomataceae: Miconia loreyoides Triana
- 10383. Erythroxylaceae: Erythroxylum sp.
- 10384. Melastomataceae: Miconia loreyoides Triana
- 10385. Rubiaceae: Indet.
- 10386. Loganiaceae: Spigelia sp.
- 10387. Melastomataceae: *Graffenrieda intermedia*Triana
- 10388. Polypodiaceae: Polypodium loriceum L.
- 10389. Melastomataceae: Boyania ayangannae Wurdack
- 10390. Marattiaceae: Danaea moritziana C. Presl
- 10391. Lichen-Incert. sed.: Indet.
- 10392. Orchidaceae: Indet.
- 10393. Dennstaedtiaceae: *Lindsaea quadrangularis* Raddi ssp. *antillensis* K. U. Kramer
- 10394. Myrsinaceae: Indet.
- 10395. Rubiaceae: Psychotria plocamipes Wernham
- 10396. Pteridophyte: Indet.
- 10397. Orchidaceae: Indet.
- 10398. Hymenophyllaceae: Indet.
- 10399. Bryophyte: Indet.
- 10400. Hymenophyllaceae: Indet.
- 10401. Bryophyte: Indet.
- 10402. Bryophyte: Indet.
- 10403. Lomariopsidaceae: *Elaphoglossum* vel aff. *vanderwerffii* Mickel
- 10404. Clusiaceae: Indet.
- 10405. Ochnaceae: Ouratea microcalyx (Engl.) Sastre

- 10406. Clusiaceae: Indet.
- 10407. Anthocerophyte: Indet.
- 10408. Bryophyte: Indet.
- 10409. Rubiaceae: Indet.
- 10410. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 10411. Gesneriaceae: *Alloplectus cristatus* (L.) Mart. var. *epirotes* Leeuwenb.
- 10412. Gleicheniaceae: Gleichenia remota Kaulf.
- 10413. Gesneriaceae: *Paradrymonia anisophylla* Feuillet and L. E. Skog
- 10414. Dryopteridaceae: Cyclodium guianense (Klotzsch) van der Werff ex L. D. Gómez
- 10415. Leguminosae-Mimosoideae: Inga sp.
- 10416. Passifloraceae: Passiflora balbis Feuillet
- 10417. Melastomataceae: Miconia sp.
- 10418. Lichen-Incert. sed.: Indet.
- 10419. Orchidaceae: Indet.
- 10420. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
- 10421. Pteridophyte: Indet.
- 10422. Sapindaceae: Indet.
- 10423. Euphorbiaceae: Drypetes variabilis Uittien
- 10424. Leguminosae-Mimosoideae: Inga sp.
- 10425. Myrtaceae: Myrcia deflexa (Poir.) DC.
- 10426. Chloranthaceae: Hedyosmum tepuiense Todzia
- 10427. Myrsinaceae: Indet.
- 10428. Piperaceae: Peperomia reptans C. DC.
- 10429. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
- 10430. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
- 10431. Orchidaceae: Indet.
- 10432. Hymenophyllaceae: Indet.
- 10433. Orchidaceae: Indet.
- 10434. Orchidaceae: Indet.
- 10435. Orchidaceae: Indet.
- 10436. Hepaticae: Indet.
- 10437. Bryophyte: Indet.
- 10438. Hepaticae: Indet.
- 10439. Bryophyte: Indet.
- 10440. Bryophyte: Indet.
- 10441. Pteridophyte: Indet.
- 10 111. I terraophyte, maet.
- 10442. Rubiaceae: Elaeagia sp.
- 10443. Myrtaceae: Myrcia sp.
- 10444. Rubiaceae: Psychotria apoda Steyerm.
- 10445. Melastomataceae: Miconia fragrans Cogn.
- 10446. Orchidaceae: Dichaea hystricina Rchb. f.
- 10447. Hymenophyllaceae: Indet.

- 10448. Melastomataceae: *Henriettea stellaris* O. Berg ex Triana
- 10449. Marcgraviaceae: *Marcgravia sororopaniana* Steverm.
- 10450. Rubiaceae: Elaeagia sp.
- 10451. Rubiaceae: Coussarea sp.
- 10452. Melastomataceae: Graffenrieda intermedia Triana
- 10453. Rubiaceae: Psychotria sp.
- 10454. Orchidaceae: Octomeria sp.
- 10455. Myrtaceae: Indet.
- 10456. Annonaceae: Guatteria wokomungensis Scharf and Maas
- 10457. Clusiaceae: Indet.
- 10458. Clusiaceae: Indet.
- 10459. Loranthaceae: Cladocolea micrantha (Eichler) Kuijt
- 10460. Chrysobalanaceae: Indet.
- 10461. Flacourtiaceae: Indet.
- 10462. Dryopteridaceae: *Cyclodium meniscioides* (Willd.) C. Presl
- 10463. Myrtaceae: Indet.
- 10464. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 10465. Smilacaceae: Smilax sp.
- 10466. Marcgraviaceae: Marcgravia maguirei de Roon
- 10467. Melastomataceae: Miconia sp.
- 10468. Melastomataceae: Adelobotrys monticola Gleason
- 10469. Melastomataceae: Topobea? sp. nov.
- 10470. Hymenophyllaceae: Indet.
- 10471. Clusiaceae: Vismia sp.
- 10472. Ericaceae: Cavendishia callista Donn. Sm.
- 10473. Rutaceae: Indet.
- 10474. Melastomataceae: Miconia superba Ule
- 10475. Lentibulariaceae: Utricularia sp.
- 10476. Hymenophyllaceae: Indet.
- 10477. Myrtaceae: Eugenia sp.
- 10478. Rubiaceae: Coussarea sp.
- 10479. Lomariopsidaceae: *Elaphoglossum flaccidum* (Fée) T. Moore
- 10480. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 10481. Solanaceae: Lycianthes pauciflora (Vahl) Bitter
- 10482. Hepaticae: Indet.
- 10483. Solanaceae: Indet.
- 10484. Grammitidaceae: *Grammitis kalbreyeri* (Baker) C. V. Morton
- 10485. Hepaticae: Indet.
- 10486. Myrtaceae: Indet.
- 10487. Piperaceae: Piper sp.
- 10488. Hepaticae: Indet.
- 10489. Cladoniaceae: Cladonia sp.

- 10490. Piperaceae: Peperomia purpurinervis C. DC.
- 10491. Orchidaceae: Indet.
- 10492. Araliaceae: Schefflera sp.
- 10493. Annonaceae: Guatteria wokomungensis Scharf and Maas
- 10494. Solanaceae: Markea sp.
- 10495. Orchidaceae: Indet.
- 10496. Cunoniaceae: Weinmannia sp.
- 10497. Moraceae: Ficus americana Aubl. ssp. americana
- 10498. Melastomataceae: Leandra sp.
- 10499. Boraginaceae: Tournefortia melanochaeta DC.
- 10500. Orchidaceae: Indet.
- 10501. Rubiaceae: *Psychotria officinalis* (Aubl.) Raeusch. ex Sandwith
- 10502. Melastomataceae: Miconia affinis DC.
- 10503. Clusiaceae: Indet.
- 10504. Clusiaceae: Indet.
- 10505. Clusiaceae: Indet.
- 10506. Bonnetiaceae: Indet. cf.
- 10507. Piperaceae: Piper sp.
- 10508. Rubiaceae: Psychotria tillettii Steyerm.
- 10509. Grammitidaceae: *Grammitis flabelliformis* (Poir.) C. V. Morton
- 10510. Grammitidaceae: *Grammitis subsessilis* (Baker) C. V. Morton
- 10511. Cecropiaceae: Cecropia kavanayensis Cuatrec.
- 10512. Pteridophyte: Indet.
- 10513. Bryophyte: Indet.
- 10514. Gentianaceae: Indet. ?
- 10515. Bonnetiaceae: Indet.
- 10516. Orchidaceae: Indet.
- 10517. Compositae: Mikania boomii Pruski
- 10518. Marcgraviaceae: *Marcgravia sororopaniana* Steyerm.
- 10519. Cyperaceae: *Rhynchospora ayangannensis* M. T. Strong
- 10520. Eriocaulaceae: Paepalanthus tortilis (Bong.) Körn.
- 10521. Campanulaceae: *Centropogon roraimanus* E. Wimm.
- 10522. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 10523. Araliaceae: Schefflera sp.
- 10524. Cladoniaceae: Cladonia sp.
- 10525. Araliaceae: Schefflera sp.
- 10526. Droseraceae: *Drosera roraimae* (Klotzsch ex Diels) Maguire and J. R. Laundon
- 10527. Adiantaceae: Eriosorus flexuosus (Kunth) Copel.
- 10528. Rubiaceae: Psychotria ayangannensis Steyerm.
- 10529. Dioscoreaceae: Dioscorea sp.
- 10530. Myrtaceae: Calyptranthes pulchella DC.
- 10531. Orchidaceae: Indet.

- 10532. Orchidaceae: Indet.
- 10533. Pteridophyte: Indet.
- 10534. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 10535. Compositae: *Stenopadus connellii* (N. E. Br.) S. F. Blake
- 10536. Passifloraceae: Passiflora sp.
- 10537. Myrtaceae: Indet. cf.
- 10538. Podocarpaceae: *Podocarpus steyermarkii* I. Buchholz and N. E. Gray
- 10539. Podocarpaceae: *Podocarpus steyermarkii* J. Buchholz and N. E. Gray
- 10540. Aquifoliaceae: Ilex cf. sp.
- 10541. Marcgraviaceae: *Marcgravia sororopaniana* Steyerm.
- 10542. Pteridophyte: Indet.
- 10543. Pteridophyte: Indet.
- 10544. Lentibulariaceae: Utricularia sp.
- 10545. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm.
- 10546. Compositae: Baccharis brachylaenoides DC.
- 10547. Lythraceae: Indet. sp.
- 10548. Rubiaceae: Psychotria heteroneura Steyerm.
- 10549. Malpighiaceae: Indet.
- 10550. Bryophyte: Indet.
- 10551. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.
- 10552. Myrsinaceae: Indet.
- 10553. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyerm. and Maguire
- 10554. Verbenaceae: Aegiphila bracteolosa Moldenke
- 10555. Compositae: *Guayania roupalifolia* (B. L. Rob.) R. M. King and H. Rob.
- 10556. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
- 10557. Clusiaceae: Indet.
- 10558. Myrtaceae: Indet.
- 10559. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
- 10560. Melastomataceae: *Tococa erythrophylla* (Ule) Wurdack
- 10561. Lentibulariaceae: Utricularia sp.
- 10562. Bryophyte: Indet.
- 10563. Orchidaceae: Indet.
- 10564. Orchidaceae: Octomeria sp.
- 10565. Melastomataceae: *Macrocentrum* brevipedicellatum Wurdack
- 10566. Gentianaceae: Irlbachia sp.
- 10567. Bonnetiaceae: Indet.
- 10568. Lycopodiaceae: *Lycopodiella caroliniana* (L.) Pic. Serm. var. *meridional* (Underwood and Lloyd) B. Ollg. and Widisch

- 10569. Malpighiaceae: Indet.
- 10570. Moraceae: Ficus americana Aubl. ssp. americana
- 10571. Gnetaceae: Gnetum nodiflorum Brongn.
- 10572. Dennstaedtiaceae: Lindsaea stricta (Sw.) Dryand.
- 10573. Orchidaceae: Indet.
- 10574. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
- 10575. Bryophyte: Indet.
- 10576. Bryophyte: Indet.
- 10577. Graphidaceae: Graphis sp.
- 10578. Parmeliaceae: Usnea sp.
- 10579. Graphidaceae: Graphis sp.
- 10580. Cladoniaceae: Cladonia sp.
- 10581. Lichen-Incert. sed.: Indet.
- 10582. Selaginellaceae: Selaginella flagellata Spring
- 10583. Orchidaceae: Indet.
- 10584. Pteridophyte: Indet.
- 10585. Pteridophyte: Indet.
- 10586. Pteridophyte: Indet.
- 10587. Orchidaceae: Indet.
- 10588. Rubiaceae: Psychotria tillettii Steyerm.
- 10589. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
- 10590. Orchidaceae: Indet.
- 10591. Orchidaceae: Indet.
- 10592. Compositae: Mikania micrantha Kunth
- 10593. Ericaceae: Indet.
- 10594. Pteridophyte: Indet.
- 10595. Apocynaceae: Mandevilla sp.
- 10596. Clusiaceae: Indet.
- 10597. Rubiaceae: Malanea sp.
- 10598. Melastomataceae: Miconia sp.
- 10599. Melastomataceae: Miconia sp.
- 10600. Ericaceae: Indet.
- 10601. Bryophyte: Indet.
- 10602. Hymenophyllaceae: Indet.
- 10603. Melastomataceae: *Macrocentrum* brevipedicellatum Wurdack
- 10604. Compositae: Mikania psilostachya DC.
- 10605. Compositae: Mikania duidensis B. L. Rob.
- 10606. Cyperaceae: *Machaerina ayangannensis* M. T. Strong
- 10607. Adiantaceae: *Eriosorus hispidulus* (Kunze) Vareschi
- 10608. Melastomataceae: Phainantha maguirei Wurdack
- 10609. Melastomataceae: *Miconia bracteata* (DC.) Triana
- 10610. Orchidaceae: Octomeria sp.
- 10611. Hymenophyllaceae: Indet.
- 10612. Bromeliaceae: Brocchinia sp.

- 10613. Lentibulariaceae: Utricularia sp.
- 10614. Bryophyte: Indet.
- 10615. Lentibulariaceae: Utricularia sp.
- 10616. Graphidaceae: Graphis sp.
- 10617. Pteridophyte: Indet.
- 10618. Lichen-Incert. sed.: Indet.
- 10619. Poaceae: Chusquea linearis N. E. Br.
- 10620. Clusiaceae: Indet.
- 10621. Rapateaceae: *Stegolepis* cf. *guianensis* Klotzsch ex Körn.
- 10622. Solanaceae: Solanum sp.
- 10623. Cunoniaceae: Weinmannia sp.
- 10624. Cyperaceae: Rhynchospora hieronymii Böck.
- 10625. Xyridaceae: Orectanthe sceptrum (Oliv.) Maguire
- 10626. bryophyte: Indet.
- 10627. Poaceae: Neurolepis angusta Swallen
- 10628. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyerm. and Maguire
- 10629. Cunoniaceae: Weinmannia sp.
- 10630. Sapindaceae: Allophylus robustus Radlk.
- 10631. Melastomataceae: *Graffenrieda intermedia* Triana
- 10632. Rubiaceae: Coussarea sp.
- 10633. Myrtaceae: Indet.
- 10634. Euphorbiaceae: Drypetes variabilis Uittien
- 10635. Myrsinaceae: Indet.
- 10636. Cyatheaceae: C*nemidaria spectabilis* (Kunze) R. M. Tryon
- 10637. Solanaceae: Solanum leucocarpon Dunal
- 10638. Rubiaceae: Hoffmannia sp.
- 10639. Orchidaceae: Indet.
- 10640. Clusiaceae: Caraipa cf. sp.
- 10641. Sapindaceae: Indet.
- 10642. Clusiaceae: Indet.
- 10643. Myrtaceae: Myrcia deflexa (Poir.) DC.
- 10644. Euphorbiaceae: Croton roraimensis Croizat
- 10645. Clusiaceae: Indet.
- 10646. Melastomataceae: Miconia sp.
- 10647. Clusiaceae: Indet.
- 10648. Rubiaceae: Elaeagia maguirei Standl.
- 10649. Cyclanthaceae: Indet.
- 10650. Nyctaginaceae: Indet.
- 10651. Bryophyte: Indet.
- 10652. Lichen-Incert. sed.: Indet.
- 10653. Bryophyte: Indet.
- 10654. Lichen-Incert. sed.: Indet.
- 10655. Bryophyte: Indet.
- 10656. Bryophyte: Indet.
- 10657. Hepaticae: Indet.

- 10658. Bryophyte: Indet.
- 10659. Leguminosae-Caesalpinioideae: Cassia sp.
- 10660. Pteridophyte: Indet.
- 10661. Clusiaceae: Indet.
- 10662. Solanaceae: Markea sp.
- 10663. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 10664. Myrtaceae: Eugenia sp.
- 10665. Myrtaceae: Myrcia sp.
- 10666. Rubiaceae: Rudgea sp.
- 10667. Cucurbitaceae: *Gurania simplicifolia* (Steyerm.) C. Jeffrey
- 106.68. Melastomataceae: Miconia tillettii Wurdack
- 10669. Clusiaceae: Indet.
- 10670. Araceae: Anthurium pentaphyllum (Aubl.)
- 10671. Erythroxylaceae: *Erythroxylum* cf. *divaricatum* Peyr.
- 10672. Verbenaceae: Aegiphila venezuelensis Moldenke var. serrata Moldenke
- 10673. Piperaceae: Piper sp.
- 10674. Annonaceae: Annona symphyocarpa Sandwith
- 10675. Annonaceae: Indet.
- 10676. Clusiaceae: Indet.
- 10677. Clusiaceae: Moronobea sp.
- 10678. Passifloraceae: Passiflora balbis Feuillet
- 10679. Sapotaceae: *Micropholis* aff. *mensalis* (Baehni) Aubrév.
- 10680. Adiantaceae: Adiantum latifolium Lam.
- 10681. Loranthaceae: Psittacanthus leptanthus Sandwith
- 10682. Rubiaceae: Psychotria heteroneura Steyerm.
- 10683. Clusiaceae: Indet.
- 10684. Graphidaceae: Graphis cf. sp.
- 10685. Piperaceae: Piper sp.
- 10686. Leguminosae-Caesalpinioideae: Indet. cf.
- 10687. Lecythidaceae: Eschweilera sagotiana Miers
- 10688. Melastomataceae: Indet.
- 10689. Flacourtiaceae: Indet.
- 10690. Araliaceae: Schefflera sp.
- 10691. Chrysobalanaceae: Licania sp.
- 10692. Sapotaceae: *Micropholis* aff. *mensalis* (Baehni) Aubrév.
- 10693. Gentianaceae: Symbolanthus sp.
- 10694. Melastomataceae: Phainantha maguirei Wurdack
- 10695. Burmanniaceae: *Dictyostega orobanchoides* (Hook.) Miers ssp. *orobanchoides*
- 10696. Orchidaceae: Indet.
- 10697. Rubiaceae: Notopleura sp.
- 10698. Rapateaceae: Epidryos guayanensis Maguire
- 10699. Compositae: Mikania micrantha Kunth
- 10700. Myrtaceae: Indet.

- 10701. Orchidaceae: Indet.
- 10702. Hymenophyllaceae: Trichomanes bicorne Hook.
- 10703. Cyperaceae: Rhynchospora tepuiana Steyerm.
- 10704. Orchidaceae: Indet.
- 10705. Melastomataceae: *Macrocentrum* brevipedicellatum Wurdack
- 10706. Gentianaceae: Indet.
- 10707. Myrsinaceae: Indet.
- 10708. Rubiaceae: Psychotria heteroneura Steyerm.
- 10709. Melastomataceae: *Meriania crassiramis* (Naudin) Wurdack
- 10710. Erythroxylaceae: Erythroxylum sp.
- 10711. Compositae: Baccharis brachylaenoides DC.
- 10712. Orchidaceae: Octomeria sp.
- 10713. Rubiaceae: Psychotria tillettii Steyerm.
- 10714. Compositae: *Stenopadus connellii* (N. E. Br.) S. F. Blake
- 10715. Rubiaceae: Psychotria ayangannensis Steyerm.
- 10716. Marcgraviaceae: *Marcgravia sororopaniana* Steyerm.
- 10717. Melastomataceae: *Miconia bracteata* (DC.)
- 10718. Pteridophyte: Indet.
- 10719. Clusiaceae: Indet.
- 10720. Myrtaceae: Indet.
- 10721. Boraginaceae: Cordia sp.
- 10722. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
- 10723. Compositae: Baccharis brachylaenoides DC.
- 10724. Rubiaceae: Indet.
- 10725. Leguminosae-Mimosoideae: Abarema sp.
- 10726. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyerm. and Maguire
- 10727. Rubiaceae: Psychotria ayangannensis Steyerm.
- 10728. Rubiaceae: Psychotria glandulicalyx Steyerm.
- 10729. Campanulaceae: *Centropogon roraimanus* E. Wimm.
- 10730. Orchidaceae: Indet.
- 10731. Viscaceae: Phoradendron chrysocladon A. Gray
- 10732. Rubiaceae: Psychotria ayangannensis Steverm.
- 10733. Flacourtiaceae: Casearia sp.
- 10734. Selaginellaceae: Selaginella? revoluta Baker
- 10735. Lentibulariaceae: Utricularia sp.
- 10736. Araliaceae: Schefflera sp.
- 10737. Pteridophyte: Indet.
- 10738. Bombacaceae: Indet.
- 10739. Solanaceae: Lycianthes pauciflora (Vahl) Bitter
- 10740. Solanaceae: Solanum leucocarpon Dunal
- 10741. Verbenaceae: *Aegiphila venezuelensis* Moldenke var. *serrata* Moldenke

- 10742. Celastraceae: Indet.
- 10743. Loranthaceae: Indet.
- 10744. Malpighiaceae: Indet.
- 10745. Lycopodiaceae: *Lycopodiella cernua* (L.) Pic. Serm.
- 10746. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
- 10747. Poaceae: Neurolepis angusta Swallen
- 10748. Bromeliaceae: Vriesea duidae (L. B. Sm.) Gouda
- 10749. Podocarpaceae: *Podocarpus steyermarkii* I. Buchholz and N. E. Gray
- 10750. Ochnaceae: Sauvagesia sp.
- 10751. Myrtaceae: Calyptranthes pulchella DC.
- 10752. Xyridaceae: Orectanthe sceptrum (Oliv.) Maguire
- 10753. Melastomataceae: Miconia superba Ule
- 10754. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) Spencer and L. B. Sm.
- 10755. Bromeliaceae: Brocchinia tatei L. B. Sm.
- 10756. Ericaceae: Bejaria aestuans L.
- 10757. Rubiaceae: Psychotria tillettii Steyerm.
- 10758. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 10759. Piperaceae: Piper sp.
- 10760. Myrtaceae: Indet.
- 10761. Dennstaedtiaceae: Lindsaea portoricensis Desv.
- 10762. Boraginaceae: Cordia sp.
- 10763. Euphorbiaceae: Indet. cf.
- 10764. Ochnaceae: *Tyleria phelpsiana* Maguire and Steyerm.
- 10765. Rapateaceae: *Stegolepis ayangannae* P. E. Berry, sp. nov. ined.
- 10766. Melastomataceae: *Tococa* cf. *erythrophylla* (Ule) Wurdack
- 10767. Cunoniaceae: Weinmannia sp.
- 10768. Solanaceae: Solanum sp.
- 10769. Chloranthaceae: Hedyosmum tepuiense Todzia
- 10770. Myrtaceae: Indet.
- 10771. Adiantaceae: Eriosorus flexuosus (Kunth) Copel.
- 10772. Rubiaceae: Hillia parasitica Jacq.
- 10773. Rubiaceae: Psychotria aubletiana Steyerm.
- 10774. Ericaceae: Thibaudia sp.
- 10775. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
- 10776. Piperaceae: Peperomia purpurinervis C. DC.
- 10777. Piperaceae: *Peperomia* aff. *hernandiifolia* (Vahl) A. Dietr.
- 10778. Malpighiaceae: Indet.
- 10779. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.

- 10780. Cyperaceae: Mapania sp.
- 10781. Araceae: Philodendron sp.
- 10782. Ochnaceae: Sauvagesia sp.
- 10783. Pteridophyte: Indet.
- 10784. Grammitidaceae: Cochlidium serrulatum (Sw.) L. E. Bishop
- 10785. Pteridophyte: Indet.
- 10786. Orchidaceae: Octomeria sp.
- 10787. Melastomataceae: *Graffenrieda intermedia*Triana
- 10788. Orchidaceae: Octomeria sp.
- 10789. Gesneriaceae: *Rhoogeton cyclophyllus* Leeuwenb.
- 10790. Pteridophyte: Indet.
- 10791. Hepaticae: Indet.
- 10792. Bryophyte: Indet.
- 10793. Bryophyte: Indet.
- 10794. Bryophyte: Indet.
- 10795. Hepaticae: Indet.
- 10796. Bryophyte: Indet.
- 10797. Bryophyte: Indet.
- 10798. Bryophyte: Indet.
- 10799. Bryophyte: Indet.
- 10800. Lichen-Incert. sed.: Indet.
- 10801. Orchidaceae: Indet.
- 10802. Bryophyte: Indet.
- 10803. Dioscoreaceae: Dioscorea sp.
- 10804. Bonnetiaceae: Indet.
- 10805. Pteridophyte: Indet.
- 10806. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 10807. Cladoniaceae: Cladonia sp.
- 10808. Poaceae: Aulonemia nitida Judz.
- 10809. Boraginaceae: Cordia sp.
- 10810. Bonnetiaceae: *Bonnetia paniculata* Spruce ex Benth.
- 10811. Boraginaceae: Cordia sp.
- 10812. Boraginaceae: Cordia sp.
- 10813. Cyrillaceae: Cyrilla racemiflora L.
- 10814. Polypodiaceae: Polypodium loriceum L.
- 10815. Clusiaceae: Indet.
- 10816. Orchidaceae: Houlletia roraimensis Rolfe
- 10817. Gentianaceae: Indet.
- 10818. Melastomataceae: *Tibouchina* aff. *longifolia* (Vahl) Baill.
- 10819. Polygalaceae: Monnina cacumina N. E. Br.
- 10820. Dioscoreaceae: Indet.
- 10821. Clusiaceae: Indet.
- 10822. Melastomataceae: Indet.
- 10823. Compositae: Mikania micrantha Kunth

- 10824. Malpighiaceae: Indet.
- 10825. Hymenophyllaceae: Hymenophyllum sp.
- 10826. Marcgraviaceae: *Marcgravia sororopaniana* Steyerm.
- 10827. Adiantaceae: *Doryopteris conformis* K. U. Kramer and R. M. Tryon
- 10828. Caprifoliaceae: *Viburnum tinoides* L. f. var. *roraimense* (Killip and A. C. Sm.) Steyerm.
- 10829. Clusiaceae: Indet.
- 10830. Loranthaceae: Indet.
- 10831. Araceae: Indet.
- 10832. Lomariopsidaceae: *Elaphoglossum* vel aff. *vanderwerffii* Mickel
- 10833. Rapateaceae: Stegolepis steyermarkii Maguire
- 10834. Rubiaceae: Malanea sarmentosa Aubl.
- 10835. Pteridophyte: Indet.
- 10836. Rubiaceae: *Faramea cardonae* Standl. and Steyerm.
- 10837. Annonaceae: Annona symphyocarpa Sandwith
- 10838. Myrtaceae: Myrcia sp.
- 10839. Ochnaceae: Sauvagesia sp.
- 10840. Hymenophyllaceae: Indet.
- 10841. Poaceae: Neurolepis angusta Swallen
- 10842. Gesneriaceae: *Napeanthus rupicola* Feuillet and L. E. Skog
- 10843. Smilacaceae: Smilax sp.
- 10844. Viscaceae: *Dendrophthora elliptica* (Gardner) Krug and Urb.
- 10845. Marcgraviaceae: Norantea sp.
- 10846. Clusiaceae: Indet.
- 10847. Pteridophyte: Indet.
- 10848. Melastomataceae: *Macrocentrum cristatum* (DC.) Triana
- 10849. Araliaceae: Schefflera sp.
- 10850. Bryophyte: Indet.
- 10851. Lichen-Incert. sed.: Indet.
- 10852. Myrtaceae: Indet.
- 10853. Orchidaceae: Indet.
- 10854. Rhizophoraceae: *Sterigmapetalum resinosum* Steyerm. and Liesner
- 10855. Flacourtiaceae: Indet. cf.
- 10856. Leguminosae-Mimosoideae: Indet.
- 10857. Clusiaceae: Indet.
- 10858. Annonaceae: Xylopia emarginata Mart.
- 10859. Humiriaceae: Vantanea minor Benth.
- 10860. Annonaceae: Annona symphyocarpa Sandwith
- 10861. Annonaceae: *Guatteria pakaraimae* Scharf and Maas
- 10862. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.

- 10863. Rubiaceae: Psychotria sp.
- 10864. Thymelaeaceae: Indet. cf.
- 10865. Clusiaceae: Indet.
- 10866. Elaeocarpaceae: Sloanea sp.
- 10867. Compositae: Stenopadus connellii (N. E. Br.) S. F. Blake
- 10868. Clusiaceae: Indet.
- 10869. Commelinaceae: Indet.
- 10870. Cyclanthaceae: Indet.
- 10871. Bombacaceae: Indet.
- 10872. Myrtaceae: Indet.
- 10873. Ericaceae: Indet.
- 10874. Lentibulariaceae: Utricularia sp.
- 10875. Orchidaceae: *Epidendrum amazonicoriifolium* Hágsater
- 10876. Clusiaceae: Indet.
- 10877. Leguminosae-Faboideae: *Swartzia* sp. nov. (Ser./ Sect. *Recurvae*)
- 10878. Gentianaceae: Chorisepalum psychotrioides Ewan
- 10879. Myristicaceae: Iryanthera lancifolia Ducke
- 10880. Myrsinaceae: Indet.
- 10881. Thymelaeaceae: Indet. cf.
- 10882. Rubiaceae: Indet.
- 10883. Clusiaceae: Indet.
- 10884. Arecaceae: *Dictyocaryum ptarianum* (Steyerm.) H. E. Moore and Steyerm.
- 10885. Violaceae: Indet.
- 10886. Myrtaceae: Indet.
- 10887. Melastomataceae: Henriettella caudata Gleason
- 10888. Apocynaceae: Bonafousia sp.
- 10889. Piperaceae: Piper sp.
- 10890. Commelinaceae: Indet.
- 10891. Malpighiaceae: Indet.
- 10892. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 10893. Chrysobalanaceae: Hirtella sp.
- 10894. Marantaceae: *Monotagma spicatum* (Aubl.) J. F. Macbr.
- 10895. Piperaceae: Piper sp.
- 10896. Heliconiaceae: Heliconia pendula Wawra
- 10897. Tectariaceae: Tectaria plantaginea (Jacq.) Maxon
- 10898. Piperaceae: Piper sp.
- 10899. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br.
- 10900. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 10901. Hymenophyllaceae: Trichomanes elegans Rich.
- 10902. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 10903. Leguminosae: Indet.
- 10904. Polygalaceae: Securidaca paniculata Rich.
- 10905. Clusiaceae: Vismia sp.

- 10906. Leguminosae-Caesalpinioideae: Dicymbe sp.
- 10907. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 10908. Tiliaceae: Apeiba sp.
- 10909. Myrtaceae: Marlierea schomburgkiana O. Berg
- 10910. Rubiaceae: Psychotria mapourioides DC.
- 10911. Orchidaceae: Maxillaria porrecta Lindl.
- 10912. Rubiaceae: Notopleura sp.
- 10913. Lentibulariaceae: Utricularia sp.
- 10914. Chrysobalanaceae: Licania heteromorpha Benth.
- 10915. Hippocrateaceae: Salacia sp.
- 10916. Chrysobalanaceae: Hirtella sp.
- 10917. Clusiaceae: Indet.
- 10918. Rubiaceae: Sabicea sp.
- 10919. Leguminosae: Indet.
- 10920. Ericaceae: *Satyria panurensis* (Benth. ex Meisn.) Benth. and Hook. f. ex Nied.
- 10921. Melastomataceae: Henriettea multiflora Naudin
- 10922. Lecythidaceae: *Eschweilera micrantha* (O. Berg) Miers
- 10923. Loranthaceae: Phthirusa stelis (L.) Kuijt
- 10924. Convolvulaceae: Indet.
- 10925. Rubiaceae: Indet.
- 10926. Leguminosae: Indet.
- 10927. Moraceae: Ficus paraensis (Miq.) Miq.
- 10928. Myrtaceae: Indet.
- 10929. Bignoniaceae: *Tabebuia subtilis* Sprague and Sandwith
- 10930. Myrtaceae: Indet.
- 10931. Lauraceae: Indet.
- 10932. Clusiaceae: Indet.
- 10933. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 10934. Orchidaceae: Pleurothallis ruscifolia (Jacq.) R. Br.
- 10935. Melastomataceae: Tococa aristata Benth.
- 10936. Rubiaceae: Psychotria iodotricha Müll. Arg.
- 10937. Orchidaceae: Indet.
- 10938. Orchidaceae: Sobralia sp.
- 10939. Burseraceae: Protium demerarense Swart
- 10940. Marantaceae: Calathea propinqua (Poepp. and Endl.) Körn.
- 10941. Gesneriaceae: *Nematanthus savannarum* (C. V. Morton) J. L. Clark
- 10942. Sterculiaceae: Sterculia sp.
- 10943. Rutaceae: Indet.
- 10944. Burseraceae: Protium cuneatum Swart
- 10945. Melastomataceae: Clidemia conglomerata DC.
- 10946. Orchidaceae: Elleanthus caravata (Aubl.) Rchb. f.
- 10947. Dennstaedtiaceae: *Lindsaea ? lancea* (L.) Bedd. var. *falcata* (Dryand.) Rosenst.
- 10948. Arecaceae: Bactris simplicifrons Mart.

- 10949. Rubiaceae: Indet.
- 10950. Cyclanthaceae: Indet.
- 10951. Chrysobalanaceae: Indet.
- 10952. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 10953. Euphorbiaceae: Indet. cf.
- 10954. Melastomataceae: Clidemia charadrophila Tutin
- 10955. Ochnaceae: Ouratea sp.
- 10956. Araceae: Philodendron sp.
- 10957. Marantaceae: *Ischnosiphon puberulus* Loes. var. *scaber* (Petersen) L. Andersson
- 10958. Orchidaceae: Epidendrum pseudoramosum Schltr.
- 10959. Sapindaceae: Serjania membranacea Splitg.
- 10960. Orchidaceae: Indet.
- 10961. Aspleniaceae: Asplenium serratum L.
- 10962. Orchidaceae: Indet.
- 10963. Dennstaedtiaceae: *Lindsaea cyclophylla* K. U. Kramer
- 10964. Dennstaedtiaceae: Lindsaea dubia Spreng.
- 10965. Piperaceae: *Peperomia emarginella* (Sw. ex Wikstr.) C. DC.
- 10966. Orchidaceae: Indet.
- 10967. Hymenophyllaceae: *Trichomanes macilentum* Bosch
- 10968. Sapotaceae: *Micropholis venulosa* (Mart. and Eichler) Pierre
- 10969. Loganiaceae: Strychnos sp.
- 10970. Asclepiadaceae: Indet.
- 10971. Malpighiaceae: *Byrsonima krukoffii* W. R. Anderson
- 10972. Rubiaceae: Chomelia malaneoides Müll. Arg.
- 10973. Loganiaceae: Strychnos sp.
- 10974. Lecythidaceae: Eschweilera sp.
- 10975. Bombacaceae: Indet.
- 10976. Leguminosae-Mimosoideae: Indet.
- 10977. Bignoniaceae: *Tabebuia obscura* (Bureau and K. Schum.) Sandwith
- 10978. Rubiaceae: Psychotria cornigera Benth.
- 10979. Clusiaceae: Indet.
- 10980. Leguminosae-Mimosoideae: Mimosa sp.
- 10981. Myrsinaceae: Indet.
- 10982. Malpighiaceae: Indet.
- 10983. Clusiaceae: Indet.
- 10984. Ochnaceae: Ouratea superba Engl.
- 10985. Clusiaceae: Indet.
- 10986. Bignoniaceae: *Tabebuia insignis* (Miq.) Sandwith var. *insignis*
- 10987. Bignoniaceae: Indet.
- 10988. Lecythidaceae: Lecythis zabucajo Aubl.
- 10989. Clusiaceae: Indet.

- 10990. Marcgraviaceae: Marcgravia coriacea Vahl
- 10991. Lomariopsidaceae: *Elaphoglossum luridum* (Fée) H. Christ
- 10992. Orchidaceae: *Scaphyglottis modesta* (Rchb. f.) Schltr.
- 10993. Malpighiaceae: Indet.
- 10994. Viscaceae: Phoradendron piperoides (Kunth) Trel.
- 10995. Chrysobalanaceae: Indet.
- 10996. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.
- 10997. Asclepiadaceae: Indet.
- 10998. Meliaceae: Guarea sp.
- 10999. Myrtaceae: Indet.
- 11000. Leguminosae-Mimosoideae: Inga sp.
- 11001. Piperaceae: *Peperomia macrostachya* (Vahl) A. Dietr.
- 11002. Lacistemataceae: *Lacistema polystachyum* W. Schnizl.
- 11003. Dioscoreaceae: Dioscorea sp.
- 11004. Annonaceae: Guatteria paludosa R. E. Fr.
- 11005. Gentianaceae: Irlbachia sp.
- 11006. Melastomataceae: Miconia dodecandra Cogn.
- 11007. Melastomataceae: Miconia marginata Triana
- 11008. Leguminosae-Faboideae: Swartzia sp.
- 11009. Orchidaceae: Sobralia valida Rolfe
- 11010. Boraginaceae: Cordia sp.
- 11011. Poaceae: Ischaemum guianense Kunth ex Hack.
- 11012. Poaceae: *Raddiella esenbeckii* (Steud.) C. E. Calderón and Soderstr.
- 11013. Eriocaulaceae: Indet.
- 11014. Myrtaceae: Myrcia guianensis (Aubl.) DC.
- 11015. Hippocrateaceae: Salacia sp.
- 11016. Leguminosae-Mimosoideae: Indet.
- 11017. Lycopodiaceae: Huperzia linifolia (L.) Trevis.
- 11018. Leguminosae-Mimosoideae: Mimosa sp.
- 11019. Passifloraceae: Passiflora coccinea Aubl.
- 11020. Leguminosae-Mimosoideae: Pentaclethra sp.
- 11021. Leguminosae: Indet.
- 11022. Passifloraceae: Passiflora sp.
- 11023. Sapotaceae: Pouteria virescens Baehni
- 11024. Orchidaceae: Indet.
- 11025. Sapindaceae: Talisia sp.
- 11026. Leguminosae-Caesalpinioideae: Bauhinia sp.
- 11027. Moraceae: Ficus americana Aubl. ssp. guianensis (Desv.) C. C. Berg
- 11028. Orchidaceae: Indet.
- 11029. Orchidaceae: Indet.
- 11030. Orchidaceae: Indet.
- 11031. Orchidaceae: Indet.
- 11032. Rubiaceae: Faramea sp.

- 11033. Polygalaceae: Securidaca paniculata Rich.
- 11034. Orchidaceae: Indet.
- 11035. Hepaticae: Indet.
- 11036. Boraginaceae: Heliotropium indicum L.
- 11037. Boraginaceae: Heliotropium filiforme Lehm.
- 11038. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 11039. Cyperaceae: Cyperus luzulae (L.) Rottb. ex Retz.
- 11040. Solanaceae: Solanum schomburgkii Sendtn.
- 11041. Rubiaceae: Amaioua guianensis Aubl.
- 11042. Ebenaceae: Diospyros artanthifolia Mart. ex Miq.
- 11043. Leguminosae-Caesalpinioideae: Cassia sp.
- 11044. Hippocrateaceae: Salacia amplectens A. C. Sm.
- 11045. Burseraceae: *Tetragastris hostmannii* (Engl.) Kuntze
- 11046. Annonaceae: Duguetia calycina Benoist
- 11047. Sapindaceae: Toulicia guianensis Aubl.
- 11048. Apocynaceae: Indet.
- 11049. Bignoniaceae: Indet.
- 11050. Leguminosae-Faboideae: *Dioclea scabra* (Rich.) R. H. Maxwell
- 11051. Orchidaceae: *Zygosepalum labiosum* (Rich.) Garay
- 11052. Rubiaceae: Faramea sessilifolia (Kunth) DC.
- 11053. Poaceae: Panicum laxum Sw.
- 11054. Rubiaceae: Psychotria apoda Steyerm.
- 11055. Bromeliaceae: Guzmania lingulata (L.) Mez
- 11056. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
- 11057. Orchidaceae: Pleurothallis sp.
- 11058. Polypodiaceae: Microgramma baldwinii Brade
- 11059. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 11060. Chrysobalanaceae: Parinari campestris Aubl.
- 11061. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
- 11062. Orchidaceae: Epidendrum purpurascens H. Focke
- 11063. Aquifoliaceae: Ilex jenmanii Loes.
- 11064. Ochnaceae: Ouratea schomburgkii (Planch.) Engl.
- 11065. Rubiaceae: Psychotria polycephala Benth.
- 11066. Bromeliaceae: *Aechmea mertensii* (G. Mey.) Schult, and Schult, f.
- 11067. Acanthaceae: Indet.
- 11068. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell
- 11069. Turneraceae: Piriqueta cistoides (L.) Griseb.
- 11070. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
- 11071. Cyperaceae: Cyperus odoratus L.
- 11072. Cyperaceae: Cyperus haspan L.

- 11073. Podostemaceae: Mourera fluviatilis Aubl.
- 11074. Loranthaceae: Phthirusa rufa (Mart.) Eichler
- 11075. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 11076. Clusiaceae: Calophyllum brasiliense Cambess.
- 11077. Rubiaceae: *Posoqueria latifolia* (Rudge) Roem. and Schult.
- 11078. Violaceae: Rinorea amapensis Hekking
- 11079. Sapotaceae: *Pouteria ambelaniifolia* (Sandwith) T. D. Penn.
- 11080. Adiantaceae: Adiantum latifolium Lam.
- 11081. Orchidaceae: Pleurothallis sp.
- 11082. Melastomataceae: Miconia lasseri Gleason
- 11083. Poaceae: Panicum pilosum Sw.
- 11084. Cyperaceae: Scleria microcarpa Nees ex Kunth
- 11085. Leguminosae-Caesalpinioideae: *Eperua falcata* Aubl.
- 11086. Verbenaceae: *Vitex orinocensis* Kunth var. *multiflora* (Miq.) Huber
- 11087. Orchidaceae: Pleurothallis sp.
- 11088. Orchidaceae: Pleurothallis sp.
- 11089. Olacaceae: Heisteria cauliflora Sm.
- 11090. Bryophyte: Indet.
- 11091. Piperaceae: Peperomia elongata Kunth
- 11092. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 11093. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
- 11094. Leguminosae-Caesalpinioideae: *Paloue riparia*Pulle
- 11095. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
- 11096. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
- 11097. Liliaceae: Hymenocallis tubiflora Salisb.
- 11098. Arecaceae: Attalea maripa (Aubl.) Mart.
- 11098a. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 11099. Lecythidaceae: Lecythis corrugata Poit.
- 11100. Bignoniaceae: Cydista sp.
- 11101. Hymenophyllaceae: Indet.
- 11102. Selaginellaceae: Selaginella sp.
- 11103. Aspleniaceae: Asplenium serratum L.
- 11104. Adiantaceae: *Adiantum tetraphyllum* Humb. and Bonpl. ex Willd.
- 11105. Tectariaceae: *Triplophyllum funestum* (Kunze) Holttum
- 11106. Gentianaceae: Voyria caerulea Aubl.
- 11107. Orchidaceae: Dichaea sp. Rchb. f.
- 11108. Selaginellaceae: Selaginella sp.
- 11109. Rubiaceae: Palicourea croceoides Desv. ex Ham.

- 11110. Celastraceae: *Maytenus guyanensis* Klotzsch ex Reissek
- 11111. Melastomataceae: Clidemia pustulata DC.
- 11112. Leguminosae-Caesalpinioideae: Cassia sp.
- 11113. Heliconiaceae: Heliconia hirsuta L. f.
- 11114. Clusiaceae: Vismia guianensis (Aubl.) Choisy
- 11115. Meliaceae: Trichilia sp.
- 11116. Flacourtiaceae: Laetia procera (Poepp.) Eichler
- 11117. Bignoniaceae: Jacaranda obtusifolia Bonpl.
- 11118. Sapindaceae: Toulicia guianensis Aubl.
- 11119. Melastomataceae: Clidemia anisophylla DC.
- 11120. Rubiaceae: Genipa spruceana Steyerm.
- 11121. Cyperaceae: Diplasia karatifolia Rich.
- 11122. Liliaceae: Indet.?
- 11123. Burseraceae: *Protium heptaphyllum* (Aubl.) Marchand ssp. *heptaphyllum*
- 11124. Bromeliaceae: *Ananas ananassoides* (Baker) L. B. Sm.
- 11125. Bignoniaceae: Memora schomburgkii (DC.) Miers
- 11126. Sapindaceae: Matayba camptoneura Radlk.
- 11127. Myrtaceae: Psidium acutangulum DC.
- 11128. Leguminosae-Caesalpinioideae: *Copaifera guyanensis* Desf.
- 11129. Piperaceae: Peperomia elongata Kunth
- 11130. Aspleniaceae: Asplenium angustum Sw.
- 11131. Rubiaceae: Psychotria polycephala Benth.
- 11132. Flacourtiaceae: Carpotroche surinamensis Uittien
- 11133. Adiantaceae: Adiantum latifolium Lam.
- 11134. Orchidaceae: Epidendrum sp.
- 11135. Orchidaceae: Dichaea sp. Rchb. f.
- 11136. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 11137. Cyperaceae: Scleria microcarpa Nees ex Kunth
- 11138. Leguminosae-Mimosoideae: Inga sp.
- 11139. Rubiaceae: Genipa spruceana Steyerm.
- 11140. Mayacaceae: Mayaca cf. fluviatilis Aubl.
- 11141. Euphorbiaceae: Euphorbia prostrata Aiton
- 11142. Flacourtiaceae: Homalium guianense (Aubl.) Oken
- 11143. Leguminosae-Caesalpinioideae: *Dialium guianense* (Aubl.) Sandwith
- 11144. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 11145. Violaceae: Rinorea amapensis Hekking
- 11146. Rubiaceae: *Diodia hyssopifolia* (Willd. ex Roem. and Schult.) Cham. and Schltdl.
- 11147. Piperaceae: Peperomia rotundifolia (L.) Kunth
- 11148. Rubiaceae: Faramea irwinii Steyerm.
- 11149. Rubiaceae: Psychotria albert-smithii Standl.
- 11150. Bombacaceae: Catostemma sp.

- 11151. Caryocaraceae: Caryocar microcarpum Ducke
- 11152. Sapindaceae: Matayba arborescens (Aubl.) Radlk.
- 11153. Adiantaceae: *Adiantum tetraphyllum* Humb. and Bonpl. ex Willd.
- 11154. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 11155. Ochnaceae: Sauvagesia erecta L.
- 11156. Cyperaceae: Hypolytrum longifolium (Rich.) Nees ssp. longifolium
- 11156a. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 11157. Leguminosae-Mimosoideae: Inga sp.
- 11158. Selaginellaceae: Selaginella sp.
- 11159. Malpighiaceae: *Tetrapterys glabrifolia* (Griseb.) Small
- 11160. Violaceae: Rinorea amapensis Hekking
- 11161. Piperaceae: Piper sp.
- 11162. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 11163. Bromeliaceae: Guzmania lingulata (L.) Mez
- 11164. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 11165. Hymenophyllaceae: *Trichomanes vittaria* DC. ex Poir.
- 11166. Flacourtiaceae: Carpotroche sp.
- 11167. Vitaceae: Cissus erosa Rich.
- 11168. Flacourtiaceae: Carpotroche surinamensis Uittien
- 11169. Cyperaceae: Scleria microcarpa Nees ex Kunth
- 11170. Poaceae: Pariana radiciflora Sagot ex Döll
- 11171. Myrtaceae: Indet.
- 11172. Costaceae: Costus scaber Ruiz and Pav.
- 11173. Heliconiaceae: Heliconia acuminata Rich.
- 11174. Myrtaceae: Eugenia sp.
- 11175. Melastomataceae: Clidemia japurensis DC.
- 11176. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
- 11177. Poaceae: Panicum pilosum Sw.
- 11178. Tiliaceae: Apeiba glabra Aubl.
- 11179. Olacaceae: Heisteria densifrons Engl.
- 11180. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 11181. Polypodiaceae: Campyloneurum phyllitidis (L.) C. Presl
- 11182. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
- 11183. Euphorbiaceae: Amanoa guianensis Aubl.
- 11184. Arecaceae: Geonoma baculifera (Poit.) Kunth
- 11185. Sapindaceae: Toulicia guianensis Aubl.
- 11186. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 11187. Poaceae: Panicum laxum Sw.

- 11188. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
- 11189. Ochnaceae: Sauvagesia erecta L.
- 11190. Hymenophyllaceae: Trichomanes pinnatum Hedw.
- 11191. Euphorbiaceae: Euphorbia prostrata Aiton
- 11192. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
- 11193. Ochnaceae: Ouratea leblondii (Tiegh.) Lemée
- 11194. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 11195. Orchidaceae: Maxillaria uncata Lindl.
- 11196. Orchidaceae: Maxillaria (Heterotaxis, s.s.)
- 11197. Rubiaceae: Morinda tenuiflora (Benth.) Steyerm.
- 11198. Bromeliaceae: Tillandsia bulbosa Hook.
- 11199. Bromeliaceae: Guzmania lingulata (L.) Mez
- 11200. Orchidaceae: Maxillaria camaridii Rchb. f.
- 11201. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 11202. Leguminosae-Mimosoideae: Calliandra sp.
- 11203. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 11204. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
- 11205. Ochnaceae: Sauvagesia erecta L.
- 11206. Turneraceae: Piriqueta cistoides (L.) Griseb.
- 11207. Olacaceae: Heisteria cauliflora Sm.
- 11208. Myristicaceae: Virola sebifera Aubl.
- 11209. Orchidaceae: Maxillaria camaridii Rchb. f.
- 11210. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 11211. Violaceae: Rinorea amapensis Hekking
- 11212. Flacourtiaceae: Carpotroche surinamensis Uittien
- 11213. Bignoniaceae: Indet.
- 11214. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 11215. Meliaceae: Trichilia surinamensis (Miq.) C. DC.
- 11216. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 11217. Poaceae: Panicum stoloniferum Poir.
- 11218. Cyperaceae: Scleria microcarpa Nees ex Kunth
- 11219. Poaceae: Panicum stoloniferum Poir.
- 11220. Liliaceae: Hymenocallis tubiflora Salisb.
- 11221. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 11222. Apocynaceae: Mesechites trifida (Jacq.) Müll. Arg.
- 11223. Olacaceae: Heisteria cauliflora Sm.
- 11224. Adiantaceae: Adiantum latifolium Lam.
- 11225. Gesneriaceae: Codonanthe calcarata (Miq.) Hanst.
- 11226. Violaceae: Rinorea amapensis Hekking
- 11227. Ixonanthaceae: Cyrillopsis paraensis Kuhlm.
- 11228. Flacourtiaceae: Carpotroche surinamensis Uittien
- 11229. Piperaceae: Piper sp.
- 11230. Piperaceae: Piper sp.

- 11231. Marantaceae: Calathea sp.
- 11232. Marantaceae: Ischnosiphon sp.
- 11233. Rubiaceae: Psychotria albert-smithii Standl.
- 11234. Violaceae: Rinorea amapensis Hekking
- 11235. Arecaceae: *Geonoma macrostachys* Mart. var. poiteauana (Kunth) A. J. Hend.
- 11236. Heliconiaceae: Heliconia acuminata Rich.
- 11237. Annonaceae: Duguetia inconspicua Sagot
- 11238. Rubiaceae: Psychotria albert-smithii Standl.
- 11239. Sapindaceae: Matayba camptoneura Radlk.
- 11240. Olacaceae: Heisteria ovata Benth.
- 11241. Cactaceae: *Rhipsalis baccifera* (J. S. Muell.) Stearn
- 11242. Araceae: Caladium bicolor (Aiton) Vent.
- 11243. Violaceae: Rinorea amapensis Hekking
- 11244. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 11245. Sapindaceae: Talisia longifolia (Benth.) Radlk.
- 11246. Leguminosae-Faboideae: *Alexa surinamensis* Yakovlev
- 11247. Lecythidaceae: Eschweilera sp.
- 11248. Rubiaceae: Psychotria polycephala Benth.
- 11249. Marantaceae: Ischnosiphon sp.
- 11250. Mayacaceae: Mayaca fluviatilis Aubl.
- 11251. Poaceae: Olyra longifolia Kunth
- 11252. Lecythidaceae: Gustavia augusta L.
- 11253. Cucurbitaceae: *Gurania bignoniacea* (Poepp. and Endl.) C. Jeffrey
- 11254. Lauraceae: Endlicheria multiflora (Miq.) Mez
- 11255. Apocynaceae: Indet.
- 11256. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 11257. Vochysiaceae: Vochysia tetraphylla (G. Mey.) DC.
- 11258. Ebenaceae: Diospyros artanthifolia Mart. ex Miq.
- 11259. Rubiaceae: Isertia parviflora Vahl
- 11260. Podostemaceae: Mourera fluviatilis Aubl.
- 11261. Araceae: Montrichardia arborescens (L.) Schott
- 11262. Rubiaceae: Faramea sessilifolia (Kunth) DC.
- 11263. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 11264. Cyperaceae: Diplasia karatifolia Rich.
- 11264a Cyperaceae: Fimbristylis dichotoma (L.) Vahl
- 11265. Cyperaceae: *Hypolytrum longifolium* (Rich.) Nees ssp. *longifolium*
- 11266. Turneraceae: Piriqueta cistoides (L.) Griseb.
- 11267. Turneraceae: *Turnera rupestris* Aubl. var. *frutescens* (Aubl.) Urb.
- 11268. Violaceae: Rinorea amapensis Hekking
- 11269. Solanaceae: Solanum schomburgkii Sendtn.
- 11270. Onagraceae: *Ludwigia hyssopifolia* (G. Don) Exell

- 11271. Onagraceae: *Ludwigia octovalvis* (Jacq.) P. H. Raven
- 11272. Bromeliaceae: *Catopsis berteroniana* (Schult. and Schult. f.) Mez
- 11273. Rubiaceae: *Diodia hyssopifolia* (Willd. ex Roem. and Schult.) Cham. and Schltdl.
- 11274. Chrysobalanaceae: Hirtella racemosa Lam.
- 11275. Euphorbiaceae: Mabea piriri Aubl.
- 11276. Podostemaceae: *Apinagia surumuensis* (Engl.) P. Royen
- 11277. Rubiaceae: Genipa spruceana Steyerm.
- 11278. Poaceae: Panicum pilosum Sw.
- 11279. Cyperaceae: Rhynchospora cephalotes (L.) Vahl
- 11280. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
- 11281. Bignoniaceae: Indet.
- 11282. Marantaceae: Ischnosiphon sp.
- 11283. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 11284. Melastomataceae: Miconia prasina (Sw.) DC.
- 11285. Rubiaceae: Posoqueria longiflora Aubl.
- 11286. Verbenaceae: Petrea volubilis L.
- 11287. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
- 11288. Apocynaceae: Indet.
- 11289. Pontederiaceae: Indet.?
- 11290. Nymphaeaceae: *Nymphaea glandulifera* Rodschied
- 11291. Piperaceae: Indet.
- 11292. Olacaceae: Heisteria cauliflora Sm.
- 11293. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 11294. Euphorbiaceae: *Alchorneopsis floribunda* (Benth.) Müll. Arg.
- 11295. Sapotaceae: Pouteria sagotiana (Baill.) Eyma
- 11296. Araceae: Monstera adansonii Schott
- 11297. Bignoniaceae: Indet.
- 11298. Cucurbitaceae: *Cayaponia cruegeri* (Naudin) Cogn.
- 11299. Combretaceae: Combretum pyramidatum Desv.
- 11300. Sapindaceae: Matayba arborescens (Aubl.) Radlk.
- 11301. Eriocaulaceae: Tonina fluviatilis Aubl.
- 11302. Euphorbiaceae: *Phyllanthus* cf. *lindbergii* Müll. Arg.
- 11303. Ochnaceae: Sauvagesia sp.
- 11304. Onagraceae: Ludwigia sp.
- 11305. Myrtaceae: Psidium acutangulum DC.
- 11306. Lecythidaceae: *Lecythis corrugata* Poit. ssp. *corrugata*
- 11307. Cyperaceae: Cyperus odoratus L.

- 11308. Gentianaceae: Coutoubea ramosa Aubl.
- 11309. Araceae: Montrichardia linifera (Arruda) Schott
- 11310. Convolvulaceae: *Aniseia* cf. *martinicensis* (Jacq.) Choisy
- 11311. Compositae: *Struchium sparganophorum* (L.) Kuntze
- 11312. Vitaceae: *Cissus verticillata* (L.) Nicolson and C. E. Jarvis
- 11313. Apocynaceae: Indet.
- 11314. Melastomataceae: Miconia prasina (Sw.) DC.
- 11315. Melastomataceae: *Henriettea* aff. *succosa* (Aubl.) DC.
- 11316. Gentianaceae: Coutoubea ramosa Aubl.
- 11317. Poaceae: Panicum pilosum Sw.
- 11318. Onagraceae: Ludwigia latifolia (Benth.) H. Hara
- 11319. Cyperaceae: Cyperus miliifolius Poepp. and Kunth
- 11320. Polypodiaceae: *Microgramma reptans* (Cav.) A. R. Sm.
- 11321. Rubiaceae: Palicourea croceoides Desv. ex Ham.
- 11322. Leguminosae-Faboideae: *Swartzia panacoco* (Aubl.) R. S. Cowan var. *polyanthera* (Steud.) R. S. Cowan
- 11323. Leguminosae-Caesalpinioideae: *Copaifera guyanensis* Desf.
- 11324. Flacourtiaceae: Carpotroche surinamensis Uittien
- 11325. Anacardiaceae: Spondias mombin L.
- 11326. Ochnaceae: Ouratea leblondii (Tiegh.) Lemée
- 11327. Leguminosae-Mimosoideae: *Zygia cataractae* (Kunth) L. Rico
- 11328. Sapindaceae: Toulicia guianensis Aubl.
- 11329. Araceae: Philodendron? acutatum Schott
- 11330. Proteaceae: Panopsis sessilifolia (Rich.) Sandwith
- 11331. Lecythidaceae: Couratari guianensis Aubl.
- 11332. Euphorbiaceae: Conceveiba guianensis Aubl.
- 11333. Rubiaceae: Psychotria polycephala Benth.
- 11334. Rubiaceae: Indet.
- 11335. Melastomataceae: Miconia cf. prasina (Sw.) DC.
- 11336. Siparunaceae: Siparuna decipiens (Tul.) A. DC.
- 11337. Moraceae: *Maquira guianensis* Aubl. var. *guianensis*
- 11338. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
- 11339. Annonaceae: *Anaxagorea acuminata* (Dunal)
- 11340. Mayacaceae: Mayaca longipes Mart. ex Seub.
- 11341. Malpighiaceae: Hiraea faginea (Sw.) Nied.
- 11342. Solanaceae: Indet.
- 11343. Turneraceae: Piriqueta cistoides (L.) Griseb.
- 11344. Verbenaceae: Vitex compressa Turcz.

- 11345. Rubiaceae: Genipa spruceana Steyerm.
- 11346. Aquifoliaceae: Ilex jenmanii Loes.
- 11347. Melastomataceae: *Miconia aplostachya* (Bonpl.) DC.
- 11348. Bromeliaceae: Tillandsia bulbosa Hook.
- 11349. Rubiaceae: Isertia parviflora Vahl
- 11350. Orchidaceae: Maxillaria (Heterotaxis, s.s.)
- 11351. Melastomataceae: Tibouchina aspera Aubl.
- 11352. Gesneriaceae: Codonanthe crassifolia (H. Focke) C. V. Morton
- 11353. Aquifoliaceae: Ilex jenmanii Loes.
- 11354. Ochnaceae: Ouratea leblondii (Tiegh.) Lemée
- 11355. Polypodiaceae: *Pleopeltis percussa* (Cav.) Hook. and Grev.
- 11356. Rubiaceae: Faramea sessilifolia (Kunth) DC.
- 11357. Heliconiaceae: Heliconia acuminata Rich.
- 11358. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 11359. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
- 11360. Araceae: *Heteropsis flexuosa* (Kunth) G. S. Bunting
- 11361. Marantaceae: Ischnosiphon sp.
- 11362. Olacaceae: Heisteria cauliflora Sm.
- 11363. Chrysobalanaceae: Acioa guianensis Aubl.
- 11364. Lecythidaceae: *Eschweilera subglandulosa* (Steud. ex O. Berg) Miers
- 11365. Polypodiaceae: *Dicranoglossum desvauxii* (Klotzsch) Proctor
- 11366. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
- 11367. Meliaceae: Trichilia surinamensis (Miq.) C. DC.
- 11368. Cyperaceae: Cyperus luzulae (L.) Rottb. ex Retz.
- 11369. Poaceae: Panicum laxum Sw.
- 11370. Bromeliaceae: *Vriesea procera* (Mart. ex Schult. f.) Wittm.
- 11371. Tectariaceae: Tectaria? trifoliata (L.) Cav.
- 11372. Adiantaceae: *Adiantum cajennense* Willd. ex Klotzsch
- 11373. Verbenaceae: Petrea volubilis L.
- 11373a. Verbenaceae: Petrea macrostachya Benth.
- 11374. Leguminosae-Caesalpinioideae: *Paloue riparia* Pulle
- 11375. Leguminosae-Caesalpinioideae: *Eperua rubiginosa* Miq. var. *rubiginosa*
- 11376. Olacaceae: Heisteria cauliflora Sm.
- 11377. Bromeliaceae: *Ananas ananassoides* (Baker) L. B. Sm.
- 11378. Moraceae: Sorocea muriculata Miq. ssp. uaupensis (Baill.) C. C. Berg
- 11379. Rubiaceae: *Psychotria apoda* Steyerm.

- 11380. Bignoniaceae: Indet.
- 11381. Violaceae: Rinorea amapensis Hekking
- 11382. Heliconiaceae: Heliconia acuminata Rich.
- 11383. Annonaceae: *Anaxagorea acuminata* (Dunal) A. DC.
- 11384. Marantaceae: Ischnosiphon sp.
- 11385. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
- 11386. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
- 11387. Rubiaceae: Indet.
- 11388. Clusiaceae: Vismia sp.
- 11389. Compositae: Stenopadus talaumifolius S. F. Blake
- 11390. Leguminosae: Indet.
- 11391. Lauraceae: Ocotea sp.
- 11392. Araceae: *Heteropsis melinonii* (Engl.) A. M. E. Jonker and Jonker
- 11393. Bromeliaceae: Navia sp.
- 11394. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 11395. Orchidaceae: Indet.
- 11396. Pteridophyte: Indet.
- 11397. Melastomataceae: *Clidemia minutiflora* (Triana) Cogn.
- 11398. Metaxyaceae: Metaxya rostrata (Kunth) C. Presl
- 11399. Pteridophyte: Indet.
- 11400. Clusiaceae: Indet.
- 11401. Poaceae: Olyra micrantha Kunth
- 11402. Rubiaceae: Palicourea triphylla DC.
- 11403. Selaginellaceae: Selaginella sp.
- 11404. Schizaeaceae: Schizaea elegans (Vahl) Sw.
- 11405. Cyclanthaceae: Indet.
- 11406. Melastomataceae: Miconia maguirei Gleason
- 11407. Melastomataceae: Maieta guianensis Aubl.
- 11408. Rubiaceae: *Psychotria bostrychothyrsus* Sandwith
- 11409. Pteridophyte: Indet.
- 11410. Hymenophyllaceae: Indet.
- 11411. Myrtaceae: Marlierea schomburgkiana O. Berg
- 11412. Heliconiaceae: Heliconia psittacorum L. f.
- 11413. Melastomataceae: Macairea pachyphylla Benth.
- 11414. Burseraceae: Protium subserratum (Engl.) Engl.
- 11415. Burseraceae: Trattinnickia burserifolia Mart.
- 11416. Leguminosae: Indet.
- 11417. Leguminosae-Caesalpinioideae: *Dimorphandra cuprea* Sprague and Sandwith
- 11418. Sapindaceae: Indet. cf.
- 11419. Humiriaceae: Indet.
- 11420. Clusiaceae: Clusia grandiflora Splitg.
- 11421. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 11422. Erythroxylaceae: Erythroxylum sp.

- 11423. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
- 11424. Cyperaceae: Scleria secans (L.) Urb.
- 11425. Melastomataceae: Clidemia capitata Benth.
- 11426. Rubiaceae: Psychotria iodotricha Müll. Arg.
- 11427. Myrsinaceae: Indet.
- 11428. Rubiaceae: *Psychotria potaroensis* (Sandwith) Steverm.
- 11429. Rubiaceae: Pagamea thyrsiflora Spruce ex Benth.
- 11430. Gentianaceae: Irlbachia sp.
- 11431. Rubiaceae: Palicourea triphylla DC.
- 11432. Dryopteridaceae: *Arachniodes macrostegia* (Hook.) R. M. Tryon and D. S. Conant
- 11433. Annonaceae: Indet.
- 11434. Chrysobalanaceae: *Hirtella racemosa* Lam. var. *hispida* Prance
- 11435. Araceae: Philodendron callosum K. Krause
- 11436. Burmanniaceae: Burmannia bicolor Mart.
- 11437. Rubiaceae: Indet.
- 11438. Melastomataceae: *Siphanthera* vel aff. *hostmannii* Cogn.
- 11439. Cyperaceae: Exochogyne amazonica C. B. Clarke
- 11440. Hymenophyllaceae: *Trichomanes humboldtii* (Bosch) Lellinger
- 11441. Humiriaceae: Indet.
- 11442. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 11443. Melastomataceae: *Desmoscelis villosa* (Aubl.) Naudin
- 11444. Eriocaulaceae: *Paepalanthus fasciculatus* (Rottb.) Kunth
- 11445. Eriocaulaceae: Indet.
- 11446. Eriocaulaceae: *Syngonanthus gracilis* (Bong.) Ruhland
- 11447. Lentibulariaceae: Utricularia sp.
- 11448. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 11449. Cyperaceae: Cyperus ligularis L.
- 11450. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 11451. Bryophyte: Indet.
- 11452. Bryophyte: Indet.
- 11453. Rubiaceae: Perama dichotoma Poepp.
- 11454. Campanulaceae: Centropogon cornutus (L.) Druce
- 11455. Rubiaceae: Indet.
- 11456. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 11457. Cyperaceae: Calyptrocarya poeppigiana Kunth
- 11458. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 11459. Poaceae: Panicum pilosum Sw.

- 11460. Leguminosae-Caesalpinioideae: *Dimorphandra macrostachya* Benth. ssp. *glabrifolia* (Ducke)
 M. F. Silvan
- 11461. Dilleniaceae: Doliocarpus amazonicus Sleumer
- 11462. Melastomataceae: Indet.
- 11463. Cladoniaceae: Cladonia sp.
- 11464. Orchidaceae: Indet.
- 11465. Rubiaceae: *Psychotria bostrychothyrsus* Sandwith
- 11466. Loranthaceae: Indet.
- 11467. Menispermaceae: Indet.
- 11468. Leguminosae: Indet.
- 11469. Hymenophyllaceae: Trichomanes elegans Rich.
- 11470. Hymenophyllaceae: Indet.
- 11471. Gesneriaceae: Indet. cf.
- 11472. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 11473. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steyerm.
- 11474. Piperaceae: Piper sp.
- 11475. Gesneriaceae: *Besleria parviflora* L. E. Skog and Steyerm.
- 11476. Piperaceae: Piper sp.
- 11477. Solanaceae: Cestrum schlechtendahlii G. Don
- 11478. Cyclanthaceae: Asplundia sp.
- 11479. Indet.: Indet.
- 11480. Myrsinaceae: Indet.
- 11481. Orchidaceae: Indet.
- 11482. Lobariaceae: Sticta sp.
- 11483. Melastomataceae: Indet.
- 11484. Hymenophyllaceae: *Trichomanes ankersii* C. Parker ex Hook. and Grev.
- 11485. Melastomataceae: Miconia sp.
- 11486. Hymenophyllaceae: *Trichomanes pedicellatum* Desv.
- 11487. Araceae: Rhodospatha oblongata Poepp.
- 11488. Arecaceae: *Geonoma euspatha* Burret ssp. *karvaiana* (Steyerm.) A. J. Hend. ined.
- 11489. Pteridophyte: Indet.
- 11490. Araceae: Philodendron insigne Schott
- 11491. Lobariaceae: Sticta sp.
- 11492. Hymenophyllaceae: Indet.
- 11493. Rubiaceae: Notopleura uliginosa (Sw.) Bremek.
- 11494. Bryophyte: Indet.
- 11495. Picramniaceae: Picramnia nuriensis Steyerm.
- 11496. Solanaceae: Indet. cf.
- 11497. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 11498. Bromeliaceae: Indet.
- 11499. Rubiaceae: Indet.
- 11500. Rubiaceae: Indet.

- 11501. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 11502. Apocynaceae: Indet.
- 11503. Rubiaceae: Psychotria parvibractea Steyerm.
- 11504. Piperaceae: Indet.
- 11505. Gesneriaceae: Besleria penduliflora Fritsch
- 11506. Myrsinaceae: Indet.
- 11507. Cyatheaceae: Cnemidaria spectabilis (Kunze) R. M. Tryon var. spectabilis
- 11508. Marattiaceae: Danaea elliptica Sm.
- 11509. Orchidaceae: Scaphosepalum sp.
- 11510. Orchidaceae: Indet.
- 11511. Orchidaceae: Indet.
- 11512. Pteridophyte: Indet.
- 11513. Orchidaceae: Indet.
- 11514. Bryophyte: Indet.
- 11515. Bryophyte: Indet.
- 11516. Arthoniaceae: Cryptothecia sp.
- 11517. Lichen-Incert. sed.: Indet.
- 11518. Pteridophyte: Indet.
- 11519. Pteridophyte: Indet.
- 11520. Bryophyte: Indet.
- 11521. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
- 11522. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
- 11523. Polypodiaceae: *Pecluma plumula* (Humb. and Bonpl. ex Willd.) M. G. Price
- 11524. Pteridophyte: Indet.
- 11525. Sphagnaceae: Sphagnum sp.
- 11526. Arecaceae: Geonoma appuniana Spruce
- 11527. Dryopteridaceae: Cyclodium inerme (Fée) A. R. Sm.
- 11528. Cyperaceae: Mapania sp.
- 11529. Rubiaceae: Indet.
- 11530. Malpighiaceae: Banisteriopsis lucida (Rich.) Small
- 11531. Sapotaceae: Indet.
- 11532. Leguminosae-Mimosoideae: Inga sp.
- 11533. Melastomataceae: *Adelobotrys monticola* Gleason
- 11534. Melastomataceae: Miconia affinis DC.
- 11535. Melastomataceae: Leandra sanguinea Gleason
- 11536. Lauraceae: Ocotea aciphylla (Nees and Mart. ex Nees) Mez
- 11537. Rubiaceae: *Palicourea perquadrangularis* Wernham
- 11538. Araceae: Anthurium roraimense N. E. Br.
- 11539. Araliaceae: Schefflera sp.
- 11540. Solanaceae: Indet.

- 11541. Monimiaceae: Mollinedia ovata Ruiz and Pav.
- 11542. Annonaceae: *Guatteria minutiflora* Scharf and Maas
- 11543. Rapateaceae: Epidryos guayanensis Maguire
- 11544. Sapotaceae: Indet.
- 11545. Myrsinaceae: *Myrsine coriacea* (Sw.) R. Br. ex Roem. and Schult.
- 11546. Rubiaceae: *Emmeorhiza umbellata* (Spreng.) K. Schum.
- 11547. Sapindaceae: Indet.
- 11548. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 11549. Chloranthaceae: Hedyosmum tepuiense Todzia
- 11550. Annonaceae: Annona symphyocarpa Sandwith
- 11551. Bromeliaceae: Pitcairnia viridantha Gouda
- 11552. Gesneriaceae: Indet.
- 11553. Melastomataceae: *Miconia theizans* (Bonpl.) Cogn.
- 11554. Bryophyte: Indet.
- 11555. Ochnaceae: Sauvagesia sp.
- 11556. Bromeliaceae: Indet.
- 11557. Poaceae: Paspalum aff. petilum Chase
- 11558. Orchidaceae: Indet.
- 11559. Pteridophyte: Indet.
- 11560. Piperaceae: Piper sp.
- 11561. Bromeliaceae: Pitcairnia brittoniana Mez
- 11562. Melastomataceae: *Macrocentrum fasciculatum* (Rich. ex DC.) Triana
- 11563. Passifloraceae: Passiflora sp.
- 11564. Pteridophyte: Indet.
- 11565. Rubiaceae: Indet.
- 11566. Rubiaceae: Indet.
- 11567. Blechnaceae: Blechnum lehmannii Hieron.
- 11568. Woodsiaceae: *Diplazium lechleri* (Mett.) T. Moore
- 11569. Hepaticae: Indet.
- 11570. Orchidaceae: Indet.
- 11571. Orchidaceae: Indet.
- 11572. Rosaceae: Rubus guyanensis Focke
- 11573. Ericaceae: *Sphyrospermum buxifolium* Poepp. and Endl.
- 11574. Piperaceae: *Peperomia hernandiifolia* (Vahl) A. Dietr.
- 11575. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
- 11576. Araceae: *Stenospermation maguirei* A. M. E. Jonker and Jonker
- 11577. Orchidaceae: Indet.
- 11578. Cyperaceae: *Rhynchospora tuerckheimii* C. B. Clarke ex Kük.

- 11579. Hippocrateaceae: *Salacia multiflora* (Lam.) DC. ssp. *multiflora*
- 11580. Solanaceae: Indet.
- 11581. Arthoniaceae: Cryptothecia sp.
- 11582. Anthocerophyte: Indet.
- 11583. Bryophyte: Indet.
- 11584. Orchidaceae: Indet.
- 11585. Piperaceae: Peperomia jamesoniana C. DC.
- 11586. Hymenophyllaceae: Indet.
- 11587. Pteridophyte: Indet.
- 11588. Cyperaceae: *Rhynchospora tuerckheimii* C. B. Clarke ex Kük.
- 11589. Ericaceae: *Psammisia urichiana* (Britton) A. C. Sm.
- 11590. Piperaceae: Piper sp.
- 11591. Orchidaceae: Indet.
- 11592. Orchidaceae: Indet.
- 11593. Heliconiaceae: Heliconia psittacorum L. f.
- 11594. Orchidaceae: Indet.
- 11595. Orchidaceae: Indet.
- 11596. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
- 11597. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 11598. Selaginellaceae: Selaginella sp.
- 11599. Campanulaceae: Centropogon roraimanus E. Wimm.
- 11600. Leguminosae-Mimosoideae: Inga sp.
- 11601. Solanaceae: Indet.
- 11602. Melastomataceae: Miconia lorevoides Triana
- 11603. Gesneriaceae: Indet.
- 11604. Bryophyte: Indet.
- 11605. Pteridophyte: Indet.
- 11606. Pteridophyte: Indet.
- 11607. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 11608. Grammitidaceae: Cochlidium aff. rostratum (Hook.) Maxon ex C. Chr.
- 11609. Bryophyte: Indet.
- 11610. Bryophyte: Indet.
- 11611. Grammitidaceae: *Enterosora trifurcata* (L.) L. E. Bishop
- 11612. Orchidaceae: Indet.
- 11613. Gesneriaceae: Columnea guianensis C. V. Morton
- 11614. Myrsinaceae: Indet.
- 11615. Rubiaceae: *Emmeorhiza umbellata* (Spreng.) K. Schum.
- 11616. Melastomataceae: Miconia sp.
- 11617. Rubiaceae: Psychotria berteroana DC.
- 11618. Piperaceae: *Peperomia hernandiifolia* (Vahl) A. Dietr.

- 11619. Cyclanthaceae: Indet.
- 11620. Pteridophyte: Indet.
- 11621. Piperaceae: Piper sp.
- 11622. Rubiaceae: Psychotria glandulicalyx Steyerm.
- 11623. Nyctaginaceae: Indet.
- 11624. Gentianaceae: Chorisepalum psychotrioides Ewan
- 11625. Marcgraviaceae: Marcgravia coriacea Vahl
- 11626. Piperaceae: Piper sp.
- 11627. Pteridophyte: Indet.
- 11628. Pteridophyte: Indet.
- 11629. Aspleniaceae: Asplenium cirrhatum Rich. ex Willd.
- 11630. Orchidaceae: Indet.
- 11631. Bryophyte: Indet.
- 11632. Hepaticae: Indet.
- 11633. Orchidaceae: Indet.
- 11634. Piperaceae: Peperomia reptans C. DC.
- 11635. Pteridophyte: Indet.
- 11636. Orchidaceae: Indet.
- 11637. Hymenophyllaceae: Indet.
- 11638. Rubiaceae: Pagamea standleyana Steyerm.
- 11639. Loranthaceae: Indet.
- 11640. Rubiaceae: *Notopleura guadalupensis* (DC.) C. M. Taylor
- 11641. Clusiaceae: Vismia sp.
- 11642. Compositae: *Stenopadus connellii* (N. E. Br.) S. F. Blake
- 11643. Loranthaceae: Indet.
- 11644. Melastomataceae: Miconia sp.
- 11645. Bombacaceae: Catostemma durifolius W. S. Alverson
- 11646. Rubiaceae: Psychotria campylopoda Standl.
- 11647. Clusiaceae: Indet.
- 11648. Pteridophyte: Indet.
- 11649. Hymenophyllaceae: Indet.
- 11650. Melastomataceae: Macrocentrum minus Gleason
- 11651. Rubiaceae: Psychotria glandulicalyx Steyerm.
- 11652. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
- 11653. Dennstaedtiaceae: Lindsaea tenuis Klotzsch
- 11654. Rubiaceae: *Notopleura tapajozensis* (Standl.) Bremek.
- 11655. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 11656. Marcgraviaceae: Norantea guianensis Aubl.
- 11657. Aspleniaceae: Asplenium dissectum Sw.
- 11658. Hymenophyllaceae: Indet.
- 11659. Bonnetiaceae: Bonnetia sp.
- 11660. Lomariopsidaceae: Lomariopsis japurensis (Mart.) J. Sm.

- 11661. Pteridophyte: Indet.
- 11662. Woodsiaceae: Diplazium celtidifolium Kunze
- 11663. Rubiaceae: Notopleura uliginosa (Sw.) Bremek.
- 11664. Ochnaceae: *Poecilandra retusa* Tul. var. *sclerophylla* (Ule) Sastre
- 11665. Hymenophyllaceae: Indet.
- 11666. Hymenophyllaceae: Indet.
- 11667. Rubiaceae: Indet.
- 11668. Hymenophyllaceae: Indet.
- 11669. Pteridophyte: Indet.
- 11670. Compositae: Baccharis schomburgkii Baker
- 11671. Compositae: Mikania boomii Pruski
- 11672. Rubiaceae: Psychotria transiens Wernham
- 11673. Rubiaceae: Psychotria imthurniana Oliv.
- 11674. Myrsinaceae: Cybianthus roraimae (Steyerm.) G. Agostini
- 11675. Rubiaceae: *Notopleura aligera* (Steyerm.) C. M. Taylor
- 11676. Rubiaceae: Psychotria transiens Wernham
- 11677. Aquifoliaceae: Ilex sp.
- 11678. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 11679. Rubiaceae: *Malanea microphylla* Standl. and Steyerm.
- 11680. Bonnetiaceae: Indet.
- 11681. Loranthaceae: Indet.
- 11682. Gentianaceae: Chorisepalum psychotrioides Ewan
- 11683. Rubiaceae: Psychotria campylopoda Standl.
- 11684. Hymenophyllaceae: Indet.
- 11685. Melastomataceae: Miconia acutifolia Ule
- 11686. Bryophyte: Indet.
- 11687. Xyridaceae: Orectanthe sceptrum (Oliv.) Maguire
- 11688. Ericaceae: Ledothamnus sessiliflorus N. E. Br.
- 11689. Xyridaceae: Abolboda acaulis Maguire
- 11690. Lentibulariaceae: Utricularia sp.
- 11691. Lentibulariaceae: Utricularia sp.
- 11692. Lentibulariaceae: Utricularia sp.
- 11692. Lentibulariaceae: Utricularia sp.
- 11693. Lentibulariaceae: Utricularia sp.
- 11694. Lentibulariaceae: *Utricularia humboldtii* R. H. Schomb.
- 11695. Myrsinaceae: Cybianthus crotonoides (M. R. Schomb. ex Mez) G. Agostini
- 11696. Orchidaceae: Spiranthes sp.
- 11697. Clusiaceae: Indet.
- 11698. Melastomataceae: *Marcetia taxifolia* (A. St.-Hil.) DC.
- 11699. Orchidaceae: Indet.
- 11700. Orchidaceae: Indet.
- 11701. Xyridaceae: Xyris albescens Steyerm.

- 11702. Ochnaceae: *Adenanthe bicarpellata* Maguire, Steyerm. and Wurdack
- 11703. Rubiaceae: *Maguireothamnus speciosus* (N. E. Br.) Steyerm.
- 11704. Rubiaceae: Psychotria everardii Wernham
- 11705. Melastomataceae: Meriania crassiramis (Naudin)
- 11706. Compositae: *Calea lucidivenia* Gleason and S. F. Blake
- 11707. Liliaceae: Indet.
- 11708. Ochnaceae: Sauvagesia sp.
- 11709. Bonnetiaceae: Bonnetia sp.
- 11710. Cyrillaceae: Cyrilla racemiflora L.
- 11711. Bryophyte: Indet.
- 11712. Droseraceae: *Drosera roraimae* (Klotzsch ex Diels) Maguire and J. R. Laundon
- 11713. Aquifoliaceae: Ilex sp.
- 11714. Compositae: Indet.
- 11715. Compositae: Indet. cf.
- 11716. Rubiaceae: Psychotria everardii Wernham
- 11717. Liliaceae: *Isidrogalvia schomburgkiana* (Oliv.)
- 11718. Eriocaulaceae: Paepalanthus sp.
- 11719. Ericaceae: Thibaudia sp.
- 11720. Xyridaceae: Xyris witsenioides Oliv. ex Thurn
- 11721. Clusiaceae: Indet.
- 11722. Cyperaceae: Everardia angusta N. E. Br.
- 11723. Araliaceae: Schefflera sp.
- 11724. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 11725. Myrsinaceae: Cybianthus quelchii (N. E. Br.) G. Agostini
- 11726. Aquifoliaceae: Ilex retusa Klotzsch ex Reissek
- 11727. Rubiaceae: Indet.
- 11728. Araliaceae: Schefflera sp.
- 11729. Myrsinaceae: *Cybianthus ptariensis* (Steyerm.) Pipoly
- 11730. Eriocaulaceae: Indet.
- 11731. Bonnetiaceae: Indet.
- 11732. Sarraceniaceae: Heliamphora nutans Benth.
- 11733. Orchidaceae: Indet.
- 11734. Rapateaceae: Stegolepis ferruginea Baker f.
- 11735. Myrtaceae: Ugni? sp.
- 11736. Orchidaceae: Indet.
- 11737. Eriocaulaceae: *Rondonanthus duidae* (Gleason) Hensold and Giul.
- 11738. Eriocaulaceae: Paepalanthus sp.
- 11739. Incertae sedis: Indet.
- 11740. Loranthaceae: Indet. cf.
- 11741. Orchidaceae: Indet.
- 11742. Cunoniaceae: Weinmannia sp.

- 11743. Eriocaulaceae: Paepalanthus sp.
- 11744. Grammitidaceae: Cochlidium? attenuatum A. C. Sm.
- 11745. Orchidaceae: Indet.
- 11746. Bromeliaceae: *Tillandsia turneri* Baker var. *orientalis* L. B. Sm.
- 11747. Compositae: Mikania boomii Pruski
- 11748. Rubiaceae: *Notopleura tapajozensis* (Standl.) Bremek.
- 11749. Orchidaceae: Indet.
- 11750. Cyperaceae: *Everardia disticha* T. Koyama and Maguire
- 11751. Lichen-Incert. sed.: Indet.
- 11752. Lichen-Incert. sed.: Indet.
- 11753. Orchidaceae: Indet.
- 11754. Droseraceae: Drosera kaieteurensis Brumm.-Ding.
- 11755. Hymenophyllaceae: Indet.
- 11756. Poaceae: Cortaderia roraimensis (N. E. Br.) Pilg.
- 11757. Myrsinaceae: *Cybianthus crotonoides* (M. R. Schomb. ex Mez) G. Agostini
- 11758. Cyperaceae: Everardia angusta N. E. Br.
- 11759. Lichen-Incert. sed.: Indet. cf.
- 11760. Cladoniaceae: Cladonia sp.
- 11761. Dennstaedtiaceae: Lindsaea stricta (Sw.) Dryand.
- 11762. Cyperaceae: *Didymiandrum stellatum* (Böck.) Gilly
- 11763. Lycopodiaceae: *Lycopodiella alopecuroides* (L.) Cranfill
- 11764. Polypodiaceae: Polypodium sessilifolium Desv.
- 11765. Euphorbiaceae: Phyllanthus sp.
- 11766. Lycopodiaceae: *Lycopodiella alopecuroides* (L.) Cranfill
- 11767. Cyperaceae: Rhynchospora roraimae Kük.
- 11768. Ochnaceae: *Poecilandra retusa* Tul. var. *sclerophylla* (Ule) Sastre
- 11769. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 11770. Lichen-Incert, sed.: Indet.
- 11771. Lichen-Incert. sed.: Indet.
- 11772. Orchidaceae: Indet.
- 11773. Bryophyte: Indet.
- 11774. Xyridaceae: Orectanthe sceptrum (Oliv.) Maguire
- 11775. Bromeliaceae: Brocchinia sp.
- 11776. Sphagnaceae: Sphagnum sp.
- 11777. Anthocerophyte: Indet.
- 11778. Bryophyte: Indet.
- 11779. Lichen-Incert. sed.: Indet.
- 11780. Orchidaceae: Indet.
- 11781. Pteridophyte: Indet.

- 11782. Erythroxylaceae: *Erythroxylum oreophilum* (O. E. Schulz ex Pilg.) Steyerm. and Maguire
- 11783. Dennstaedtiaceae: Lindsaea tenuis Klotzsch
- 11784. Melastomataceae: Macrocentrum minus Gleason
- 11785. Hymenophyllaceae: Indet.
- 11786. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 11787. Orchidaceae: Octomeria sp.
- 11788. Clusiaceae: Clusia sp.
- 11789. Lauraceae: Ocotea sp.
- 11790. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.
- 11791. Rubiaceae: Hillia parasitica Jacq.
- 11792. Euphorbiaceae: *Hieronyma oblonga* (Tul.) Müll. Arg.
- 11793. Piperaceae: Peperomia cf. striata Ruiz and Pav.
- 11794. Orchidaceae: Indet.
- 11795. Caprifoliaceae: *Viburnum tinoides* L. f. var. *roraimense* (Killip and A. C. Sm.) Steyerm.
- 11796. Winteraceae: *Drimys roraimensis* (A. C. Sm.) Ehrend. and Gottsb.
- 11797. Rosaceae: Rubus guyanensis Focke
- 11798. Gesneriaceae: Columnea guianensis C. V. Morton
- 11799. Rubiaceae: Psychotria aubletiana Steverm.
- 11800. Orchidaceae: Indet.
- 11801. Pteridophyte: Indet.
- 11802. Aspleniaceae: Asplenium serra Langsd. and Fisch.
- 11803. Pteridophyte: Indet.
- 11804. Grammitidaceae: *Zygophlebia sectifrons* (Kunze ex Mett.) L. E. Bishop
- 11805. Pteridophyte: Indet.
- 11806. Vittariaceae: Vittaria gardneriana Fée
- 11807. Hymenophyllaceae: Indet.
- 11808. Araceae: Anthurium scandens (Aubl.) Engl.
- 11809. Bryophyte: Indet.
- 11810. Hepaticae: Indet.
- 11811. Pteridophyte: Indet.
- 11812. Bryophyte: Indet.
- 11813. Piperaceae: Peperomia reptans C. DC.
- 11814. Piperaceae: Peperomia aff. jamesoniana C. DC.
- 11815. Pteridophyte: Indet.
- 11816. Orchidaceae: Indet.
- 11817. Orchidaceae: Indet.
- 11818. Orchidaceae: Indet.
- 11819. Lentibulariaceae: Utricularia sp.
- 11820. Orchidaceae: Indet.
- 11821. Orchidaceae: Indet.
- 11822. Hepaticae: Indet.
- 11823. Bryophyte: Indet.

- 11824. Bryophyte: Indet.
- 11825. Hepaticae: Indet.
- 11826. Bryophyte: Indet.
- 11827. Cladoniaceae: Cladonia sp.
- 11828. Myrtaceae: Myrcia sylvatica (G. Mey.) DC.
- 11829. Clusiaceae: Indet.
- 11830. Myrsinaceae: *Cybianthus roraimae* (Steyerm.) G. Agostini
- 11831. Araceae: Anthurium roraimense N. E. Br.
- 11832. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
- 11832a. Polypodiaceae: Pecluma pectinata (L.) M. G. Price
- 11833. Rubiaceae: Psychotria venulosa Müll. Arg.
- 11834. Ericaceae: Psammisia urichiana (Britton) A. C. Sm.
- 11835. Orchidaceae: Indet.
- 11836. Picramniaceae: Picramnia nuriensis Steyerm.
- 11837. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 11838. Verbenaceae: Aegiphila sp.
- 11839. Malpighiaceae: Byrsonima chalcophylla Nied.
- 11840. Orchidaceae: Indet.
- 11841. Orchidaceae: Indet.
- 11842. Verbenaceae: *Aegiphila integrifolia* (Jacq.) B. D. Jacks.
- 11843. Piperaceae: Peperomia manarae Steyerm.
- 11844. Rosaceae: *Prunus myrtifolia* (L.) Urb. var. *accumulans* Koehne
- 11845. Orchidaceae: Indet.
- 11846. Orchidaceae: Indet.
- 11847. Compositae: Mikania sprucei Baker
- 11848. Malpighiaceae: *Banisteriopsis pulcherrima* (Sandwith) B. Gates
- 11849. Gesneriaceae: Indet.
- 11850. Chrysobalanaceae: Indet.
- 11851. Loranthaceae: Indet.
- 11852. Magnoliaceae: *Dugandiodendron* ptaritepuianum (Steyerm.) Lozano
- 11853. Araliaceae: Schefflera sp.
- 11854. Hepaticae: Indet.
- 11855. Hymenophyllaceae: Indet.
- 11856. Ericaceae: mixed collection sp.
- 11857. Hymenophyllaceae: Indet.
- 11858. Lichen-Incert. sed.: Indet.
- 11859. Lobariaceae: Sticta sp.
- 11860. Lichen-Incert. sed.: Peltigera cf. sp.
- 11861. Lichen-Incert. sed.: Indet.
- 11862. Lichen-Incert. sed.: Indet.
- 11863. Melastomataceae: Leandra sanguinea Gleason
- 11864. Loranthaceae: Indet.
- 11865. Loranthaceae: Indet.

- 11866. Melastomataceae: Miconia dodecandra Cogn.
- 11867. Leguminosae-Mimosoideae: Inga sp.
- 11868. Bromeliaceae: Indet.
- 11869. Leguminosae-Caesalpinioideae: Cassia sp.
- 11870. Compositae: Mikania banisteriae DC.
- 11871. Solanaceae: Solanum sp.
- 11872. Phytolaccaceae: *Phytolacca rivinoides* Kunth and Bouché
- 11873. Passifloraceae: Passiflora cf. tuberoșa Jacq.
- 11874. Orchidaceae: Indet.
- 11875. Orchidaceae: Pleurothallis sp.
- 11876. Leguminosae-Caesalpinioideae: *Dialium*? *guianense* (Aubl.) Sandwith
- 11877. Sapindaceae: Cardiospermum halicacabum L.
- 11878. Rubiaceae: *Psychotria speluncae* Standl. and Steyerm.
- 11879. Compositae: *Pentacalia freemanii* (Britton and Greenm.) Cuatrec.
- 11880. Melastomataceae: Miconia sp.
- 11881. Hymenophyllaceae: Indet.
- 11882. Hymenophyllaceae: Indet.
- 11883. Bryophyte: Indet.
- 11884. Araceae: Anthurium scandens (Aubl.) Engl.
- 11885. Anthocerophyte: Indet.
- 11886. Euphorbiaceae: Croton roraimensis Croizat
- 11887. Campanulaceae: *Centropogon roraimanus* E. Wimm.
- 11888. Melastomataceae: *Phainantha* cf. *maguirei* Wurdack
- 11889. Grammitidaceae: *Grammitis asplenifolia* (L.) Proctor
- 11890. Orchidaceae: Maxillaria meridensis Lindl.
- 11891. Aspleniaceae: Asplenium radicans L.
- 11892. Bryophyte: Indet.
- 11893. Aspleniaceae: *Asplenium cirrhatum* Rich. ex Willd.
- 11894. Dryopteridaceae: *Arachniodes ochropteroides* (Baker) Lellinger
- 11895. Pteridophyte: Indet.
- 11896. Cyclanthaceae: Indet.
- 11897. Arthoniaceae: Cryptothecia sp.
- 11898. Sphagnaceae: Sphagnum sp.
- 11899. Parmeliaceae: Usnea sp.
- 11900. Vittariaceae: Vittaria gardneriana Fée
- 11901. Orchidaceae: Pleurothallis sp.
- 11901a. Orchidaceae: Maxillaria cf. alpestris Lindl.
- 11902. Orchidaceae: Trichosalpinx sp.
- 11903. Orchidaceae: Stelis sp.
- 11904. Orchidaceae: Epidendrum sp.
- 11905. Pteridophyte: Indet.

- 11906. Woodsiaceae: Diplazium celtidifolium Kunze
- 11907. Pteridophyte: Indet.
- 11908. Cyclanthaceae: Asplundia sp.
- 11909. Dryopteridaceae: Olfersia cervina (L.) Kunze
- 11910. Arecaceae: *Prestoea tenuiramosa* (Dammer) H. E. Moore
- 11911. Arecaceae: Geonoma appuniana Spruce
- 11912. Rubiaceae: Indet.
- 11913. Melastomataceae: *Macrocentrum repens* (Gleason) Wurdack
- 11914. Verbenaceae: Aegiphila longifolia Turcz.
- 11915. Annonaceae: Annona symphyocarpa Sandwith
- 11916. Annonaceae: *Guatteria minutiflora* Scharf and Maas
- 11917. Rubiaceae: Psychotria capitata Ruiz and Pav.
- 11918. Melastomataceae: Miconia tillettii Wurdack
- 11919. Dryopteridaceae: *Cyclodium guianense* (Klotzsch) van der Werff ex L. D. Gómez
- 11920. Bromeliaceae: Vriesea duidae (L. B. Sm.) Gouda
- 11921. Myrtaceae: Myrcia fallax (Rich.) DC.
- 11922. Verbenaceae: Aegiphila integrifolia (Jacq.) B. D. Jacks.
- 11923. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 11924. Campanulaceae: *Centropogon roraimanus* E. Wimm.
- 11925. Piperaceae: Piper sp.
- 11926. Gesneriaceae: Besleria penduliflora Fritsch
- 11927. Gesneriaceae: *Alloplectus savannarum* C. V. Morton
- 11928. Rubiaceae: Faramea cardonae Standl. and Steverm.
- 11929. Cyatheaceae: *Cnemidaria spectabilis* (Kunze) R. M. Tryon var. *spectabilis*
- 11930. Chrysobalanaceae: Indet. cf.
- 11931. Pteridophyte: Indet.
- 11932. Araliaceae: Schefflera sp.
- 11933. Leguminosae: Indet.
- 11934. Rubiaceae: Indet.
- 11935. Melastomataceae: Miconia marginata Triana
- 11936. Melastomataceae: *Henriettea stellaris* O. Berg ex Triana
- 11937. Myrtaceae: Eugenia spruceana O. Berg
- 11938. Araceae: Philodendron linnaei Kunth
- 11939. Orchidaceae: Myoxanthus sp.
- 11940. Orchidaceae: Pleurothallis sp.
- 11941. Orchidaceae: Pleurothallis sp.
- 11942. Orchidaceae: Pleurothallis sp.
- 11943. Gesneriaceae: Indet.
- 11944. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.

- 11945. Cyperaceae: *Rhynchospora tuerckheimii* C. B. Clarke ex Kük.
- 11946. Melastomataceae: Miconia sp.
- 11947. Lentibulariaceae: Utricularia sp.
- 11948. Melastomataceae: Miconia loreyoides Triana
- 11949. Ericaceae: *Sphyrospermum buxifolium* Poepp. and Endl.
- 11950. Mendonciaceae: *Mendoncia aspera* (Ruiz and Pav.) Nees
- 11951. Pteridophyte: Indet.
- 11952. Rubiaceae: *Psychotria speluncae* Standl. and Steyerm.
- 11953. Solanaceae: Indet.
- 11954. Rubiaceae: *Faramea cardonae* Standl. and Steyerm.
- 11955. Bryophyte: Indet.
- 11956. Bryophyte: Indet.
- 11957. Pteridophyte: Indet.
- 11958. Dryopteridaceae: *Cyclodium inerme* (Fée) A. R. Sm.
- 11959. Melastomataceae: Miconia sp.
- 11960. Campanulaceae: Centropogon cornutus (L.)
- 11961. Ericaceae: *Psammisia coarctata* (R. and P.) A. C. Sm.
- 11962. Melastomataceae: Clidemia pakaraimae Wurdack
- 11963. Melastomataceae: Clidemia heptamera Wurdack
- 11964. Rubiaceae: Indet.
- 11965. Clusiaceae: Indet.
- 11966. Hepaticae: Indet.
- 11967. Orchidaceae: Stelis sp.
- 11968. Cyclanthaceae: Asplundia sp.
- 11969. Tectariaceae: *Lastreopsis amplissima* (C. Presl) Tindale
- 11970. Pteridophyte: Indet.
- 11971. Moraceae: *Ficus americana* Aubl. ssp. *guianensis* (Desv.) C. C. Berg
- 11972. Cunoniaceae: Weinmannia sp.
- 11973. Rubiaceae: Psychotria berteroana DC.
- 11974. Piperaceae: Piper sp.
- 11975. Piperaceae: Piper sp.
- 11976. Rubiaceae: *Notopleura guadalupensis* (DC.) C. M. Taylor
- 11977. Melastomataceae: *Adelobotrys monticola* Gleason
- 11978. Melastomataceae: Miconia sp.
- 11979. Heliconiaceae: Heliconia psittacorum L. f.
- 11980. Melastomataceae: Clidemia minutiflora (Triana) Cogn.
- 11981. Piperaceae: Piper sp.

- 11982. Passifloraceae: Passiflora sp.
- 11983. Oleandraceae: Oleandra articulata (Sw.) C. Presl
- 11984. Annonaceae: *Guatteria minutiflora* Scharf and Maas
- 11985. Passifloraceae: Passiflora sp.
- 11986. Pteridophyte: Indet.
- 11987. Pteridophyte: Indet.
- 11988. Woodsiaceae: Diplazium expansum Willd.
- 11989. Pteridophyte: Indet.
- 11990. Woodsiaceae: Diplazium radicans Desv.
- 11991. Pteridophyte: Indet.
- 11992. Tectariaceae: *Lastreopsis amplissima* (C. Presl) Tindale
- 11993. Pteridophyte: Indet.
- 11994. Pteridophyte: Indet.
- 11995. Pteridophyte: Indet.
- 11996. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm. var. *stenoglossa* (L. B. Sm.) M. A. Spencer and L. B. Sm.
- 11997. Flacourtiaceae: Casearia sp.
- 11998. Verbenaceae: Aegiphila sp.
- 11999. Rubiaceae: Indet.
- 12000. Hymenophyllaceae: Indet.
- 12001. Bryophyte: Indet.
- 12002. Orchidaceae: *Epidendrum* aff. *strobiliferum* Rchb. f.
- 12003. Gesneriaceae: Indet.
- 12004. Cyclanthaceae: Indet.
- 12005. Blechnaceae: Salpichlaena volubilis (Kaulf.) J. Sm.
- 12006. Araceae: *Philodendron grandifolium* (Jacq.) Schott
- 12007. Clusiaceae: Indet.
- 12008. Gesneriaceae: Besleria sp.
- 12009. Rubiaceae: Psychotria poeppigiana Müll. Arg.
- 12010. Myrsinaceae: Indet.
- 12011. Picramniaceae: Picramnia nuriensis Steyerm.
- 12012. Orchidaceae: Malaxis sp.
- 12013. Bromeliaceae: Vriesea splendens (Brongn.) Lem.
- 12014. Bromeliaceae: Guzmania retusa L. B. Sm.
- 12015. Rubiaceae: Elaeagia maguirei Standl.
- 12016. Melastomataceae: Henriettella caudata Gleason
- 12017. Clusiaceae: Caraipa sp.
- 12018. Araceae: Heteropsis spruceana Schott
- 12019. Hippocrateaceae: *Cheiloclinium cognatum* (Miers) A. C. Sm.
- 12020. Lauraceae: Aniba sp.
- 12021. Cucurbitaceae: Cayaponia botryocarpa C. Jeffrey
- 12022. Menispermaceae: Indet.
- 12023. Leguminosae-Mimosoideae: Inga sp.
- 12024. Selaginellaceae: Selaginella sp.

- 12025. Melastomataceae: Clidemia heptamera Wurdack
- 12026. Melastomataceae: Miconia fragrans Cogn.
- 12027. Sapotaceae: Indet.
- 12028. Piperaceae: Piper sp.
- 12029. Rubiaceae: Psychotria parvibractea Steyerm.
- 12030. Orchidaceae: Pleurothallis sp.
- 12031. Dichapetalaceae: Indet.
- 12032. Melastomataceae: Clidemia pakaraimae Wurdack
- 12033. Pteridophyte: Indet.
- 12034. Araceae: *Stenospermation ammiticum* G. S. Bunting
- 12035. Cyclanthaceae: Indet.
- 12036. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne. ex Planch. and Linden
- 12037. Cyperaceae: Pleurostachys puberula Böck.
- 12038. Arecaceae: Geonoma euspatha Burret
- 12039. Euphorbiaceae: *Alchornea triplinervia* (Spreng.) Müll. Arg.
- 12040. Rhizophoraceae: Sterigmapetalum resinosum Steyerm. and Liesner
- 12041. Malpighiaceae: Byrsonima stipulacea A. Juss.
- 12042. Hymenophyllaceae: Indet.
- 12043. Orchidaceae: Myoxanthus sp.
- 12044. Orchidaceae: *Maxillaria mapiriensis* (Kraenzl.) L. O. Williams
- 12045. Orchidaceae: Pleurothallis sp.
- 12046. Polygonaceae: Indet.
- 12047. Orchidaceae: Lepanthes sp.
- 12048. Apocynaceae: Indet.
- 12049. Melastomataceae: Clidemia involucrata DC.
- 12050. Orchidaceae: Scaphosepalum sp.
- 12051. Orchidaceae: Octomeria sp.
- 12052. Piperaceae: Piper sp.
- 12053. Bromeliaceae: Guzmania retusa L. B. Sm.
- 12054. Dryopteridaceae: Cyclodium akawaiorum A. R. Sm.
- 12055. Orchidaceae: Dichaea morrisii Fawc. and Rendle
- 12056. Moraceae: Ficus albert-smithii Standl.
- 12057. Orchidaceae: Pleurothallis sp.
- 12058. Orchidaceae: Myoxanthus sp.
- 12059. Pteridophyte: Indet.
- 12060. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
- 12061. Dichapetalaceae: Indet.
- 12062. Orchidaceae: Psilochilus sp.
- 12063. Rubiaceae: Elaeagia maguirei Standl.
- 12064. Leguminosae-Mimosoideae: Inga sp.
- 12065. Polypodiaceae: Polypodium loriceum L.
- 12066. Pteridophyte: Indet.
- 12067. Arecaceae: Bactris ptariana Steyerm.

- 12068. Bromeliaceae: *Guzmania squarrosa* (Mez and Sodiro) L. B. Sm. and Pittendr.
- 12069. Compositae: *Chromolaena pharcidodes* (B. L. Rob.) R. M. King and H. Rob.
- 12070. Rubiaceae: Psychotria muscosa (Jacq.) Steyerm.
- 12071. Myrsinaceae: Indet.
- 12072. Rubiaceae: *Psychotria tepuiensis* (Steyerm.) Steyerm.
- 12073. Solanaceae: Lycianthes pauciflora (Vahl) Bitter
- 12074. Annonaceae: Duguetia rigida R. E. Fr.
- 12075. Bromeliaceae: Guzmania lingulata (L.) Mez
- 12076. Orchidaceae: Lepanthes sp.
- 12077. Orchidaceae: Scaphosepalum sp.
- 12078. Orchidaceae: Masdevallia cf. sp.
- 12079. Hymenophyllaceae: Indet.
- 12080. Arthoniaceae: Cryptothecia cf. sp.
- 12081. Parmeliaceae: Usnea sp.
- 12082. Lichen-Incert. sed.: Indet.
- 12083. Burseraceae: Dacryodes nitens Cuatrec.
- 12084. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 12085. Clusiaceae: Indet.
- 12086. Piperaceae: Piper sp.
- 12087. Myrsinaceae: Indet.
- 12088. Lauraceae: *Rhodostemonodaphne kunthiana* (Nees) Rohwer
- 12089. Euphorbiaceae: Plukenetia polyadenia Müll. Arg.
- 12090. Gentianaceae: *Irlbachia purpurascens* (Aubl.) Maas
- 12091. Polygalaceae: Indet.
- 12092. Boraginaceae: Cordia nodosa Lam.
- 12093. Melastomataceae: *Miconia mirabilis* (Aubl.) L. O. Williams
- 12094. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
- 12095. Hymenophyllaceae: Trichomanes trollii Bergdolt
- 12096. Rubiaceae: Indet.
- 12097. Ochnaceae: Cespedesia sp.
- 12098. Bromeliaceae: *Racinaea spiculosa* (Griseb.) M. A. Spencer and L. B. Sm.
- 12099. Piperaceae: Piper sp.
- 12100. Piperaceae: Peperomia? sp. nov.
- 12101. Orchidaceae: Indet.
- 12102. Orchidaceae: Indet.
- 12103. Smilacaceae: Smilax sp.
- 12104. Flacourtiaceae: Casearia sp.
- 12105. Pteridophyte: Indet.
- 12106. Grammitidaceae: Grammitis taxifolia (L.) Proctor
- 12107. Orchidaceae: Indet.
- 12108. Bignoniaceae: Schlegelia spruceana K. Schum.

- 12109. Burseraceae: *Protium* cf. opacum Swart ssp. exaggeratum Daly
- 12110. Cecropiaceae: Cecropia distachya Huber
- 12111. Heliconiaceae: Heliconia bihai (L.) L.
- 12112. Heliconiaceae: Heliconia sp.
- 12113. Orchidaceae: Indet.
- 12114. Arecaceae: *Dictyocaryum ptarianum* (Steyerm.) H. E. Moore and Steyerm.
- 12115. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 12116. Apocynaceae: Aspidosperma sp.
- 12117. Lichen-Incert. sed.: Indet.
- 12118. Lichen-Incert. sed.: Indet.
- 12119. Orchidaceae: Indet.
- 12120. Orchidaceae: Indet.
- 12121. Orchidaceae: Indet.
- 12122. Aspleniaceae: Asplenium pteropus Kaulf.
- 12123. Melastomataceae: Miconia plukenetii Naudin
- 12124. Araceae: Stenospermation sp.
- 12125. Passifloraceae: Passiflora cf. auriculata Kunth
- 12126. Melastomataceae: *Miconia* cf. *amplexans* (Crueg.) Cogn.
- 12127. Melastomataceae: Miconia ampla Triana
- 12128. Gesneriaceae: *Nautilocalyx cordatus* (Gleason) L. E. Skog
- 12129. Poaceae: Panicum rivale Swallen
- 12130. Gesneriaceae: Indet.
- 12131. Poaceae: Paspalum pumilum Nees
- 12132. Orchidaceae: Ionopsis sp.
- 12133. Orchidaceae: Indet.
- 12134. Gesneriaceae: Indet.
- 12135. Meliaceae: Trichilia septentrionalis C. DC.
- 12136. Araceae: Anthurium scandens (Aubl.) Engl.
- 12137. Orchidaceae: Indet.
- 12138. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 12139. Ochnaceae: Ouratea sp.
- 12140. Meliaceae: Guarea? humaitensis T. D. Penn.
- 12141. Meliaceae: Guarea sp.
- 12142. Leguminosae-Mimosoideae: Inga sp.
- 12143. Olacaceae: Minguartia guianensis Aubl.
- 12144. Bignoniaceae: Schlegelia sp.
- 12145. Euphorbiaceae: Richeria grandis Vahl
- 12146. Polygalaceae: Indet.
- 12147. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith
- 12148. Leguminosae-Caesalpinioideae: Indet.
- 12149. Lecythidaceae: *Eschweilera coriacea* (DC.) S. A. Mori
- 12150. Annonaceae: *Anaxagorea dolichocarpa* Sprague and Sandwith

- 12151. Acanthaceae: *Justicia calycina* (Nees) V. A. W. Graham
- 12152. Compositae: Clibadium surinamense L.
- 12153. Metaxyaceae: *Metaxya lanosa* A. R. Sm. and H. Tuomisto
- 12154. Poaceae: *Ichnanthus pallens* (Sw.) Munro ex Benth.
- 12155a. Xyridaceae: Xyris involucrate Nees
- 12155b. Cyperaceae: *Lagenocarpus amazonicus* (C. B. Clarke) H. Pfeiff.
- 12156. Melastomataceae: *Siphanthera* vel aff. *hostmannii* Cogn.
- 12157. Verbenaceae: *Amasonia campestris* (Aubl.) Moldenke
- 12158. Dennstaedtiaceae: *Lindsaea semilunata* (C. Chr.) C. Chr.
- 12159. Orchidaceae: Indet.
- 12160. Orchidaceae: Indet.
- 12161. Melastomataceae: *Leandra divaricata* (Naudin) Cogn.
- 12162. Rubiaceae: Psychotria apoda Steyerm.
- 12163. Araceae: Philodendron callosum K. Krause
- 12164. Gentianaceae: Voyria aphylla (Jacq.) Pers.
- 12165. Burmanniaceae: Burmannia bicolor Mart.
- 12166. Rubiaceae: Indet.
- 12167. Eriocaulaceae: *Syngonanthus gracilis* (Bong.) Ruhland
- 12168. Solanaceae: Solanum subinerme Jacq.
- 12169. Costaceae: Costus spiralis (Jacq.) Roscoe var. spiralis
- 12170. Araceae: *Spathiphyllum cannifolium* (Dryand, ex Sims) Schott
- 12171. Rubiaceae: Spermacoce capitata Ruiz and Pav.
- 12172. Cladoniaceae: Cladonia sp.
- 12173. Lentibulariaceae: Utricularia sp.
- 12174. Burmanniaceae: *Apteria aphylla* (Nutt.) Barnhart ex Small
- 12175. Acanthaceae: Indet. cf.
- 12176. Eriocaulaceae: Paepalanthus oyapockensis Herzog
- 12177. Piperaceae: Piper sp.
- 12178. Cladoniaceae: Cladonia sp.
- 12178a. Grammitidaceae: *Cochlidium furcatum* (Hook. and Grev.) C. Chr.
- 12179. Lichen-Incert. sed.: Indet.
- 12180. Melastomataceae: *Leandra divaricata* (Naudin)
- 12181. Melastomataceae: Tococa aristata Benth.
- 12182. Gesneriaceae: Indet.
- 12183. Melastomataceae: Miconia aff. prasina (Sw.) DC.
- 12184. Cyperaceae: Calyptrocarya poeppigiana Kunth

- 12185. Poaceae: *Raddiella esenbeckii* (Steud.) C. E. Calderón and Soderstr.
- 12186. Bromeliaceae: *Pitcairnia maidifolia* (C. Morren) Decne, ex Planch, and Linden
- 12187. Marantaceae: Indet.
- 12188. Cyperaceae: Eleocharis debilis Kunth
- 12189. Arecaceae: Desmoncus polyacanthos Mart.
- 12190. Orchidaceae: Indet.
- 12191. Orchidaceae: Indet.
- 12192. Schizaeaceae: Schizaea stricta Lellinger
- 12193. Lentibulariaceae: Indet.
- 12194. Orchidaceae: Indet.
- 12195. Gentianaceae: Tachia schomburgkiana Benth.
- 12196. Melastomataceae: Miconia rugosa Triana
- 12197. Myrtaceae: Eugenia kaieteurensis Amshoff
- 12198. Rapateaceae: Rapatea paludosa Aubl.
- 12199. Myrsinaceae: Myrsine guianensis (Aubl.) Kuntze
- 12200. Araceae: Rhodospatha latifolia Poepp.
- 12201. Rubiaceae: Psychotria crocochlamys Sandwith
- 12202. Rubiaceae: Geophila repens (L.) I. M. Johnst.
- 12203. Clusiaceae: Indet.
- 12204. Compositae: *Stenopadus talaumifolius* S. F. Blake
- 12205. Dennstaedtiaceae: *Lindsaea schomburgkii* Klotzsch f. *schomburgkii*
- 12206. Melastomataceae: Miconia bracteata (DC.) Triana
- 12207. Melastomataceae: Tococa aristata Benth.
- 12208. Orchidaceae: Indet.
- 12209. Gesneriaceae: Lampadaria cf. sp.
- 12210. Melastomataceae: Clidemia epibaterium DC.
- 12211. Leguminosae-Caesalpinioideae: *Dicymbe fraterna* R. S. Cowan
- 12212. Clusiaceae: Indet.
- 12213. Clusiaceae: Indet.
- 12214. Rubiaceae: Ronabea latifolia Aubl.
- 12215. Chrysobalanaceae: Indet. cf.
- 12216. Lauraceae: Endlicheria chalisea Chanderbali
- 12217. Dichapetalaceae: Indet.
- 12218. Rapateaceae: Saxofridericia regalis R. H. Schomb.
- 12219. Orchidaceae: Indet.
- 12220. Lauraceae: Ocotea sp.
- 12221. Orchidaceae: Indet.
- 12222. Orchidaceae: Indet.
- 12223. Araceae: Philodendron linnaei Kunth
- 12224. Leguminosae-Caesalpinioideae: Indet.
- 12225. Clusiaceae: Indet.
- 12226. Bromeliaceae: *Tillandsia monadelpha* (E. Morren) Baker
- 12227. Bromeliaceae: Araeococcus micranthus Brongn.
- 12228. Araceae: Anthurium clavigerum Poepp.

- 12229. Araceae: Spathiphyllum? cuspidatum Schott
- 12230. Leguminosae-Mimosoideae: Inga sp.
- 12231. Verbenaceae: Aegiphila integrifolia (Jacq.) B. D. Jacks.
- 12232. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
- 12233. Melastomataceae: *Maieta poeppigii* Mart. ex Cogn.
- 12234. Piperaceae: Piper sp.
- 12235. Melastomataceae: Maieta guianensis Aubl.
- 12236. Rubiaceae: Faramea multiflora A. Rich. ex DC.
- 12237. Campanulaceae: *Centropogon cornutus* (L.) Druce
- 12238. Heliconiaceae: Heliconia acuminata Rich.
- 12239. Euphorbiaceae: Indet.
- 12240. Leguminosae-Mimosoideae: *Pentaclethra macroloba* (Willd.) Kuntze
- 12241. Asclepiadaceae: Indet.
- 12242. Polypodiaceae: Polypodium caceresii Sodiro
- 12243. Compositae: Clibadium surinamense L.
- 12244. Annonaceae: Duguetia pycnastera Sandwith
- 12245. Pteridophyte: Indet.
- 12246. Bryophyte: Indet.
- 12247. Rubiaceae: Perama dichotoma Poepp.
- 12248. Melastomataceae: Macairea pachyphylla Benth.
- 12249. Lycopodiaceae: Lycopodiella cernua (L.) Pic. Serm.
- 12250. Rubiaceae: *Ladenbergia lambertiana* (A. Braun ex Mart.) Klotzsch
- 12251. Melastomataceae: *Miconia gratissima* Benth. ex Triana
- 12252. Compositae: Mikania sprucei Baker
- 12253. Rubiaceae: Palicourea triphylla DC.
- 12254. Leguminosae-Faboideae: Mucuna sp.
- 12255. Orchidaceae: Indet.
- 12256. Orchidaceae: Indet.
- 12257. Vittariaceae: *Antrophyum cajenense* (Desv.) Spreng.
- 12258. Orchidaceae: Indet.
- 12259. Orchidaceae: Indet.
- 12260. Rubiaceae: Indet.
- 12261. Araceae: Monstera adansonii Schott
- 12262. Verbenaceae: *Stachytarpheta cayennensis* (Rich.) Vahl
- 12263. Melastomataceae: Tococa guianensis Aubl.
- 12264. Marantaceae: Indet.
- 12265. Leguminosae-Mimosoideae: Inga sp.
- 12266. Orchidaceae: Indet.
- 12267. Orchidaceae: Indet.
- 12268. Orchidaceae: Indet.
- 12269. Piperaceae: Peperomia sp.

- 12270. Myrsinaceae: Cybianthus lepidotus (Gleason) G. Agostini
- 12271. Orchidaceae: Indet.
- 12272. Violaceae: Rinorea sp.
- 12273. Clusiaceae: Indet.
- 12274. Orchidaceae: Indet.
- 12275. Melastomataceae: *Phainantha* aff. *laxiflora* (Triana) Gleason
- 12276. Araceae: Anthurium scandens (Aubl.) Engl.
- 12277. Dichapetalaceae: Indet.
- 12278. Ochnaceae: Ouratea sp.
- 12279. Clusiaceae: Indet.
- 12280. Orchidaceae: Dichaea sp.
- 12281. Polygonaceae: Coccoloba sp.
- 12282. Orchidaceae: Indet.
- 12283. Pteridophyte: Indet.
- 12284. Orchidaceae: Epidendrum strobiliferum Rchb. f.
- 12285. Moraceae: Ficus paraensis (Miq.) Miq.
- 12286. Bromeliaceae: *Tillandsia monadelpha* (E. Morren) Baker
- 12287. Orchidaceae: Indet.
- 12288. Piperaceae: Indet.
- 12289. Flacourtiaceae: Casearia sp.
- 12290. Bignoniaceae: Schlegelia violacea (Aubl.) Griseb.
- 12291. Apocynaceae: Indet.
- 12292. Oleandraceae: *Nephrolepis pectinata* (Willd.) Schott
- 12293. Euphorbiaceae: Indet. cf.
- 12294. Myrtaceae: Myrcia fallax (Rich.) DC.
- 12295. Leguminosae-Mimosoideae: Inga sp.
- 12296. Melastomataceae: Miconia traillii Cogn.
- 12297. Moraceae: Ficus paraensis (Miq.) Miq.
- 12298. Moraceae: Ficus maxima Mill.
- 12299. Rubiaceae: Psychotria polycephala Benth.
- 12300. Ericaceae: *Sphyrospermum* cf. *ellipticum* Sleumer
- 12301. Araceae: Monstera obliqua Miq.
- 12302. Chrysobalanaceae: Hirtella racemosa Lam.
- 12303. Polypodiaceae: *Niphidium crassifolium* (L.) Lellinger
- 12304. Chrysobalanaceae: Indet.
- 12305. Dilleniaceae: Davilla kunthii A. St.-Hil.
- 12306. Cyperaceae: *Hypolytrum pulchrum* (Rudge) H. Pfeiff.
- 12307. Xyridaceae: Abolboda grandis Griseb.
- 12308. Apocynaceae: *Mandevilla benthamii* (A. DC.) K. Schum.
- 12309. Myrsinaceae: Indet.
- 12310. Poaceae: Echinolaena inflexa (Poir.) Chase
- 12311. Clusiaceae: Vismia sp.

- 12312. Poaceae: Panicum micranthum Kunth
- 12313. Malpighiaceae: Byrsonima crassifolia (L.) Kunth
- 12314. Ochnaceae: Indet.
- 12315. Bonnetiaceae: Archytaea triflora Mart.
- 12316. Melastomataceae: Tococa nitens (Benth.) Triana
- 12317. Humiriaceae: Indet.
- 12318. Malpighiaceae: *Banisteriopsis pulcherrima* (Sandwith) B. Gates
- 12319. Loranthaceae: Indet.
- 12320. Humiriaceae: Indet.
- 12321. Euphroniaceae: *Euphronia guianensis* (R. H. Schomb.) Hallier f.
- 12322. Leguminosae-Caesalpinioideae: *Dimorphandra cuprea* Sprague and Sandwith
- 12323. Lentibulariaceae: Utricularia sp.
- 12324. Euphorbiaceae: Indet.
- 12325. Cyperaceae: *Calyptrocarya glomerulata* (Brongn.) Urb.
- 12326. Rubiaceae: Perama dichotoma Poepp.
- 12327. Rubiaceae: Perama dichotoma Poepp.
- 12328. Melastomataceae: *Macairea lasiophylla* (Benth.) Wurdack
- 12329. Lentibulariaceae: Utricularia sp.
- 12330. Eriocaulaceae: Indet.
- 12331. Lentibulariaceae: Utricularia sp.
- 12332. Lentibulariaceae: Utricularia sp.
- 12333. Orchidaceae: Habenaria sp.
- 12334. Orchidaceae: Habenaria sp.
- 12335. Orchidaceae: Habenaria sp.
- 12336. Xyridaceae: Xyris surinamensis A. Spreng.
- 12337. Bignoniaceae: Digomphia laurifolia Benth.
- 12338. Melastomataceae: *Clidemia* aff. *novemnervia* (DC.) Triana
- 12339. Polygalaceae: Indet.
- 12340. Euphorbiaceae: Indet. cf.
- 12341. Melastomataceae: *Rhynchanthera grandiflora* (Aubl.) DC.
- 12342. Schizaeaceae: *Actinostachys subtrijuga* (Mart.) C. Presl
- 12343. Rubiaceae: Perama hirsuta Aubl.
- 12344. Rubiaceae: Indet.
- 12345. Polygalaceae: Indet.
- 12346. Cyperaceae: Scleria verticillata Muhl. ex Willd.
- 12347. Ixonanthaceae: Ochthocosmus longipedicellatus Steyerm. and Luteyn
- 12348. Leguminosae-Faboideae: *Swartzia* sp. nov. aff. *S. panacoco* (Aubl.) R. S. *Cowan*
- 12349. Humiriaceae: Indet.
- 12350. Melastomataceae: *Acisanthera uniflora* (Vahl) Gleason

- 12351. Cladoniaceae: Cladonia sp.
- 12352. Poaceae: Panicum micranthum Kunth
- 12353. Cyperaceae: Rhynchospora albida (Nees) Böck.
- 12354. Chrysobalanaceae: Indet.
- 12355. Ochnaceae: Ouratea sp.
- 12356. Lauraceae: Endlicheria? sp. nov.
- 12357. Poaceae: Panicum micranthum Kunth
- 12358. Rubiaceae: Indet.
- 12359. Cyperaceae: *Rhynchospora pubera* (Vahl) Böck. ssp. *pubera*
- 12360. Cyperaceae: Cyperus sphacelatus Rottb.
- 12361. Cyperaceae: Rhynchospora barbata (Vahl) Kunth
- 12362. Rubiaceae: Spermacoce verticillata L.
- 12363. Leguminosae: Indet.
- 12364. Poaceae: Andropogon leucostachyus Kunth
- 12365. Poaceae: Eragrostis maypurensis (Kunth) Steud.
- 12366. Gentianaceae: *Irlbachia caerulescens* (Aubl.) Griseb.
- 12367. Scrophulariaceae: Buchnera sp.
- 12368. Cladoniaceae: Cladonia sp.
- 12369. Ochnaceae: Indet.
- 12370. Bromeliaceae: Indet.
- 12371. Droseraceae: Drosera kaieteurensis Brumm.-Ding.
- 12372. Poaceae: Panicum nervosum Lam.
- 12373. Polygalaceae: Indet.
- 12374. Melastomataceae: Miconia alborufescens Naudin
- 12375. Rubiaceae: Indet.
- 12376. Ternstroemiaceae: Ternstroemia cf. sp.
- 12377. Dilleniaceae: Doliocarpus paucinervis Kubitzki
- 12378. Pteridophyte: Indet.
- 12379. Ericaceae: Notopora schomburgkii Hook. f.
- 12380. Dilleniaceae: *Tetracera maguirei* Aymard and B. M. Boom
- 12381. Ochnaceae: Sauvagesia sp.
- 12382. Rubiaceae: Pagamea capitata Benth.
- 12383. Myrtaceae: Calycolpus cochleatus McVaugh
- 12384. Orchidaceae: Indet.
- 12385. Myrtaceae: Myrcia porphyrea McVaugh
- 12385ALoranthaceae: Indet.
- 12386. Melastomataceae: Miconia cf. ciliata (Rich.) DC.
- 12387. Melastomataceae: Clidemia capitata Benth.
- 12388. Rubiaceae: *Psychotria hoffmannseggiana* (Willd. ex Roem. and Schult.) Müll. Arg.
- 12389. Rubiaceae: Psychotria egensis Müll. Arg.
- 12390. Myrsinaceae: Indet.
- 12391. Myrtaceae: Eugenia anastomosans DC.
- 12392. Ochnaceae: Ouratea sp.
- 12393. Loranthaceae: Indet. cf.
- 12394. Loranthaceae: Indet.
- 12395. Araceae: Philodendron callosum K. Krause

- 12396. Lauraceae: Cassytha filiformis L.
- 12397. Bromeliaceae: Tillandsia bulbosa Hook.
- 12398. Hymenophyllaceae: Indet.
- 12399. Cyperaceae: Scleria cyperina Willd. ex Kunth
- 12400. Bignoniaceae: *Tabebuia subtilis* Sprague and Sandwith
- 12401. Humiriaceae: Indet.
- 12402. Chrysobalanaceae: Indet.
- 12403. Myrtaceae: Myrcia fallax (Rich.) DC.
- 12404. Compositae: *Erechtites hieracifolius* (L.) Raf. ex DC.
- 12405. Compositae: *Chromolaena laevigata* (Lam.) R. M. King and H. Rob.
- 12406. Lecythidaceae: Couratari riparia Sandwith
- 12407. Ericaceae: Bejaria aestuans L.
- 12408. Monotaceae: *Pakaraimaea dipterocarpacea* Maguire and P. S. Ashton
- 12409. Proteaceae: Panopsis sessilifolia (Rich.) Sandwith
- 12410. Chrysobalanaceae: Indet.
- 12411. Leguminosae: Indet.
- 12412. Rubiaceae: Indet.
- 12413. Malpighiaceae: Byrsonima concinna Benth.
- 12414. Leguminosae-Faboideae: Ormosia sp.
- 12415. Myrtaceae: Myrcia fallax (Rich.) DC.
- 12416. Leguminosae-Caesalpinioideae: Macrolobium sp.
- 12417. Bombacaceae: Catostemma altsonii Sandwith

- 12418. Polygalaceae: Indet.
- 12419. Myrtaceae: Myrciaria vismeifolia (Benth.) O. Berg
- 12420. Chrysobalanaceae: Indet.
- 12421. Malpighiaceae: Tetrapterys styloptera A. Juss.
- 12422. Myrsinaceae: Indet.
- 12423. Gnetaceae: Gnetum sp.
- 12424. Bombacaceae: Pachira minor (Sims) Hemsl.
- 12425. Chrysobalanaceae: Indet.
- 12426. Polygalaceae: Indet.
- 12427. Myrtaceae: Myrcia platyclada DC.
- 12428. Clusiaceae: Indet.
- 12429. Clusiaceae: Indet.
- 12430. Sapotaceae: Indet.
- 12431. Clusiaceae: Indet.
- 12432. Ebenaceae: Diospyros guianensis (Aubl.) Gürke
- 12433. Leguminosae: Indet.
- 12434. Leguminosae-Mimosoideae: Inga sp.
- 12435. Lichen-Incert. sed.: Indet.
- 12436. Lichen-Incert. sed.: Indet.
- 12437. Lichen-Incert. sed.: Indet.
- 12438. Acanthaceae: Ruellia tuberosa L.
- 12439. Acanthaceae: Asystasia gangetica (L.) T. Anderson
- 12440. Acanthaceae: Asystasia gangetica (L.) T. Anderson
- 12441. Acanthaceae: Barleria cristata L.
- 12442. Acanthaceae: Justicia betonica L.
- 12443. Acanthaceae: Asystasia gangetica (L.) T. Anderson

IV. Collections by Determined Taxa

FUNGI

Indet.: 1825, 1938 Clavicipitaceae Claviceps sp.: 5875

Cordyceps sp.: 1632, 4491, 4638, 4880, 5513

Polyporaceae

Microporellus? sp.: 7972

Xylariaceae Xylaria sp.: 7969

LICHENS

Indet.: 2379, 2411, 2425, 2462, 2633, 2634, 3116, 4394, 4477, 4541, 4720, 4864, 5353, 5580, 5602, 5694, 5789, 5814, 5821, 5822, 5824, 5837, 5842, 5864, 5900, 5904, 5908, 5918, 6036, 6848, 6874, 6875, 7375, 7706, 8541, 9276, 9355, 9483, 10056, 10141, 10170, 10335, 10391, 10418, 10581, 10618, 10652, 10654, 10800, 10851, 11517, 11751, 11752, 11759, 11770, 11771, 11779, 11858, 11861, 11862, 12082, 12117, 12118, 12179, 12435, 12436, 12437

Lichenized basidiomycete

Dictyonema glabratum: 3679

Dictyonema sp.: 5723

Arthoniaceae

Cryptothecia rubrocincta: 3689, 4863, 4915, 5899 Cryptothecia sp.: 11516, 11581, 11897, 12080

Bacidiaceae

Crocynia sp.: 4485, 4540 *Phyllopsora* sp.: 5006, 5325

Cladoniaceae

Cladia aggregata: 5693, 5879 Cladina densissima: 5263 Cladina s.l. rotundata: 5261

Cladina sp.: 5816

Cladonia ceratophylla: 5773

Cladonia corallifera: 2339, 2357, 2463, 2464, 5283, 5847, 5880

Cladonia didyma: 3372, 5774 Cladonia peltastica: 2356 Cladonia polyscypha: 2338 Cladonia secundana: 5283a Cladonia signata: 5692

Cladonia sp.: 5286, 5322, 6834, 7034, 10489, 10524, 10580, 10807, 11463, 11760, 11827, 12172, 12178,

12351, 12368

Cladonia subreticulata: 5262 Cladonia vareschii: 5838 Indet.: 5260, 5280, 5284

Coccocarpiaceae

Coccocarpia sp.: 4505, 5903

Collemataceae

Leptogium sp.: 4604, 6539

Graphidaceae Fissurina sp.: 4721

Graphis sp.: 4504, 10577, 10579, 10616, 10684

Indet.: 4862a **Gyalectaceae**

Coenogonium sp.: 2424, 4707, 4900, 5357, 6080

Loboriaceae

Lobaria sp.: 5234, 5235, 5236 Pseudocyphellaria sp.: 5886, 5910 Sticta sp.: 5770, 11482, 11491, 11859

Sticta weigelii: 2412, 5686

Parmeliaceae

Bulbothrix sp.: 5356 Hypotrachya sp.: 5909

Parmotrema sp.: 1991, 2380, 5960 Rimelia sp.: 3678, 4427, 5199

Usnea sp.: 4955, 5823, 8063, 10578, 11899, 12081

Peltigeraceae

Peltigera cf. sp.: 11860

Physciaceae

Heterodermia sp.: 5591

Indet.: 5960a Ramalinaceae

Ramalina anceps: 1833, 2674

Thelotremataceae Indet.: 4862, 5352

Liverworts

1361, 2593, 3216, 5170, 5641, 5642, 5766, 5806, 8912, 8913, 8914, 9082, 9083, 9129, 9168, 9232, 9311, 9312, 9313, 9344, 9367, 9514, 9515, 9555, 10019, 10116, 10337, 10436, 10438, 10482, 10485, 10488, 10657, 10791, 10795, 11035, 11569, 11632, 11810, 11822, 11825, 11854, 11966

Hornworts

8973, 9095, 10334, 10407, 11582, 11777, 11885

BRYOPHYTES

Funariaceae

Funaria hygrometrica var. calvescens: 855

Leucobryaceae

Leucobryum cf. sp.: 1881, 2581, 3045

Sphagnaceae

Sphagnum sp.: 6872, 6882, 7288, 8527, 9277, 9348,

10308, 10309, 11525, 11776, 11898

Indet.: 1065, 1287, 1418, 1428, 1480, 1832, 1880, 2027, 2049, 2127, 2129, 2183, 2325, 2326, 2337, 2392, 2475,

2493, 2531, 2533, 2534, 2548, 2558, 2559, 2578, 2582,

2584, 2585, 2590, 2591, 2592, 2617, 2670, 2671, 2884,

2920, 2933, 2943, 2945, 3046, 3159, 3184, 3200, 3245,

3246, 3340, 3469, 3504, 3577, 3649, 3650, 3671, 3680,

3682, 3797, 4005, 4006, 4103, 4199, 4233, 4417, 4418,

4429, 4431, 4437, 4536, 4613b, 4613a, 4627, 4689,

4690, 4706, 4728, 4731, 4732, 4733, 4734, 4735, 4901,

4690, 4706, 4728, 4731, 4732, 4733, 4734, 4733, 4901, 4903, 4904, 4942, 5009, 5169, 5268, 5269, 5270, 5271,

5272, 5273, 5287, 5307, 5321, 5326, 5334, 5354, 5378,

52/2, 52/3, 528/, 530/, 5321, 5326, 5334, 5354, 53/

5379, 5380, 5437, 5458, 5464, 5479, 5495, 5573, 5574,

5575, 5577, 5578, 5601, 5630, 5638, 5640, 5656, 5661,

5662, 5663, 5687, 5688, 5689, 5697, 5698, 5720, 5721,

5722, 5739, 5763, 5771, 5797, 5798, 5805, 5819, 5820,

5866, 5867, 5877, 5878, 5902, 5907, 5968, 5977, 6011, 6012, 6026, 6072, 6131, 6234, 6235, 6236, 6250, 6285,

6012, 6026, 6072, 6131, 6234, 6233, 6236, 6230, 628

6322, 6323, 6336, 6362, 6376, 6377, 6378, 6379, 6380,

6381, 6566, 6649, 6744, 6753, 6827, 6828, 6829, 6842, 6873, 6963, 6964, 6976, 7155, 7169, 7173, 7178, 7208,

7209, 7290, 7291, 7325, 7374, 7379, 7390, 7438, 7648,

7970, 7971, 7991, 8066, 8173, 8372, 8373, 8374, 8402,

8403, 8404, 8405, 8406, 8407, 8526, 8616, 8617, 8618,

8627, 8629, 8659, 8667, 8668, 8710, 8964, 8965, 8982,

8983, 8984, 8995, 9009, 9021, 9084, 9085, 9086, 9087,

9088, 9094, 9096, 9097, 9098, 9099, 9113, 9114, 9128,

9133, 9193, 9194, 9298, 9299, 9300, 9310, 9346, 9347,

9349, 9366, 9400, 9401, 9409, 9418, 9432, 9433, 9436,

9437, 9438, 9481, 9482, 9485, 9504, 9506, 9551, 9615,

9634, 9635, 9643, 9705, 9743, 9756, 10035, 10055,

10060, 10067, 10115, 10118, 10119, 10120, 10217,

10288, 10292, 10332, 10336, 10364, 10399, 10401,

10402, 10408, 10437, 10439, 10440, 10513, 10550,

10562, 10575, 10576, 10601, 10614, 10626, 10651,

10653, 10655, 10656, 10658, 10792, 10793, 10794,

10796, 10797, 10798, 10799, 10802, 10850, 11090,

11451, 11452, 11494, 11514, 11515, 11520, 11554,

11583, 11604, 11609, 11610, 11631, 11686, 11711,

11773, 11778, 11809, 11812, 11823, 11824, 11826, 11883, 11892, 11955, 11956, 12001, 12246

LYCOPHYTES

Lycopodiaceae

Huperzia dichotoma: 6555, 8114

Huperzia funiformis: 7442 Huperzia linifolia: 11017 Huperzia taxifolia: 8281, 8633

Lycopodiella alopecuroides: 11763, 11766

Lycopodiella camporum: 9265

Lycopodiella caroliniana var. meridional: 2660, 5579,

10568

Lycopodiella cernua: 558, 739, 1063, 2665, 5103, 5582,

8940, 9479, 9548, 9934, 10545, 10745, 12249

Selaginellaceae

Selaginella? amazonica: 9414

Selaginella epirrhizos: 1942, 4281, 6470 Selaginella flagellata: 8626, 10582

Selaginella cf. hirsuta: 5481 Selaginella mazaruniense: 9899 Selaginella aff. palmiformis: 9245

Selaginella parkeri: 258, 315, 676, 1277, 1886, 2184,

2872, 3158, 4472, 5402, 6583, 7081, 7624, 7945

Selaginella pedata: 3607 Selaginella porelloides: 5496 Selaginella producta: 3654 Selaginella? revoluta: 10734

Selaginella seemannii: 5957, 6068, 6069

Selaginella sp.: 5480, 9179, 9473, 11102, 11108, 11158,

11403, 11598, 12024

PTERIDOPHYTES

Indet.: 1840, 2274, 2275, 2285, 2364, 2365, 5008, 5690, 5989, 7170, 7292, 9941, 9981, 10010, 10017, 10048, 10062, 10078, 10083, 10157, 10188, 10210, 10242, 10307, 10325, 10346, 10348, 10361, 10362, 10396, 10421, 10441, 10512, 10533, 10542, 10543, 10584, 10585, 10586, 10594, 10617, 10660, 10718, 10737, 10783, 10785, 10790, 10805, 10835, 10847, 11396, 11399, 11409, 11489, 11512, 11518, 11519, 11524, 11559, 11564, 11587, 11605, 11606, 11620, 11627, 11628, 11635, 11648, 11661, 11669, 11781, 11801, 11803, 11805, 11811, 11815, 11895, 11905, 11907, 11931, 11951, 11957, 11970, 11986, 11987, 11989, 11991, 11993, 11994, 11995, 12033, 12059, 12066, 12105, 12245, 12283, 12378

Adiantaceae

Adiantopsis monticola: 9291

Adiantopsis radiata: 2962, 4703, 4745, 6324, 7345,

8195, 9240

Adiantum adiantoides: 3956

Adiantum argutum: 4682, 6222, 6919 Adiantum asperum: 1937, 4526, 4701

Adiantum cajennense: 844, 1917, 2016, 2608, 2714,

2796, 3157, 4525, 5187a, 6413, 11162, 11372

Adiantum glaucescens: 6350

Adiantum latifolium: 1146, 2185, 3405, 3481, 6455,

6760, 8155, 10680, 11080, 11133, 11224

Adiantum leprieurii: 2014 Adiantum lucidum: 6349 Adiantum macrophyllum: 8740 Adiantum obliquum: 5991, 8639 Adiantum olivaceum: 1204 Adiantum petiolatum: 6746, 6909

Adiantum phyllitidis: 1084, 1203, 2426, 4307 Adiantum pulverulentum: 3403, 6223, 6757

Adiantum serratodentatum: 5126

Adiantum terminatum: 2327, 2792, 4280, 4388, 4452,

6694, 7107, 7109, 7625, 7946, 10171 Adiantum tetraphyllum: 6020, 11104, 11153 Adiantum tomentosum: 2254, 2473, 7842

Doryopteris collina: 5160, 8657

Doryopteris conformis: 1697, 10326, 10827 Doryopteris pedata var. multipartita: 8191, 8211

Doryopteris sagittifolia: 2456, 4665, 4909, 6000, 8122,

8197, 8293, 8652

Eriosorus flexuosus: 9440, 9544, 10527, 10771

Eriosorus hispidulus: 9435, 10607 Hemionitis palmata: 8203

Hemionitis rufa: 6017, 6032

Pityrogramma calomelanos: 4847, 9836, 9984

Pterozonium terrestre: 9368

Aspleniaceae

Asplenium abscissum: 8291

Asplenium angustum: 1905, 4083, 4962, 6398, 7679, 11130 *Asplenium auritum*: 3058, 3211, 3767, 4750, 5217, 5407,

6070, 6561, 7111, 7497, 7810, 8292 Asplenium cirrhatum: 11629, 11893

Asplenium cristatum: 5993

Asplenium cuneatum: 4684, 5021, 8000, 8310

Asplenium dissectum: 11657

Asplenium feei: 7529

Asplenium juglandifolium: 1908, 4749 Asplenium pearcei: 4004, 8314, 8727 Asplenium pteropus: 10091, 12122

Asplenium radicans: 11891

Asplenium salicifolium: 4257, 7253, 7564, 8737, 9653

Asplenium serra: 5346, 8677, 11802

Asplenium serratum: 373, 634, 1842, 1933, 2201, 2306,

2847, 3468, 3635, 4016, 4082, 4225, 4474, 5963, 6008,

6307, 7337, 7807, 7958, 8014, 8463, 8767, 8838, 8888,

10961, 11103

Asplenium zamiifolium: 8611

Blechnaceae

Blechnum atropurpureum: 9488

Blechnum divergens: 5559

Blechnum nr. gracile: 8567, 8656

Blechnum lehmannii: 11567

Blechnum lherminieri: 10327

Blechnum occidentale: 6019

Blechnum schomburgkii: 9541

Blechnum serrulatum: 718, 1010

Blechnum sp.: 8632

Blechnum violaceum: 9426

Salpichlaena hookeriana: 7429, 9566

Salpichlaena volubilis: 2795, 5530, 7543, 10128, 10296,

11472, 12005

Cyatheaceae

Cnemidaria roraimensis: 8931, 10271

Cnemidaria spectabilis: 4131, 4241, 5445, 6484, 7544,

10636, 11507, 11929

Cyathea cyatheoides: 1925, 2172, 6865

Cyathea dissimilis: 5418, 9292, 9404, 9612

Cyathea macrocarpa: 5331

Cyathea macrosora: 9267

Cyathea microdonta: 9896

Cyathea nanna: 9135, 9271, 9309, 9597

Cyathea pungens: 4120, 4278a

Cyathea aff. simplex: 5803

Cyathea sp.: 5550, 7120

Cyathea surinamensis: 843, 1171, 5180, 5417, 6898

Cyathea traillii: 2861, 7177, 8089, 8263

Dennstaedtiaceae

Lindsaea? cultriformis: 5660

Lindsaea cyclophylla: 10009, 10963

Lindsaea divaricata: 2791, 5296, 7950

Lindsaea dubia: 2889, 5403, 10964

Lindsaea? guianensis: 9089, 5368

Lindsaea lancea: 842, 1921, 2248, 2793, 3137, 4115,

5178, 5516, 5912, 6863, 7071, 7094, 7191, 7360, 7382,

9149, 10008, 10947

Lindsaea parkeri: 9130

Lindsaea pendula: 982

Lindsaea portoricensis: 7002, 9270a, 10761

Lindsaea quadrangularis ssp. antillensis: 5125, 5717, 10393

Lindsaea reniformis: 5395

Lindsaea sagittata: 1920, 2026, 5483, 5489, 6841

Lindsaea schomburgkii: 5295, 5309, 9270, 12205

Lindsaea semilunata: 3093, 5297, 5313, 12158

Lindsaea sp.: 9288

Lindsaea stricta: 3692, 4711, 5825, 5871, 9351, 9487,

10572, 11761

Lindsaea tenuis: 5589, 10211, 10255, 10331, 11653,

11783

Lindsaea tetraptera: 5291

Ormoloma imrayanum: 5543, 5672, 9056, 9080, 9200,

9360, 10187, 10257

Saccoloma elegans ssp. chartaceum: 1434

Saccoloma inaequale: 2938, 4132, 5484, 6415, 7504,

7999

Dryopteridaceae

Arachniodes macrostegia: 5471, 9250, 11432

Arachniodes ochropteroides: 11894

Cyclodium akawaiorum: 12054

Cyclodium guianense: 2879, 7368, 7514, 8093, 9199,

9699, 10414, 11919

Cyclodium inerme: 375, 2569, 4126, 4207, 5490, 5946,

8928, 10071, 11527, 11958

Cyclodium meniscioides: 827, 1206, 1926, 2794, 4116,

5203, 5383, 5384, 7083, 7420, 7660, 8837, 9150, 9659,

9746, 10037, 10054, 10462

Cyclodium varians: 9964

Didymochlaena truncatula: 6226

Olfersia cervina: 8457, 10093, 11909

Polybotrya caudata: 7568, 8159, 8724, 10085

Polystichum? platylepis: 8658

Stigmatopteris rotundata: 8029

Gleicheniaceae

Dicranopteris flexuosa: 710

Dicranopteris nervosa: 5844

Gleichenia remota: 10412

Sticherus bifidus: 9359

Sticherus remotus: 9429, 9986

Sticherus revolutus: 9434

Grammitidaceae

Ceradenia kalbreyeri: 9109

Cochlidium? attenuatum: 11744

Cochlidium furcatum: 2536, 5450, 6040, 6839, 6890,

9111, 9131, 10014, 10216, 12178a

Cochlidium linearifolium: 4106, 5799, 9177, 9922a, 10215

Cochlidium aff. rostratum: 11608

Cochlidium serrulatum: 2028, 2867, 4287, 5299, 5452,

5499, 5682, 5901, 6880, 7477, 8376, 8694, 8956, 9106,

9186, 9192, 9922, 10018, 10142, 10784

Cochlidium tepuiense: 5604, 5683, 5817, 5914

Enterosora campbellii: 5727, 9911

Enterosora trifurcata: 5515, 10420, 11521, 11611

Grammitis asplenifolia: 10339, 10373, 11832, 11889

Grammitis blanchetii: 4898 Grammitis bryophila: 5800 Grammitis flabelliformis: 10509

Grammitis kalbreyeri: 5635, 5715, 10213, 10484

Grammitis leptopoda: 5919

Grammitis melanosticta: 5449, 8695

Grammitis randallii: 9742

Grammitis sp. A sensu A. R. Sm., Fl. Venez. Guayana v.2

p.153: 9365

Grammitis subsessilis: 8974, 10077, 10156, 10510 Grammitis taxifolia: 5525, 7361, 7468, 8412, 12106

Lellingeria moranii: 9616

Lellingeria randallii: 5385, 8999, 9285 Lellingeria subsessilis: 5524, 8947, 9169

Lellingeria suspensa: 3247

Micropolypodium nanum: 3685, 5348

Micropolypodium taenifolium: 5571, 5600, 5726, 6881,

7260, 7397, 8232, 8377, 9197 Zygophlebia sectifrons: 11804

Hymenophyllaceae

Hymenophyllum apiculatum: 5818, 8967 Hymenophyllum decurrens: 2866, 5517, 6854 Hymenophyllum dependens: 5927, 9127 Hymenophyllum fendlerianum: 5911 Hymenophyllum hirsutum: 6822, 9297 Hymenophyllum kaieteurum: 5544a

Hymenophyllum polyanthos: 2586, 3185, 3683, 3684,

5266

Hymenophyllum aff. sericeum: 5240

Hymenophyllum sp.: 10825

Hymenophyllum trichomanoides: 1884, 5332, 5955, 7710, 8257, 8676

Indet.: 2345, 2944, 7380, 9967, 9968, 9980, 10007, 10011, 10030, 10113, 10117, 10209, 10236, 10289, 10305, 10345, 10358, 10363, 10398, 10400, 10432, 10447, 10470, 10476, 10602, 10611, 10840, 11101, 11410, 11470, 11492, 11586, 11637, 11649, 11658, 11665, 11666, 11668, 11684, 11755, 11785, 11807, 11855, 11857, 11881, 11882, 12000, 12042, 12079, 12398

Trichomanes "longifolium": 8743

Trichomanes accedens: 8391

Trichomanes ankersii: 4157, 4582, 4884, 7440, 7518, 11484

Trichomanes arbuscula: 535, 5467, 5477, 5576, 5637,

9001, 9038, 9039

Trichomanes bicorne: 2846, 3139, 10702

Trichomanes caliginum: 5544, 8925, 9030, 9337

Trichomanes cellulosum: 1064, 5498, 5716, 5757, 5921,

9040, 9112

Trichomanes crinitum: 1034, 5780

Trichomanes crispum: 3082, 5316, 5468, 5470, 6876,

8530, 8675

Trichomanes cristatum: 3681, 7266, 7389 Trichomanes diaphanum: 2806, 5482 Trichomanes diversifrons: 4118, 8472, 9701

Trichomanes egleri: 5593

Trichomanes elegans: 2877, 8944, 9689, 10069, 10070,

10901, 11469

Trichomanes hostmannianum: 2785, 8755

Trichomanes humboldtii: 11440

Trichomanes krausii: 3160, 3637, 3938 Trichomanes longifolium: 6411, 7175 Trichomanes macilentum: 10967

Trichomanes pedicellatum: 2421, 2726, 2878, 4101,

5441, 6868, 7783, 9012, 11486 Trichomanes pellucens: 7263

Trichomanes pinnatum: 675, 1571, 1903, 2186, 2499, 2572, 2800, 3156, 3725, 4532, 5167, 5444, 5954, 6965,

7092, 7431, 11190

Trichomanes punctatum: 2265, 4522 Trichomanes radicans: 8166, 8454, 8733 Trichomanes rigidum: 7097, 7435 Trichomanes roraimense: 5696, 9513

Trichomanes sp.: 2263

Trichomanes spruceanum: 3092 Trichomanes sprucei: 5584, 5639 Trichomanes steyermarkii: 5920

Trichomanes trollii: 652, 1883, 2570, 5404, 7121, 7335,

9989, 10284, 12095

Trichomanes tuerckheimii: 5175 Trichomanes vandenboschii: 2821

Trichomanes vittaria: 2198, 2241, 3629, 11165

Lomariopsidaceae

Bolbitis nicotianifolia: 7560, 8028, 8334, 8731, 9691 Bolbitis semipinnatifida: 4146, 4244, 4259, 6086, 7437, 7686

Bolbitis serratifolia: 8295, 8709 Elaphoglossum crinitum: 8934

Elaphoglossum decoratum: 5519, 8985, 9241 Elaphoglossum flaccidum: 7539, 9647a, 10479

Elaphoglossum glabellum: 4096, 4743, 5275, 5951, 6601,

10015

Elaphoglossum herminieri: 3741 Elaphoglossum horridulum: 9650 Elaphoglossum laminarioides: 10086 Elaphoglossum lingua: 5781, 7801 Elaphoglossum longifolium: 9647

Elaphoglossum luridum: 1949, 4290, 10991 Elaphoglossum macrophyllum: 6860, 9850 Elaphoglossum minutum: 3763, 4963 Elaphoglossum nigrescens: 5453 Elaphoglossum peltatum: 5684

Elaphoglossum plumosum: 3709, 5344 Elaphoglossum praetermissum: 7283 Elaphoglossum sp.: 5245, 7493, 8273

Elaphoglossum strictum: 4135

Elaphoglossum vel aff. vanderwerffii: 10403, 10832 Lomariopsis japurensis: 1919, 2818, 3798, 4341, 4367, 4555, 6695, 6696, 11660

Lygodiaceae

Lygodium volubile: 1906, 3971, 4361, 8635, 8773

Marattiaceae

Danaea elliptica: 4148, 5558, 7364, 7527, 10272, 11508

Danaea moritziana: 10390 Danaea simplicifolia: 4187

Metaxyaceae

Metaxya lanosa: 12153

Metaxya rostrata: 374, 801, 1907, 2194, 3203, 5370,

6414, 7371, 11398

Oleandraceae

Nephrolepis biserrata: 731, 2502, 4001 Nephrolepis cordifolia: 1044, 5670, 6885

Nephrolepis pectinata: 12292 Nephrolepis pendula: 9930

Nephrolepis rivularis: 4626, 7301, 8531, 9931

Oleandra articulata: 2560, 6892, 7274, 8233, 8687,

8974a, 9868, 9948, 10480, 11607, 11983

Oleandra pilosa: 4002

Polypodiaceae

6516

Campyloneurum latum; 3766, 6058

Campyloneurum phyllitidis: 3473, 4030, 4295, 4781, 4893, 8885, 11181

Campyloneurum repens: 1154, 1486, 2324, 4448, 4697, 5204, 6345, 7528, 8461, 8725

Dicranoglossum desvauxii: 2264, 2976, 3672, 4092,

4561, 4744, 6309, 6692, 8728, 8784, 11365 Microgramma baldwinii: 3141, 8859, 11058

Microgramma fuscopunctata: 2807, 4256, 4865, 7575, 8033, 9652

Microgramma lycopodioides: 419, 1083, 1887, 2849, 3642, 5197, 6524, 6807, 7739

3642, 5197, 6524, 6807, 7739 Microgramma persicariifolia: 2231, 4032, 4666, 6443,

Microgramma reptans: 1509, 3482, 4229, 4332, 4858,

4989, 6473b, 8766, 8865, 11164, 11320 Microgramma tecta: 3997, 6221, 8628

Microgramma thurnii: 183, 2797, 7090, 7657, 7952

Niphidium crassifolium: 604, 1208, 4063, 4205, 4252,

4507, 4795, 6473a, 7471, 10068, 12303

Pecluma pectinata: 7525, 8073, 8641, 11832a

Pecluma plumula: 3486, 4024, 4042b, 4509, 5958, 6585,

7021, 11180, 11523

Phlebodium pseudoaureum: 2436

Pleopeltis percussa: 1492, 2323, 2978, 3470, 3764, 4031,

4696, 5956, 6616, 8311, 8706, 8876, 11144, 11186,

11355

Polypodium bombycinum: 8151, 8312, 8845, 8857

Polypodium caceresii: 951, 5218, 5292, 7373, 7515,

8915, 9657, 9658, 10087, 10100, 12242

Polypodium dissimile: 7507

Polypodium dulce: 2936, 4325, 4683, 7512, 7531, 10127

Polypodium fraxinifolium: 7463

Polypodium loriceum: 5335, 8992, 10294, 10388, 10814,

12065

Polypodium panorense: 7165

Polypodium polypodioides: 1836, 1940, 4023

Polypodium sessilifolium: 5308, 5643, 5915, 9611,

10208, 11764

Polypodium triseriale: 1036, 3708, 4964, 8669

Pteridaceae

Pteris pearcei: 8638 Pteris pungens: 4223

Salviniaceae

Salvinia radula: 1395, 1479

Schizaeaceae

Actinostachys pennula: 865, 5231, 7003

Actinostachys subtrijuga: 12342 Anemia flexuosa: 2446, 3686, 6891

Anemia hirta: 5151

Anemia pastinacaria: 1831

Anemia phyllitidis: 857, 1220, 8196

Anemia villosa: 1692

Schizaea elegans: 3086, 5305, 5891, 5985, 6861, 6970,

7098, 7202, 7402, 7962, 8674, 9137, 10258, 11404

Schizaea fluminensis: 5506, 5518

Schizaea incurvata: 811, 5229, 6091, 6138

Schizaea stricta: 12192

Tectariaceae

Ctenitis refulgens: 3892, 5998, 6203

Cyclopeltis semicordata: 3404, 4015, 8167

Lastreopsis amplissima: 5535, 11969, 11992

Lastreopsis effusa: 8168 Tectaria heracleifolia: 4180

Tectaria incisa: 6031, 7654, 8153

Tectaria cf. plantaginea: 1945, 2503, 4156, 4317, 7348,

8031, 10065, 10897

Tectaria trifoliata: 1142, 2066, 4261, 9671, 10105, 11371

Triplophyllum acutilobum: 5186

Triplophyllum dicksonioides: 1904, 4685

Triplophyllum funestum: 2247, 2271, 2316, 2822, 4117, 4389, 5168, 5187, 6412, 6864, 7106, 7343, 7550, 10101, 10139, 11105

Thelypteridaceae

Thelypteris abrupta: 6918 Thelypteris arborescens: 4572 Thelypteris decussata: 7646

Thelypteris hispidula: 8953, 8987, 9849

Thelypteris kunthii: 5713 Thelypteris leprieurii: 5202 Thelypteris nesiotica: 8961, 9677

Thelypteris opulenta: 1099, 1841, 3406, 4200, 6014,

6327, 6759, 6776, 6905

Thelypteris pennata: 853, 4222, 6022

Thelypteris serrata: 3817 Thelypteris tetragona: 1193

Vittariaceae

Ananthacorus angustifolius: 1894, 4027, 4797, 9239

Anetium citrifolium: 4234, 4492

Antrophyum cajenense: 9651, 10046, 11366, 12257 Antrophyum guayanense: 1470, 2413, 2801, 3643, 3886, 4581, 4704, 4892, 6310, 6584, 7421, 7490, 7559, 8030,

8729, 8771

Antrophyum jenmanii: 2632

Hecistopteris pumila: 3378, 4537, 4567, 7767 Vittaria gardneriana: 8619, 11806, 11900

Vittaria graminifolia: 2535

Vittaria lineata: 3746, 4686, 4742, 8620

Vittaria remota: 7461

Woodsiaceae

Diplazium? celtidifolium: 8591, 8636, 11662, 11906

Diplazium centripetale: 7530, 8343

Diplazium cristatum: 1100, 1143, 8150, 8169

Diplazium expansum: 11988 Diplazium gracilescens: 7540 Diplazium lechleri: 5551, 11568 Diplazium radicans: 11990 Diplazium riedelianum: 6074

GYMNOSPERMS

Gnetaceae

Gnetum nodiflorum: 1526, 4958, 6856, 6954, 7206,

7848, 10571

Gnetum paniculatum: 9203

Gnetum sp.: 12423 Gnetum urens: 8547

Podocarpaceae

Podocarpus steyermarkii: 9073, 9497, 9498, 9521, 9550,

10538, 10539, 10749

Podocarpus tepuiensis: 5658

DICOTS

Acanthaceae

Aphelandra pulcherrima: 8326

Asystasia gangetica: 760, 12439, 12440, 12443

Barleria cristata: 12441

Gynocraterium guianense: 4386 Indet.: 8157, 11067, 12175 Iusticia betonica: 12442

Justicia calycina: 609, 636, 2495, 2517, 2526, 4212,

7352, 7995, 10902, 12151 Justicia guianensis: 6205 Justicia pectoralis: 8596

Justicia potarensis: 3488, 9660, 10121 Justicia schomburgkiana: 399, 2304

Justicia sp.: 7473 Justicia wurdackii: 1912

Lepidagathis alopecuroidea: 6517

Pachystachys coccinea: 8140, 8241

Polylychnis radicans: 1893, 6670, 7642, 7766, 8118,

8476

Ruellia geminiflora var. angustifolia: 1725

Ruellia tuberosa: 12438 Trichanthera gigantea: 1261

Amaranthaceae

Alternanthera brasiliana: 1998

Indet.: 2783, 3379, 6930, 7871, 8205, 8449 Pfaffia glomerata var. glomerata: 382

Anacardiaceae

Anacardium occidentale: 2165, 6098

Astronium ulei: 6791

Loxopterygium sagotii: 6126

Spondias mombin: 3491, 6912, 11325

Tapirira guianensis: 1610, 3816, 6418, 6462, 6855, 6987,

7255, 7398, 8050, 8236, 8418, 8612, 8679

Tapirira ? sp.: 3218

Annonaceae

Anaxagorea acuminata: 4888, 7935, 8833, 11339, 11359,

11383

Anaxagorea brevipes: 2204, 2811, 2823, 2964, 7240,

7735
Anaxagorea dolichocarpa: 313 592 830 1150 1180

Anaxagorea dolichocarpa: 313, 592, 830, 1150, 1180, 1400, 1415, 2512, 2567, 2629, 4198, 4251, 5205, 6056,

6059, 11293, 12147, 12150

Anaxagorea petiolata: 8962, 9773, 10134, 10303 Anaxagorea sp.: 2881, 3570, 3622, 4817, 7662

Annona ambotay: 7213 Annona haematantha: 2576

Annona hypoglauca: 1542, 2011, 3878, 5031, 6525

Annona sericea: 545

Annona sp.: 1746, 1863, 2125, 2282

Annona symphyocarpa: 583, 1187, 2644, 9167, 9223, 9317, 10238, 10674, 10837, 10860, 11550, 11915

Bocageopsis multiflora: 4544, 7837, 8426

Cymbopetalum brasiliense: 1892, 4079, 4152, 4265, 4382, 4430, 4529, 4890, 6669, 7658, 8064, 8482, 8491

Duguetia calycina: 192, 526, 1985, 2054, 2518, 3240,

3809, 4318, 4562, 11046

Duguetia cauliflora: 2195, 3170, 4556, 4804, 8851

Duguetia decurrens: 1214, 1215, 10004 Duguetia guianensis: 7908, 8036, 8480, 8589

Duguetia inconspicua: 4324, 11237 Duguetia latifolia: 4633, 8756 Duguetia macrocalyx: 4480, 4580

Duguetia neglecta: 187, 1416, 1902, 2480, 3602, 4316,

9765

Duguetia paraensis: 1448 Duguetia pycnastera: 12244

Duguetia quitarensis: 4792, 6284, 6427, 6523

Duguetia rigida: 9642, 12074

Duguetia sp.: 2286

Duguetia surinamensis: 2566, 3947

Duguetia yeshidan: 161, 229, 1275, 1455, 2269, 2407,

3412, 4362, 6200, 6242, 6684, 8742, 8862

Fusaea longifolia: 1396, 3573, 3611, 3628, 3953, 4330,

4396, 4470, 4780, 4882 Guatteria alticola: 9247

Guatteria anthracina: 3224, 8018 Guatteria ayangannae: 9624, 9819

Guatteria citriodora: 670 Guatteria clusiifolia: 9745 Guatteria megalophylla: 8777

Guatteria minutiflora: 11542, 11916, 11984

Guatteria pakaraimae: 10861 Guatteria paludosa: 11004

Guatteria procera: 7211, 7299, 7392

Guatteria punctata: 1813, 1817, 2032, 6084, 7279, 7319,

7583, 9707

Guatteria rubrinervis: 5048

Guatteria scandens: 330, 401, 1335, 4425 Guatteria sp.: 4760, 7132, 8180, 8481, 8608

Guatteria subsessilis: 5056

Guatteria wachenheimi: 554, 575, 623, 1087, 1429,

2496, 2515, 4139, 4195, 6474

Guatteria wokomungensis: 10286, 10456, 10493

Indet.: 7153, 10675, 11433 Klarobelia sp.: 6750 Klarobelia sp. nov.: 3420 Pseudoxandra cuspidata: 5024

Pseudoxandra lucida: 3069, 3302, 3336, 6595, 7689,

7755, 7778

Pseudoxandra sp.: 4573, 8778

Trigynaea caudata: 233, 412

Unonopsis glaucopetala: 9673, 9708

Unonopsis guatterioides: 539, 1544, 1963, 2216, 2772, 3006, 3503, 3973, 4783, 5055, 6534, 6605, 6643, 7909.

8752, 8810

Unonopsis rufescens: 4194

Unonopsis stipitata: 1466, 1560, 2729, 3122, 4308, 7060,

7613, 7776

Xylopia benthamii: 1417, 4823 Xylopia calophylla: 7104 Xylopia discreta: 1558 Xylopia emarginata: 10858

Xylopia sp.: 3828 **Apocynaceae**

Allamanda cf. cathartica: 5884

Allamanda sp.: 568 Ambelania acida: 4578 Anartia cerea: 723 Anartia olivacea: 2037

Aspidosperma excelsum: 678, 1293, 3181 Aspidosperma macrophyllum: 6249, 6251 Aspidosperma sandwithianum: 1256

Aspidosperma sp.: 3172, 4941, 12116

Aspidosperma vargasii: 420 Bonafousia angulata: 4870

Bonafousia lorifera: 328, 1350, 2500, 3674, 4920, 6665

Bonafousia macrocalyx: 4873

Bonafousia muelleriana: 2888, 4551, 4590, 4636

Bonafousia obliqua: 5182, 5939 Bonafousia sananho: 6053 Bonafousia siphilitica: 3856

Bonafousia sp.: 10103, 10229, 10888

Bonafousia undulata: 171, 206, 207, 321, 408, 601, 1288, 1458, 1487, 1623, 2545, 2573, 2574, 2630, 3943, 4589,

4889, 6299

Condylocarpon sp.: 8483 Couma guianensis: 370

Couma rigida: 5392, 5619, 5649

Couma sp.: 7604

Forsteronia acouci: 6914

Forsteronia sp.: 4170, 5016, 7162, 7218, 8037, 8501, 8568

Galactophora schomburgkiana: 1040 Geissospermum argenteum: 7664, 7667 Himatanthus bracteatus: 1626, 2982 Himatanthus drasticus: 1699, 1788 Himatanthus sp.: 6133, 6754

Indet.: 286, 4643, 4694, 6146, 6256, 6260, 7777, 9091,

9627, 9764, 9813, 9843, 11048, 11255, 11288, 11313,

11502, 12048, 12291

Lacmellea aculeata: 2419, 4640, 7668, 7953, 8008

Malouetia gracilis: 2763 Malouetia sp.: 4761

Malouetia tamaquarina: 162, 2730

Mandevilla benthamii: 881, 972, 5849, 12308

Mandevilla hirsuta: 1600, 1733 Mandevilla lasiocarpa: 6984

Mandevilla rugellosa: 1156, 1850, 4051, 4807

Mandevilla scaberula: 1783 Mandevilla sp.: 10595

Mandevilla vanheurckii: 815, 1017

Mesechites sp.: 4348

Mesechites trifida: 690, 1531, 1976, 3281, 3411, 3457,

3525, 3855, 4763, 5028, 6267, 6707, 11222

Odontadenia geminata: 4411 Odontadenia macrantha: 1348, 3076

Odontadenia nitida: 2656

Odontadenia puncticulosa: 3129, 3145, 7965

Odontadenia sp.: 2279 Plumeria rubra: 3675 Prestonia acutifolia: 306

Prestonia quinquangularis: 6507, 6710

Prestonia surinamensis: 1767

Rauvolfia sp.: 2080

Secondatia densiflora: 4035 Stemmadenia grandiflora: 1766 Tabernaemontana cerea: 7198

Tabernaemontana heterophylla: 1300, 3436, 4263, 4811,

7430, 7501, 8651

Tabernaemontana macrocalyx: 7571, 8019

Tabernaemontana sananho: 7681

Tabernaemontana cf. sp.: 1597, 7347, 7506, 7666, 7948,

8147, 8582

Tabernaemontana undulata: 7984, 8094, 8095

Aquifoliaceae

Ilex cf. abscondita: 3096 Ilex aff. amazonensis: 9523

Ilex jenmanii: 11063, 11346, 11353

Ilex karuaiana: 1229 Ilex martiniana: 785 Ilex cf. ovalifolia: 2301

Ilex retusa: 1022, 5731, 5737, 5743, 5835, 5876, 9370,

9385, 9460, 10522, 10534, 11678, 11724, 11726

Ilex sp.: 884, 995, 2096, 4725, 4923, 5248, 5328, 5457,

7939, 8231, 9319, 9570, 10540, 11677, 11713

Ilex cf. sp. nov.: 8534 Ilex theezans: 9394 Indet.: 5857

Araliaceae

Dendropanax sp.: 6492

Indet.: 8369

Oreopanax capitatus var. capitatus: 5290 Schefflera marahuacensis: 9060, 9362, 9580 Schefflera monosperma: 9491, 9527, 9530

Schefflera sp.: 7589, 10260, 10492, 10523, 10525, 10690, 10736, 10849, 11539, 11723, 11728, 11853, 11932

Schefflera cf. umbellata: 9301

Aristolochiaceae

Aristolochia cornuta: 519 Aristolochia kanukuensis: 1855 Aristolochia sp.: 1634, 2957

Asclepiadaceae

Indet.: 667, 713, 986, 1023, 1704, 1802, 2148, 2223, 2342, 3387, 4192, 5029, 5136, 5232, 6179, 7557, 7802,

8757, 9780, 9881, 10970, 10997, 12241

Matelea stenopetala: 659

Balanophoraceae

Helosis cayennensis: 1516, 1574, 1837, 2588, 4489, 5520

Balsaminaceae

Impatiens balsamina: 1270

Begoniaceae

Begonia glabra: 6013 Begonia heloisana: 1137 Begonia humilis: 3852

Begonia jenmanii: 8919, 8969, 9253, 10064, 10160

Begonia prieurii: 4653 Begonia semiovata: 8075

Bignoniaceae

Adenocalymna inundatum: 276, 2737, 3600, 3822, 3933,

6514, 6625, 6727, 7764, 7815 Adenocalymna purpurascens: 8663 Anemopaegma oligoneuron: 1624 Anemopaegma sp.: 727, 6640, 8182 Arrabidaea bilabiata: 3514, 3980 Arrabidaea candicans: 782 Arrabidaea conjugata: 6204

Arrabidaea mollissima: 1681, 1763, 2150 Arrabidaea nigrescens: 3524, 3814

Arrabidaea prancei: 8359

Arrabidaea cf. florida: 5215

Callichlamys latifolia: 3522, 3528, 6630

Clytostoma binatum: 1548, 6565, 6639, 6717, 7692,

7809, 7847

Cuspidaria sp.: 1678

Cydista aequinoctialis: 269, 454, 2291b, 3905, 5001,

5010, 6447, 6521, 6628 Cydista lilacina: 6700, 8821

Cydista sp.: 11100

Digomphia laurifolia: 925, 973, 5858, 12337

Distictella elongata: 1404

Distictella magnoliifolia: 509, 3367

Indet.: 2742, 6382, 6623b, 7846, 9191, 9206, 10987,

11049, 11213, 11281, 11297, 11380 *Jacaranda copaia*: 3350, 7768, 8827

Jacaranda obtusifolia: 466, 2744, 3386, 3467, 6278,

6587, 11117

Lundia corymbifera: 5155 Macfadyena uncata: 1769 Memora flavida: 1604, 6435

Memora schomburgkii: 264b, 435, 1329, 1369, 2812, 3270, 3615, 3772, 3972, 4093, 4769, 5038, 6277, 6436,

6453, 6489, 6623a, 7633, 8630, 11125

Memora tanaeciicarpa: 4238, 4343, 5017, 8634

Parabignonia stevermarkii: 4165

Paragonia pyramidata: 264a, 438, 1984, 2291a, 2697, 2700, 3024, 3366, 3513, 3866, 3965, 4845, 4997, 5043,

6444, 6622, 6712

Phryganocydia corymbosa: 5962

Pleonotoma clematis: 296, 691, 1330, 2736, 6274

Pyrostegia dichotoma: 6788

Schlegelia sp.: 12144

Schlegelia spruceana: 821, 959, 5220, 5369, 12108

Schlegelia cf. violacea: 1126, 6163, 6387, 7248, 7316,

8685, 10907, 12290

Tabebuia chrysantha: 6154, 9807

Tabebuia insignis var. insignis: 1121, 10986, 6939

Tabebuia obscura: 1812, 2083, 10977 Tabebuia serratifolia: 3462, 3547, 4046

Tabebuia? sp. nov.: 1025, 5462 Tabebuia subtilis: 10929, 12400

Bixaceae

Bixa orellana: 2752, 3517, 3834, 6333, 6454, 6632

Cochlospermum orinocense: 1501, 3164 Cochlospermum vitifolium: 1685, 1696, 1750

Bombacaceae

Catostemma altsonii: 12417 Catostemma durifolius: 11645

Catostemma fragrans: 1823, 3167, 3262, 3670, 3940,

8621, 8661, 8843

Catostemma sp.: 11150

Indet.: 6111, 6600, 9092, 9812, 10738, 10871, 10975

Ochroma pyramidale: 8856

Pachira aquatica: 1333, 2057, 5025

Pachira flaviflora: 3095

Pachira insignis: 349, 1442, 2308, 2930 Pachira minor: 1115, 6140, 6958, 12424

Bonnetiaceae

Archytaea triflora: 5744, 12315

Bonnetia paniculata: 5624, 5654, 10353, 10551, 10779,

10810

Bonnetia sessilis: 914, 917, 975, 5762, 5859 Bonnetia sp.: 9524, 9535, 11659, 11709

Indet.: 5848, 10506, 10515, 10567, 10804, 11680, 11731

Boraginaceae

Cordia alliodora: 2143, 5122 Cordia curassavica: 1639 Cordia exaltata: 234, 366, 546 Cordia fanchoniae: 9165

Cordia grandiflora: 217, 1376, 2691, 2748

Cordia nodosa: 173, 430, 745, 1182, 1469, 1493, 2038, 2417, 2530, 2722, 3154, 3604, 3655, 4168, 4405, 4473, 5174, 5432, 6076, 6399, 6850, 7333, 7594, 7955, 8584,

8921, 9999, 12092 Cordia polycephala: 849

Cordia sagotii: 516

Cordia sp.: 1786, 2322, 2484, 3285, 3914, 3977, 4322, 6357, 10287, 10721, 10762, 10809, 10811, 10812, 11010

Cordia toqueve: 4047

Heliotropium filiforme: 1721, 11037 Heliotropium indicum: 11036

Indet.: 2219, 6469

Tournefortia bicolor: 3361 Tournefortia candidula: 1213 Tournefortia cuspidata: 2002, 8721

Tournefortia hirsutissima: 304, 2693, 6708

Tournefortia melanochaeta: 10499 Tournefortia paniculata: 9906 Tournefortia sp.: 4857

Burseraceae

Crepidospermum rhoifolium: 3574, 7902, 8333, 8790

Crepidospermum sp.: 2834, 3149, 3950 Dacryodes chimantensis: 7717, 8555 Dacryodes nitens: 7038, 7138, 7199, 12083

Dacryodes ? sp.: 7046 Indet.: 3102, 6422, 8024

Protium aracouchini: 2045, 4891, 7534, 7841, 8012,

8691, 9238

Protium crassipetalum: 2191 Protium cuneatum: 10944

Protium decandrum: 2474, 3237, 3330, 4339, 6083

Protium demerarense: 10939 Protium giganteum: 2829, 3187 Protium s.s. guianense: 661

Protium heptaphyllum ssp. *heptaphyllum*: 394, 464, 2739, 2996, 3171, 3194, 3830, 4973, 6279, 6386, 7010, 11123

Protium llanorum: 6789

Protium cf. opacum ssp. exaggeratum: 2524, 4133, 4271,

12109

Protium polybotryum ssp. blackii: 4730 Protium s.l. sagotianum: 3318, 3949, 6082 Protium sp. nov.: 9170

Protium subserratum: 1161, 11414 Protium s.l. tenuifolium: 3722 Protium unifoliolatum: 4445 Tetragastris altissima: 1567

Tetragastris hostmannii: 2981, 3055, 4939, 5011, 11045

Tetragastris panamensis: 2055, 3945

Trattinnickia burserifolia: 2853, 6097, 6125, 11415

Cactaceae

Epiphyllum phyllanthus: 1286, 2203, 3912, 6108, 1286

Melocactus smithii: 1700 Pilosocereus oligolepis: 1804

Rhipsalis cf. baccifera: 3465, 4037, 4789, 8297, 11241

Campanulaceae

Centropogon cornutus: 618, 847, 1107, 4215, 5223, 5545, 8327, 8474, 9189, 9283, 9441, 10154, 10317,

11454, 11597, 11960, 12237

Centropogon roraimanus: 10521, 10729, 11599, 11887,

11924 Indet.: 9983 Capparaceae

Cleome parviflora: 3539 Cleome viridiflora: 1096 Crateva tapia: 309

Capparidastrum sola: 8207

Caprifoliaceae

Viburnum tinoides var. roraimense: 10828, 11795

Caricaceae

Indet.: 4835, 8719 Jacaratia spinosa: 4237

Caryocaraceae

Anthodiscus trifoliatus: 167, 2765 Caryocar glabrum: 2965, 5386

Caryocar microcarpum: 3306, 5078, 11151

Caryocar montanum: 579 Caryocar nuciferum: 327 Caryocar pallidum: 2250, 2258

Caryocar sp.: 3168 Indet.: 8614 Cecropiaceae

Cecropia distachya: 12110 Cecropia kavanayensis: 10511

Cecropia latiloba: 3937

Coussapoa asperifolia: 341, 1377, 6644

Coussapoa? microcephala: 666, 3660, 6823, 6897, 8278,

9748, 9829

Coussapoa trinervia: 7954, 8828 Coussapoa viridifolia: 2640

Pourouma bicolor ssp. bicolor: 3233 Pourouma minor: 2942, 6373, 8565 Pourouma villosa: 3130, 7907, 8849

Celastraceae

Goupia glabra: 3243, 3297, 4000, 4978, 6610, 8824,

8834

Indet.: 8382, 10742

Maytenus? ficiformis: 7205, 7309

Maytenus guyanensis: 2769, 3566, 6784, 11110 Maytenus kanukuensis: 1859, 4036, 6801, 6802

Maytenus oblongata: 3212, 8284

Maytenus pruinosa: 6578

Maytenus sp.: 214, 2626, 3558, 6716

Chloranthaceae

Hedyosmum cf. intermedium: 9421

Hedyosmum sp.: 5755

Hedyosmum tepuiense: 9194a, 10181, 10320, 10369,

10426, 10769, 11549 Chrysobalanaceae

Acioa guianensis: 11363 Chrysobalanus icaco: 6941

Couepia bracteosa: 197, 198, 253, 254, 525

Couepia canomensis: 7164, 8684 Couepia comosa: 397, 688, 1646

Couepia guianensis ssp. glandulosa: 2189, 7890, 2997,

6270, 7548

Couepia parillo: 2598, 7190, 7924, 8832

Couepia sandwithii: 5015

Exellodendron barbatum: 2036, 3148, 4714, 4960

Hirtella bicornis var. pubescens: 7069, 7096, 7831, 7905,

8017, 8785

Hirtella bullata: 880 Hirtella duckei: 2851

Hirtella hispidula: 4577, 5208, 6213, 6257, 6756

Hirtella macrosepala: 3955 Hirtella obidensis: 8053, 8433

Hirtella paniculata: 280, 1233, 2755, 4058, 5247, 6281 Hirtella racemosa: 446, 1337, 1785, 2031, 2105, 2770, 3140, 4726, 4987, 5393, 5945, 6153, 6396, 6671, 6681, 6948, 6955, 7805, 8015, 8794, 9772, 11274, 11434,

12302

Hirtella silicea: 1464, 2019, 2610, 2871, 3941, 4127,

7422, 7610, 9695, 10001 Hirtella sp.: 219, 10893, 10916 Hirtella triandra: 6364, 8138, 8165

Indet.: 2281, 2358, 2400, 3295, 3347, 3789, 4169, 4833, 4975, 7892, 8251, 8506, 8762, 8817, 8853, 8893, 9031, 9604, 9731, 10376, 10460, 10951, 10995, 11850, 11930, 12215, 12304, 12354, 12402, 12410, 12420, 12425

Licania alba: 2472, 2479

Licania apetala: 1231, 1370, 3287

Licania boyanii: 532

Licania coriacea: 2746, 7062

Licania densiflora: 1340, 6253, 6318

Licania granvillei: 3048

Licania guianensis ssp. guianensis: 7115

Licania heteromorpha: 3034, 5389, 5487, 5494, 7920,

10914

Licania incana: 236, 2655, 6961, 7888

Licania kunthiana: 2188, 7779 Licania lasseri: 902, 1005

Licania latifolia: 2859, 3097, 3324

Licania laxiflora: 5405

Licania leptostachya: 1331, 1970, 3435, 3975, 4974,

6272, 6518

Licania licaniiflora: 4210

Licania longistyla: 524, 1425, 3112

Licania majuscula: 1570, 1988, 3987, 5007, 6254, 6296,

6300, 7036

Licania micrantha: 3117, 5448

Licania octandra ssp. octandra: 4913, 6778

Licania ovalifolia: 3827 Licania pallida: 3235 Licania parvifructa: 3118 Licania persaudii: 312 Licania silvae: 1273

Licania sp.: 3022, 9576, 10691 Licania sprucei: 2175, 2251, 3293

Parinari campestris: 282, 346, 3027, 3812, 4433, 6637,

6962, 11060

Parinari excelsa: 7936

Clusiaceae

Calophyllum brasiliense: 11076 Caraipa densifolia: 3036, 3090, 3271 Caraipa grandifolia: 390, 1532 Caraipa punctulata: 4089, 9146 Caraipa racemosa: 7910, 8775

Caraipa cf. sp.: 7893, 9032, 10640, 12017

Chrysochlamys membranacea: 4547, 7513, 7570, 7684

Chrysochlamys weberbaueri: 2063, 2880

Clusia amazonica: 3083, 4709 Clusia cardonae: 5586, 5705, 5888 Clusia cerroana: 5614, 5898

Clusia columnaris: 2546, 2898, 5885

Clusia crassifolia: 7311 Clusia cuneata: 5485

Clusia flavida: 424, 646, 2547, 2924, 3317, 5987, 7277

Clusia fockeana: 216, 224, 241, 533

Clusia grandiflora: 220, 627, 901, 6135, 7225, 11420

Clusia guayanae: 5851 Clusia leprantha: 3563, 6596 Clusia maguireana: 5703 Clusia melchiori: 6419, 6463

Clusia minor: 2445, 3559, 6176, 6550

Clusia myriandra: 5387

Clusia nemorosa: 2678, 3054, 3091, 3191, 3720, 4029,

6410, 6592, 6798, 6804, 6870, 7276, 7287, 7447

Clusia obovata: 2896

Clusia palmicida: 1827, 2857, 4017, 4164, 5931, 5980,

6488, 6835

Clusia panapanari: 2764, 7223 Clusia pusilla: 974, 977, 5810, 5845 Clusia renggerioides: 3142, 7851

Clusia schomburgkiana: 860, 6134, 7001 Clusia sp.: 5256, 5509, 8110, 8829, 11788

Garcinia benthamiana: 1828, 2580, 6245, 6321, 6687,

6813, 7124, 7612

Garcinia macrophylla: 2711, 4530, 6758, 6910

Garcinia madruno: 2771 Garcinia martinii: 6271

Indet.: 3765, 4434, 5129, 5259, 5265, 5685, 5790, 5889, 7897, 7974, 8038, 8059, 8091, 8201, 8238, 8280, 8285, 8299, 8356a, 8370, 8389, 8423, 8432, 8525, 8544, 8575, 8680, 8713, 8814, 8908, 8959, 9037, 9044, 9066, 9076, 9141, 9142, 9152, 9163, 9172, 9173, 9196, 9216, 9218, 9231, 9268, 9275, 9328, 9329, 9340, 9374, 9386, 9389, 9495, 9496, 9508, 9540, 9552, 9567, 9575, 9587, 9589, 9599, 9600, 9641, 9670, 9729, 9749, 9757, 9770, 9774, 9781, 9792, 9794, 9800, 9816, 9871, 9952, 10044,

10165, 10175, 10234, 10356, 10371, 10404, 10406, 10457, 10458, 10503, 10504, 10505, 10557, 10596,

10620, 10642, 10645, 10647, 10661, 10669, 10676,

10683, 10719, 10815, 10821, 10829, 10846, 10857, 10865, 10868, 10876, 10883, 10917, 10932, 10979,

10983, 10985, 10989, 11400, 11647, 11697, 11721,

11829, 11965, 12007, 12085, 12203, 12212, 12213,

12225, 12273, 12279, 12428, 12429, 12431 Lorostemon bombaciflorum: 7160, 7231

Mahurea exstipulata: 1122 Moronobea coccinea: 3000, 6974 Moronobea ptaritepuiana: 5566, 5753

Moronobea sp.: 9638, 10677

Platonia insignis: 6291

Symphonia globulifera: 7095, 7238, 8408, 8602

Tovomita brasiliensis: 7136 Tovomita brevistaminea: 4546 Tovomita carinata: 2568 Tovomita cephalostigma: 7125 Tovomita grata: 4918

Tovomita grata: 4918 Tovomita longifolia: 7270 Tovomita macrophylla: 6980 Tovomita obovata: 7145 Tovomita schomburgkii: 674, 1568, 5408, 6900, 7224, 7838

Tovomita spruceana: 6812, 7865 Tovomita weddelliana: 5486

Vismia cayennensis: 759, 1248, 1583, 3063, 3392, 3824,

4057, 4838, 4988, 6715 Vismia glaziovii: 4851

Vismia guianensis: 544, 898, 899, 1237, 6950, 11114

Vismia Japurensis: 503, 1073, 1110, 3360

Vismia macrophylla: 556 Vismia ? schultesii: 3222

Vismia sessilifolia: 709, 1616, 4286

Vismia sp.: 8715, 8881, 9762, 9803, 9873, 9928, 10471,

10905, 11388, 11641, 12311

Combretaceae

Buchenavia ? macrophylla: 271 Buchenavia megalophylla: 1380, 2757

Buchenavia sp.: 9258

Buchenavia viridiflora: 2230, 3534, 3807, 4771, 5060 Combretum fruticosum: 1658, 1771, 4778, 6497

Combretum laurifolium: 4756

Combretum laxum: 2232, 3013, 5074, 6437, 7731, 7737,

8875

Combretum pyramidatum: 3303, 3463, 3531, 3787,

3926, 7054, 7056, 11299

Combretum rotundifolium: 285, 357, 1378, 2749, 3476,

3873, 3924, 6433

Combretum sp.: 2391, 8009

Indet.: 8660, 8712

Terminalia dichotoma: 6191, 6661

Compositae

Achyrocline vargasiana: 6106 Ageratum conyzoides: 9918

Baccharis brachylaenoides: 9361, 9492, 10328, 10340,

10546, 10711, 10723 Baccharis nitida: 1057

Baccharis schomburgkii: 9448, 9455, 11670

Bidens cynapiifolia: 4358 Bidens pilosa: 9880

Calea lucidivenia: 980, 5627, 11706

Calea oliveri: 908, 1167

Calea solidaginea ssp. deltophylla: 5932, 6102

Centratherum punctatum: 2310

Chaptalia nutans: 1236

Chromolaena laevigata: 1244, 5626, 12405

Chromolaena odorata: 741, 866

Chromolaena pharcidodes: 9262, 10556, 10722, 11652,

12069

Chromolaena squalida: 557

Clibadium surinamense: 783, 852, 12152, 12243

Condylidium iresinoides: 6772

Convza bonariensis: 879, 6924

Eclipta prostrata: 1355 Elephantopus mollis: 837 Eleutheranthera ruderalis: 500

Erechtites hieracifolius: 831, 3867, 5115, 12404

Erechtites valerianaefolius: 9884 Gamochaeta simplicicaulis: 1039 Gongylolepis benthamiana: 979, 5846 Guayania roupalifolia: 9461, 10315, 10555

Ichthyothere terminalis: 1240

Indet.: 9406, 9449, 9450, 9534, 9789, 11714, 11715

Lepidaploa bolivarensis: 1028, 6168

Lepidaploa gracilis: 3275, 6509, 6893, 6947 Mikania banisteriae: 1212, 10148, 11870 Mikania boomii: 9381, 10517, 11671, 11747

Mikania congesta: 262

Mikania duidensis: 9284, 9585, 10605

Mikania gleasonii: 4206, 7259 Mikania cf. guaco: 6190

Mikania micrantha: 10378, 10592, 10699, 10823

Mikania nigropunctulata: 9571, 9758 Mikania parviflora: 1328, 3221, 4034

Mikania psilostachya: 795, 9594, 9786, 9939, 10604

Mikania rondonensis: 10130

Mikania sprucei: 5669, 5923, 6100, 9190, 9334, 10366,

11847, 12252

Mikania trinitaria: 9969 Neurolaena lobata: 1271 Orthopappus angustifolius: 910 Pentacalia freemanii: 11879 Piptocarpha leprosa: 6120 Piptocarpha opaca: 7189 Piptocarpha polycephala: 8422

Piptocarpha triflora: 3479, 3910, 4842 Porophyllum ruderale: 2160 Praxelis karuaiensis: 878

Rolandra fruticosa: 561, 9682

Stenopadus connellii: 9415, 9558, 10535, 10714, 10867,

11642

Stenopadus sp.: 9379

Stenopadus talaumifolius: 1018, 5459, 5750, 5775, 9338,

11389, 12204

Stomatochaeta condensata: 966, 5843 Struchium sparganophorum: 11311 Trichospira verticillata: 3848 Unxia camphorata: 764, 1052

Wulffia baccata: 779, 1602, 1735, 2147, 2685, 3885,

4602, 5114, 5990, 6207, 6913, 8105, 8220

Xiphochaeta aquatica: 3864

Vernonanthura brasiliana: 8522

Connaraceae

Connarus coriaceus: 1849, 3439, 6714

Connarus incomptus: 2093

Connarus lambertii: 1334, 4059, 6269, 6679, 7708

Connarus megacarpus: 4171

Connarus perrottetii var. perrottetii: 1901, 3311, 7934

Connarus sp.: 3736

Indet.: 3119, 3292, 6597, 8076, 10081 Pseudoconnarus macrophyllus: 4460 Rourea frutescens: 2967, 7724

Rourea grosourdyana var. grosourdyana: 1648, 1795,

5146

Rourea ligulata: 4727, 4856, 7836, 7853

Rourea surinamensis: 4953

Convolvulaceae

Aniseia cf. martinicensis: 11310

Dicranostyles ? ampla var. castanea: 169, 389 Dicranostyles sp.: 6392, 6461, 6501, 6825

Evolvulus alsinoides: 2442 Evolvulus sp.: 1642, 2118

Indet.: 1249, 1672, 1673, 1778, 3383, 3384, 3934, 7990,

8190, 8355, 10924

Ipomoea phillomega: 4347 *Ipomoea* cf. sp.: 2305, 6483, 6540

Ipomoea tiliacea: 1382 Maripa glabra: 7603, 7680

Maripa scandens: 477, 3342, 4463, 5219

Maripa sp.: 1612

Merremia aturensis: 1579 Merremia macrocalyx: 1599

Cucurbitaceae

Cayaponia botryocarpa: 12021

Cayaponia cruegeri: 1972, 4839, 11298

Cayaponia racemosa: 5992

Gurania bignoniacea: 1194, 4141, 4186, 4288, 7103,

7450, 7552, 9882, 9897, 10043, 10090, 11253

Gurania lobata: 621, 4282 Gurania nigrescens: 8741 Gurania simplicifolia: 10667 Gurania subumbellata: 1089, 1119 Helmontia leptantha: 6404, 9665

Indet.: 2315, 8356b

Melothria sp. nov. ined.: 8711 Momordica charantia: 1615

Cunoniaceae

Weinmannia aff. balbisiana: 5736 Weinmannia guyanensis: 5608 Weinmannia cf. laxiramea: 5668, 9463

weimmannia Ci. iaxiramea. 5006, 2405

Weinmannia sp.: 9465, 9538, 10496, 10623, 10629,

10767, 11742, 11972

Weinmannia velutina: 9375, 9545

Cuscuta sp.: 2087 Cyrillaceae

Cyrilla racemiflora: 920, 1015, 5796, 9384, 9392, 9536,

10813, 11710 Dichapetalaceae

Dichapetalum pedunculatum: 4635, 5528, 6049, 8034,

9237, 10108, 10122

Dichapetalum rugosum: 3733

Indet.: 12031, 12061, 12217, 12277

Tapura capitulifera: 4440

Tapura guianensis: 522, 591, 1269, 1468, 2478, 2717, 2724, 2882, 3260, 3415, 3613, 3690, 3957, 4197, 4398,

6081, 6348, 7621 *Tapura* sp.: 751 Dilleniaceae

Curatella americana: 1656

Davilla kunthii: 552, 1621, 2983, 3595, 5108, 6951,

6978, 11421, 12138, 12305 Davilla cf. nitida: 9805, 9872 Doliocarpus amazonicus: 11461

Doliocarpus brevipedicellatus: 3752, 3986 Doliocarpus dentatus ssp. dentatus: 1995, 6928

Doliocarpus macrocarpus: 8279 Doliocarpus major: 2298 Doliocarpus paucinervis: 12377 Doliocarpus sp.: 4837

Doliocarpus spraguei: 1409, 4765

Indet.: 1847, 2352 Tetracera asperula: 773 Tetracera maguirei: 12380

Tetracera volubilis ssp. volubilis: 707

Droseraceae

Drosera communis: 9484

Drosera kaieteurensis: 5841a, 9503, 11754, 12371

Drosera roraimae: 5841, 10526, 11712

Drosera sp.: 924

Ebenaceae

Diospyros artanthifolia: 11042, 11258

Diospyros guianensis: 4779, 5590, 5613, 5751, 12432

Diospyros ierensis: 4267

Diospyros lissocarpoides: 227, 388, 1352, 1450, 4022,

6680, 6908

Diospyros sp.: 2406, 3269, 3335, 6395, 7857

Indet.: 6969 Elaeocarpaceae Indet.: 3560

Sloanea crassifolia: 9383 Sloanea garckeana: 1457 Sloanea grandiflora: 2003, 2604, 4270, 6360

Sloanea guianensis: 4095

Sloanea sp.: 1168, 3131, 3332, 4020, 4531, 5012, 5712,

6372, 6821, 10866

Ericaceae

Bejaria cf. aestuans: 893, 10756, 12407

Bejaria sprucei: 981, 5242, 5253

Cavendishia callista: 5241, 5647, 9799, 10472

Indet.: 5671, 7264, 7760, 9139, 9327, 9442, 9462, 9526,

9723, 9728, 9754, 10021, 10593, 10600, 10873

Ledothamnus sessiliflorus: 11688 mixed collection sp.: 11856

Notopora schomburgkii: 5754, 12379

Orthaea crinita: 1066

Psammisia coarctata: 5298, 7284, 7415, 7424, 10429,

11961

Psammisia urichiana: 11589, 11834

Satyria panurensis: 958, 2910, 2922, 3138, 3333, 5255,

6167, 7949, 7956, 8399, 8703, 10920 Sphyrospermum buxifolium: 11573, 11949

Sphyrospermum cordifolium: 955, 7294, 7399, 8275,

9210, 10224

Sphyrospermum cf. ellipticum: 12300 Thibaudia formosa: 5652, 9159 Thibaudia s.l. nutans: 1003, 9416

Thibaudia sp.: 9388, 9391, 10774, 11719 Vaccinium euryanthum: 1041, 5258

Vaccinium puberulum: 1041, 3238 Vaccinium puberulum: 1016, 1021, 5237

Erythroxylaceae

Erythroxylum amazonicum: 10278 Erythroxylum citrifolium: 781, 6136 Erythroxylum cf. divaricatum: 10671 Erythroxylum kapplerianum: 9845 Erythroxylum lindemanii: 1853 Erythroxylum macrophyllum: 4067

Erythroxylum cf. mucronatum: 2498, 3052, 3124, 6370,

9767

Erythroxylum oreophilum: 9320, 9516, 9573, 10553,

10628, 10726, 11782

Erythroxylum sp.: 1645, 1649, 2074, 4786, 5142, 6767,

7304a, 10383, 10710, 11422

Erythroxylum suberosum: 2089, 2135 Erythroxylum vernicosum: 6805

Indet.: 8230 Euphorbiaceae

Acidoton nicaraguensis: 1931

Adenophaedra grandifolia: 5514, 7089, 9015, 9046

Alchornea discolor: 3310 Alchornea triplinervia: 12039 Alchorneopsis floribunda: 11294 Amanoa guianensis: 3294, 3779, 11183

Aparisthmium cordatum: 799, 1185, 2941, 4130, 6388,

7448

Caperonia stenophylla: 3432

Chaetocarpus schomburgkianus: 3422

Cnidoscolus urens: 1689, 2447

Conceveiba guianensis: 3493, 3535, 11332

Conceveiba hostmannii: 3174 Conceveiba martiana: 2833, 7959

Conceveiba ptariana: 9825

Croton cuneatus: 1974, 2214, 4766, 5058 Croton galeopsifolius: 1807, 1808, 3721

Croton hostmannii: 1241

Croton matourensis: 1210, 10380

Croton pakaraimae: 2775

Croton pullei: 3888

Croton roraimensis: 10644, 11886 Croton schiedeanus: 6219, 6241

Croton trinitatis: 1590 Dalechampia affinis: 3935 Dalechampia parvibracteata: 176 Dalechampia aff. triphylla: 8375

Discocarpus essequeboensis: 414, 1445, 4982 Drypetes variabilis: 3257, 10423, 10634 Euphorbia prostrata: 11141, 11191

Gavarretia terminalis: 2950 Hevea brasiliensis: 5132, 8846

Hevea guianensis: 3176, 7091, 7221, 7832

Hevea? sp.: 2911

Hieronyma oblonga: 679, 10862, 10996, 11790, 11792 Indet.: 4498, 4548, 4784, 4948, 5064, 6340, 7456, 7593, 9613, 10104, 10763, 10953, 12239, 12293, 12324,

12340

Jablonskia congesta: 3419, 4680

Jablonskia sp.: 4872

Mabea cf. *piriri*: 577, 6297, 9036, 11275 *Mabea pulcherrima*: 3220, 3758, 6641, 8863

Mabea rubicunda: 1169 Mabea sp.: 3003

Mabea aff. speciosa: 2538, 2635, 7376, 10169 Mabea taquari: 3146, 3288, 3495, 3902, 7067

Manihot surinamensis: 6558 Margaritaria nobilis: 4010 Micrandra elata: 381

Micrandra glabra: 9718, 9750, 9782

Micrandra aff. lopezii: 9644

Micrandra sp.: 5358

Omphalea diandra: 816, 5503, 6255, 8198, 8488

Pausandra cf. martinii: 594, 1184, 2606, 2628, 2682,

4201, 7626, 7632

Pera schomburgkiana: 6960, 7047

Phyllanthus caroliniensis: 2768, 3015, 3276

Phyllanthus cf. lindbergii: 11096, 11192, 11204, 11302

Phyllanthus sp.: 11765

Phyllanthus vacciniifolius: 1007, 5585, 5873, 9387

Plukenetia loretensis: 758, 2169 Plukenetia polyadenia: 9861, 12089 Plukenetia supraglandulosa: 622 Pogonophora schomburgkiana: 547

Rhodothyrsus macrophyllus: 2825, 3657, 3665

Richeria grandis: 12145

Sagotia racemosa: 329, 3147, 3659, 3794, 3829, 6312,

6317, 6608, 7912, 2836, 8288 Sandwithia guyanensis: 231, 2619 Sapium glandulosum: 4740

Sapium montanum: 4342

Senefelderopsis croizatii: 1070, 5767, 5883, 8545, 9064

Euphroniaceae

Euphronia guianensis: 12321

Flacourtiaceae

Banara guianensis: 786, 6171, 6173 Carpotroche? sp.: 6853, 11166

Carpotroche surinamensis: 200, 1499, 1896, 3133, 6405, 7099, 7232, 7486, 7503, 7555, 8217, 8519, 11132,

11168, 11212, 11228, 11324 Casearia aculeata: 6424

Casearia commersoniana: 715, 1530, 4025, 4371, 4587,

4608, 6935

Casearia aff. duckeana: 8552 Casearia grandiflora: 5966

Casearia javitensis: 4279, 4327, 7185, 7484, 8042, 8513,

8692

Casearia mariquitensis: 612, 1742, 2224, 6425, 6520 Casearia pitumba: 619, 4218, 4446, 4615, 4649, 4936,

7305, 7511, 8357, 8428

Casearia rusbyana: 752, 1566, 7167, 8364

Casearia singularis: 576, 1181, 1453, 2058, 2607, 2725,

3614, 4365, 4436, 4510, 6085

Casearia sp.: 10733, 11997, 12104, 12289

Casearia spinescens: 2134

Casearia sylvestris: 586, 2651, 4009, 4268, 4802, 6384,

6787, 7137, 7207, 8328, 6233

Casearia cf. tremula: 5137

Euceraea nitida: 870, 1074

Homalium guianense: 7849, 11142

Homalium racemosum: 1520, 6438, 8804

Indet.: 3880, 10279, 10285, 10461, 10689, 10855

Laetia cupulata: 9042

Laetia procera: 4338, 8835, 11116

Mayna odorata: 7983

Ryania pyrifera: 1278

Ryania speciosa var. subuliflora: 4122, 5372, 5552, 6811,

7937

Gentianaceae

Chelonanthus angustifolius: 937

Chelonanthus grandiflorus: 505, 743, 8082 Chelonanthus purpurascens: 1885, 6833

Chelonanthus viridiflorus: 1050 Chorisepalum carnosum: 5730

Chorisepalum aff. psychotrioides: 5505, 5568, 9322,

9554, 10226, 10878, 11624, 11682

Coutoubea racemosa: 1717

Coutoubea ramosa: 499, 3277, 3494, 6432, 11308, 11316

Coutoubea spicata: 6956 Curtia ayangannae: 9470

Indet.: 2346, 10514, 10706, 10817

Irlbachia alata: 3459, 6105 Irlbachia caerulescens: 12366 Irlbachia cardonae: 5264

Irlbachia nemorosa: 869, 988, 5827

Irlbachia purpurascens: 653, 1131, 2555, 7064, 7286,

7446, 8696, 9902, 12090

Irlbachia sp.: 2336, 6544, 9759, 10566, 11005, 11430

Macrocarpaea ayangannae: 9364 Macrocarpaea rugosa: 9553 Schultesia brachyptera: 1730

Symbolanthus comp. calygonus: 5560, 5610

Symbolanthus elisabethae: 9224 Symbolanthus sp.: 10693 Tachia grandiflora: 9975

Tachia guianensis: 7179, 8930

Tachia schomburgkiana: 5367, 9751, 9951, 10167, 12195

Tachia cf. smithii: 2949, 2959, 7785

Tapeinostemon spenneroides: 5423, 5631, 7426, 8559,

9023, 9249, 9961, 10252

Voyria aphylla: 530, 813, 1027, 2673, 4897, 5320, 8937,

10244, 11394, 12164

Voyria aurantiaca: 339, 6025 Voyria caerulea: 326, 6024, 11106

Voyria corymbosa: 154, 256, 520, 1209, 1280, 1294,

1463, 2571, 2621, 6809 Voyria parviflora: 2319, 2423 Voyria rosea: 1139, 1297, 2420, 2622

Voyriella parviflora: 338

Gesneriaceae

Alloplectus cristatus var. epirotes: 10172, 10411

Alloplectus savannarum: 1072, 5312, 5616, 8920, 10194,

11448, 11497, 11837, 11927 Anetanthus sp.: 8979, 9041

Besleria flavovirens: 4143

Besleria insolita: 10058

Besleria laxiflora: 615, 2525, 2931, 2932, 4258, 7411,

7494, 8021, 8144

Besleria parviflora: 11475

Besleria penduliflora: 5523, 5549, 11505, 11926

Besleria cf. sp.: 7372, 12008

Chrysothemis rupestris: 1820, 3441, 3645, 4619, 4693,

4908, 8013

Chrysothemis villosa: 2440

Codonanthe calcarata: 319, 444, 599, 645, 750, 1495,

1515, 1973, 1992, 2008, 2596, 2653, 3667, 3907, 4213,

9889, 11225

Codonanthe crassifolia: 250, 443, 1322, 1959, 3056,

3454, 4408, 4770, 11201, 11352

Columnea guianensis: 5434, 9688, 11613, 11798

Corytoplectus deltoideus: 5526

Drymonia coccinea: 1929, 2196, 2844, 3646, 4369, 4454,

4616, 6475, 7818, 8102, 8158, 8431

Drymonia sp.: 10027

Episcia xantha: 4214, 4260

Indet.: 10312, 11471, 11552, 11603, 11849, 11943,

12003, 12130, 12134, 12182

Kohleria hirsuta: 1138, 8113, 8185

Lampadaria rupestris: 8897

Lampadaria cf. sp.: 12209

Napeanthus rupicola: 10304, 10351, 10842 Nautilocalyx coccineus: 9256, 9444, 10295

Nautilocalyx cordatus: 1439, 4112, 10297, 11385,

12094, 12128

Nautilocalyx fasciculatus: 8564

Nautilocalyx mimuloides: 856, 6007

Nautilocalyx pictus: 2876, 2961, 7705, 9974, 10023, 10112

Nautilocalyx punctatus: 4392, 7998 Nematanthus savannarum: 10941

Paradrymonia anisophylla: 8950, 9006, 9202, 9618,

9619, 10254, 10413

Paradrymonia ciliosa: 9905, 10239 Paradrymonia densa: 638, 725, 2520

Paradrymonia maculata: 1928, 4181 Rhoogeton cyclophyllus: 10350, 10789

Phoogeton visit arms, 9255

Rhoogeton viviparus: 9255 Sinningia incarnata: 2452, 5157

Sinningia incarnata: 2432, 3137 Sinningia schomburgkiana: 1790

Hernandiaceae

Hernandia guianensis: 7835

Sparattanthelium wonotoboense: 5158, 6178

Hippocrateaceae

Cheiloclinium belizense: 4712

Cheiloclinium brevipetiolatum: 3913, 7765

Cheiloclinium cognatum: 6368, 12019

Cheiloclinium hippocrateoides: 3325, 4564, 7773, 8613 *Hippocratea volubilis*: 260, 298, 449, 2698, 3466, 3480,

4757, 4773, 4983, 5070, 6423, 6614, 6678, 6711, 7917,

8776, 8816

Hylenaea comosa: 3990

Hylenaea unguiculata: 4723

Indet.: 1939, 2393, 2832, 5165, 7986, 8320, 8607 *Peritassa laevigata*: 482, 1357, 3696, 7324, 7455

Peritassa pruinosa: 1488

Prionostemma aspera: 1603, 7638

Salacia amplectens: 11044 Salacia cordata: 8107, 8586 Salacia elliptica: 6982

Salacia impressifolia: 3307 Salacia insignis: 4924

Salacia maburensis: 320, 1306, 1443, 3418, 3638, 4091

Salacia multiflora: 2840, 7040, 11579

Salacia sp.: 10915, 11015 Tontelea attenuata: 514 Tontelea laxiflora: 4916, 8783 Tontelea mauritioides: 4822

Tontelea ovalifolia: 7180, 7318 Tontelea sp.: 3806

Hugoniaceae

Hebepetalum humiriifolium: 3230 Hebepetalum roraimense: 3103 Roucheria schomburgkii: 528

Humiriaceae

Endopleura uchi: 3175

Humiria balsamifera: 226, 656, 774, 776, 2654, 5111,

5243, 5862, 6944, 7009 Humiria crassifolia: 863, 976 Humiria sp.: 1606, 2359

Humiriastrum cf. sp.: 7827, 8848

Indet.: 2048, 2824, 5104, 5105, 6166, 6169, 6803, 7644, 8801, 9090, 9636, 11419, 11441, 12317, 12320, 12349,

12401

Sacoglottis cydonioides: 1829, 3936, 4497

Sacoglottis guianensis: 1274, 2912

Sacoglottis? sp.: 4018

Vantanea minor: 868, 885, 10859

Icacinaceae

Emmotum fagifolium: 668, 806

Emmotum glabrum: 5329, 5510, 5831, 9144

Indet.: 8622

Leretia cordata: 4603

Pleurisanthes flava: 4552, 4932, 7788, 7840

Ixonanthaceae

Cyrillopsis paraensis: 11227

Ochthocosmus longipedicellatus: 12347

Krameriaceae

Krameria ixine: 2095 Lacistemataceae

Lacistema aggregatum: 585, 1609, 2044, 3047, 3353, 6064, 6112, 6852, 6981, 7474, 7751, 7839, 8579, 9814

Lacistema grandifolium: 7141, 7685

Lacistema polystachyum: 6815, 7576, 11002

Lamiaceae

Hyptis lanceolata: 510 Hyptis cf. recurvata: 3846

Indet.: 1160, 4407

Marsypianthes chamaedrys: 2102

Lauraceae

Aiouea laevis: 2650

Aiouea longipetiolata: 3128 Aniba citrifolia: 7663, 7981 Aniba cylindriflora: 8561 Aniba hostmanniana: 2477 Aniba megaphylla: 7996, 8065 Aniba panurensis: 4309, 7217, 7479

Aniba parviflora: 7533, 7722 Aniba sp.: 3178, 8224, 12020

Aniba taubertiana: 7148, 7204, 7289, 8313

Beilschmiedia curviramea: 7584 Cassytha filiformis: 703, 7018, 12396 Chlorocardium rodiei: 188, 538, 1303, 1605

Cryptocarya guianensis: 4834, 8889 Endlicheria chalisea: 1465, 12216

Endlicheria gracilis: 4414 Endlicheria multiflora: 11254

Endlicheria pyriformis: 2865, 7342, 7516, 7623, 7975,

8070

Endlicheria reflectens: 1752, 3695, 4040, 6795

Endlicheria ? sp. nov.: 12356 Endlicheria aff. szyszylowiczii: 8397

Indet.: 649, 2056, 2562, 2636, 3205, 3962, 4372, 4442, 4699, 4716, 4832, 4885, 4921, 4931, 4946, 4998, 5057, 5536, 5973, 5979, 5986, 5988, 6147, 6155, 6385, 6579,

6849, 6972, 8381, 8539, 9953, 10152, 10931

Kubitzkia mezii: 6683, 8434 Licaria armeniaca: 3362

Licaria aureosericea: 7242, 7602, 7825

Licaria cannella: 2642, 2893, 7142, 8248, 8549

Licaria chrysophylla: 7239

Licaria debilis: 2050, 2062, 2579, 4314, 7087, 7406

Licaria pachycarpa: 7249

Licaria s.l. subbullata: 7181, 7187, 8438

Nectandra amazonum: 270, 1546, 2695, 3020, 3365

Nectandra cf. globosa: 483

Nectandra sp.: 2252, 3341, 6504, 6621, 6720

Ocotea aciphylla: 8226, 8234, 8417, 11536

Ocotea cernua: 1112, 7578 Ocotea crassifolia: 7332 Ocotea cujumary: 8384

Ocotea discrepens: 8020, 8164, 8289 Ocotea fasciculata: 8099, 8193 Ocotea guianensis: 2684, 3098, 3322

Ocotea neesiana: 2443, 7444

Ocotea nigra: 3053

Ocotea oblonga: 8054, 8598 Ocotea persulcata: 7101, 7452

Ocotea puberula: 1108 Ocotea rhynchophylla: 1637 Ocotea schomburgkiana: 728, 3042

Ocotea sp.: 2246, 3127, 3319, 3790, 3795, 4150, 8540,

9318, 11391, 11789, 12220

Ocotea cf. splendens: 2267, 7078, 7824

Rhodostemonodaphne kunthiana: 4277, 6477, 12060,

12088

Rhodostemonodaphne morii: 2689 Rhodostemonodaphne praeclara: 8345

Rhodostemonodaphne scandens: 647b, 2527, 4113,

7243, 8398, 8557 Lecythidaceae

Couratari guianensis: 8424, 11331

Couratari riparia: 12406 Couratari stellata: 6334 Eschweilera boltenii: 4070 Eschweilera collina: 7039

Eschweilera coriacea: 2600, 2734, 3723, 4209, 4291,

4574, 6035, 6152, 6301, 7580, 12115, 12149

Eschweilera decolorans: 2612

Eschweilera grandiflora: 3209, 3328, 3346 Eschweilera micrantha: 3166, 3188, 3616, 10922

Eschweilera parviflora: 2240, 2970, 4947

Eschweilera parvifolia: 4985, 6810, 7050, 7889, 8819 Eschweilera pedicellata: 230, 1299, 1573, 1967, 2815, 2845, 3061, 3162, 6289, 6339, 6479, 7590, 7733, 8163,

8726, 8748, 8891, 9818

Eschweilera sagotiana: 186, 572, 10687 Eschweilera simiorum: 1459, 4333 Eschweilera sp.: 6315, 10974, 11247

Eschweilera cf. subglandulosa: 190, 273, 391, 2307, 3394, 3532, 3960, 4395, 6192, 6216, 6229, 6276, 6749, 11364 Gustavia augusta: 1557, 1982, 3434, 3510, 3518, 4796,

6499, 6732, 11252

Gustavia hexapetala: 2052, 2841, 3826, 4949, 8479

Lecythis alutacea: 3109, 4052 Lecythis brancoensis: 2071 Lecythis chartacea: 1816, 5018 Lecythis confertiflora: 2471, 2854, 4087, 4088

Lecythis corrugata: 3031, 3312, 3433, 3811, 4585, 4736,

4855, 11099, 11214, 11306 Lecythis zabucajo: 4575, 10988

Leguminosae

Indet.: 2097, 5194, 6087, 6224, 6799, 7782, 8194, 8208, 8569, 8854, 8878, 10079, 10110, 10903, 10919, 10926, 11021, 11390, 11416, 11468, 11933, 12363, 12411, 12433

Leguminosae-Caesalpinioideae

Bauhinia glabra: 6564

Bauhinia guianensis: 7929, 8826

Bauhinia sp.: 1695, 1734, 2081, 2687, 3197, 3520, 3598,

3831, 3944, 3983, 4172, 5139, 8188, 11026 Bocoa alterna: 2894, 4868, 7077, 7150, 7356 Brownea coccinea ssp. capitella: 1145, 6062

Brownea sp.: 854, 9926, 10000 Campsiandra laurifolia: 279

Campsiandra sp.: 292, 363, 441, 2709 Cassia cowanii var. guianensis: 2620

Cassia moschata: 2082

Cassia sp.: 8945, 10057, 10659, 11043, 11112, 11869 Chamaecrista adiantifolia var. pteridophylla: 537, 9841

Chamaecrista desvauxii var. mollissima: 983

Chamaecrista diphylla: 1587b Chamaecrista hispidula: 1582

Chamaecrista nictitans var. disadena: 502, 1413, 2466,

4691

Copaifera guyanensis: 11128, 11323

Copaifera sp.: 350 Crudia sp.: 303

Cynometra bauhiniifolia: 5045, 6724

Cynometra sp.: 299, 345 Cynometra spruceana: 6634

Dialium guianense: 455, 1989, 2409, 3274, 3750, 4840,

4981, 11143, 11876 Dicymbe fraterna: 12211 Dicymbe pharangophila: 9862 Dicymbe sp.: 5456, 10107, 10906 Dimorphandra cuprea: 11417, 12322

Dimorphandra macrostachya: 5512, 6139, 11460

Dinizia excelsa: 2257, 4956

Elizabetha coccinea: 168, 1327, 2314, 3408, 3916, 5068

Elizabetha durissima: 753 Elizabetha princeps: 4202

Eperua falcata: 255, 680, 1633, 2613, 2719, 4084, 4211,

6642, 11085

Eperua grandiflora ssp. guyanensis: 7639

Eperua rubiginosa: 191, 2788a, 3101, 7748, 7918, 7968,

8809, 11375

Eperua schomburgkiana: 1353, 2743 Eperua sp.: 393, 442, 762, 6495

Hymenaea courbaril: 2404

Hymenaea sp.: 4426

Indet.: 9639, 10686, 12148, 12224

Macrolobium acaciifolium: 457, 1373, 2704, 3021, 3349,

3536, 4785, 5085, 6262, 8800

Macrolobium angustifolium: 5049, 6151, 7049, 7758,

8329, 8815

Macrolobium cf. bifolium: 440, 1114, 7712, 9853

Macrolobium multijugum: 3928, 6726 Macrolobium sp.: 294, 4772, 12416 Martiodendron excelsum: 685, 1358

Paloue guianensis: 3289

Paloue induta: 3010, 3207, 7687, 7790 Paloue riparia: 11061, 11094, 11338, 11374

Peltogyne floribunda: 6783 Peltogyne venosa: 281, 468 Peltophorum dubium: 2103 Sclerolobium sp.: 7573, 7709 Senna bacillaris var. bacillaris: 1186

Senna latifolia: 777, 1093, 3891, 3979, 4236, 4420, 6513,

6986

Senna lourteigiana: 7216

Senna multijuga: 6330, 6627, 6739, 6911, 3836

Senna obtusifolia: 6210

Senna pendula var. tenuifolia: 2208

Senna quinquangulata: 433, 511, 639, 1617, 6195, 7480,

8142, 8441

Senna silvestris: 3279, 2328, 4809, 8812

Senna sp.: 9904

Senna splendida: 5130 Senna undulata: 6936, 6985 Tachigali guianensis: 6686, 7030

Tachigali paniculata: 277, 1364, 2009, 5027, 6215, 7794

Tachigali sp.: 6563, 7212, 7404 Vouacapoua macropetala: 3821

Leguminosae-Faboideae

Acosmium nitens: 379, 1379, 2206, 2207, 5149, 8788

Aeschynomene paniculata: 1729 Aeschynomene sp.: 569, 1389, 1399

Alexa imperatricis: 1305 Alexa sp.: 287, 450, 5928 Alexa surinamensis: 11246 Andira inermis: 3988

Bowdichia virgilioides: 2140

Cajanus cajan: 9978 Canavalia sp.: 4659 Centrosema sp.: 735, 8718 Clathrotropis macrocarpa: 4086 Clitoria falcata: 2450 Clitoria sp.: 1628

Crotalaria maypurensis: 2117 Dalbergia intermedia: 3909 Dalbergia monetaria: 3542 Dalbergia riedelii: 456

Dalbergia sp.: 1392, 1536, 1679, 3037 Desmodium adscendens: 1577, 2173, 4416

Desmodium axillare: 1217 Desmodium canum: 2076 Desmodium incanum: 1683

Desmodium sp.: 497, 3382, 3897, 6748, 6916, 9684, 9830

Dioclea guianensis: 2454, 4806, 5929, 6165, 6175, 7027,

7978

Dioclea macrocarpa: 603, 3150, 3173 Dioclea malacocarpa: 8347, 8714

Dioclea megacarpa: 4216

Dioclea reflexa: 848, 3968, 4356, 6922

Dioclea scabra: 1523, 11050

Dioclea sp.: 5026

Dioclea cf. violacea: 6033

Dioclea virgata: 343, 2750, 3033, 6343, 6448, 6718, 8813

Eriosema simplicifolium: 2158

Eriosema sp.: 571

Etaballia dubia: 1332, 1521 Galactia jussiaeana: 1775, 2099

Galactia sp.: 1580 Indigofera hirsuta: 2161

Indigofera lespedezioides: 1732, 1799, 2157, 5135

Lonchocarpus? densiflorus: 3930

Lonchocarpus sp.: 687, 2694, 3358, 3755, 3835, 8003,

8332, 8473

Machaerium aristulatum: 340 Machaerium ferox: 1351, 6734

Machaerium floribundum var. floribundum: 451, 3903 Machaerium leiophyllum var. crista-castrense: 1533

Machaerium quinatum: 3002, 3511

Machaerium sp.: 1349, 2753, 3298, 3521, 7702, 8765

Mucuna sloanei: 9775

Mucuna sp.: 1551, 1961, 12254

Mucuna urens: 1102, 3223, 3620, 3757, 4014, 4351,

5948, 6511

Ormosia coarctata: 2222, 3296, 5035, 8807

Ormosia coccinea: 278, 352, 447

Ormosia coutinhoi: 523

Ormosia sp.: 2043, 2754, 3028, 3044, 4041, 7703, 12414

Paramachaerium ormosioides: 6127 Paramachaerium schomburgkii: 1368 Pterocarpus officinalis: 7114, 7746

Pterocarpus santalinoides: 3393, 3505, 5036

Pterocarpus sp.: 6500, 6638

Rhynchosia phaseoloides: 1257, 6932

Stylosanthes angustifolia: 1774

Swartzia anomala: 2210, 4836, 8803, 8805 Swartzia apiculata: 4039, 6264, 8770

Swartzia arborescens: 4954, 5014, 6503, 7088, 7133,

8172, 8517

Swartzia aff. benthamiana: 2646, 3035, 3123, 7721,

7754, 7863, 2616, 5020, 7579

Swartzia brachyrachis var. glabrata: 2972, 3226

Swartzia dipetala: 3490, 6657

Swartzia grandifolia: 3423, 3777, 7556

Swartzia katawa: 2916, 3113, 7738, 7927, 8340, 8802

Swartzia latifolia: 1671, 6733

Swartzia panacoco var. cardonae: 2623, 3065, 3111,

3151, 3301, 11056, 11093, 11280, 11322 Swartzia remiger: 7797, 7928, 8004, 8841

Swartzia reticulata: 3838

Swartzia sp.: 2278, 2280, 2603, 7041, 11008

Swartzia sp. nov. aff. S. panacoco (Aubl.) R. S. Cowan:

12348

Swartzia sp. nov. (Ser./Sect. Recurvae): 10877

Swartzia aff. tillettii: 2564, 2595 Swartzia xanthopetala: 540 Taralea oppositifolia: 3291, 3769

Tephrosia purpurea: 1702 Vigna luteola: 2213, 3068, 3871 Vigna sp.: 344, 460, 1356, 1740

Zornia latifolia: 1773 Zornia sp.: 740, 1587 Leguminosae-Mimosoideae

Abarema barbouriana: 9601 Abarema ferruginea: 7280, 7381, 7536

Abarema jupunba var. trapezifolia: 2541, 6439, 6844,

8249

Abarema mataybifolia: 2681, 2720

Abarema sp.: 10725

Acacia sp.: 2152, 5156, 6426, 6779, 8210, 9869

Acacia tenuifolia: 1994, 2144, 432 Albizia subdimidiata: 6735 Anadenanthera peregrina: 2468

Calliandra coriacea: 1916, 7565

Calliandra laxa var. stipulacea: 4033, 6263

Calliandra sp.: 3719, 9887, 11202

Calliandra surinamensis: 1118, 1120, 2979, 3192, 3368,

6156

Enterolobium schomburgkii: 2199, 8057, 8363, 8847

Hydrochorea corymbosa: 686, 3356, 3760, 3786, 6051, 6266, 6591, 6645, 7745, 7811, 8806

Indet.: 10856, 10976, 11016

Inga alata: 1990

Inga auristellae: 4334, 4508, 4818

Inga capitata: 4305, 6201

Inga disticha: 261, 2699, 3029, 4787, 6604

Inga edulis: 6217 Inga leiocalycina: 4304 Inga marginata: 4545 Inga meissneriana: 2012

Inga nobilis: 462, 1957, 3286, 3900, 3974, 5046, 6450,

6510

Inga pezizifera: 4296 Inga rubiginosa: 210

Inga sertulifera: 290, 6043, 6699

Inga sp.: 1124, 1252, 1815, 2403, 2511, 2708, 3329, 3538, 3541, 3545, 3648, 3759, 3784, 3854, 3920, 4432, 4853, 4990, 6158, 6220, 6431, 6505, 6506, 6635, 6651, 6740, 6796, 6934, 7100, 7127, 7171, 7300, 7320, 7478, 7509, 7601, 7614, 7615, 7622, 7636, 7643, 7715, 7729, 7747, 7772, 7826, 7916, 8010, 8011, 8077, 8085, 8109, 8131, 8139, 8430, 8448, 8462, 8496, 8578, 8808, 8823, 8830, 9153, 9661, 9768, 9795, 10151, 10281, 10415, 10424, 11000, 11138, 11157, 11532, 11600, 11867, 12023, 12064, 12142, 12230, 12265, 12295, 12434

Inga splendens: 2211, 3981, 4499, 4991

Inga stipularis: 4927

Inga thibaudiana: 1279, 1342

Macrosamanea pubiramea var. pubiramea: 1524, 1614

Mimosa camporum: 6182

Mimosa microcephala var. cataractae: 3371

Mimosa myriadenia: 445, 1080, 1401, 1414, 3966, 4977,

8989

Mimosa pellita: 689, 1375

Mimosa pudica var. tetrandra: 665, 1719 Mimosa rufescens var. rufescens: 793 Mimosa sp.: 3837, 10980, 11018

Neptunia plena: 1722 Parkia nitida: 4905, 7725 Parkia pendula: 6636

Parkia ulei var. surinamensis: 6966, 7048

Parkia velutina: 3631

Pentaclethra macroloba: 166, 453, 1125, 1227, 2735,

6034, 12240

Pentaclethra sp.: 11020

Pseudopiptadenia suaveolens: 4715 Stryphnodendron polystachyum: 8331 Stryphnodendron pulcherrimum: 7186

Stryphnodendron sp.: 6129 Zygia ampla: 2458, 3730

Zygia cataractae: 265, 297, 1367, 3026, 3040, 3352, 3449, 4043, 4759, 8818, 11075, 11203, 11256, 11327

Zygia inaequalis: 1839, 6275 Zygia latifolia: 2738, 1527, 7068

Zygia sp.: 1449 Lentibulariaceae Indet.: 240, 12193

Utricularia adpressa: 926b Utricularia amethystina: 1001 Utricularia hispida: 886, 1046 Utricularia humboldtii: 9339, 11694 Utricularia juncea: 673, 897, 926a, 2657

Utricularia pubescens: 5501

Utricularia sp.: 2331, 2344, 2374, 2387, 2467, 2556, 5554, 5603, 5606, 5634, 5653, 5700, 5748, 5749a, 5765, 5869, 6886, 8907, 8938, 8939, 9049, 9052, 9115, 9187, 9286, 9287, 9446, 9510, 9560, 9727, 9990, 10261, 10318, 10319, 10475, 10544, 10561, 10613, 10615, 10735, 10874, 10913, 11447, 11690, 11691, 11692, 11692, 11693, 11819, 11947, 12173, 12323, 12329,

12331, 12332

Utricularia subulata: 926, 1000

Linaceae Indet.: 6991

Linum cf. sp.: 1718

Lissocarpaceae

Lissocarpa guianensis: 252

Loganiaceae

Antonia ovata: 1805, 7033 Bonyunia minor: 913, 1238 Indet.: 9248, 9664, 9817, 10080

Mitreola sp.: 8456

Spigelia hamelioides: 1946, 2487, 4246, 5397

Spigelia multispica: 608 Spigelia sp.: 1891, 8923, 10386 Strychnos cf. cogens: 578 Strychnos hirsuta: 6282

Strychnos cf. mitscherlichii: 5032

Strychnos peckii: 9778

Strychnos sp.: 3259, 4072, 5047, 7082, 7742, 8894,

10969, 10973 Loranthaceae

Cladocolea micrantha: 6790, 6988, 7140, 7329, 7582,

8631, 8693, 10459

Gaiadendron punctatum: 5609, 5734

Indet.: 7723, 9357, 9610, 10743, 10830, 11466, 11639, 11643, 11681, 11740, 11851, 11864, 11865, 12319,

12385a, 12393, 12394

Oryctanthus alveolatus: 311, 1130, 5961 Oryctanthus florulentus: 4764, 6530 Oryctanthus occidentalis: 2444 Oryctanthus spicatus: 6390

Phthirusa pyrifolia: 4758 Phthirusa rufa: 243, 11074

Phthirusa stelis: 1519, 4860, 5704, 9408, 9790, 9859,

10923

Phthirusa stenophylla: 757 Psittacanthus brachynema: 9586 Psittacanthus cordatus: 1650

Psittacanthus grandifolius: 4400, 4819

Psittacanthus leptanthus: 9053, 9290, 9806, 10248, 10681

Psittacanthus robustus: 7029

Struthanthus dichotrianthus: 8100, 8877

Struthanthus elegans: 1644 Struthanthus gracilis: 996

Struthanthus phyllyraeoides: 2123a, 3729, 4610

Struthanthus sp.: 3819 Struthanthus syringifolius: 5764

Lythraceae

Cuphea antisyphilitica var. acutifolia: 695, 1651, 2119,

2159, 5092

Cuphea carthagenensis: 2079

Cuphea sp.: 812, 1049, 1707, 2332, 2361, 5399, 6115

Indet.: 861, 906, 2367, 7019

Indet. sp.: 10547 Magnoliaceae

Dugandiodendron ptaritepuianum: 11852

Malpighiaceae

Banisteriopsis lucida: 1113, 3813, 6619, 11530 Banisteriopsis martiniana var. martiniana: 655 Banisteriopsis pulcherrima: 11848, 12318

Blepharandra hypoleuca: 1009

Bunchosia mollis: 1675, 1784, 2108, 2122b, 3442, 5138

Byrsonima aerugo: 1403, 1611, 2033, 4609

Byrsonima altissima: 3258

Byrsonima arthropoda: 2773, 3039, 3266

Byrsonima carraoana: 1075, 5342, 5740, 5745, 5850,

9844, 9885

Byrsonima chalcophylla: 9397, 9596, 11839

Byrsonima christianeae: 9709, 9788

Byrsonima coccolobifolia: 1796, 2088, 2136 Byrsonima concinna: 9424, 9572, 12413

Byrsonima crassifolia: 570, 771, 882, 1234, 1670, 1789,

5154, 7873, 12313

Byrsonima eugeniifolia: 2667, 6945 Byrsonima formosa: 3084, 3088

Byrsonima gymnocalycina: 7070, 7694, 7856

Byrsonima krukoffii: 9716, 10971 Byrsonima laevigata: 3633, 4569 Byrsonima pachypoda: 9341, 9590 Byrsonima schomburgkiana: 6952 Byrsonima sp.: 4045, 5040, 5063, 10123 Byrsonima spicata: 1852

Byrsonima stipulacea: 4824, 6088, 6118, 6983, 12041

Byrsonima tillettii: 9378

Excentradenia propinqua: 3970 Heteropterys s.l. macradena: 3592

Heteropterys macrostachya: 3931, 6280, 6508, 6647, 7756

Heteropterys multiflora: 1387 Heteropterys nervosa: 553

Heteropterys subhelicina: 1810, 2114, 4064, 6189

Heteropterys velutina: 1541 Hiraea fagifolia: 6144

Hiraea faginea: 289, 305, 1325, 2701, 3906, 4969, 6440,

6538, 6703, 7852, 8796, 11221, 11283, 11341

Hiraea gracieana: 660

Indet.: 1800, 2289, 2370, 2762a, 3234, 6626, 7350, 8445, 8489, 8494, 8996, 9264, 9987, 10164, 10549, 10569, 10744, 10778, 10824, 10891, 10982, 10993

Mascagnia arenicola: 8942 Mascagnia macrodisca: 4486

Mascagnia poeppigiana: 8061, 8439, 8508

Pterandra guianensis: 9822 Spachea elegans: 1806

Stigmaphyllon sinuatum: 335, 405, 506, 1255, 1565,

3527, 6188, 6476, 7026, 7634, 8339

Tetrapterys anomala: 9105

Tetrapterys discolor: 461, 1250, 1529, 2004, 3516, 3544,

3901, 3978

Tetrapterys fimbripetala: 3375 Tetrapterys glabrifolia: 11159 Tetrapterys mucronata: 2731 Tetrapterys pusilla: 936

Tetrapterys styloptera: 3357, 3409, 3565, 4019, 6050,

6268, 7011, 7066, 12421

Malvaceae

Abutilon sp.: 8189 Hibiscus bifurcatus: 459

Indet.: 6199

Pavonia angustifolia: 1728 Pavonia castaneifolia: 1262, 6027

Pavonia fruticosa: 1098

Peltaea trinervis: 693, 1652, 1723 Sida cordifolia: 1588, 1653, 7006

Sida linifolia: 1655 Sida sp.: 1247, 2073 Sida urens: 1095, 6549

Marcgraviaceae Indet.: 3182, 3894

Marcgravia coriacea: 1079, 5611, 7445, 7699, 7854,

10990, 11625

Marcgravia maguirei: 10466

Marcgravia parviflora: 4119, 4275 Marcgravia ? pedunculosa: 7532, 9870

Marcgravia purpurea: 7858

Marcgravia cf. sororopaniana: 3201, 6883, 7330, 8421, 9279, 9403, 9856, 10449, 10518, 10541, 10716, 10826 Norantea guianensis: 768, 2457, 3508, 3543, 3718, 6406,

11656

Norantea sp.: 10845 Sarcopera flammifera: 1042

Sarcopera tepuiensis: 5772, 9214, 9380, 1006

Souroubea dasystachya: 3251

Souroubea guianensis: 448, 2789, 2909, 3180, 3208,

3370, 3743, 4301, 6588, 6884

Melastomataceae

Aciotis aequatorialis: 3851 Aciotis annua: 7193, 7467 Aciotis indecora: 489 Aciotis laxa: 1913, 4313 Aciotis ornata: 6554, 8078

Aciotis purpurascens: 749, 832, 2782, 4376, 10092 Aciotis sp.: 495, 1101, 4159, 8763, 9220, 9693, 9802

Acisanthera uniflora: 2664a, 12350

Adelobotrys adscendens: 1177, 7322, 7408, 8385

Adelobotrys ciliata: 2542, 4129

Adelobotrys aff. monticola: 10267, 10377, 10468, 11533,

11977

Adelobotrys permixta: 5376, 9938, 10042

Adelobotrys sp.: 6862, 7774, 9072

Bellucia grossularioides: 1559, 3344, 3969, 4632, 7168,

7641, 8594

Blakea/Topobea sp.: 9395 Blakea/Topobea? sp. nov.: 9602 Boyania ayangannae: 10344, 10389 Clidemia anisophylla: 11119

Clidemia buntingii: 9138, 9622

Clidemia capitata: 1054, 5852, 6110, 11425, 12387 Clidemia capitellata: 697, 1164, 1749, 5422, 6104

Clidemia charadrophila: 9208, 10954

Clidemia conglomerata: 719, 722, 828, 5179, 7631, 9674,

10945

Clidemia dentata: 4520, 4521, 4705

Clidemia epibaterium: 12210

Clidemia heptamera: 5478, 9000, 10189, 11963, 12025

Clidemia heteroneura: 7074, 7967

Clidemia hirta: 2164, 3381, 6653, 6937, 2461, 4848,

1822, 6766

Clidemia involucrata: 841, 2494, 2869, 7412, 9026,

10039, 10133, 12049

Clidemia japurensis: 2300, 3624, 4874, 7804, 9017,

9608, 11175

Clidemia juruensis: 8926, 8936, 9014

Clidemia laevifolia: 6786

Clidemia minutiflora: 961, 5541, 6044, 7354, 8390,

11397, 11980

Clidemia novemnervia: 1592, 3985, 5091, 6184, 12338

Clidemia octona ssp. guayanensis: 850, 6029 Clidemia ostentata: 839, 5936, 9067, 10193 Clidemia pakaraimae: 9117, 10197, 11962, 12032 Clidemia pustulata: 3345, 3810, 4849, 6446, 6496, 11111

Clidemia sandwithii: 9593

Clidemia sericea: 2109, 5094, 9944

Clidemia silvicola: 3152

Clidemia sp.: 182, 4319, 5171, 5181, 5430, 5959, 8577,

9923, 9923a

Clidemia strigillosa: 7012

Clidemia tepuiensis: 5633, 9075, 9281

Clidemia venosa: 8453 Comolia microphylla: 3373 Comolia sp.: 989, 2433, 2455 Comolia vernicosa: 238

Comolia villosa: 551, 702, 1668, 1711, 1794, 2664, 5124

Desmoscelis villosa: 11443 Ernestia cf. blackii: 6836, 6889 Ernestia granvillei: 2905 Ernestia pullei: 3731, 7312

Graffenrieda intermedia: 5667, 5784, 8393, 8401, 9164,

10269, 10293, 10324, 10387, 10452, 10631, 10787

Graffenrieda sp.: 5969

Henriettea multiflora: 1412, 1619, 9809, 9925, 10921

Henriettea ramiflora: 754, 9860 Henriettea sp.: 1966, 9715

Henriettea stellaris: 3308, 4790, 10448, 11936 Henriettea succosa: 3038, 3751, 11315

Henriettella caudata: 6490, 8079, 10887, 12016

Henriettella duckeana: 7339

Indet.: 2311, 2334, 2371, 7020, 7085, 7977, 8957, 9280,

9289a, 9875, 9927, 10688, 10822, 11462, 11483

Indet. sp.: 7770

Leandra clidemioides: 7355

Leandra divaricata: 631, 2486, 2504, 2514, 2874, 4326, 5200, 5201, 7108, 7369, 8035, 9685, 9917, 10040, 10096, 10933, 10952, 11456, 12161, 12180

Leandra edentula: 9331 Leandra francavillana: 5531

Leandra cf. micropetala: 2507, 4321, 8899

Leandra procumbens: 9410

Leandra purpurea: 5184, 5416, 5940, 7403, 10063

Leandra sanguinea: 9047, 9831, 9854, 10150, 10375,

11535, 11863

Leandra solenifera: 1935, 4320, 4907

Leandra sp.: 5222, 9681, 10498

Loreya spruceana: 4190

Macairea lasiophylla: 889, 916, 12328

Macairea pachyphylla: 504, 864, 1019, 11413, 12248

Macairea thyrsiflora: 5861

Macrocentrum cf. brevipedicellatum: 9345, 10225,

10565, 10603, 10705

Macrocentrum cristatum: 738, 1438, 1882, 4108, 7159,

7201, 7359, 10301, 10848

Macrocentrum droseroides: 5451, 10214

Macrocentrum fasciculatum: 8623, 8910, 9181, 10381,

10589, 11562

Macrocentrum fruticosum: 2926, 7192

Macrocentrum minus: 9008, 9132, 10006, 11650, 11784

Macrocentrum repens: 5572, 9003, 9174, 10276, 11522,

11913

Macrocentrum sp.: 8250, 8415

Macrocentrum stipulaceum: 10311, 10333

Maguireanthus ayangannae: 9668

Maieta guianensis: 960, 5318, 5949, 6071, 11407, 12235

Maieta poeppigii: 485, 4335, 5173, 10066, 12233

Marcetia taxifolia: 985, 9445, 11698

Meriania crassiramis: 9325, 9475, 10709, 11705

Meriania sclerophylla: 921, 987 Meriania urceolata: 859, 1163, 5830 Miconia abbreviata: 4906, 8597

Miconia acutifolia: 5618, 9352, 9396, 9402, 9453, 9494,

9537, 9542, 11685

Miconia affinis: 1253, 10502, 11534

Miconia alata: 911, 6117 Miconia albicans: 3397, 4075 Miconia alborufescens: 12374 Miconia ampla: 1111, 12127 Miconia cf. amplexans: 12126 Miconia aplostachya: 11347

Miconia aff. argyrophylla: 3217, 3315

Miconia brachybotrya: 8595

Miconia bracteata: 7367, 9011, 9175, 9607, 9916, 10330,

10609, 10717, 12206

Miconia bubalina: 1549, 3523, 6079, 8572

Miconia centrodesma: 8573

Miconia ceramicarpa: 724, 838, 953, 4517, 7650

Miconia chrysophylla: 2928

Miconia ciliata: 654, 5112, 5398, 5443, 5975, 6816,

7014, 9176, 9959, 12386 Miconia crassinervia: 4718 Miconia diaphanea: 7151, 7341

Miconia dodecandra: 5425, 8254, 11006, 11866

Miconia dolichorrhyncha: 7163

Miconia fragrans: 5532, 9221, 10159, 10445, 12026

Miconia gratissima: 1950, 4553, 6101, 6845, 7158, 12251

Miconia holosericea: 5967, 6096, 7247 Miconia hypoleuca: 185, 712, 1086, 3099 Miconia impetiolaris var. spruceanum: 7915 Miconia lappacea: 4090, 5381, 5414

Miconia lasseri: 2313, 4404, 4755, 5052, 11082 Miconia lateriflora: 1819, 4378, 4571, 8002

Miconia lepidota: 7275

Miconia longifolia: 268, 2221, 2733, 4794

Miconia longispicata: 7196

Miconia loreyoides: 10382, 10384, 11602, 11948

Miconia macrothyrsa: 1584 Miconia maguirei: 11406

Miconia marginata: 817, 5365, 9827, 9828, 9956, 11007,

11935

Miconia mariae: 1173, 1266, 1436, 4142, 4184, 10098 Miconia mirabilis: 756, 1405, 2509, 2649, 2686, 5947,

6394, 7425, 8116, 12084, 12093

Miconia myriantha: 7244 Miconia navioensis: 2826, 3331

Miconia nervosa: 600, 640, 2885, 3893, 5996

Miconia platypoda: 2862

Miconia plukenetii: 5431, 8904, 9687, 9810, 10109,

10163, 12123

Miconia poeppigii: 3348

Miconia prasina: 1230, 1660, 2294, 2951, 3105, 3334, 3363, 3749, 5935, 6046, 7759, 11284, 11314, 11335,

12183

Miconia pseudoaplostachya: 1659, 2120

Miconia pseudocapsularis: 5537 Miconia pubipetala: 4622, 6196, 8493 Miconia radulaefolia: 4611, 4737, 7941

Miconia rugosa: 12196 Miconia serialis: 521

Miconia sp.: 787, 2293, 4496, 5003, 5212, 5529, 5538, 5964, 6143, 6185, 7080, 7147, 8237, 8435, 9156, 9160, 9332, 9420, 9427, 9546, 9547, 9557, 9679, 10149,

10291, 10417, 10467, 10598, 10599, 10646, 11485,

11616, 11644, 11880, 11946, 11959, 11978

Miconia splendens: 463, 1997, 3007, 6288, 6646, 7075

Miconia cf. stenostachya: 9591

Miconia superba: 9229, 9393, 10474, 10753

Miconia theizans: 9517, 11553 Miconia tillettii: 10668, 11918

Miconia tomentosa: 2774, 3309, 3808, 6078, 7157, 7245,

7744, 7931, 7961, 7973b, 8700 Miconia traillii: 4439, 4524, 12296 Mouriri acutiflora: 2740, 3032, 6736 Mouriri collocarpa: 2858, 2971 Mouriri duckeana: 3121 Mouriri francavillana: 3009, 3050, 6975 Mouriri grandiflora: 4410, 5065, 7793 Mouriri guianensis: 302, 2696, 3791, 6697

Mouriri sagotiana: 3326

Mouriri sp.: 2042, 3712, 4767, 4986, 5073, 5077, 7833,

8855, 8895

Myriaspora egensis: 4702, 4722, 6214, 6658

Nepsera aquatica: 736, 9839 Ochthephilus repentinus: 9219 Pachyloma coriaceum: 7872

Phainantha laxiflora: 5377, 8909, 9125, 12275

Phainantha maguirei: 5569, 10235, 10608, 10694, 11888

Phainantha myrteoloides: 5587, 5709 Pterolepis glomerata: 494, 9835, 9935 Rhynchanthera grandiflora: 699, 900, 12341

Siphanthera cordifolia: 904, 1060

Siphanthera vel aff. hostmannii: 11438, 12156

Tibouchina aspera: 566, 1407, 1581, 7024, 7878, 11351

Tibouchina fraterna: 967, 1032, 5874 Tibouchina aff. longifolia: 10818 Tibouchina sp.: 2362, 2368

Tococa aristata: 223, 802, 1426, 5183, 5337, 5497, 5714, 5794, 6114, 9878, 10032, 10182, 10935, 12181, 12207

Tococa bolivarensis ssp. bolivarensis: 5834

Tococa cf. erythrophylla: 9260, 9278, 10310, 10560, 10766 Tococa guianensis: 903, 1166, 2779, 7771, 10262, 12263

Tococa nitens: 875, 5106, 7874, 9543, 12316

Tococa subciliata: 1393, 3071, 3265

Topobea ? sp. nov.: 10469

Meliaceae

Cabralea canierana: 7482, 8503

Carapa akuri: 365, 1304

Carapa guianensis: 3788, 4501, 7813

Carapa surinamensis: 3583 Guarea gomma: 3625, 3801

Guarea guidonia: 1264, 6494, 6738, 8134, 8820

Guarea? humaitensis: 12140 Guarea juglandiformis: 4461 Guarea kunthiana: 7677, 8716

Guarea pubescens: 606, 1460, 2005, 2046, 2594, 3564,

6420, 6515, 7313, 8006

Guarea scabra: 3132, 6311, 9662 Guarea silvatica: 2245, 4597, 7574, 8681

Guarea sp.: 3610, 4586, 7932, 8136, 10998, 12141

Guarea trunciflora: 3627, 5004, 7117, 7719

Guarea velutina: 4594, 8056

Indet.: 587

Trichilia cipo: 3014, 4992 Trichilia elegans: 9055 Trichilia martiana: 1999

Trichilia pallida: 2132, 3549

Trichilia pleeana: 6218

Trichilia quadrijuga: 3019, 7726, 8774

Trichilia schomburgkii: 2589, 2647, 3236, 4219, 4328

Trichilia septentrionalis: 9755, 12135

Trichilia sp.: 2605, 3417, 3608, 3793, 3942, 3963, 4074,

4739, 4917, 6231, 6232, 8214, 9236, 11115

Trichilia surinamensis: 6197, 6298, 6682, 11215, 11367 Trichilia surumuensis: 3399, 3594, 4668, 6562, 8098, 8202

Mendonciaceae

Mendoncia aspera: 1090, 10138, 10464, 10806, 11548,

11923, 11950

Mendoncia glabra: 8133

Mendoncia hoffmannseggiana: 4487, 4656, 7600

Menispermaceae

Abuta grandifolia: 3051 Abuta imene: 3590 Abuta obovata: 6487

Abuta rufescens: 1216, 4646

Abuta sp.: 4208

Cissampelos andromorpha: 3656, 4013, 5944

Cissampelos fasciculata: 9909 Cissampelos ovalifolia: 1703, 1801

Cissampelos pareira: 1104, 1751, 4355, 6023

Curarea candicans: 2723

Indet.: 824, 3792, 3915, 7215, 7549, 7637, 7834, 7919,

7982, 8213, 8485, 8553, 11467, 12022

Orthomene schomburgkii: 170, 2702, 4776, 5054, 5059

Orthomene sp.: 3359

Molluginaceae

Glinus radiatus: 3850

Monimiaceae

Indet.: 8040, 8048, 8067, 8223

Mollinedia grazielae: 582, 2583, 2645, 5527

Mollinedia laurina: 2544 Mollinedia ovata: 9166, 11541 Mollinedia ptariensis: 5785

Mollinedia sp.: 1900, 2018, 4623, 6366, 8152, 8400

Monotaceae

Pakaraimaea dipterocarpacea: 12408

Moraceae

Brosimum guianense: 2614, 8625

Brosimum lactescens: 307

Brosimum melanopotamicum: 3125

Brosimum rubescens: 5359 Clarisia ilicifolia: 165

Ficus albert-smithii: 6375, 7308, 12056

Ficus americana ssp. americana: 10497, 10570, 11027,

11971

Ficus broadwayi: 6590

Ficus guianensis: 8081

Ficus insipida ssp. scabra: 2001

Ficus maroniensis: 4563 Ficus mathewsii: 6273

Ficus maxima: 610, 5965, 12298

Ficus paraensis: 683, 1550, 2024, 3820, 5023, 7791,

8349, 8722, 10927, 12285, 12297

Ficus piresiana: 6054

Ficus schumacheri: 3578, 6572

Ficus sp.: 348, 542, 1481, 1613, 5082, 6347

Ficus trigona: 5075

Indet.: 1055

Maquira guianensis var. guianensis: 11337

Maquira sclerophylla: 8362 Naucleopsis guianensis: 6401

Perebea guianensis ssp. guianensis: 2192, 3626, 7592,

7675, 8348

Sorocea muriculata ssp. uaupensis: 11378 Trymatococcus amazonicus: 2963, 3313 Trymatococcus oligandrus: 4599

Myristicaceae Indet.: 3114

Iryanthera juruensis: 3632, 7796 Iryanthera lancifolia: 4177, 10879 Iryanthera macrophylla: 2615, 9045

Iryanthera sp.: 2193, 3193, 3228, 3389, 6664, 7645,

7678, 7933, 7964, 8146, 8341, 8842, 9777

Osteophloeum platyspermum: 2855

Virola calophylla: 4397, 4549, 7116, 7787, 7923, 8051 Virola elongata: 3213, 3661, 3939, 4443, 4570, 6243,

7102, 7227, 7588, 7786 Virola michelii: 4458

Virola sebifera: 6122, 6485, 6725, 7154, 8209, 11208 Virola surinamensis: 1562, 3062, 3785, 7711, 8055, 8769

Myrsinaceae

Ardisia guianensis: 1877, 1969, 2061, 4254, 6057, 6148

Ardisia sp.: 5854, 8949, 8990

Cybianthus apiculatus: 8980, 9027, 9342

Cybianthus crotonoides: 5708, 5815, 9466, 11695, 11757

Cybianthus fabiolae: 9411

Cybianthus fulvopulverulentus ssp. fulvopulverulentus:

221, 1030, 2662

Cybianthus guyanensis: 6819, 6843, 9683

Cybianthus lepidotus: 12270 Cybianthus microbotrys: 4154 Cybianthus prieurii: 3701, 6107 Cybianthus ptariensis: 11729 Cybianthus quelchii: 11725

Cybianthus roraimae: 11674, 11830

Cybianthus surinamensis: 5345, 6103, 6851

Cybianthus venezuelanus: 732, 1267, 7306

Indet.: 2299, 3919, 8227, 8253, 8330, 8514, 8670, 8678, 8933, 9024, 9207, 9242, 9459, 9467, 9509, 9531, 9609, 9783, 9910, 9950, 9958, 10179, 10190, 10241, 10249, 10313, 10322, 10367, 10394, 10427, 10552, 10635,

10707, 10880, 10981, 11427, 11480, 11506, 11614,

12010, 12071, 12087, 12309, 12390, 12422

Myrsine coriacea: 6858, 11545 Myrsine guianensis: 8543, 12199 Myrsine maguireana: 9556 Myrsine minima: 9519 Myrsine nitida: 9158, 9161

Stylogyne orinocensis: 611, 1965, 5051

Myrtaceae

Calycolpus cochleatus: 12383 Calycolpus roraimensis: 5424

Calycolpus surinamensis: 4421, 7156, 7346, 8386, 8411

Calycorectes bergii: 4121

Calyptranthes fasciculata: 3496, 4661, 6244, 6408, 6543,

6589

Calyptranthes pulchella: 9205, 9354, 9583, 10228,

10530, 10751

Calyptranthes sp.: 3444, 3581, 4929, 9398

Campomanesia grandiflora: 1777 Eugenia anastomosans: 2618, 12391 Eugenia arawakorum: 2901, 6464 Eugenia coffeifolia: 1838, 1986 Eugenia cf. cribrata: 1384 Eugenia cucullata: 172, 2030 Eugenia cupulata: 8604

Eugenia egensis: 3282, 3818, 6722

Eugenia eurycheila: 6177

Eugenia feijoi: 4831, 8325, 8759

Eugenia ferreiraeana: 7139

Eugenia s.l. florida: 267, 3742, 4972 Eugenia gomesiana: 7051, 7122, 7757

Eugenia kaieteurensis: 12197

Eugenia lambertiana: 308, 342, 1381, 2212, 3064, 6624,

7850, 8798

Eugenia latifolia: 4340 Eugenia macrocalyx: 7605 Eugenia cf. mimus: 2575 Eugenia patrisii: 3925

Eugenia pseudopsidium: 3206, 6580, 8199 Eugenia punicifolia: 1243, 2090, 7016

Eugenia sp.: 416, 425, 2939, 3445, 3447, 4114, 4695,

4810, 4841, 6225, 8244, 10477, 10664, 11174

Eugenia spruceana: 11937

Eugenia tapacumensis: 377, 3715, 3982

Eugenia tetramera: 2940, 7510, 7769, 7828, 7989, 8486

Eugenia trinervia: 4663

Indet.: 1844, 1944, 2276, 2277, 2283, 3252, 3410, 3582, 4021, 4812, 4922, 4951, 5856, 6344, 6428, 6429, 7146, 7176, 7214, 7267, 7268, 7278, 7295, 7296, 7315, 7323, 7498, 7764a, 7812, 7922, 8265, 8367, 8413, 8535,

8570, 8585, 8852, 9195, 9452, 10031, 10132, 10176, 10180, 10253, 10265, 10300, 10355, 10455, 10463,

10486, 10537, 10558, 10633, 10700, 10720, 10760, 10770, 10852, 10872, 10886, 10928, 10930, 10999,

11171

Marlierea buxifolia: 5707

Marlierea schomburgkiana: 10909, 11411

Marlierea umbraticola: 3605

Myrcia albidotomentosa: 5257, 5802 Myrcia amazonica: 4943, 6826, 8528

Myrcia? bolivarensis: 5548, 5733, 9289, 10280 *Myrcia calycampa*: 2761, 2980, 3714, 4827

Myrcia decorticans: 1390 Myrcia deflexa: 10425, 10643 Myrcia exploratoris: 5681, 5735

Myrcia fallax: 796, 1638, 2984, 3196, 5976, 6047, 6142,

11921, 12294, 12403, 12415 Myrcia aff. fenzliana: 10199

Myrcia graciliflora: 4871, 4933, 4950

Myrcia grandis: 4768

Myrcia guianensis: 2929, 3446, 3842, 4878, 5645, 6594,

11014

Myrcia inaequiloba: 1537, 3011, 3738

Myrcia minutiflora: 4471, 4495, 4542, 4875, 7930, 8307

Myrcia cf. paivae: 6160

Myrcia platyclada: 8228, 12427 Myrcia porphyrea: 12385 Myrcia aff. quitarensis: 1388

Myrcia sp.: 2914, 4729, 4971, 5728, 5732, 5881, 9121, 9222, 9230, 9474, 9476, 9529, 9766, 9801, 10443,

10665, 10838

Myrcia cf. splendens: 4639, 4793, 5081

Myrcia subobliqua: 476, 597, 692, 1323, 1482, 3354,

3921, 4791, 4970

Myrcia sylvatica: 534, 669, 767, 907, 1056, 2659, 6095,

6877, 7258, 8264, 10758, 11828 Myrciaria cf. dubia: 1485, 3030, 4774 Myrciaria floribunda: 1504, 6157

Myrciaria vismeifolia: 479, 1324, 2745, 3414, 3961,

11038, 11092, 11210, 11263, 11358, 12419

Plinia aff. pinnata: 1539, 4980, 6457

Plinia sp.: 4042, 6763

Psidium acutangulum: 284, 293, 295, 478, 1968, 2707,

3753, 6259, 6445, 6713, 11127, 11305

Psidium guineense: 1245, 1640, 1724, 2094, 2146

Psidium cf. striatulum: 1979, 3070, 3283, 3561, 6633 Siphoneugena dussii: 7281, 8235, 8262, 8378, 8682

Ugni myricoides: 9477, 9478

Ugni ? sp.: 11735 Nyctaginaceae

Guapira salicifolia: 5565

Indet.: 5102, 6247, 6371, 6904, 10184, 10650, 11623

Neea floribunda: 9675, 9692 Neea ovalifolia: 9079, 10227 Neea ? sp.: 8477, 9574

Nymphaeaceae

Nymphaea glandulifera: 11290

Ochnaceae

Adenanthe bicarpellata: 9335, 11702

Cespedesia sp.: 12097 Elvasia schomburgkii: 2977

Indet.: 1031, 2897, 7042, 7058, 9955, 10352, 12314, 12369

Ouratea angulata: 1720

Ouratea fasciculata: 2410, 4642, 4708, 4813, 7940, 8444

Ouratea gillyana: 891, 1029

Ouratea leblondii: 11193, 11326, 11354 Ouratea microcalyx: 5493, 10405 Ouratea rupununiensis: 364

Oututed tupunumensis. 504

Ouratea schomburgkii: 3557, 3839, 11064

Ouratea scottii: 3316

Ouratea soderstromii: 8998, 9730, 9760

Ouratea sp.: 247, 2360, 2958, 2985, 3198, 3219, 3249, 3443, 4879, 6997, 6999, 7072, 7195, 7302, 7433, 7798,

10955, 12139, 12278, 12355, 12392

Ouratea superba: 2112, 6730, 10047, 10984

Ouratea takutuensis: 4820 Perissocarpa steyermarkii: 5756 Poecilandra pumila: 5811

Poecilandra retusa: 5801, 11664, 11768 Sauvagesia angustifolia: 867, 984, 1922

Sauvagesia erecta: 496, 705, 1669, 3546, 5442, 6162,

9876, 11155, 11189, 11205

Sauvagesia imthurniana: 9451, 9489

Sauvagesia longipes: 9004 Sauvagesia roraimensis: 8532 Sauvagesia rubiginosa: 1713

Sauvagesia sp.: 992, 2333, 7200, 10198, 10349, 10750,

10782, 10839, 11303, 11555, 11708, 12381

Sauvagesia sprengelii: 2122a, 7885

Tyleria phelpsiana: 10764

Olacaceae

Chaunochiton kappleri: 2999 Dulacia cf. guianensis: 6383, 7716

Heisteria cauliflora: 159, 378, 677, 1444, 2688, 2710, 2952, 7418, 11089, 11207, 11223, 11292, 11362, 11376

Heisteria densifrons: 11179 Heisteria maguirei: 9155 Heisteria ovata: 11240 Heisteria scandens: 4670

Heisteria sp.: 7110, 7617, 8366, 8466, 8502

Indet.: 2249, 4543, 8001, 9744 Minquartia guianensis: 12143 Ptychopetalum olacoides: 2200

Onagraceae

Ludwigia foliobracteolata: 5224

Ludwigia hyssopifolia: 2187, 3843, 11068, 11270

Ludwigia latifolia: 4071, 11318 Ludwigia leptocarpa: 1354

Ludwigia octovalvis: 6551, 11070, 11182, 11271

Ludwigia quadrangularis: 5041, 5225

Ludwigia rigida: 1406 Ludwigia sp.: 2218, 11304

Oxalidaceae

Oxalis frutescens: 362, 684, 1641, 2078, 2759, 3431,

6570, 6993 Passifloraceae

Ancistrothyrsus sp.: 10140 Dilkea clarkei: 1848, 2987

Indet.: 9412

Mitostemma sp.: 6820

Passiflora amoena: 410, 602, 1282, 6369

Passiflora arta: 7230 Passiflora ascidia: 1162

Passiflora auriculata: 562, 4700, 12125 Passiflora balbis: 1757, 10162, 10416, 10678

Passiflora candida: 8520

Passiflora capparidifolia: 259, 1359, 1522, 1811, 3932

Passiflora cirrhiflora: 4094

Passiflora coccinea: 257, 431, 820, 1188, 2904, 4191,

6460, 7113, 8409, 8576, 11019 Passiflora costata: 4777, 5072 Passiflora fanchonae: 9761

Passiflora foetida: 1620, 1680, 6208 Passiflora garckei: 7672, 9907

Passiflora glandulosa: 209, 518, 1281, 2543, 2956, 3134, 4484, 4605, 6239, 6355, 6365, 6663, 6817, 7377, 7432,

7449, 7629

Passiflora kawensis: 9932 Passiflora cf. laurifolia: 1598 Passiflora leptopoda: 1758, 3833 Passiflora longiracemosa: 7304 Passiflora rubra: 858, 1106 Passiflora sclerophylla: 919 Passiflora securiclata: 6430 *Passiflora* sp.: 1826, 4049, 6356, 6704, 8216, 8991, 9663, 9826, 9852, 9908, 10536, 11022, 11563, 11982, 11985

Passiflora cf. tuberosa: 11873

Passiflora vespertilio: 1518, 2217, 5039, 9877

Phytolaccaceae

Microtea maypurensis: 1874

Phytolacca rivinoides: 978, 8071, 8154, 8646, 11596, 11872

Picramniaceae

Picramnia guianensis: 7241, 7314, 7466

Picramnia latifolia: 620, 625, 2539, 2721, 4278b

Picramnia magnifolia: 4123

Picramnia nuriensis: 11495, 11836, 12011

Picramnia sellowii ssp. spruceana: 2839, 3918, 4650,

5067, 6065, 6149, 7808, 9246 Picramnia sp.: 7896, 8512

Piperaceae

Indet.: 10185, 10186, 11291, 11504, 12288

Lepianthes umbellatum: 1103 Peperomia alata: 6001, 6060 Peperomia blanda: 2809

Peperomia elongata: 2810, 3402, 3438, 3775, 8649,

11091, 11129

Peperomia emarginella: 8978, 9725, 9946, 10114, 10965 *Peperomia glabella*: 3059, 3636, 3768, 4566, 6472, 7520,

7577, 7596

Peperomia hernandiifolia: 5592, 10777, 11574, 11618

Peperomia jamesoniana: 11585, 11814

Peperomia lancifolia: 10302

Peperomia macrostachya: 559, 595, 797, 949, 1191, 1346, 1494, 2268, 3299, 3663, 3756, 4003, 6335, 7073,

7763, 7993, 8300, 9867, 11001

Peperomia magnoliifolia: 6618, 7558, 7674

Peperomia maguirei: 7502 Peperomia manarae: 11843

Peperomia vs. obtusifolia: 4136, 4176

Peperomia ouabianae: 1437, 4128, 4306, 4899, 6471,

7475, 10111

Peperomia pellucida: 3450 Peperomia pilicaulis: 1175

Peperomia purpurinervis: 9215, 10223, 10490, 10776

Peperomia quadrangularis: 1747, 3451

Peperomia reptans: 9188, 10428, 11634, 11813

Peperomia rhombea: 8566

Peperomia rotundifolia: 2799, 3639, 4996, 5198, 6004,

11147

Peperomia serpens: 4255, 4801, 6346, 8475 Peperomia sp.: 9617, 9655, 10192, 12269

Peperomia? sp. nov.: 10028, 10097, 10146, 12100

Peperomia cf. striata: 11793

Peperomia tenella: 5599, 9081, 9136, 9180, 9425, 9633

Peperomia urocarpa: 1147, 1201, 6002

Piper adenandrum: 2947, 7059 Piper aduncum: 968, 6021 Piper aequale: 5995 Piper alatabaccum: 3169

Piper anonifolium: 598, 1198, 3890, 4490, 4533, 4669,

7414, 9686

Piper arboreum: 1076, 1219, 2497, 2513, 3630, 4687,

6668, 7647

Piper augustum: 2934, 4500, 4583

Piper avellanum: 541, 9034

Piper bartlingianum: 316, 1289, 1314, 2035, 2259, 2329, 2405, 2886, 2902, 2946, 3232, 3351, 3425, 3609, 3884, 4475, 4535, 4867, 5997, 6313, 6491, 6691, 7119, 7194,

7237, 7451

Piper bolivaranum: 5476 Piper brasiliense: 8916 Piper cernuum: 6480

Piper cililimbum: 3135, 3179, 4519

Piper consanguineum: 2808, 3100, 3143, 4373, 4538,

4644, 7551

Piper crassinervium: 3106 Piper cuyunianum: 5362, 5787

Piper demeraranum: 964, 1313, 4294, 5216, 7673

Piper duckei: 4385 Piper glabrescens: 1094 Piper gleasonii: 4481

Piper hirtilimbum: 4391, 7830

Piper hispidum: 1218, 2935, 4283, 5131

Piper hostmannianum: 232, 404, 761, 834, 1618, 2170,

4066, 4354, 5209, 6193, 6227

Piper inaequale: 9157

Piper insipiens: 2489, 4144, 4179, 8911, 8918

Piper liesneri: 2805 Piper marginatum: 6745

Piper nematanthera: 3724, 3951, 9603

Piper obliquum: 4178, 5539, 6075, 7457, 9645

Piper oblongifolium: 4380 Piper paramaribense: 4534, 7546 Piper peltatum: 8161, 8458 Piper perstipulare: 5433 Piper piscatorum: 3144

 $Piper\ pseudoglab rescens:\ 5022$

Piper pulleanum: 4516, 7676

Piper rupununianum: 8960, 9033, 9151, 9217, 9306,

9423, 9704

Piper sp.: 1745, 4539, 7366, 7464, 7973, 7979, 7985, 8046, 8088, 8123, 8148, 8178, 8206, 8225, 8266, 8315,

8316, 8318, 8361, 8388, 8419, 8436, 8450, 8492, 8500,

8610, 8648, 8654, 8730, 9116, 9562, 9703, 9776, 9893, 10061, 10094, 10095, 10240, 10263, 10323, 10354,

10487, 10507, 10673, 10685, 10759, 10889, 10895,

10898, 11161, 11229, 11230, 11474, 11476, 11560, 11590, 11621, 11626, 11925, 11974, 11975, 11981,

12028, 12052, 12086, 12099, 12177, 12234

Piper trichoneuron: 178, 434, 7669

Piper wachenheimii: 5492

Pothomorphe peltate: 2414, 6228

Podostemaceae

Apinagia corymbosa: 6560 Apinagia surumuensis: 11276

Mourera fluviatilis: 396, 471, 3290, 3596, 11073, 11260

Polygalaceae

Bredemeyera floribunda: 6145

Indet.: 1712, 1798, 3025, 3908, 7696, 9316, 12091,

12146, 12339, 12345, 12373, 12418, 12426 Monnina cacumina: 5628, 9399, 10819

Moutabea guianensis: 392 Polygala adenophora: 700 Polygala appressa: 7869 Polygala blakeana: 877, 1710

Polygala longicaulis: 1239, 2091, 2092, 6942

Polygala sp.: 888, 905 Polygala violacea: 1684

Securidaca marginata: 400, 2762

Securidaca paniculata: 2209, 3305, 3748, 6186, 6187,

7640, 7743, 8780, 8866, 10904, 11033

Securidaca pyramidalis: 5971

Securidaca rivinifolia var. parvifolia: 3060, 3280, 4829,

7736, 8754, 8880 Securidaca sp.: 4968

Polygonaceae

Coccoloba ascendens: 663, 6150, 6498, 6967

Coccoloba cf. conduplicata: 3376 Coccoloba densifrons: 1517

Coccoloba cf. excelsa: 3700, 4854, 6654, 7007

Coccoloba gymnorrhachis: 3805, 4232 Coccoloba cf. lucidula: 3186, 3717 Coccoloba marginata: 4065, 4401, 5079

Coccoloba cf. ovata: 398, 6731 Coccoloba? padiformis: 469 Coccoloba parimensis: 3267

Coccoloba sp.: 5100, 7331, 7481, 12281

Coccoloba ? sp. nov.: 1024 Coccoloba striata: 3702

Indet.: 3261, 7741, 8529, 8581, 9261, 9282, 9353, 9858,

12046

Symmeria paniculata: 1360, 1374, 1483

Triplaris weigeltiana: 6728

Portulacaceae

Portulaca cf. pilosa: 1875 Talinum fruticosum: 2100

Proteaceae

Panopsis rubescens: 3304

Panopsis sessilifolia: 11330, 12409 Roupala montana var. montana: 2677

Roupala suaveolens: 6946

Quiinaceae Indet.: 2039

Lacunaria crenata: 369 Lacunaria jenmanii: 3652

Quiina amazonica: 4926, 4934, 4984

Quiina cruegeriana: 5005 Quiina obovata: 4925 Quiina parvifolia: 4476

Quiina pteridophylla: 4062, 4073, 4413

Quiina rhytidopus: 1473

Rafflesiaceae

Apodanthes caseariae: 8358, 8499

Indet.: 632, 4511 Rhabdodendraceae

Rhabdodendron amazonicum: 706, 3323

Rhamnaceae

Gouania blanchetiana: 1564

Gouania sp.: 1091, 1776, 3395, 4606, 5134, 8069

Indet.: 2070, 2287

Ziziphus cinnamomum: 10131

Rhizophoraceae

Cassipourea guianensis: 417, 2599, 2601, 3364, 4648,

6465, 7063

Cassipourea lasiocalyx: 235

Indet.: 726, 5172

Sterigmapetalum resinosum: 10854, 12040

Rosaceae

Prunus myrtifolia var. accumulans: 11844

Rubus guyanensis: 11572, 11797

Rubiaceae

Alibertia acuminata: 6705 Alibertia myrciifolia: 6808 Alseis longifolia: 6246, 6351 Amaioua corymbosa: 1996

Amaioua guianensis: 175, 205, 336, 1347, 4228, 6593,

8537, 11041

Bertiera guianensis: 3998, 6400 Borreria capitata: 1601, 6093 Borreria latifolia: 4846 Borreria ovalifolia: 3862 Borreria cf. prostrata: 3067, 3484

Bothriospora corymbosa: 2228, 2288, 6737

Calycophyllum merumense: 9074 Capirona decorticans: 4468

Chalepophyllum guianense: 918, 5809

Chimarrhis microcarpa: 6353 Chimarrhis turbinate: 4174

Chiococca nitida: 2986, 5413, 5540, 5981, 6128 Chomelia malaneoides: 2919, 3735, 10972 Chomelia obtusa: 1386, 2703, 2747, 6702

Chomelia schomburgkii: 1835 Chomelia tenuiflora: 2113

Coccocypselum guianense: 493, 748, 7015

Coccocypselum sp.: 10034

Cordiera myrciifolia var. myrciifolia: 2927

Cordiera triflora: 8112

Cosmibuena grandiflora: 6164, 6878 Coussarea hirticalyx var. glabrior: 8768

Coussarea machadoana: 4928 Coussarea cf. mapourioides: 8443 Coussarea micrococca: 7489 Coussarea racemosa: 6287, 6459

Coussarea sp.: 4528, 8429, 10451, 10478, 10632

Coutarea hexandra: 2023 Declieuxia fruticosa: 5093 Declieuxia tenuiflora: 2432

Didymochlamys connellii: 8902, 10020, 10218

Diodella apiculata: 1667, 2098

Diodella teres: 2075

Diodia hyssopifolia: 11146, 11273 Duroia cf. bolivarensis: 9637, 9894

Duroia eriopila: 189, 193, 1864, 2197, 3043, 3571, 4028,

6582, 7000, 7792, 7942, 8886 Duroia genipoides: 1394, 2641 Duroia micrantha: 6869

Elaeagia maguirei: 10648, 12015, 12063

Elaeagia sp.: 10442, 10450

Emmeorhiza umbellata: 11546, 11615 Faramea capillipes: 3390, 4026, 6283, 6403

Faramea cardonae: 9578, 10365, 10836, 11928, 11954

Faramea crassifolia: 2121, 6180 Faramea irwinii: 3780, 11148

Faramea maguirei: 825, 5176, 5429, 5943

Faramea morilloi: 9154

Faramea multiflora: 4515, 4576, 6402, 7545, 8707,

10135, 10892, 12236

Faramea occidentalis: 4161, 4220 Faramea quadricostata: 8395 Faramea quinqueflora: 8927

Faramea sessilifolia: 1471, 4788, 5044, 11052, 11262, 11356

Faramea sp.: 11032 Faramea torquata: 8840

Ferdinandusa goudotiana: 1158, 2041, 5371, 5391, 6824,

6903

Ferdinandusa sp.: 7184, 7233, 7780, 7784, 8548, 8697

Ferdinandusa uaupensis: 7035 Genipa americana: 5069

Genipa spruceana: 275, 355, 470, 1661, 2235, 2690, 3472, 6261, 6586, 6729, 7727, 8799, 11120, 11139,

11277, 11345

Geophila cordifolia: 1226, 2180

Geophila gracilis: 6938 Geophila repens: 12202 Geophila sp.: 7992b

Gonzalagunia dicocca: 613, 836, 1085, 1934, 2017, 2415, 2627, 4247, 5994, 6018, 6354, 7567, 7618, 8130

Guettarda acreana: 337 Guettarda argentea: 2141

Guettarda aromatica: 8106, 8306

Guettarda divaricata: 1643, 1693, 2145, 5127, 5140

Hamelia patens: 8143, 8650, 8734

Hillia illustris: 1554, 3057, 3744, 5768, 6486, 6662,

8296, 8704, 8882

Hillia parasitica: 8240, 10772, 11791

Hillia cf. sp.: 2397, 2398

Hillia ulei: 4911

Hoffmannia sp.: 10638

Indet.: 2284, 2341, 2376, 2388, 2389, 6526, 6896, 7781, 8096, 8204, 9022, 9028, 9059, 9077, 9147, 9272, 9305, 9321, 9333, 9343, 9377, 9422, 9490, 9581, 9582, 9588, 9632, 9648, 9666, 9696, 9785, 9838, 9890, 9895, 10059, 10200, 10212, 10385, 10409, 10724, 10882, 10925, 10949, 11334, 11387, 11437, 11455, 11499, 11500, 11529, 11565, 11566, 11667, 11727, 11912, 11934, 11964, 11999, 12096, 12166, 12260, 12344, 12358, 12375, 12412

Isertia hypoleuca: 492, 704, 2295, 2648, 3079, 6124,

7219, 7336, 7698, 7728, 9811, 10282

Isertia parviflora: 1596, 1741, 1756, 3699, 4076, 6901,

6953, 11259, 11349

Isertia spiciformis: 7126, 7405

Ixora ferrea: 228, 426, 1441, 2537, 2611, 2715, 6352,

6374, 6690, 6751, 6764, 6929, 7800

Ixora graciliflora: 4196

Ixora panurensis: 5097, 5113, 5366, 7161

Ixora parviflora: 5110, 6721

Ixora ulei: 2991

Kutchubaea neblinensis: 4957

Ladenbergia lambertiana: 807, 965, 5788, 6119, 11386,

12250

Maguireothamnus speciosus: 11703

Malanea gabrielensis: 5666

Malanea hypoleuca: 2563, 6977, 7222, 7317

Malanea macrophylla: 2988

Malanea microphylla: 9577, 11679

Malanea sarmentosa: 2190, 5099, 5390, 7183, 8795,

10834

Malanea sipapoensis: 6391

Malanea sp.: 10597

Manettia alba: 794, 3004, 8121, 8490, 9954

Manettia sp.: 5419

Mitracarpus frigidus: 1770 Mitracarpus hirtus: 2460 Mitracarpus sp.: 9943

Morinda calycina: 2892, 4329, 7023

Morinda tenuiflora: 215, 733, 1484, 1496, 1694, 1753,

2110, 6794, 11197

Notopleura aligera: 11675

Notopleura guadalupensis: 9736, 11640, 11976

Notopleura multiramosa: 7340 Notopleura aff. patria: 8924 Notopleura cf. perpapillifera: 9796 Notopleura sp.: 9949, 10697, 10912

Notopleura tapajozensis: 9323, 9443, 9533, 11654, 11748

Notopleura uliginosa: 9680, 11493, 11663

Oldenlandia lancifolia: 3591, 3858

Pagamea capitata: 237, 809, 894, 2668, 5246, 12382

Pagamea coriacea var. acuta: 10204 Pagamea guianensis: 772, 780

Pagamea sp.: 2385

Pagamea standleyana: 11638 Pagamea thyrsiflora: 9584, 11429

Palicourea calophylla: 2262, 4374, 7344, 7627

Palicourea corymbifera: 2887, 2891, 2948, 7093, 7144,

7351, 7720, 7906, 8044, 8052, 8672

Palicourea crocea: 3823

Palicourea croceoides: 413, 565, 628, 708, 1109, 1165, 2215, 2481, 2482, 3895, 4081, 4550, 4560, 4748, 4940, 5933, 5982, 6141, 6940, 7013, 7866, 8041, 11109, 11194, 11216, 11321

Palicourea guianensis: 325, 581, 755, 770, 1265, 1310, 2418, 4137, 4399, 4624, 5953, 6899, 7037, 9903, 9933

Palicourea longiflora: 4919, 7492 Palicourea longistipulata: 3263, 792 Palicourea nitidella: 2863, 3089 Palicourea obtusata: 9532

Palicourea perquadrangularis: 10329, 11537

Palicourea rigida: 1797, 2084 Palicourea riparia: 791, 1535

Palicourea triphylla: 5374, 11402, 11431, 12253

Palicourea wurdackiana: 5711

Patima guianensis: 7297

Perama dichotoma: 814, 1047, 5808, 11453, 12247, 12326, 12327

Perama galioides: 7867

Perama hirsuta: 887, 990, 1709, 2330, 6994, 12343

Platycarpum rugosum: 5777

Posoqueria latifolia: 3747, 4828, 5084, 8183, 11077

Posoqueria longiflora: 1534, 11285

Posoqueria panamensis: 2060, 2303, 3562

Psychotria (subg. Heteropsychotria): 1268, 4753, 4877, 5190, 5191, 5588, 5629, 5702, 5769, 5793, 5896, 5897,

5983

Psychotria (subg. Psychotria): 1760

Psychotria acuminata: 4383, 4403, 4601, 5214, 5221,

5930, 7057, 8368

Psychotria adderleyi: 7298 Psychotria aetantha: 10125

Psychotria albert-smithii: 11149, 11233, 11238

Psychotria anceps: 1629, 5970, 6971

Psychotria apoda: 484, 826, 1422, 1451, 1914, 2427, 2519, 2804, 3204, 4111, 5189, 5938, 9960, 10082,

10379, 10444, 11054, 11379, 12162

Psychotria astrellantha: 800, 2913, 3407, 3959, 4387, 4600, 4647, 5211, 7203, 7236, 7459, 8484, 8643, 8739,

8825

Psychotria aubletiana: 9579, 10314, 10773, 11799

Psychotria ayangannensis: 9417, 10528, 10715, 10727, 10732

Psychotria bahiensis: 2777, 3339, 7487, 8471

Psychotria barbiflora: 3623, 4110, 5317, 5500, 5508

Psychotria berteroana: 5210, 8946, 11617, 11973

Psychotria bostrychothyrsus: 8901, 10022, 10166, 11408,

11465

Psychotria brachybotrya: 4514, 5937, 5941, 6206

Psychotria bracteocardia: 1132, 1447, 1508, 1738, 3995,

6921

Psychotria callithrix: 4710

Psychotria campylopoda: 1069, 11646, 11683

Psychotria capitata: 156a, 711, 1117, 2025, 2680, 3005,

3273, 5394, 6675, 9244, 9793, 10268, 10368, 11917

Psychotria cardiomorpha: 5098 Psychotria ceratantha: 5615, 5625

Psychotria cincta: 9029

Psychotria concinna: 9507 Psychotria cornigera: 10978

Psychotria crassa: 5622

Psychotria crocochlamys: 1061, 1071, 5288, 5455, 5710,

9061, 10178, 12201

Psychotria cupularis: 1116, 4160, 4231, 7084, 7370

Psychotria deflexa: 1225, 6397, 8039, 8574

Psychotria egensis: 12389

Psychotria erecta: 3355, 5333, 5364, 5972, 6045, 7416,

8394

Psychotria everardii: 5719, 9304, 9363, 9372, 9419,

9428, 9468, 9493, 11704, 11716 Psychotria fanshawei: 9005, 9122

Psychotria glandulicalyx: 9561, 10728, 11622, 11651

Psychotria gracilenta: 177, 323, 803, 8007

Psychotria hemicephaelis: 1062

Psychotria heteroneura: 10548, 10682, 10708

Psychotria hoffmannseggiana: 3774, 7310, 11095, 11287,

12232, 12388

Psychotria horizontalis: 1861, 8181

Psychotria imthurniana: 9118, 11673

Psychotria iodotricha: 822, 10033, 10936, 11426

Psychotria irwinii: 607, 637

Psychotria ligularis: 2402, 4364, 4366

Psychotria lupulina: 1962, 2732, 2776, 3338, 3437, 3601,

3879, 4402, 4614, 6290, 6338, 6536, 6611, 7734, 7913,

8751, 8892

Psychotria mapourioides: 2508, 3066, 5415, 6067, 6161,

7862, 8811, 8917, 8941, 10910

Psychotria mazaruniensis: 9649, 9732

Psychotria microbotrys: 4138, 4513, 6066

Psychotria multiramosa: 5244, 5507

Psychotria muscosa: 1435, 7434, 10005, 12070

Psychotria officinalis: 1157, 1890, 2540, 3673, 4869,

7436, 10196, 10321, 10501

Psychotria pacimonica: 3081, 3136

Psychotria pakaraimensis: 9013, 9103, 9104, 9898

Psychotria paniculata: 7413, 7488, 8062, 8319

Psychotria parvibractea: 5533, 9330, 11503, 12029

Psychotria platypoda: 2960, 4493, 6061, 9010, 9274

Psychotria plocamipes: 9002, 10395

Psychotria podocephala: 3320, 3621

Psychotria poeppigiana: 614, 788, 840, 952, 1176, 1918,

2162, 2177, 2505, 2521, 2790, 2864, 3244, 4253, 4450,

5166, 5934, 7285, 7303, 7353, 7925, 8410, 8993, 10038,

12009

Psychotria polycephala: 160, 488, 1452, 2270, 2317,

2780, 3104, 3464, 3569, 4370, 4381, 7947, 8782, 11065,

11131, 11248, 11333, 12299

Psychotria potaroensis: 8900, 9763, 9963, 11428

Psychotria racemosa: 1930, 4384, 4652, 6006, 6202,

6237, 6342, 6659, 8027

Psychotria sp.: 5542, 10099, 10374, 10453, 10863

Psychotria speluncae: 9559, 11878, 11952

Psychotria tapajozensis: 5564, 5657

Psychotria tepuiensis: 5521, 9162, 9957, 10277, 11473,

12072

Psychotria tillettii: 8963, 9062, 9350, 9565, 10341,

10508, 10588, 10713, 10757

Psychotria transiens: 9063, 9303, 9336, 9486, 9563,

11672, 11676

Psychotria uliginosa: 605, 846, 1192, 1433, 1947, 2523,

4140, 5185, 5428, 6042, 8170, 8593 Psychotria ulviformis: 4655, 8068 Psychotria variegata: 5435, 5436 Psychotria venulosa: 11833 Randia armata: 8126, 8200, 8653

Randia sp.: 4618, 4816

Remijia roraimae: 2895, 7149, 7262, 8380, 8551, 8686

Remijia sp.: 6099

Retiniphyllum chloranthum: 7282

Retiniphyllum laxiflorum var. laxiflorum: 890

Retiniphyllum scabrum: 5706, 5894

Retiniphyllum schomburgkii: 804, 2669, 3094, 7008

Ronabea latifolia: 10168, 12214

Rudgea cornifolia: 202, 1456, 1472, 6685

Rudgea crassiloba: 1326, 5101 Rudgea fissistipula: 1197

Rudgea hostmanniana: 584, 590, 789, 1431, 2492, 2516

Rudgea sp.: 7197, 10264, 10666 Rudgea stipulacea: 407, 2883 Sabicea aspera: 3713, 4415 Sabicea glabrescens: 501, 6931 Sabicea parva var. brachycalyx: 5109

Sabicea sp.: 10918

Sabicea velutina: 912, 1053 Schradera nilssonii: 5786 Schradera cf. polycephala: 5546

Schradera sp.: 10266

Sipanea cowanii: 2309, 4658 Sipanea galioides: 698, 876 Sipanea gleasonii: 4350 Sipanea hispida: 1879, 2459

Sipanea pratensis: 769, 1506, 1792, 6943, 6992

Sipanea sp.: 2354, 7992a, 8092, 8744 Sipanea wilson-brownei: 2554, 2992, 4158

Spermacoce capitata: 714, 1004, 1878, 3728, 6090,

11442, 12171

Spermacoce hyssopifolia: 481, 701, 3284, 3519, 3853,

6533, 6569

Spermacoce latifolia: 2174, 3870

Spermacoce ocymifolia: 5096, 6174, 6557

Spermacoce remota: 3461

Spermacoce verticillata: 696, 6092, 12362

Tocoyena sp.: 1691, 5159

Uncaria guianensis: 274, 2706, 4775, 6441, 6701, 7898,

8761

Wittmackanthus stanleyanus: 1782

Rutaceae

Conchocarpus fanshawei: 402

Conchocarpus ucayalinus: 4447, 4453

Ertela trifolia: 1512, 1677, 1755, 2123b, 3161, 4631

Galipea davisii: 4466, 4660

Hortia regia: 9824

Indet.: 2900, 2968, 10473, 10943

Raveniopsis ruellioides: 5620, 5623, 9390

Spathelia ulei: 9324 Ticorea foetida: 411

Zanthoxylum caribaeum: 1781 Zanthoxylum compactum: 1540, 2705

Zanthoxylum ekmanii: 8720

Sabiaceae

Meliosma herbertii: 7172, 7188, 7410, 7926

Santalaceae

Thesium tepuiense: 999

Sapindaceae

Allophylus robustus: 10630

Cardiospermum halicacabum: 11877

Cardiospermum sp.: 1254

Cupania hirsuta: 203, 334, 3644, 4866

Cupania cf. latifolia: 6581

Cupania rubiginosa: 3734, 3904, 4048

Cupania scrobiculata: 1630 Cupania sp.: 3512, 7900

Indet.: 1251, 1682, 1686, 1764, 1964, 1987, 3658, 4424, 7903, 7938, 8103, 8129, 8135, 8174, 8179, 8184, 8268, 8383, 8416, 8505, 8546, 8556, 8662, 8688, 8753, 8822,

9640, 10422, 10641, 11418, 11547

Matayba arborescens: 6292, 6512, 7393, 7443, 8689,

8701, 11152, 11300

Matayba camptoneura: 387, 1308, 1528, 2234, 5080,

6535, 7795, 11126, 11239 Matayba inelegans: 7246, 7789

Matayba macrostylis: 301, 1543, 2229, 2741, 4844,

6607, 6609

Matayba opaca: 775

Matayba peruviana ssp. oligandra: 9947

Matayba ptariana: 1035, 5238

Paullinia capreolata: 8976, 9855, 10153

Paullinia cupana: 7517

Paullinia dasygonia: 3540, 3967, 6631

Paullinia ingaefolia: 7321

Paullinia isoptera: 6814, 7378, 7500, 7803

Paullinia latifolia: 616, 4203 Paullinia rugosa: 4239 Paullinia sp.: 1315

Paullinia tricornis: 4852, 5002

Paullinia verrucosa: 1687, 1846, 4664 Pseudima frutescens: 4462, 5033

Pseudima sp.: 3337

Serjania clematidifolia: 4651

Serjania membranacea: 9879, 10051, 10959

Serjania paucidentata: 1631 Talisia carinata: 2712 Talisia hemidasya: 2015 Talisia longifolia: 11245 Talisia megaphylla: 4193 Talisia mollis: 4227 Talisia pachycarpa: 4930 Talisia sp.: 4805, 6230, 11025

Thinouia myriantha: 3964

Toulicia guianensis: 3989, 11047, 11118, 11185, 11328 Vouarana guianensis: 2835, 3049, 3120, 4625, 4629, 8580

Sapotaceae

Chrysophyllum argenteum: 1260, 3396, 4412, 6493,

6927, 8427

Chrysophyllum prieurii: 3001, 3126, 3165, 4935, 9369

Chrysophyllum sparsiflorum: 6467

Ecclinusa guianensis: 196, 213, 529, 1419, 1993

Indet.: 2065, 3229, 4782, 4886, 8120, 8298, 8437, 8772,

9815, 11531, 11544, 12027, 12430

Manilkara bidentata: 6752, 7616, 7693, 10174

Manilkara huberi: 2261 Manilkara zapota: 5133

Micropholis guyanensis: 2321, 3087, 3231, 4719, 7338,

7904, 7943, 8060, 8839

Micropholis longipedicellata: 10177 Micropholis aff. mensalis: 10679, 10692

Micropholis porphyrocarpa: 3502, 4061, 6265, 6599, 7061 *Micropholis venulosa*: 1608, 2828, 9356, 9791, 10968

Pouteria ambelaniifolia: 11079

Pouteria bangii: 6326 Pouteria bilocularis: 6258 Pouteria brachyandra: 3802 Pouteria cayennensis: 5388 Pouteria cladantha: 2966, 3195

Pouteria cuspidata: 266, 4441, 6303, 7043, 7901, 8758,

8884, 3778

Pouteria elegans: 5034, 5076 Pouteria engleri: 1607 Pouteria eugeniifolia: 6782

Pouteria filipes: 6755 Pouteria guianensis: 7535

Pouteria hispida: 3958, 4292, 4438, 7226

Pouteria melanopoda: 6252 Pouteria plicata: 4762 Pouteria reticulata: 4459 Pouteria rigida: 5778 Pouteria ? rigidopsis: 2713 Pouteria aff. rostrata: 3327

Pouteria sagotiana: 8787, 11295

Pouteria? sp.: 4910, 7052, 7123, 7683, 8005, 8350,

8732, 8994, 10370

Pouteria sp., sect. Pouteria: 3242 Pouteria speciosa: 1207, 2718, 8442

Pouteria surumuensis: 1787, 1845, 3533, 3927, 4077,

4162, 6212, 6316, 6442

Pouteria? torta: 195, 1312, 4173, 4713

Pouteria? venosa: 7843, 1821, 2683, 4912, 7547, 8478

Pouteria virescens: 11023 Pradosia beardii: 1067 Pradosia ptychandra: 331

Pradosia schomburgkiana: 536, 997

Pradosia? sp.: 10233

Pradosia surinamensis: 2758

Sarraceniaceae

Heliamphora nutans: 5832, 11732

Scrophulariaceae

Agalinis hispidula: 6949 Anisantherina hispidula: 1708 Bacopa serpyllifolia: 1706 Buchnera palustris: 6996

Buchnera rosea: 1043, 1578, 1662, 6998

Buchnera sp.: 12367

Indet.: 1716

Lindernia diffusa: 3550 Scoparia dulcis: 3844, 9891 Stemodia pratensis: 507 Vellosiella spathacea: 9568

Simaroubaceae

Indet.: 7269, 8601, 9631, 9697

Simaba cedron: 671 Simaba orinocensis: 5042

Siparunaceae

Siparuna cristata: 3202, 8831 Siparuna cuspidata: 318

Siparuna decipiens: 372, 1291, 1461, 2727, 3619, 4346, 4579, 5177, 6482, 7655, 8176, 8510, 9035, 9043, 9143,

10158, 10270, 10372, 10663, 11336

Siparuna guianensis: 179, 212, 409, 548, 1129, 1235, 1595, 3225, 3597, 3984, 4444, 4464, 4591, 7182, 7454,

8049, 8497

Siparuna pachyantha: 7661

Siparuna reginae: 4592, 6295, 6306

Solanaceae

Brunfelsia guianensis: 4937 Cestrum latifolium: 8125, 8446 Cestrum megalophyllum: 4182, 4221, 4300

Cestrum schlechtendahlii: 11477 Cestrum sp.: 7349, 9171, 9211

Indet. ?: 4876, 9371, 10483, 11342, 11496, 11540,

11580, 11601, 11953

Lycianthes pauciflora: 4188, 8948, 9123, 10481, 10739,

12073

Markea camponoti: 626

Markea coccinea: 2954, 3448, 3555, 4747, 6688, 7519,

7829, 7987

Markea longiflora: 3556, 7587, 9564

Markea sessiliflora: 574, 8655

Markea sp.: 6332, 10183, 10494, 10662 *Schwenckia grandiflora*: 2225, 4979, 7485

Schwenckia? sp.: 650 Solandra longiflora: 8239

Solanum coriaceum: 512, 1408, 9051 Solanum costatum: 729, 1199, 7495, 8588

Solanum crinitum: 1563

Solanum leucocarpon: 617, 6925, 7563, 9050, 9296,

9592, 9702, 10637, 10740

Solanum monachophyllum: 475, 1385, 1977, 2692, 3008,

3278, 3537, 3868

Solanum oocarpum: 2437, 3385, 4672

Solanum paludosum: 1625 Solanum pensile: 288, 1552

Solanum proteanthum: 8952, 10155 Solanum rugosum: 823, 2786, 8221, 9900 Solanum schlechtendalianum: 624, 4185, 4299

Solanum schomburgkii: 11040, 11269 Solanum semotum: 2163, 2906, 8290, 8469

Solanum sp.: 10622, 10768, 11871

Solanum stramoniifolium: 1586, 1622, 1954, 8951, 9832,

9937

Solanum subinerme: 4360, 6915, 7659, 12168

Solanum uncinellum: 4235

Sphenocleaceae

Sphenoclea cf. sp.: 2383 Sphenoclea zeylanica: 6990

Sterculiaceae

Byttneria divaricata var. divaricata: 2751, 6211, 6451

Byttneria genistella: 1715

Byttneria morii: 7129, 7143, 7210, 7419

Guazuma ulmifolia: 6920, 8119 Helicteres baruensis: 1674, 1791, 2133 Helicteres guazumifolia: 1647, 2107, 2156

Herrania kanukuensis: 8177 Herrania lemniscata: 1555

Herrania sp.: 3881 Indet.: 2059 Melochia melissifolia: 6548 Melochia s.l. spicata: 1727 Sterculia pruriens: 3529 Sterculia rugosa: 3999, 4134

Sterculia sp.: 10942

Theobroma obovatum: 8215

Theobroma subincanum: 2013, 2202, 2955, 3612, 4451, 4821, 6293, 6304, 7653, 7775, 7819, 7899, 7944, 8371

Waltheria indica: 508, 763, 1589, 5152

Waltheria microphylla: 1654

Styracaceae

Styrax oblongus: 3268 Styrax sp.: 3012, 4861, 5061

Symplocaceae

Symplocos sp.: 1232, 1242

Ternstroemiaceae

Ternstroemia punctata: 242

Ternstroemia sp.: 805, 1038, 12376

Theaceae

Indet.: 5082a, 5504, 6957

Theophrastaceae

Clavija cf. lancifolia: 1572, 3841, 4230, 4523, 4630,

6328, 6656, 6777, 8025, 8175

Clavija macrophylla: 1843, 1857, 2131, 5141

Thymelaeaceae

Indet.: 10864, 10881

Tiliaceae

Apeiba albiflora: 3899 Apeiba glabra: 11178

Apeiba macropetala: 4724, 5019, 7572, 8455 Apeiba petoumo: 406, 1140, 3917, 6286 Apeiba schomburgkii: 1834, 2149, 6762

Apeiba sp.: 10908

Corchorus orinocensis: 2155 Indet.: 1803, 2126, 4078, 8515 Luehea alternifolia: 1765, 2130 Mollia glabrescens: 3572, 6331 Mollia globularis: 1818, 7031

Vasivaea alchorneoides: 1391, 3478, 3875

Trigoniaceae

Trigonia hypoleuca: 310 Trigonia laevis: 184, 573, 662

Trigonia sp.: 1854

Trigonia cf. subcymosa: 6792

Trigonia villosa: 383, 2106, 3440, 3976, 4692, 6785

Turneraceae

Indet.: 2154, 3551, 3869, 4850

Piriqueta cistoides: 11069, 11206, 11266, 11343, 2116,

6456

Turnera aurantiaca: 358, 1363, 2756

Turnera rupestris: 428, 11267

Turnera scabra: 1591

Turnera sp.: 1657, 1666, 1748, 4657, 6698

Ulmaceae

Trema micrantha: 174, 829, 1263, 1779, 4357, 6028,

6926

Urticaceae

Indet.: 8127, 8354, 8460, 8647

Pilea sp.: 8305

Urera caracasana: 593, 6015

Urera sp.: 8156 Verbenaceae

Aegiphila bracteolosa: 10256, 10554

Aegiphila integrifolia: 11423, 11575, 11842, 11922,

12231

Aegiphila longifolia: 11914 Aegiphila macrantha: 746

Aegiphila membranacea: 4183, 4189, 4242, 8252

Aegiphila racemosa: 4483

Aegiphila sp.: 819, 9302, 9308, 9315, 9769, 11838,

11998

Aegiphila venezuelensis var. serrata: 10672, 10741

Aegiphila villosa: 664

Amasonia campestris: 1593, 2104, 5147, 8922, 9048, 9070, 9771, 9966, 10003, 10201, 10410, 11450, 12157

Citharexylum macrophyllum: 4331 Clerodendrum ternifolium: 2153

Indet.: 2355, 9528

Lantana camara: 851, 1761, 6172, 8115

Lantana canescens: 1762

Lippia alba: 2101 Lippia betulifolia: 3861

Lippia origanoides: 1690, 6183 Petrea bracteata: 2565, 7619

Petrea macrostachya: 208, 549, 721, 1190, 1318, 1345, 1462, 1983, 2624, 3380, 3666, 3946, 4080, 11373a

Petrea volubilis: 11286, 11373

Stachytarpheta cayennensis: 1576, 2168, 12262

Stachytarpheta sprucei: 5161

Vitex capitata: 1698

Vitex compressa: 1768, 2072, 3991, 4999, 5053, 5143,

6648, 11344

Vitex orinocensis var. multiflora: 3509, 3832, 11086

Vitex stahelii: 1569 Vitex triflora: 3300

Violaceae

Amphirrhox longifolia: 158, 1491, 2903, 6358, 6478,

761

Corynostylis arborea: 380, 3343, 3922, 6434, 6709,

7860

Hybanthus calceolaria: 2142 Hybanthus oppositifolius: 6449

Indet.: 10885

Leonia cymosa: 7130

Leonia glycycarpa: 6314, 6537, 7960

Noisettia orchidiflora: 156

Paypayrola guianensis: 7079, 7688 Paypayrola hulkiana: 418, 423

Paypayrola longifolia: 199, 324, 367, 490, 517, 790, 818,

1078, 1290, 1338, 2803, 3041, 3214, 4883, 7423

Paypayrola sp.: 7135, 10029

Rinorea amapensis: 11078, 11145, 11160, 11211, 11226,

11234, 11243, 11268, 11381

Rinorea bahiensis: 8797

Rinorea brevipes: 3398, 8022, 8498

Rinorea flavescens: 1285, 3115

Rinorea lindeniana: 3424, 3653, 3664, 4671, 6198, 6329,

7112, 7894, 8887, 8023, 8746

Rinorea macrocarpa: 2827, 2848, 3210, 7988, 8786

Rinorea melanodonta: 4469

Rinorea pubiflora: 164, 314, 332, 588, 596, 1467, 1510, 2602, 2625, 2820, 3548, 3606, 3898, 4250, 4435, 4598,

5062, 6458, 6559, 6689, 7118, 7591, 7649, 8149

Rinorea riana: 204, 1339, 1824, 2034, 3153, 3691, 4151,

4617, 4803, 4914, 7235, 7409, 7607, 7914

Rinorea sp.: 7750, 12272

Viscaceae

Dendrophthora elliptica: 895, 1008, 5315, 5890, 9376,

9522, 10559, 10844

Dendrophthora tepuiana: 5776 Phoradendron bilineatum: 1159

Phoradendron chrysocladon: 5761, 5860, 9373, 10731 Phoradendron crassifolium: 808, 1780, 4428, 4593,

5330, 5463, 5865, 6341, 6902, 6979, 7220, 9065, 10299

Phoradendron dipterum: 8058

Phoradendron inaequidentatum: 6797, 9358, 9407

Phoradendron pellucidulum: 862 Phoradendron perrottetii: 3253, 9857

Phoradendron piperoides: 1127, 1410, 1851, 3023, 3732,

3754, 4166, 4488, 7861, 10994 Phoradendron racemosum: 2375 Phoradendron strongyloclados: 2974

Vitaceae

Cissus erosa: 300, 1975, 2111, 2220, 2778, 3526, 3825,

3929, 4830, 5974, 11167

Cissus sicyoides: 465

Cissus sp.: 1980, 2233, 3815, 3865, 3923, 5030, 5050,

6452, 6612

Cissus verticillata: 283, 1553, 11312

Indet.: 4634

Vochysiaceae

Erisma uncinatum: 3077

Indet.: 1860

Qualea paraensis: 3314 Ruizterania albiflora: 3078

Ruizterania sp.: 3110 Vochysia ferruginea: 3272 Vochysia glaberrima: 7028 Vochysia guianensis: 3377

Vochysia sp.: 5725

Vochysia surinamensis var. surinamensis: 2643 Vochysia tetraphylla: 291, 439, 4055, 11257

Winteraceae

Drimys roraimensis: 11796

MONOCOTS

Agavaceae

Furcraea foetida: 5148

Alismataceae

Echinodorus subalatus ssp. subalatus: 4056

Sagittaria guayanensis: 2469

Araceae

Anthurium clavigerum: 957, 2408, 2798, 7652, 7814,

7911, 8104, 8162, 8324, 8879, 12228

Anthurium? expansum: 641, 2510, 4153, 5556, 6005,

9626

Anthurium? friedrichsthalii: 2817, 2868, 2899, 7508

Anthurium gracile: 630, 1547, 2006, 3430, 3911, 4085, 4628, 4859, 6109, 6116, 7469, 7700, 8860

Anthurium pentaphyllum: 2907, 3580, 6650, 7569, 8137,

8323, 8451, 10670

Anthurium ptarianum: 5466, 5795

Anthurium roraimense: 5289, 5460, 7273, 7307, 9252,

11538, 11831

Anthurium scandens: 950, 7384, 8261, 9204, 11808,

11884, 12136, 12276

Anthurium thrinax: 1430

Anthurium trinervium: 1876, 2007, 2638, 2843, 4098,

8392

Caladium bicolor: 1701, 1744, 2449, 2908, 3651, 11242

Dieffenbachia elegans: 7635, 8090

Dieffenbachia seguine: 6363, 8452, 9929

Dieffenbachia sp.: 4607

Heteropsis flexuosa: 1336, 1955, 2842, 3617, 3640,

4163, 4217, 4557, 4881, 7823, 11360

Heteropsis melinonii: 11392

Heteropsis spruceana: 1489, 4482, 12018

Indet.: 6325, 10831

Monstera adansonii: 845, 1739, 1871, 4264, 4673, 4674,

6393, 6655, 7855, 8321, 8425, 11296, 12261

Monstera obliqua: 6077, 6337, 8083, 12301

Monstera sp.: 2390, 7537

Monstera spruceana: 4457, 4494, 4559

Montrichardia arborescens: 263, 11261

Montrichardia linifera: 11309

Philodendron acutatum: 7362, 7761, 8764, 8890, 11329

Philodendron brevispathum: 4449, 4568, 8781

Philodendron callosum: 744, 810, 874, 5617, 11435,

12163, 12395

Philodendron ecordatum: 9886

Philodendron fragrantissimum: 513, 1276, 1497, 2047,

3618, 3889

Philodendron grandifolium: 798, 4717, 4752, 7817, 12006

Philodendron hederaceum: 1971, 6302, 8447

Philodendron hylaeae: 1498, 2967a

Philodendron insigne: 9020, 9108, 9965, 10230, 11490

Philodendron linnaei: 3804, 4645, 4751, 5267, 8465,

8861, 11938, 12223

Philodendron muricatum: 1372, 2870, 3579, 7816

Philodendron myrmecophilum: 157, 3662, 3954

Philodendron ornatum: 7542, 7585, 8322, 8504, 8966

Philodendron panduriforme: 8592

Philodendron pedatum: 1183, 4315, 7806

Philodendron? placidum: 629, 1941, 4409, 4512

Philodendron rudgeanum: 1511, 3647, 3952, 6481, 7538,

7581, 7821, 9667

Philodendron solimoesense: 2435, 2998, 4344, 6598,

6672, 7820

Philodendron sp.: 7460, 9212, 9605, 9625, 10781, 10956

Philodendron? sp. nov.: 7505

Philodendron surinamense: 7326, 8507, 8571

Philodendron tatei: 5306

Philodendron wittianum: 7428, 7462, 7541, 10050

Rhodospatha latifolia: 1141, 7523, 12200

Rhodospatha oblongata: 1927, 2501, 5491, 9669, 9808,

11487

Rhodospatha venosa: 8972

Spathiphyllum cannifolium: 945, 12170

Spathiphyllum cuspidatum: 633, 2491, 4243, 4269, 5475,

12229

Stenospermation ammiticum: 5239, 5347, 9866, 9972,

12034

Stenospermation maguirei: 2587, 4099, 4125, 9201,

10430, 10746, 10775, 11576

Stenospermation sp.: 2557, 12124

Syngonium podophyllum: 956, 1151, 2010, 3416, 4289,

7522, 8072, 8160

Urospatha sagittifolia: 555, 9883

Xanthosoma belophyllum: 2051

Xanthosoma sp.: 5228

Arecaceae

Astrocaryum gynacanthum: 1897a Astrocaryum sciophilum: 1344

Astrocaryum sp.: 2053 Attalea maripa: 11098 Bactris corossilla: 4262, 4337

Bactris elegans: 1897, 2260, 2266, 2831, 7671

Bactris hirta var. jenmanii: 9254

Bactris maraja: 1152

Bactris oligoclada: 333, 487, 527, 10053 Bactris ptariana: 1898, 2597, 9293, 12067

Bactris simplicifrons: 2631, 4393, 5192, 5361, 7065,

9124, 10075, 10948

Bactris sp.: 531, 1292, 1309

Desmoncus polyacanthos: 181, 12189

Desmoncus sp.: 8896

Dictyocaryum ptarianum: 8997, 10884, 12114

Euterpe oleracea: 1284, 1427 Euterpe precatoria: 7695

Geonoma appuniana: 9307, 10357, 11526, 11911

Geonoma aspidiifolia: 9016, 9213, 10290

Geonoma baculifera: 486, 1316, 1490, 3776, 4584, 7921,

8723, 11098a, 11184

Geonoma deversa: 1298, 2830, 3427, 4336, 6238, 7951,

8793

Geonoma euspatha: 12038, 11488 Geonoma interrupta var. euspatha: 1155 Geonoma leptospadix: 2243, 4558, 4896, 7234

Geonoma macrostachys: 7597, 2205, 4390, 8464, 11235

Geonoma maxima ssp. ambigua: 403, 648, 1899, 2242,

2532, 3177, 4167, 5213, 5978, 6294, 10129

Geonoma poiteauana: 2256 Geonoma sp.: 9134, 9505 Geonoma umbraculiformis: 4895

Hyospathe elegans: 3603, 4506, 4637, 4894, 7427, 7521,

8171 Indet.: 2343

Iriartella setigera: 2915, 7076, 7174, 7966, 8792

Oenocarpus bacaba: 1814 Prestoea tenuiramosa: 11910

Socratea exorrhiza: 1320, 2255, 4266, 8975

Bromeliaceae

Aechmea bromeliifolia: 155, 5916, 6800

Aechmea mertensii: 467, 1134, 1538, 1873, 2297, 2652, 2860, 3075, 3321, 3428, 3745, 4738, 4815, 6421, 8883,

11066

Aechmea politii: 9100

Aechmea tillandsioides: 1343, 1556, 4595

Aechmea tocantina: 3711

Ananas ananassoides: 11124, 11377

Ananas parguazensis: 376, 1505, 2766 Araeococcus micranthus: 1952, 12227

Brocchinia acuminata: 5650 Brocchinia micrantha: 10250 Brocchinia reducta: 930 Brocchinia sp.: 10612, 11775 Brocchinia tatei: 10755

Catopsis berteroniana: 883, 5254, 6416, 6541, 7670,

8117, 11272

Guzmania altsonii: 5274, 9971

Guzmania lingulata: 427, 1170, 3429, 3703, 4311, 4565,

8336, 11055, 11163, 11199, 12075

Guzmania melinonis: 7566

Guzmania retusa: 5373, 8624, 12014, 12053

Guzmania roezlii: 4302

Guzmania sphaeroidea: 9120, 10237 Guzmania squarrosa: 9102, 10231, 12068

Indet.: 5150, 6838, 6879, 9511, 9518, 9970, 10049,

11498, 11556, 11868, 12370

Lindmania guianensis var. vestita: 1011

Mezobromelia pleiosticha: 954

Navia sp.: 11393

Pitcairnia brittoniana: 11561

Pitcairnia caricifolia: 1321, 3477, 3739, 6502, 2814, 6546 Pitcairnia maidifolia: 2561, 6895, 8124, 8683, 12036,

12186

Pitcairnia viridantha: 11551

Racinaea spiculosa: 5251, 5324, 5598, 8271, 9119, 9196a, 9273, 9721, 10052, 10206, 10754, 11501, 11655,

11769, 11786, 11996, 12098

Tillandsia anceps: 1932, 2000, 8337, 8516, 8609 Tillandsia bulbosa: 2068, 3552, 11198, 11348, 12397

Tillandsia complanata: 5340 Tillandsia fendleri: 5195, 5360

Tillandsia monadelpha: 1951, 2852, 3737, 3803, 12226,

12286

Tillandsia paraensis: 3553, 3588, 6574 Tillandsia turneri var. orientalis: 11746 Vriesea duidae: 9595, 10359, 10748, 11920

Vriesea heliconioides: 6308 Vriesea heterandra: 7252 Vriesea incurva: 9734 Vriesea platynema: 3697 Vriesea procera: 11370

Vriesea splendens: 5406, 8958, 9243, 12013

Werauhia hygrometrica: 5612 Werauhia viridiflora: 1178

Burmanniaceae

Apteria aphylla: 2429, 12174

Burmannia bicolor: 1026, 5123, 11436, 12165

Burmannia capitata: 1048 Burmannia sp.: 2373

Campylosiphon purpurascens: 682, 7976

Dictyostega orobanchoides ssp. orobanchoides: 5319,

5522, 5659, 10195, 10245, 10695, 8274 Gymnosiphon breviflorus: 1421, 2040

Gymnosiphon divaricatus: 194, 2022, 4612, 9628, 10246

Gymnosiphon sp.: 9998

Indet.: 10247 Commelinaceae

Aneilema umbrosum ssp. ovato-oblongum: 2181, 4620

Commelina cf. schomburgkiana: 458 Dichorisandra hexandra: 2296, 4406, 4667

Indet.: 2312, 7980, 8186, 8309, 8644, 8943, 9209, 9630,

10147, 10203, 10869, 10890 Murdannia nudiflora: 2182 Tradescantia zanonia: 1144, 5999 Tripogandra serrulata: 833

Costaceae

Costus arabicus: 1754, 1759, 4422, 6532, 6629, 6719,

10076

Costus scaber: 163, 658, 1105, 1311, 1872, 2609, 3391,

3453, 3882, 8074, 11172

Costus spiralis var. spiralis: 4959, 6009, 8032, 12169

Cyclanthaceae

Asplundia maguirei: 4273, 8954

Asplundia sp.: 1077, 1196, 11478, 11908, 11968 Dicranopygium angustissimum: 946, 5400, 6073, 8929 Indet.: 3239, 5553, 6818, 7651, 7749, 8708, 8789, 10025, 10045, 10074, 10136, 10251, 10273, 10649, 10870, 10950, 11405, 11619, 11896, 12004, 12035

Stelestylis stylaris: 9078 Thoracocarpus bissectus: 2716

Cyperaceae

Becquerelia cymosa ssp. cymosa: 672, 3215 Bisboeckelera irrigua: 2813, 3107, 7713

Bulbostylis conifera: 2086

Bulbostylis junciformis: 5230, 6089

Bulbostylis juncoides: 564 Bulbostylis lanata: 1663 Bulbostylis paradoxa: 1737

Calyptrocarya bicolor: 2176, 2320, 2428, 2728, 2837,

2875, 4368, 7656

Calyptrocarya glomerulata: 222, 251, 371, 647a, 720, 1476, 1477, 2476, 2784, 2838, 3108, 4248, 4297, 4479, 5226, 5401, 5473, 5474, 5782, 7363, 8317, 9025, 9126,

9295, 9863, 11059, 11136, 11244, 12325 Calyptrocarya poeppigiana: 1302, 11457, 12184

Cyperus cuspidatus: 5153 Cyperus haspan: 2666, 11072 Cyperus laxus: 6568

Cyperus ligularis: 716, 11449

Cyperus luzulae: 491, 2166, 9833, 9919, 11039, 11368 *Cyperus miliifolius*: 472, 3016, 3876, 6519, 6620, 11319

Cyperus odoratus: 11071, 11307 Cyperus schomburgkianus: 2151

Cyperus simplex: 1809, 3401, 3483, 3492, 4012, 8304,

8645

Cyperus sphacelatus: 3847, 5086, 9921, 12360

Didymiandrum stellatum: 1058, 5488, 5581, 5655, 9058,

9974a, 10574, 11762 Diplacrum capitatum: 550

Diplasia karatifolia: 1283, 2272, 3199, 8791, 11121,

11264

Eleocharis debilis: 5438, 12188 Everardia angusta: 11722, 11758 Everardia disticha: 9500, 11750 Everardia glaucifolia: 5840

Exochogyne amazonica: 7870, 11439

Fimbristylis complanata: 1398

Fimbristylis dichotoma: 2179, 5087, 11264a

Fimbristylis littoralis: 3877 Fimbristylis miliacea: 3845 Hypolytrum jenmanii: 1397, 1909

Hypolytrum longifolium: 361, 473, 480, 1136, 1474, 3017, 3018, 3499, 6159, 6677, 7714, 8760, 9945, 11156,

11176, 11188, 11265

Hypolytrum pulchrum: 909, 915, 1246, 2663, 12306

Kyllinga odorata: 5118 Indet: 2340, 2369, 2386

Lagenocarpus amazonicus: 12155b

Lagenocarpus rigidus: 922, 1665, 5872, 7887

Lagenocarpus verticillatus: 778

Machaerina ayangannensis: 9501, 10606 Mapania macrophylla: 1911, 8903, 9962

Mapania sp.: 9018, 9107, 10102, 10202, 10298, 10347,

10780, 11528

Mapania sp. nov.: 2890

Mapania surinamensis: 2529, 7166, 7334, 8536, 8699

Mapania sylvatica: 635, 1202, 2577, 4293

Mapania tepuiana: 1013, 5895 Mapaniopsis effusa: 3254 Pleurostachys puberula: 12037 Pleurostachys sp.: 7472, 8414 Rhynchocladium steyermarkii: 5583

Rhynchospora albida: 12353

Rhynchospora albomarginata: 694, 7032 Rhynchospora amazonica ssp. amazonica: 1478 Rhynchospora ayangannensis: 9266, 10519

Rhynchospora barbata: 563, 5088, 5120, 7883, 12361

Rhynchospora bolivarana: 5472, 9234 Rhynchospora brachychaeta: 923 Rhynchospora capillifolia: 1059

Rhynchospora cephalotes: 1133, 1889, 3489, 6048, 6113,

 $9976,\,9982,\,11154,\,11156a,\,11279$

Rhynchospora ciliata: 2139

Rhynchospora comata: 1856, 3471, 3693 Rhynchospora exaltata: 6887, 7152 Rhynchospora globosa: 7882 Rhynchospora hieronymii: 10624

Rhynchospora nervosa ssp. nervosa: 1585

Rhynchospora polyphylla: 5420 Rhynchospora pubera: 5119, 12359 Rhynchospora reptans: 437, 6576 Rhynchospora roraimae: 9502, 11767

Rhynchospora marisculus: 9924

Rhynchospora rugosa: 7877 Rhynchospora rupicola: 2993, 3676 Rhynchospora sanariapensis: 2438 Rhynchospora tenella: 2553, 7880 Rhynchospora tepuiana: 10703

Rhynchospora tuerckheimii: 11578, 11588, 11945

Scleria bracteata: 6959, 6995

Scleria cyperina: 567, 5887, 7025, 9068, 12399 Scleria flagellum-nigrorum: 218, 3770, 7859

Scleria latifolia: 1088, 1943, 4554, 5421, 6747, 6917

Scleria macrogyne: 244

Scleria melaleuca: 1149, 2178, 2292, 4359, 6016, 6407 Scleria microcarpa: 3485, 3857, 11084, 11137, 11169,

11218

Scleria muehlenbergii: 5089

Scleria secans: 5447, 9294, 9598, 9621, 11424

Scleria splitgerberiana: 6673 Scleria verticillata: 12346

Dioscoreaceae

Dioscorea amazonum: 560

Dioscorea aff. quinquefoliolata: 3183

Dioscorea sororopana: 9525

Dioscorea sp.: 737, 1502, 1627, 2077, 3369, 3388, 5090, 5144, 6194, 7385, 7762, 7963, 8212, 8459, 9381a, 9784,

10529, 10803, 11003 Indet.: 3716, 10820

Eriocaulaceae

Eriocaulon sp.: 717

Eriocaulon tenuifolium: 7884

Indet.: 932, 2347, 2351, 2366, 2453, 5651, 5746, 5813,

5863, 10342, 11013, 11445, 11730, 12330

Paepalanthus bifidus: 730, 6130 Paepalanthus fasciculatus: 9834, 11444 Paepalanthus oyapockensis: 12176 Paepalanthus sp.: 1714, 5285, 9469, 11718, 11738,

11743

 $Pae palanthus\ tortilis:\ 10520$

Rondonanthus capillaceus: 5695, 9069

Rondonanthus duidae: 11737

Syngonanthus gracilis: 933, 11446, 12167

Syngonanthus longipes: 934 Syngonanthus nitens: 5870

Syngonanthus umbellatus: 2658, 7868 Syngonanthus xeranthemoides: 927, 993

Tonina fluviatilis: 11301

Haemodoraceae

Indet.: 2353

Schiekia orinocensis: 5095

Xiphidium caeruleum: 4353, 6571

Heliconiaceae

Heliconia acuminata: 180, 322, 835, 1296, 1500, 1895, 2483, 2781, 3507, 4224, 5382, 6417, 7470, 7562, 8387,

11173, 11236, 11357, 11382, 12238, 1174

Heliconia bihai: 1148, 1862, 4008, 4149, 6010, 12111

Heliconia chartacea: 474, 1594, 4345, 6361, 6907, 7665 Heliconia densiflora ssp. densiflora: 1258

Heliconia hirsuta: 6871, 11113 Heliconia lourteigiae: 4375, 4654 Heliconia pendula: 8108, 10896

Heliconia psittacorum: 938, 6181, 10161, 10191, 11412,

11593, 11979

Heliconia silvestris: 2953 Heliconia sp.: 1195, 12112

Heliconia spathocircinata: 6240, 8087

Heliconia stricta: 8932

Iridaceae

Indet.: 931, 1772, 8128, 8187

Liliaceae

Bomarea edulis: 5128

Hippeastrum solandriflorum: 2469a

Hymenocallis tubiflora: 1870, 3475, 6170, 6547, 11097,

11220

Indet. ?: 11122, 11707

Isidrogalvia schomburgkiana: 5855, 9472, 11717

Nietneria corymboşa: 9454 Nietneria paniculata: 928

Zephyranthes puertoricensis: 1731

Marantaceae

Calathea altissima: 5227

Calathea casupito: 5557, 8935, 10088, 10275

Calathea elliptica: 1507, 1561, 3426, 4068, 4226, 5013,

6063, 8342, 9706

Calathea cf. mansonis: 1736, 4621

Calathea micans: 4455

Calathea propinqua: 10940 Calathea sp.: 8132, 11231

Calathea zingiberina: 2816, 3421, 3799 Hylaeanthe unilateralis: 8084, 8717 Indet.: 2000a, 2064, 12187, 12264

Ischnosiphon arouma: 963, 3238, 3887, 4069, 4323, 6359

Ischnosiphon enigmaticus: 5207, 8287 Ischnosiphon foliosus: 515, 643, 1423, 9690

Ischnosiphon hirsutus: 4467, 4527

Ischnosiphon leucophaeus ssp. leucophaeus: 2439 Ischnosiphon obliquus: 657, 1317, 3506, 6742, 8735 Ischnosiphon puberulus var. scaber: 7441, 7458, 8590,

9846, 10024a, 10957

Ischnosiphon sp.: 11232, 11249, 11282, 11361, 11384

Maranta arundinacea: 2138, 5162 Maranta gibba: 1259, 6030

Maranta protracta: 3456, 6556, 8097, 8192

Maranta rupicola: 3710 Monotagma laxum: 2253, 4363 Monotagma secundum: 4588, 8603

Monotagma spicatum: 368, 1295, 2431, 5206, 7465,

8955, 9148, 9710, 10106, 10894

Stromanthe tonckat: 8509

Mayacaceae Indet.: 8702

Mayaca cf. fluviatilis: 11140 Mayaca fluviatilis: 11250 Mayaca longipes: 11340

Orchidaceae

Aspasia variegata: 4044, 6769, 6923

Aspidogyne robusta: 9629 Batemannia colleyi: 4679, 7701 Bifrenaria longicornis: 249 Bifrenaria steyermarkii: 8308 Bollea hemixantha: 4754, 9654

Bollea violacea: 2506, 4284, 4310, 8338, 8440

Brachionidium brevicaudatum: 9549 Brachionidium longicaudatum: 9447

Braemia vittata: 5648

Brassavola martiana: 353, 359, 386, 1366, 4966

Brassavola sp.: 2760 Brassia bidens: 969

Brassia caudata: 6676, 8101 Brassia lanceana: 2239 Brassia cf. neglecta: 7844

Brassia sp.: 3452, 3568, 3761, 4741, 4808, 6553, 6894

Bulbophyllum sp.: 2975, 7599, 8858 Camaridium micranthum: 421 Campylocentrum fasciola: 1513, 5409

Campylocentrum micranthum: 1503, 4681, 4952, 7598

Catasetum discolor: 873, 943, 7017

Catasetum sp.: 1200, 2335, 2348, 2372, 2451

Cattleya violacea: 347, 351, 1365, 2069, 3575, 3589,

3698, 3840, 3996, 6602

Caularthron cf. bilamellatum: 384 Caularthron sp.: 3554, 3585

Cheiradenia cuspidata: 642, 1888, 1948, 2020, 4155,

4240, 5427, 9840 Cleistes parviflora: 5729 Cleistes sp.: 5868 Corymborkis sp.: 1221

Cryptarrhena guatemalensis: 4456 Cryptarrhena kegelii: 4175, 4678

Cryptocentrum dunstervilleorum: 9739, 9747, 9913

Cyclopogon sp.: 1097, 6468 Cyrtopodium parviflorum: 896, 998 Cyrtopodium sp.: 2448

Cyrtopodium sp.: 2448 Dichaea brachypoda: 4285 Dichaea hystricina: 10446 Dichaea kegelii: 9182 Dichaea morrisii: 12055

Dichaea sp.: 1953, 2021, 2237, 2522, 3458, 3781, 3783, 3994, 4107, 4800, 4995, 5301, 5646, 6055, 6846, 7400,

7476, 8272, 11107, 11135, 12280 Dichaea splitgerberi: 8738, 8981 Dichaea venezuelensis: 4285b, 5534

Dicrypta sp.: 7704 Dimerandra sp.: 354

Elleanthus arpophyllostachys: 9227

Elleanthus caravata: 4104, 5323, 9753, 10026, 10946

Elleanthus cephalotus: 4961

Elleanthus graminifolius: 1960, 3250, 5282, 5300, 5913,

8242, 8282, 8673, 8970, 9717 Elleanthus sp.: 1440, 5570, 5665 Encyclia aemula: 4503

Encyclia teemula: 4303 Encyclia fragrans: 4967 Encyclia granitica: 2302, 7005

Encyclia vespa: 3074 Epidendrum alsum: 9457

Epidendrum amazonicoriifolium: 9101, 10875

Epidendrum anceps: 2236, 6209, 6660

Epidendrum carpophorum: 1924, 5314, 5792, 6859,

6866, 6867, 7453, 8246, 8269, 8690, 10259 Epidendrum churunense: 9007, 9057 Epidendrum compressum: 1958, 5327 Epidendrum durum: 5828, 9259, 9382, 9520

Epidendrum flexuosum: 7730 Epidendrum ibaguense: 939 Epidendrum macrocarpum: 1545

Epidendrum miserrimum: 5701, 9178, 9711

9915, 9977, 9988, 9991, 9992, 9993, 9994, 9995, 9996, 9997, 10002, 10012, 10013, 10024, 10072, 10073,

Epidendrum aff. nocturnum: 1128, 1525, 2549, 2672, 10084, 10089, 10137, 10143, 10144, 10145, 10173, 2675, 2679, 3073, 3189, 6774, 7254, 8871, 3727 10219, 10220, 10221, 10222, 10232, 10283, 10338, Epidendrum orchidiflorum: 246, 1051, 1081 10343, 10360, 10392, 10397, 10419, 10431, 10433, Epidendrum pachyphyton: 5759 10434, 10435, 10491, 10495, 10500, 10516, 10531, 10532, 10563, 10573, 10583, 10587, 10590, 10591, Epidendrum paruimense: 5410 Epidendrum prostratum: 3576 10639, 10696, 10701, 10704, 10730, 10801, 10853, Epidendrum pseudoramosum: 9184, 10958 10937, 10960, 10962, 10966, 11024, 11028, 11029, Epidendrum purpurascens: 429, 2918, 2973, 3634, 3687, 11030, 11031, 11034, 11395, 11464, 11481, 11510, 3740, 6806, 7044, 7045, 11062 11511, 11513, 11558, 11570, 11571, 11577, 11584, Epidendrum ramosum: 651, 1172, 4100, 6389, 6830, 11591, 11592, 11594, 11595, 11612, 11630, 11633, 7250, 7499, 8542, 8844 11636, 11699, 11700, 11733, 11736, 11741, 11745, Epidendrum rigidum: 1362, 2227, 3500, 3515, 4843, 11749, 11753, 11772, 11780, 11794, 11800, 11816, 5071, 6575, 7752, 8873 11817, 11818, 11820, 11821, 11835, 11840, 11841, 11845, 11846, 11874, 12101, 12102, 12107, 12113, Epidendrum cf. saxatile: 2465 Epidendrum secundum: 1002, 5826, 5829 12119, 12120, 12121, 12133, 12137, 12159, 12160, 12190, 12191, 12194, 12208, 12219, 12221, 12222, Epidendrum smaragdinum: 4596 Epidendrum sp.: 940, 1033, 5411, 11134, 11904 12255, 12256, 12258, 12259, 12266, 12267, 12268, Epidendrum strobiliferum: 3455, 3501, 12002, 12284 12271, 12274, 12282, 12287, 12384 Epidendrum strobiloides: 5465 Ionopsis sp.: 12132 Epidendrum tumuc-humaciense: 970 Ionopsis utricularioides: 5000 Epidendrum urichianum: 5567, 5595, 5678, 9251 Isochilus linearis: 1205, 8245 Jacquiniella globosa: 3707, 5250, 5303, 5807, 5882, Epidendrum vincentinum: 5758 Epistephium sp.: 5752, 5779 5893, 6831, 6888, 7293, 7328, 7386, 8260, 8558, 9973 Kefersteinia sp.: 4945 Epistephium subrepens: 871, 991 Eriopsis biloba: 892, 971 Koellensteinia graminea: 6037 Erycina pusilla: 8468a, 9851 Koellensteinia sp.: 941, 1045, 5293, 5311, 5343 Erythrodes aff. hirtella: 8736 Lepanthes sp.: 5594, 12047, 12076 Galeandra stylomisantha: 1726, 6123 Ligeophila clavigera: 1153, 6052, 8301 Galeottia burkei: 1020 Liparis nervosa: 5454, 8468 Galeottia jorisiana: 5804, 5922 Lockhartia imbricata: 1830, 3264, 4060, 6320, 6615, Gongora maculata: 1224 6775, 6780, 7483, 7491 Habenaria alterosula: 7496 Macroclinium wullschlaegelianum: 8562 Habenaria floribunda: 9140 Malaxis maguirei: 8256, 8396 Habenaria sp.: 2137, 4352a, 8898, 9823, 12333, 12334, Malaxis sp.: 5675, 12012 12335 Masdevallia minuta: 4902, 4994 Helonoma bifida: 9439, 9480 Masdevallia cf. sp.: 12078 Heterotaxis superflua: 3762, 8874 Masdevallia vargasii: 7994, 8353 Heterotaxis villosa: 8303 Maxillaria (Heterotaxis, s.s.): 11196, 11350 Heterotaxis violaceopunctata: 4677, 6529, 6606, 8344 Maxillaria acutifolia: 2029, 7822 Hexisea sp.: 5281, 5336 Maxillaria alba: 8346 Maxillaria cf. alpestris: 11901a Houlletia odoratissima: 5563 Houlletia roraimensis: 10816 Maxillaria alticola: 5673, 5853 Maxillaria auyantepuiensis: 5276 Houlletia sp.: 5783 Huntleya lucida: 7365 Maxillaria bolivarensis: 8243, 8968, 8977, 8988, 9842 Huntleya meleagris: 5375 Maxillaria brachybulbon: 422b, 7257, 9798 Maxillaria caespitifica: 1636 Hylaeorchis petiolaris: 8665 Indet.: 2273, 2378, 2381, 2382, 2384, 2394, 2395, 2396, Maxillaria camaridii: 3400, 3497, 3641, 3704, 4054, 5605, 5607, 5664, 5718, 5724, 9054, 9198, 9512, 9740, 6528, 6577, 8869, 11200, 11209

Maxillaria crassifolia: 3487

Maxillaria cf. discolor: 948, 7608

Maxillaria cf. kegelii: 7251 Maxillaria lasallei: 9185

Maxillaria mapiriensis: 5339, 5351, 5926, 9713, 9735,

12044

Maxillaria meridensis: 5621, 5676, 5924, 11890

Maxillaria nasuta: 5349, 9719, 9752 Maxillaria parkeri: 947, 962, 1420 Maxillaria parviflora: 7387, 8870

Maxillaria pendula: 5252

Maxillaria porrecta: 1915, 4105, 5341, 7261, 7395, 7439,

9724, 9797, 9914, 10911

Maxillaria reichenheimiana: 5892, 8905, 9741

Maxillaria rufescens: 3688 Maxillaria santanae: 7128 Maxillaria sp.: 7391

Maxillaria superflua: 3706, 4965, 6527

Maxillaria uncata: 422a, 1635, 1865, 1868, 2290, 3782,

4053, 6603, 11195

Maxillaria venezuelana: 2639 Maxillaria cf. villosa: 4465 Mesadenella cuspidata: 8141 Microchilus campanulatus: 9678 Myoxanthus aspasicensis: 5355

Myoxanthus parahybunensis: 7707, 7864, 8335 Myoxanthus parvilabius: 2923, 8043, 8523 Myoxanthus sp.: 5679, 11939, 12043, 12058

Myoxanthus trachychlamys: 3413

Notylia sp.: 3993 Notylia ? sp. nov.: 1082 Octomeria connellii: 9456

Octomeria cordilabia: 5699, 9569 Octomeria exigua: 9700, 9787, 9912 Octomeria filifolia: 9093, 9257 Octomeria integrilabia: 9820 Octomeria lancipetala: 9865 Octomeria cf. parvifolia: 9539

Octomeria sp.: 5249, 5278, 5279, 5502, 5905, 7396, 9738, 10454, 10564, 10610, 10712, 10786, 10788,

11787, 12051

Octomeria surinamensis: 2856, 3227 Octomeria yauaperyensis: 7053 Odontoglossum naevium: 5632, 5738

Orleanesia amazonica: 360, 385, 395, 1383, 3586, 3599,

4038

Ornithidium aureum: 9228 Otostylis brachystalix: 9888

Palmorchis sp.: 3726, 4147, 4298, 4303, 9646

Pelexia laxa: 1222 Pelexia sp.: 8222 Platystele sp.: 2925 Pleurothallidinae sp.: 9742a

Pleurothallis archidiaconi: 4799, 8750

Pleurothallis consimilis: 4746 Pleurothallis ephemera: 8705 Pleurothallis imraei: 5677

Pleurothallis miqueliana: 2995, 3085 Pleurothallis picta: 1867, 3072 Pleurothallis polygonoides: 3256

Pleurothallis pruinosa: 1866, 4502, 6319

Pleurothallis revoluta: 2921

Pleurothallis ruscifolia: 5193, 5363, 8971, 8986, 10036,

10899, 10934

Pleurothallis sclerophylla: 5833

Pleurothallis sp.: 2819, 3773, 7697, 8283, 11057, 11081, 11087, 11088, 11875, 11901, 11940, 11941, 11942,

12030, 12045, 12057

Pleurothallis spiculifera: 1123, 6039 Pleurothallis stenocardium: 8538 Pleurothallis suspensa: 8906

Pleurothallis tepuiensis: 5636, 8270, 9314 Polycycnis surinamensis: 7357, 7417, 7553, 8247 Polystachya foliosa: 5083, 6522, 6847, 7691, 8302

Polystachya sp.: 2238, 2416, 3474, 4944

Polystachya stenophylla: 2550, 2767, 4826, 9720

Ponthieva ovatilabia: 5469 Prescottia carnosa: 9458

Prescottia stachyodes: 6793, 8111, 9431

Prosthechea aemula: 6770 Prosthechea calamaria: 872, 8872 Prosthechea crassilabia: 8521 Prosthechea pygmaea: 8868 Prosthechea sp.: 5674, 6613 Prosthechea tigrina: 5644

Prosthechea vespa: 356, 3567, 5791, 6531, 6542, 6552,

8255, 8259, 8420

Psilochilus dusenianus: 5547, 9606, 10306

Psilochilus sp.: 12062

Psygmorchis pusilla: 4825, 5037

Psygmorchis sp.: 4011

Quekettia sp.: 1514, 3992, 4419

Reichenbachanthus reflexus: 4102, 5302, 8533 Rodriguezia lanceolata: 1307, 1371, 3460, 3669, 3694

Rudolfiella aurantiaca: 2637, 4814, 8550, 8615

Sarcoglottis metallica: 5461, 8258, 9936 Sarcoglottis simplex: 4352

Sarcoglottis simplex: 435. Sarcoglottis sp.: 8664

Scaphosepalum sp.: 11509, 12050, 12077

Scaphyglottis amethystina: 7753 Scaphyglottis bifida: 8267, 8277 Scaphyglottis fusiformis: 3190, 8045 Scaphyglottis graminifolia: 9733

Scaphyglottis modesta: 7327, 7388, 7554, 8276, 8524,

9864, 10992

Scaphyglottis sickii: 2676, 4097, 4312, 6617

Scaphyglottis sp.: 415, 784, 944, 2917, 2969, 3248, 5555,

5597, 5760, 5925, 5952, 5984, 6038, 7401, 7586

Scaphyglottis stellata: 3155, 7228 Scaphyglottis violacea: 5304 Selenipedium palmifolium: 4938

Selenipedium steyermarkii: 1068, 5691, 9225, 9620

Sobralia liliastrum: 942, 1037, 6137

Sobralia macrophylla: 8229 Sobralia oliva-estevae: 5747 Sobralia sessilis: 9226

Sobralia sp.: 1923, 5294, 5511, 5812, 6545, 6832, 6973,

7394, 10938

Sobralia suaveolens: 7595, 8294

Sobralia valida: 8286, 9722, 9892, 9901, 11009

Solenidium lunatum: 2989 Solenidium cf. sp.: 2990 Spiranthes sp.: 11696 Stanhopea grandiflora: 4675 Stelis argentata: 4798, 8850

Stelis aviceps: 9614

Stelis guianensis: 9110, 9821

Stelis sp.: 589, 1869, 3255, 3587, 3796, 4204, 4676, 5196, 5310, 5350, 5412, 5562, 5596, 7086, 7609, 7628,

7690, 8351, 9737, 11903, 11967

Stenia pallida: 1179

Trichosalpinx orbicularis: 8747 Trichosalpinx roraimensis: 5749, 5906

Trichosalpinx sp.: 7105, 7358, 8563, 8587, 8666, 8749,

9712, 11902

Trigonidium acuminatum: 2226, 2802, 6573, 6768, 6968,

7606, 8352

Trigonidium sp.: 8867 Vanilla sp.: 1575

Vanilla wrightii: 9263, 9726, 9779

Wullschlaegelia calcarata: 1432, 1454, 2937, 4662

Xerorchis trichorhiza: 4109

Xylobium sp.: 7524

Zygosepalum labiosum: 3584, 4698, 4993, 7131, 7895,

8864, 11051

Zygosepalum lindeniae: 3705

Poaceae

Acroceras zizanioides: 1978, 3874

Andropogon bicornis: 9837

Andropogon leucostachyus: 5277, 12364

Aulonemia nitida: 10808 Axonopus capillaris: 734 Chusquea linearis: 9405, 10619 Cortaderia roraimensis: 11756

Digitaria lanuginosa: 3863

Digitaria laxa: 6706

Echinolaena inflexa: 7881, 12310 Eleusine indica: 2171, 9920

Eragrostis maypurensis: 765, 12365

Ichnanthus breviscrobs: 1228 Ichnanthus leiocarpus: 4274

Ichnanthus nemoralis: 2470, 3677, 6003

Ichnanthus pallens: 1272, 3163, 3771, 4249, 4276, 6743,

8779, 9672, 10900, 11458, 11944, 12154

Ichnanthus panicoides: 1301, 2244, 2430, 4478, 7407,

7630, 8836, 10124 Ichnanthus tenuis: 8640 Indet.: 2377, 6933 Isachne rigens: 10316 Ischaemum guianense: 11011

Lasiacis ligulata: 6666, 7997, 8637 Lasiacis sorghoidea: 5145, 8219, 8495

Leptocoryphium lanatum: 5121 Myriocladus distantiflorus: 9464

Neurolepis angusta: 10627, 10747, 10841

Olyra caudata: 4641

Olyra latifolia: 2128, 2311a, 3883, 4349, 6305, 6693,

6741, 8487, 8642

Olyra longifolia: 1446, 6248, 6674, 11251

Olyra micrantha: 317, 2490, 2873, 5446, 5950, 6761,

6840, 7134, 7272, 8047, 8511, 11401 Oplismenus hirtellus: 6771, 6906

Orthoclada laxa: 6667

Panicum aequivaginatum: 1012

Panicum hylaeicum: 3849

Panicum laxum: 3859, 5439, 11053, 11187, 11369 Panicum micranthum: 5117, 12312, 12352, 12357

Panicum nervosum: 12372

Panicum pilosum: 543, 742, 1135, 2124, 4245, 7561,

7879, 11083, 11177, 11278, 11317, 11459

Panicum polycomum: 2115 Panicum polygonatum: 9847 Panicum pycnoclados: 9942, 9979 Panicum pyrularium: 2434, 3860 Panicum rivale: 2552, 12129

Panicum ? sp.: 6094

Panicum stoloniferum: 1475, 4887, 6723, 8080, 11217,

11219

Pariana s.l. radiciflora: 2787, 11170 Parodiolyra micrantha: 10126 Paspalum altsonii: 2441, 9848, 9940 Paspalum conjugatum: 2788b Paspalum decumbens: 2167

Paspalum melanospermum: 766, 3498, 3530, 6567

Paspalum nutans: 5942 Paspalum orbiculatum: 5233

Paspalum petilum: 5440, 9233, 9235, 11557

Paspalum cf. pilosum: 9874 Paspalum pulchellum: 5116 Paspalum pumilum: 12131 Pharus latifolius: 6409, 8086 Pharus parvifolius: 3896 Pharus virescens: 8600

Raddiella esenbeckii: 9985, 11012, 12185

Setaria parviflora: 3872 Setaria tenax: 6773

Streptogyna americana: 4688, 6765, 6781

Thrasya scandens: 2551

Trachypogon spicatus: 1664, 2085, 6132

Pontederiaceae

Eichhornia diversifolia: 436

Indet. ?: 11289 Rapateaceae

Epidryos guayanensis: 9623, 9714, 10016, 10698, 11543

Rapatea fanshawei: 5338

Rapatea paludosa: 1411, 2485, 3241, 9019, 10274, 12198

Saxofridericia regalis: 12218 Spathanthus unilateralis: 9698 Stegolepis angustata: 5561

Stegolepis ayangannae: 9269, 10765 Stegolepis aff. ferruginea: 9071, 11734

Stegolepis cf. guianensis: 10621 Stegolepis ptaritepuiensis: 5839 Stegolepis steyermarkii: 10243, 10833

Smilacaceae

Smilax domingensis: 580, 5742

Smilax latipes: 4124

Smilax schomburgkiana: 272, 452, 1092, 1319, 1858,

1981, 2528, 4050, 4976, 5107

Smilax sp.: 6041, 6121, 6466, 6837, 6857, 7022, 7383, 7526, 7799, 8360, 8518, 8605, 8698, 9694, 10207,

10465, 10843, 12103

Smilax syphilitica: 681, 3080, 3374

Strelitziaceae

Phenakospermum guyannense: 1424

Thurniaceae

Thurnia sphaerocephala: 201, 5426

Triuridaceae

Sciaphila purpurea: 1910, 2422, 2850, 2994, 3668

Sciaphila sp.: 7229

Xyridaceae

Abolboda acaulis: 11689

Abolboda grandis: 225, 248, 266, 7875, 12307 Abolboda macrostachya var. robustior: 935

Abolboda pulchella: 1793 Indet.: 994, 2349, 9326

Orectanthe sceptrum: 5836, 9499, 10625, 10752, 11687,

11774

Orectanthe sp.: 9413

Xyris albescens: 9471, 11701

Xyris guianensis: 929

Xyris involucrata: 245, 1014, 12155a *Xyris jupicai*: 498, 1402, 2363, 6989

Xyris malmeana: 7876

Xyris paraensis var. paraensis: 1705 Xyris savanensis: 7004, 12336 Xyris surinamensis: 239, 7886 Xyris witsenioides: 11720

Zingiberaceae

Renealmia alpinia: 4007 Renealmia aromatica: 1743

Renealmia floribunda: 211, 1341, 2318, 4377 Renealmia guianensis: 1223, 1956, 5188, 8026 Renealmia monosperma: 4272, 4379, 4518

Renealmia orinocensis: 644, 747, 2488, 5396, 9676, 10041

Renealmia thyrsoidea ssp. chrysantha: 4145, 9145

Zingiber purpureum: 6652

INDETERMINED FAMILY

Indetermined

Indetermined: 1189, 1211, 1676, 1688, 1936, 2067, 3593, 3948, 4423, 5066, 5680, 5741, 6367, 7055, 7256, 7265, 7271, 7620, 7682, 7718, 7732, 7740, 7845, 7891, 7957, 8016, 8145, 8218, 8365, 8379, 8467, 8470, 8554, 8560, 8583, 8599, 8606, 8671, 8745, 9183, 9430, 9656, 9804, 10205, 11479, 11739

No Record

2399, 2401, 3800, 5163, 5164, 5917

PLATES




PLATE 1. A. Abarema barbouriana (Standl.) Barneby and J. W. Grimes (Leguminosae-Mimosoideae), Clarke 9601, collected June 2001 on the east face of Mount Ayanganna. B. Regis James from Aishalton (center) and Wapishana workers on the Kwitaro River. C. Parkia nitida Miq. (Leguminosae-Mimosoideae), Clarke 4905, collected in the Kamoa Mountains. D. Dimorphandra macrostachya Benth. (Leguminosae-Caesalpinioideae), collected near Paruima. E. Psychotria potaroensis (Sandwith) Steyerm (Rubiaceae), Clarke 8900, collected along the Upper Potaro River. F. View from the summit of Mount Ayanganna; the ascent route is in foreground and Mount Semang in the background.



PLATE 2. A. David Clarke, James Sose (Wai Wai), Claudius Perry (Wapishana), and Mike Braun (SI) on the summit of an inselberg south of the Sipu River, the highest point of Acarai Mountains. Photo by Mark B. Robbins, University of Kansas, used with permission. B. *Norantea guianensis* Aubl. (Marcgraviaceae), Clarke 3508, collected February 1997 along the Rewa River in the gorge below Great Falls. C. Upper Arabaru River, below the summit of the escarpment, Mount Maringma. D. *Symbolanthus calygonus* (Ruiz and Pav.) Griseb. (Gentianaceae), Clarke 5610, collected near Paruima.




PLATE 3. A. Fusaea longifolia (Aubl.) Saff. (Annonaceae), Clarke 4396. B. Ledothamnus sessiliflorus (Ericaceae), second collection after type by Schomburgk on Roraima (in Venezuela), summit of Mount Maringma. C. Psittacanthus sp. (Loranthaceae), Clarke 4400. D. Memora schomburgkii (DC.) Miers (Bignoniaceae), Clarke 435. E. Epidendrum cf. macrocarpum (Orchidaceae). F. Passiflora capparidifolia Killip (Passifloraceae), Clarke 1522.




PLATE 4. A. Palicourea longiflora DC. (Rubiaceae), Clarke 4919. B. Cattleya violacea (Kunth) Rolfe, Kwitaro Landing at the terminus of the trail from Shea village. C. Heliconia lourteigiae (Heliconiaceae) Emygdio and E. Santos, Clarke 4375, collected May 1997 near Kuyuwini River. D. Little Ayanganna, part of the Wokomung Massif as seen from the air en route from Orinduik Falls to Georgetown. E. Mount Maringma, from Wayalayeng Village above the 400-foot waterfall on the Ataro River, near the Brazilian border. F. Apodanthes caseariae (Rafflesiaceae), Kassikaityu River.

Index

```
Acarai Mountains, 50-51, 300
  collecting localities of, 36, 48
  expeditions to, 37-38, 47, 49
Acevedo, Pedro, 4
Adampada Creek, 59
Adkins, Sally, 31
Ahti, Ted, 5
Aikawan Mountains, 35
Aishalton, 33, 37, 43, 44
Akawaio, 51–53, 60
Akromukru Falls, 30
Albin, Colin, 53, 56
Allicock, Daniel, 23, 25
Allicock, Fred, 23-24, 30
Alouatta sp., 23
Alvin, Matthew, 47
Amazon Rainforest, 37
Amazon River, 1
Amazonas, 1
Amazonian manatee, 39
American Journal of Botany (Clarke), 5
Amerindians, 4, 24, 37-39, 44
anaconda, 44
Anauá River, 43, 50
Anderson, Ivan, 24
Andrew, Thomas, 50
Annai, 23-25, 30, 35, 41, 46-47
Anteater Head Creek Camp, 43
Apoteri, 35
Arabaru River, 60, 300
Arakwai Creek, 33
arapaima, 30, 39, 47
Ararata, 45
Arawak, 53
Arekuma, 44
Ataro River, 60
Ateles sp., 23
Atlantic Ocean, 1, 53, 55
Atorad, 50
```

sity (CSBD), 3-6

Augustine, Melchoir, 39 Chambers, James, 29 epilithic vegetation, 31 Chan-A-Sue, Malcolm, 23 Auratoi Savanna, 46 Ericaceae, 38 Checklist of the Fishes of the Guiana Ayaw, Kayanama, 50 Essequibo River, 25, 35, 39 Shield (Vari), 3 Aymatoi, 29 collecting localities of, 36 Checklist of the Plants of the Guiana expeditions to, 23-24, 30, 33, 36-38, Shield (Funk et al), 3, 5 43-44, 49-51 Baboon Rapids, 51 Checklist of the Terrestrial Vertebrates Bamboo Falls, 40 Euphorbiaceae, 45, 54 Bartica, 39, 41, 43, 46, 50 of the Guiana Shield (Hollowell expeditions, 21. See also individual and Reynolds), 3 Bastos, 56 places Bat Mountains, 33 Cheong, Benny, 50 BDG. See Biological Diversity of the Chi Chi Falls, 53 fer-de-lance, 43, 46 Guiana Shield (BDG) Chin, Christopher, 4, 45 Field Checklist of the Birds of Guyana Bel Air Park, 60 Chinapau Village, 53, 55 (Braun), 3 bellbirds, 29-30 Chinowieng Village, 53-54 French Guiana, 1-2, 41 Bernard, Calvin, 4, 31 Chloranthaceae, 54 Freshwater systems, 3 Biloku Rapids, 51 Chodikar Mountains, 36-38 biodiversity, 1-3 Chodikar River, 37-38 GAC. See Guyana Airways Corporation Biological Diversity of the Guiana Shield Clarke, H. David, 21, 56, 300. See also (GAC) (BDG), 53, 56-57 expeditions GDF. See Guyana Defense Force (GDF) Clarke's participation in, 3-5 BDG, participation in, 3-5 Geo Magazine, 5, 50, 51 expeditions made by, 3 career overview of, 3 Georgetown, 3-5, 24-25, 29, 31, 33, goal of, 1 collection information by, format of, 35, 37-38, 44, 46-47, 53-54, 56 in Guyana, 3 collecting localities of, 26 mission of, 3 Guiana Shield expeditions, role in, 3-5 expeditions to, 60 publications made by, 3 Clusiaceae, 38, 51, 54 Gesneriaceae, 25 purpose of, 1-2 cock-of-the-rock, 23, 29, 38, 45 gesneriad, 38 of Smithsonian Institution, 3, 6, 45 Colombia, 1 giant anteater, 29 black and red poison arrow frogs, 24 Conservation International Rapid giant river otter, 33, 39 black caymans, 47 Assessment Program, 5, 39 Gillespie, Lynn J., 6, 25 BN. See Britten Norman (BN) Conservation of Ecological Interactions Gittens, Diana, 4-5, 56-57 Bolívar, 1 and Biotic Associations (CEIBA) Global Positioning System (GPS), 5, 33, Bolletrie Falls, 57 Research Centre, 25 Boom, Brian, 55 Coppename River, 57, 59 Gold Falls, 23 Botanical Garden in Berlin, 5 Coruna Rapids, 39 Google Maps, 5 botfly, 44 Costa Rica, 5 GPS. See Global Positioning System Bothrops atrox, 23-24 cotingas, 29 (GPS) Bothrops bilineata, 54 Crabwood Creek, 31 Great Falls, 40 Bothrops sp., 45 Crotalus durissus, 45 Griffith, Paulin, 39 Boundary Commission, 41 CSBD. See Centre for the Study of Bio-Guiana Shield, 55, 57, 59 Brazil, 1, 3, 43, 50-51 logical Diversity (CSBD) BDG's expeditions to, 3 Braun, Mike, 300 Cyperaceae, 54 Clarke's expeditions to, 3-5 Britten Norman (BN), 54 conservation efforts in, 2 Bureau Waterkracht Werken Camp, 57, Dadanawa Ranch, 43, 46 freshwater systems of, 3 collecting localities of, 32 geographical demographics of, 1 Burro-Burro River, 23-24, 30 expeditions to, 31, 33, 39, 41, 44 habitat of, 1-2 Bush Cow Falls, 40 David, Keith, 4, 45 vascular plants in, 3 David, Myles, 39 vertebrates of, 3 Caiman Sula, 59 DeFreitas, Duane, 31 Guianas, 1-3, 37 Canada, 3 DeFreitas, Justin, 46 Guianan cock-of-the-rock, 38 Canister Falls, 35 Delta Amaçuro, 1 Gunn's Strip, 35, 43, 46 expeditions to, 33, 36-37, 47, 49-51 Caribbean, 5 Demerara Timbers Ltd., 25 Guyana, 5, 31, 33, 35, 37, 39, 41, CEIBA. See Conservation of Ecological DePriest, Paula, 4, 29 Interactions and Biotic Associations Dominican Republic, 5 43-45, 46, 49-51, 60 (CEIBA) Research Centre Driefoetoe Soela, 59 BDG program in, 3 Central America, 5 Duckla Falls, 24 biological diversity of, 3 Central Suriname Nature Reserve, 5, conservation efforts in, 2, 3 Dunari Rapids, 23 Environmental Protection Agency of, Centre for the Study of Biological Diver-Eira barbata, 24

Emeritus, President, 3

National Herbarium of, 4, 6

National Protected Areas System of, 55 to Mahdia-Sandstone Road, 30 Konuktipu, 29, 46 Kopinang, 44, 55 to Makarapan Mountain, 35 vegetation map of, 3 Guvana Airways Corporation (GAC), to Moco Moco II Creek, 30, 41 Kowatipu, 29, 50 Kukui River, 60 31, 33, 35, 41, 43, 46, 47 to Pakutau Falls, 24 Kumarow, 29 Guyana Defense Force (GDF), 37–38, to Pakutau Hills, 24 53-54 to Pisham Pisham Rapids, 23 plant checklists for, 3 harpy eagle, 25, 30 to Post Arinda Inlet, 23 haymara, 51 purpose of, 21 Heald, Scott, 4, 41 to Siparuni River, 23, 24, 30 Helsinki, 5 to Surama, 25, 30-31 Henkel, Terry, 51, 53-56 to Tiger Creek, 35 herbaceous vegetation, 31 to Turtle Mountain, 23, 33, 35 to Turtle Pond, 30 herbaria, 21 Iwokrama Mountains, 50 herbarium, 21 goal of, 41 Hoffman, Bruce, 5, 21, 24, 29-30, 51 collecting localities of, 34 Högberg, Öla, 50 expeditions to, 24-25, 30, 33, 35, 41 Holitipu, 29, 44 Kwitaro River, 38 Hollowell, Tom, 45 jaguar, 23, 40, 43, 50 Honey Creek Camp, 43 James, Regis, 25, 33, 37, 43, 299 Hoplyas macrophthalmus, 51 Jawalla, 60 howler monkey, 23, 51 Jerry, Isaac, 53 labaria, 23-25 Humboldt State University, 56 Joseph, Charles, 53, 56 Hymenophyllaceae, 37 Joseph, Edward, 53-54 Lauraceae, 51 Joseph, Linus, 56 Leptophis sp., 40 Joseph, Milton, 53 Iguana Falls, 40 iguanas, 47 Joseph, Pedro, 53 Levai Falls, 24 Illubia Creek, 29, 46 Julianatop, 57 Lim, Burton, 37 Illutipu, 29, 45 Imbaimadai, 53, 60 Kaibarupai, 56 Independence Day, 51, 53 Kaieteur Falls, 29, 53, 55 inselberg vegetation, 47 Kaieteur National Park, 3, 55 Ireng Creek, 24, 56 Kaikan, 29 Iwokrama International Centre for Kamakusa, 55 Rainforest Conservation and Devel-Kamarang River, 46 opment, 5 expeditions to, 25, 29 Great Falls of, 29, 44, 45 Iwokrama International Rainforest Programme, 5, 21, 50 Kamoa Mountains, 37, 44, 50 Maikwak, 29 Iwokrama International Rainforest collecting localities of, 36, 42 Reserve expeditions, 5, 21, 24, 29, expeditions to, 38, 43 37, 46 Kamoa River, 37-38, 50 to Akromukru Falls, 30 Kanuku Mountains, 31, 39, 46-47, 50 Makawatta, 31 to Annai, 41 Karanang, 55 malaria, 24 to Apoteri, 35 Karaudarnau, 43-44 to Burro-Burro River, 23, 24, 30 Karibon Creek, 29 Manaus, 43, 50 collection localities of, 21-24, 28, 34 Karowrieng River, 60 to Dunari Rapids, 23 Kartabo, 37 to Essequibo River, 23, 24, 30, 33, 35 Karupukari-Annai Road, 34 to Gold Falls, 23 Kassikaityu River, 41, 49 to Ireng Creek, 24 collecting localities of, 42, 48 to Iwokrama Mountains, 24-25, 30, expeditions to, 42-44, 50, 51 33, 35, 41 goal of, 41 to Kuratoka Rapids, 23 Kato, 25, 29 to Kurupukari, 23-25, 30, 35, 41 Kelly, Josh, 4, 5, 53, 56 to Kurupukari-Annai Road, 23-25, king vulture, 40 33, 35, 41 Kleinhoonte, 23, 25, 29, 45 to Kurupukari-Lethem Road, 30-31 Klum, Mattias, 50 Meliaceae, 25 to Ladysmith Creek, 23, 30 Kolodokyengtipu, 29

Konashen Rapids, 38

to Levai Falls, 24

Kuratoka Rapids, 23 Kurupukari, 23-25, 30, 35, 41 Kurupukari-Annai Road, 23-25, 33, Kurupukari-Lethem Road, 30-31 Kuyuwini Landing, 33 Kuyuwini River, 31, 41, 50 collecting localities of, 32, 42 expeditions to, 33, 43-44 Kwattamang Landing, 47 Kwitaro Landing, 39, 41, 46-47 collecting localities of, 36, 42 expeditons to, 39-42, 46-47

Ladysmith Creek, 23, 30 Lethem, 31, 33, 41, 44, 46 Linker Coppename River, 57-58, 59 Little Avanganna, 57, 302

Mabura Hill, 22, 25-26, 37 Mabura Hill-Kurupukari Road, 25 Mabura Hill-Linden Highway, 25 Macushi, 23, 35, 47 Maguire, Bassett, 51 Mahdia-Sandstone Road, 24, 30 Makarapan Mountains, 25, 50 collecting localities of, 42 expeditions to, 35, 46-47 Malek Falls, 56-57 Maparri River, 31–32 Marawanara, Marifa, 37-38, 43 Maringma, 44, 302 Marudi Mountains, 33 Marunawa, 33, 37, 39, 41, 43, 45–46, 50 Maruwanaru, Aaron, 50 Maruwanaru, Yuphon, 50 Mazaruni River, 25, 45, 53, 60 McDowell, Tim, 6, 25, 44 McPherson, Tsitsi, 4 Melastomataceae, 54 Mexico, 3, 5 Midden Coppename, 58

Midden River, 57 Mingle, Charlie, 43 Ministry of Amerindian Affairs, 37 Missouri Botanical Garden, 3 Moco Moco II Creek, 30, 41 Monkey Jump, 44 Monkey Mountains, 29 Mori, Scott, 4, 41 Mount Ayanganna, 44, 51, 53-56, 60, collecting localities of, 52 expeditions to, 54 Mount Daniel. See Iwokrama Mountains Mount Maringma, 5, 52, 60, 302 Mount Roraima, 45, 51 Mount Wokomung, 5, 54-55, 60, 302 collecting localities of, 52 expeditions to, 56-57 Mount Yuroban, 29 Muri River, 25, 50 Mutchnick, Patrice, 21, 24 Mutisieae-Asteraceae, 54 Myrsinaceae, 54

National Geographic Society, 5
National Museum of Natural History, 1
National Protected Areas System of
Guyana, 55
Natun Bush Island, 31, 33
neotropics, 21, 59
New Ayanganna, 56–57
New River Triangle, 37, 44, 50
New York Botanical Garden, 4, 41
Newton, Angela, 29

Ogle Airport, 51, 53–54, 57 Onoro River, 38 Orchid Digest (Clarke), 5 Orinduik, 50, 53, 54 Orinoco River, 1 oropendulas, 29 O'Toole, Eamon, 37

Pacu Falls, 40
Pakaraima Mountains, 5, 25, 44, 46, 50, 55, 60
Pakutau Falls, 24
Pakutau Hills, 24
Parabara Savanna, 33, 43–44
Paramakatoi, 25, 28–29
Paramaktipu, 29
parrot snake 40, 54
Paruima River, 26, 28, 44
collecting localities of, 27
expeditions to, 25, 29, 45–46
Patamona, 53, 55–56
Paul, Harold, 47

Pemón, 44 Pennington, Toby, 21 Perry, Claudius, 4, 33, 37, 39, 41, 43, 45-46, 50, 53, 56-57, 300 Peters, Malkie, 39 petroglyphs, 25 Phyllobates sp., 24 Pipillipai, 44, 60 Pipoly, John J., 6, 51 Pisham Pisham Rapids, 23 Podocnemis sp., 39, 47 Podostemaceae, 57 porcupine, 25 Post Arinda Inlet, 23 Potaro River, 51, 53 collecting localities of, 52 expeditions to, 54, 56-57 Proceedings of the Academy of Natural Sciences, Systematic Botany (Clarke), 5 Puerto Rico, 5 puma, 43

Rafflesiaceae, 51 Rapateaceae, 54 rattlesnake, 45 Raven, Peter H., 3 Rechter Coppername River, 57-59 red brocket deer, 23 Rewa River, 38 collecting localities of, 36 expeditions to, 39-41, 46-47 Great Falls of, 39, 47 rheophytic vegetation, 24 Rhodes, Jay, 5, 60 Rio Casiquiare, 1 Río Negro, 1 riparian vegetation, 24, 38 river turtles, 39, 47 Robertson, Charles, 37 Roraima, 29, 44-45, 51, 60 Royal Ontario Museum, 4, 37 Rubiaceae, 25 Rupicola rupicola, 23, 45 Rupununi River, 39 collecting localities of, 32 expeditions to, 31, 47 Rupununi Savanna, 31, 33, 39, 41, 43, 46, 50

Sand Creek Village, 31–32 Savanna Inn, 44 Schomburgk, Richard, 33, 60 Shea Rock, 46 Shea Village, 33, 39, 41, 44, 46, 47 SI. See Smithsonian Institution (SI) Sidonkroetoe Sula, 59 Simon, George, 37 Singh, Eddie, 33, 35, 43-44, 46-47 Siparuni River, 23-24, 30, 51, 53 collecting localities of, 52 expeditions to, 54, 56-57 Sipman, Henricus, 5, 29 Sipu River, 37, 47-49 Skog, Larry, 4 Smithsonian Institution (SI), 4, 24, 31, 37 BDG program of, 3, 6, 45 Iwokrama Rainforest Programme, contract between, 5, 21 mission of, 3 National Museum of Natural History of, 1 U.S. National Herbarium at, 3, 6 Soesdyke-Linden Highway, 25 Sose, James, 300 Sosé, Bemner, 50 Sosé, Mark, 37, 44 South America, 3, 59 spider monkey, 23 State University of Utrecht Herbarium, 5 Stenroos, Solis, 29 Stern, Stephen, 4, 5, 56-57 Surama, 23, 25, 30-31, 35 Suriname, 1-2, 5, 57-58

Tafelberg, 57 Takutu River, 33, 49-51 tanagers, 29 tapirs, 23, 25, 44 Tautowan Mountains, 31, 44 tayra, 24 termites, 43 Terra Firme Forest, 57 Thompson, Adrian, 25, 43, 50-51, 53 Tiger Creek, 35 Tillett, Steve, 51 Timehri Airport, 31, 33, 35, 41, 44, 46-47, 54 Tonckens Falls, 57 Tripp, Erin, 4, 5, 53, 56–57 trogons, 29 Tropenbos Field Station, 25 Tschinkel, Henry, 50 Tulameng, 60 Turtle Mountains, 23, 33–35 Turtle Pond, 30

lina at Asheville (UNCA)
U.S. National Herbarium, 3, 4, 6
University of Guyana, 3–5, 33, 45–46, 56–57
University of North Carolina at Asheville (UNCA), 3–4, 53, 56
Utshi River, 29

UNCA. See University of North Caro-

Uluk Creek, 29

vegetation epilithic, 31 herbaceous, 31 inselberg, 47 rheophytic, 24 riparian, 24, 38 xeric, 31, 33 Venezuela, 3, 29, 60 Vochysiaceae, 38

Waard, Jeanne Florschütz-de, 5 Wai Wai, 37–38, 43–44, 50–51 Waimatipu, 29 Waleliwatipu, 29 Wapishana, 33, 35, 37, 45–47, 53 Waramadon, 25 Warimatipu, 29, 46 Washington, 6 Wassari Mountains, 37, 41, 43, 49 collecting localities of, 48 expeditions to, 50-51 Watson, Cynthia, 4, 46 Watuwau River, 37 Waukauyengtipu, 29, 44, 60 collecting localities of, 27 expeditions to, 45-46 Wayalayeng Village, 60 Welle, Ben ter, 44 white-lipped peccary, 43 whitewater camp, 53 Wieland, Johanna, 50 Wilhelmina Mountains, 57-59

Williams, Leonard, *53*, *56*Williams, Moses, *53*, *56*Williams, Romeo, 4, *39*, 41, 43, 46, 50, *53–54*, *56*Wokomung, 44, *55*, 302
World Heritage List, *55*Wurdack, John, 4

Yaymochi, Wachana, 37, 50 Yowang Mountains, 29

xeric vegetation, 31, 33

Zibingatzako Mountains, 38

·	

REQUIREMENTS FOR SMITHSONIAN SERIES PUBLICATION

ALL MANUSCRIPTS ARE REVIEWED FOR ADHER-ENCE TO THE SISP MANUSCRIPT PREPARATION AND STYLE GUIDE FOR AUTHORS (available on the "Submissions" page at www.scholarlypress.si.edu). Manuscripts not in compliance will be returned to the author. Manuscripts intended for publication in the Contributions Series are evaluated by a content review board and undergo substantive peer review. Accepted manuscripts are submitted for funding approval and scheduling to the Publications Oversight Board.

MINIMUM MANUSCRIPT LENGTH is thirty manuscript pages. If a manuscript is longer than average, an appropriate length will be determined during peer review and evaluation by the Content Review Board. Authors may be asked to edit manuscripts that are determined to be too long.

TEXT must be prepared in a recent version of Microsoft Word; use a Times font in 12 point for regular text; be double spaced; and have 1" margins. Each chapter/section must be saved in a separate file.

REQUIRED ELEMENTS are title page, abstract page, table of contents, main text, and reference section. See the SISP Manuscript Preparation and Style Guide for Authors for the order of all elements.

HEADINGS should be styled so different levels of headings are distinct from each other and so the organization of the manuscript is clear. Insert one line space above and one line space below all headings.

FRONT MATTER should include title page, abstract page, and table of contents. All other sections are optional. Abstracts must not exceed 300 words. Table of contents should include A-, B-, and C-level headings.

TABLES (numbered, with captions, stubs, rules) should be submitted in separate MS Word files; should include footnotes, if appropriate; should have rules only at top, bottom, and beneath column heads. Print outs of each table should accompany the manuscript to ensure correct layout of data. Tabulations within running text should not be numbered or formatted like formal tables, and should be included in the text of the manuscript.

FIGURE CAPTIONS should be provided in a separate MS Word file.

FIGURES (e.g., photographs, line art, maps) should be numbered sequentially (1, 2, 3, etc.) in the order called out; be placed throughout text, not at end of manuscript; have all components of composites lettered with lowercase letters and described in the caption; include a scale bar or scale description, if appropriate; include any legends in or on the figure rather than in a caption.

ART must not be embedded in the main text.

Figures must be original and submitted as individual TIFF or EPS files. Resolution for art files must be at least 300 dpi for grayscale and color images and at least 1200 dpi for line art. Electronic images should measure no more than 100% and no less than 75% of final size when published. JPG files will not be accepted. Color images significantly increase costs so should be included only if required. Funding for color art is subject to approval by SISP and the Publications Oversight Board.

IN-TEXT REFERENCES should be used rather than bibliographic notes and should follow the author-date system in the following format: "(author last name, year)" or "... author (year)"; "(author, year:page used within the text)" or "... author (year:page)." A full citation should be included in a "References" section.

ENDNOTES are to be used in lieu of footnotes and should be keyed manually into a separate MS Word file, in a section titled "Notes". Notes should not contain bibliographic information. Manually type superscript numerals in text and use full-sized numerals at the beginning of each note in the "Notes" section. SISP will determine the best placement of the notes section, either at the end of each chapter or at the end of the main text.

REFERENCES should be in alphabetical order, and in chronological order for same-author entries. Each reference should be cited at least once in main text. Complete bibliographic information must be included in all citations (e.g., author/editor, title, subtitle, edition, volume, issue, pages, figures). For books, place of publication and publisher are required. For journals, use the parentheses system for volume(number):pagination [e.g., "10(2):5–9"]. Do not use "et al."; all authors/editors should be included in reference citations. In titles, capitalize first word, last word, first word after colon, and all other words except articles, conjunctions, and prepositions. Examples of the most common types of citations are provided in the SISP Manuscript Preparation and Author Style Guide.

For questions regarding the guidelines, please email SISP at schol.press@si.edu.

